

MATERIA MEDICA OF AYURVEDA

BASED ON
AYURVEDA SAUKHYAM OF TODARĀNANDA

VAIDYA BHAGWAN DASH
D.A.M.S., H.P.A., M.A., Ph. D.
Deputy Adviser (Ayurveda)
Ministry of Health &
Family Welfare
New Delhi

VAIDYA LALITESH KASHYAP
B.I.M.S.
Senior Physician (Ayurveda)
Central Govt. Health Scheme
Directorate General of Health Services,
New Delhi



CONCEPT PUBLISHING COMPANY
NEW DELHI

First Published 1980

© Vaidya Bhagwan Dash 1979

Vaidya (Miss) Lalitesh Kashyap

Vaidya Bhagwan Dash (b. 1934-)

Vaidya (Miss) Lalitesh Kashyap (b. 1939-)

Published by

Naurang Rai

Concept Publishing Company

H-13, Bahi Nagar

NEW DELHI-110015 (India)

Printed by

Hans Raj Gupta & Sons,

Anand Parbat,

New Delhi-110005



*Dedicated to the memory
of*

Late PANDIT RAM PRASAD SHARMA
(Ēx-Rajavaidya of Patiala)
in

**Grateful acknowledgement of his
erudite scholarship and unwearied
services for the revival and
development of Ayurveda**

FOREWORD

Though several important works on Ayurveda have been published till now, there is a large number of works which are still in the manuscript stage in libraries and could not see the light. The name of some of these works we know by coming across them in commentaries and compilations. The reason is mostly economic because the texts which are included in the prospectus are studied in institutions and get priority in publication while others lag behind. The result is that to-day teachers and students are not acquainted with even the names of such texts what of going through them.

Toḍarānanda is a work named on Rājā Toḍaramalla, a minister of Mughal Emperor Akbar (16th Cent. A.D.). This is an encyclopaedic work having *Ayurveda Saukhya* as a component. *Ayurveda Saukhya* too is a voluminous work dealing with several aspects of Ayurveda. The present volume deals with the portion of Materia Medica which is generally known as *Nighaṅṭu*.

In 1972, when I was editing the *Mādhava Dravyagūṇa*, I had the opportunity to see a manuscript of the *Ayurveda Saukhya*. I was surprised to find that it followed Mādhava's *Dravyagūṇa* faithfully in the context of *Nighaṅṭu* portion though the author did not mention the name of Mādhava or its work anywhere. It is also to be noted that though in other portions, source books are quoted explicitly, in *Nighaṅṭu* portion it is conspicuously absent. Hence, it cannot be said definitely what was the source of this portion.

It is almost certain that Mādhava's *Dravyagūṇa* was quite earlier than the *Ayurveda Saukhya* because of its having been quoted by medieval authors and commentators like Sarvānanda (12th Cent. A.D.) and Vopadeva (13th Cent. A.D.). As regards Bhāva Miśra, he happened to be in 16th Cent. A.D. and thus

may be contemporary to the work *Āyurveda Saukhya*. The verses of the Bhāva Prakāśa found in the *Āyurveda Saukhya* lead us to think that either these verses are later interpolations (particularly if they are not found in majority of the MSS.) or Bhāva Miśra himself might be associated with this work. A number of expert scholars of Banaras were engaged by Rājā Toḍaramalla for this encyclopaedic work, and it is not improbable if Bhāva Miśra, a resident of Magadha (Gayā) adjoining Kashi and a renowned expert of *Dravya guṇa* himself participated in this great task. It is to be noted that Bhāva Miśra, apart from the *Bhāva Prakāśa Nighaṇṭu*, also composed another *Nighaṇṭu* entitled *Guṇa ratna mālā*. Without close association, it becomes difficult to explain such situations. The possibility of a common source of both the authors, as proposed by the editor, is also not improbable.

Vaidya Bhagwan Dash, the editor of this work, is well-known for his devotion to enriching the literature of Ayurveda and also to making it intelligible to the outer world. He has done this job with great labour and deserves congratulations not only of myself but of the entire circle of intellectuals interested in the study of Ayurveda. I hope, he will be able to bring out other remaining volumes so as to present a total picture of the work.

Banaras Hindu University,
VARANASI

P.V. SHARMA
Professor and
Head of the Department of
Dravyaguna,
Institute of Medical Sciences

20th September 1979

PREFACE

There has been an increasing interest in the utilisation of the traditional systems of medicine for promotive, preventive and curative health services in many countries of the world. Ayurveda is perhaps the oldest traditional system of medicine in India catering at present to the medical needs of a large section of both the urban and rural population of this country. This system of medicine has also caught the attention of medical practitioners in the West. The Materia Medica of ayurveda represents a rich storehouse of knowledge of drugs based on centuries of experience. Scientists, research workers, physicians and students interested in ayurveda, often experience great difficulty in obtaining authentic works on the subject with a translation in a language generally understood by them. To cater to this long felt need, we are happy to present here the Materia Medica of Ayurveda by Rājā Toḍaramalla with its English translation along with critical notes.

Toḍaramalla hailed from Oudh in Uttar Pradesh, India. He was the *dewan* (Minister) under the great Moghul Emperor Akbar who ruled during the sixteenth century A.D. The emperor was well known for his secular outlook. Toḍaramalla, in spite of his unquestioned loyalty to this Muslim emperor, was a staunch follower of Hinduism. It was apparent to him that Hindu culture in India was in a decadent state and at a low ebb. Quite apart from religion, even sciences like astrology and medicine had fallen into disrepute. Very little original work, if any, was being done in these areas of knowledge and even the extant texts on various subjects were falling into disuse. Such of them as were available had been mutilated and subjected to unauthorised interpolations with the accretion of superstitious ideas through the centuries.

In his mission to revive and revitalise Hindu culture both in the religious and secular fields, he took the help of several eminent Sanskrit scholars of Varanasi and composed encyclo-

paedic works on 23 different subjects by collecting material from authentic texts which were then available. To this, the added knowledge and experiences of the experts in the subject were incorporated. Most of the original texts which were then utilised for the composition of these works are no more extant and those which have survived the vicissitudes of time are now in a mutilated form with several unauthorised and erratic interpolations. It is in this context, therefore, that today Toḍarmalla's work has gained considerable importance, and it is for the first time that the Materia Medica portion of his encyclopaedic work on ayurveda is being brought under print. The series of works on 23 topics of Hindu culture composed under the auspices of Rājā Toḍaramalla is called *Toḍarānanda* which means "the delight of Toḍaramalla". The term *saukhyam* meaning "happiness" is suffixed to the name of each text on a particular topic. Thus the text on ayurveda is called *Ayurveda Saukhyam*. This *Ayurveda Saukhyam* comprises several chapters each one of which is called *harsa* meaning "pleasure".

In the beginning of each *harṣa*, *maṅgalācaraṇa* or the auspicious invocation in the form of a prayer to God is furnished. The colophons at the end of each chapter indicate the contents and chapter number, among others. These invocations and colophons are missing in some manuscripts.

Calligraphic errors have not left this monumental work untouched. Six different manuscripts collected from various libraries of India and Nepal were utilised for the collation and editing of this work. Some of these manuscripts are incomplete. But in others which appeared at first to be complete, some chapter numbers have been arranged and named differently. Some chapters have also been omitted in some of these manuscripts. Therefore, while editing, it was felt desirable to serialise and renumber all these chapters making up a total of 97. This was a delicate job to perform because at the end of the chapters, in some manuscripts, the colophons are missing. For the preparation of this work on Materia Medica, ten chapters of *Ayurveda Saukhyam* have been utilised. On the basis of the remaining chapters, it is contemplated to prepare separate

volumes on different topics shortly and these texts will be in the hands of scholars gradually and in stages.

Ayurveda Saukhyam deals with various topics of ayurveda including fundamental principles, anatomy, physiology, hygiene and public health, examination of patients, diagnosis, prognosis and treatment of diseases, iatro-chemistry and materia medica. Materia Medica and allied topics are found scattered in ten different chapters of this work. The eighth chapter deals with the properties of drugs. This chapter is available in five out of the six manuscripts consulted. In one manuscript, however, this chapter is left incomplete.

This eighth chapter *inter alia* deals with some extraneous topics like *vamana* (emetic therapy) and *virecana* (purgation therapy). These topics, along with other allied topics, like *snehana* (oleation therapy), *svedana* (fomentation therapy), *nirūha* and *anuvāsana* (medicated enema), *nasya* (inhalation therapy) and *rakta mokṣaṇa* (blood letting) are described in detail in the 85th to 88th chapters of the edited text. It is proposed to bring out a separate volume on these topics, which taken together, are called *pañcakarma* therapy. These extraneous topics, therefore, are excluded from this work. This 8th chapter of the original text is divided into 29 chapters in the present work—one chapter dealing exclusively with one group of items.

The 12th chapter of the original text deals with the description of various groups of drugs collected from classics like *Suśruta Saṁhitā*. This chapter is, therefore, included in the 30th chapter of the present work. This chapter is available in three manuscripts.

The last eight chapters of the original text deal with mostly the *nighaṅṭus* or synonyms of drugs and the method of preparation of some food items. Details of these chapters are given overleaf :

Chapter Nos. given in the manuscripts	Chapter Nos. in the edited text	Chapter Nos. in the pre- sent work	The number of manuscripts in which these chapters are available
84	90	31	4
85	91	32	2
86	92	33	3
87	93	34	3
88	94	35	3
89	95	36	3
90	96	37	3
91	97	38	3

There are of course, separate texts on the synonyms of drugs of ayurveda. But most of the extant ayurvedic works on materia medica invariably provide synonyms of drugs along with their properties. It is keeping in view this tradition of ayurveda, and also in order to make the present work more useful to research workers, physicians and students that these eight chapters have been included here.

All the manuscripts procured for the editing of this work were full of grammatical and syntactical errors. Some of these mistakes were common to all the manuscripts. Even the arrangement of topics in these manuscripts varied considerably. Many terms and suffixes used in this work do not stand correct according to the tradition of Pāṇini's grammar. The readers will find some such terms even in the present publication. It is likely that these mistakes were there in the original texts from where references were collected and the scholars who did the job did not think it proper to make any change. The other possibility is that these errors were introduced by subsequent calligraphers.

There are some orthographical peculiarities in all the manuscripts of this work. In several places *na* has been used in the places of *na*, *sa* in the place of *śa* and *ṣa*, *ba* in place of *va*, *kha* in the place of *ṣa*, *ja* in the place of *ya*, *ra* in the place of *la*,

gha in the place of *dha* and *vice versa*. In several places the consonants after *ra* are duplicated.

While editing this work, the variant readings (which include some grammatical errors also) are given at the end of each chapter under Notes and References and the original manuscripts are referred to as *ādarśa pustikā*. Some topics given in this work are also available in other extant ayurvedic works. The variant readings in these texts are given at the end and these extant texts are referred to as *ākāra*. Some portions of the manuscripts were so corrupt and incomplete that we did not think it proper to include them in the main text. In view of their significance from the materia medica point of view, they are given in the "Notes and References" at the end of the chapters.

In the manuscripts some texts are originally referred to by name from where the information was collected by the scholars. The readings in these texts bear a striking resemblance to those of *Mādhava dravyaguṇa* and *Bhāva prakāśa*. The former has been edited by Prof. P.V. Sharma and published by Chawkhamba Vidya Bhawan, Varanasi in 1973. References to these works are conspicuous by their absence in the original manuscripts. However, to facilitate research and study on this subject, these references are provided in the present work in square brackets []. Since the names of these texts are not described in the original manuscripts, it is very difficult to determine as to who borrowed from whom. It is also very likely that both have borrowed their texts from a third source which has since become extinct.

While providing the English translation of the text, we have been very conscious of avoiding mistranslation. Where equivalent English words are not available, in the English text, the Sanskrit words have been transliterated as such and printed in italics. The glossary appended to this work provides a brief explanation of such terms. The nearest English equivalents of many such technical terms are given in parentheses in the English text itself.

The botanical names of most of the medicinal plants are given in parentheses against the Sanskrit names of drugs in the

side-headings. Similarly, the English equivalents of animals, metals, minerals, etc., are provided. Wherever there is any controversy regarding the correct identification of a drug, the botanical or English names have not been provided, lest the reader should be misguided.

One manuscript of this work was procured from a private individual of Varanasi. Some scholars had attempted a Hindi translation of this work. From the language and the paper, it appears that this attempt was not of recent origin. In some places, this Hindi translation has been consulted to decide upon the exact reading of the text.

Acknowledgements

Authors are exceedingly grateful to Pandit Shiv Sharma, President of the Central Council of Indian Medicine for supplying two manuscripts of this work from the collections of his illustrious father Vaidya Rama Prasad Sharma, who was the Raja Vaidya (Physician to the ruler) of Patiala. Greatful thanks are also due to the curators of the Abhilekhalaya, Kathmandu, the Royal Asiatic Society and Sanskrit College both at Calcutta for providing calligraphic/photostat copies of the manuscripts of this work available with them.

For the preparation of this work, Subhash Gupta, Kanchan Gupta and Sharada Gupta have provided considerable assistance. The authors are extremely thankful to them.

A publication of this kind may not be a commercially viable proposition. It must, therefore be said to the credit of the publishers that they have brought it out in a spirit of dedication solely with the aim of propagating this unique science of medicine in the service of the suffering humanity.

BHAGWAN DASH

LALITESH KASHYAP

CONTENTS

Foreword	vii
Preface	ix
Indo-Romanic equivalents of Devanāgarī	xxx
Introduction	xxxi

Chapter 1 : Fundamental principles 1-11

Introduction [1-6], rasa (taste) [7-26], guna (attributes) [27-29], vīrya (potency) [31-32], vipakā (taste that emerges after digestion) [33-34], prabhāva (specific action) [35-36].

Chapter 2 : Properties of Drugs 12

Harītakī [1-18], bibhītaḥka [19-20], āmalakī [21-25], triphalā [26-29], trivṛt [30-31], rājā vṛkṣa [31-33], kaṭukā [33], trāyantī [34], tikta valkalī [34], yāsa [35], bhū dhātrī [35-36], khadīra [36], bhū nimba [37], nimba [37-39], mahānimba [39], parpaṭa [40], pāṭhā [40], kuṭaja [41-45], hrivera [46], mustā [46], ativiśā [46], bilva [47-48], punarnavā [49], citraka [50], dantī [51] hastī dantī [51], jayapāla [52], snuhī [52-53], hemāhvā [54], arka [55], āruṣkara [56], tuvaraka [56-57], guggulu [58-73], śrī vāsa [73-74], rasona [75-85], palānḍu [86-87], gṛñjanaka [88], ādraka [89-94], nāgara [95-96], pippalī [97-100], marica [100-102], tryūṣaṇa [102-103], cavikā [104], gaja pippalī [104], pañca kola [105], sadūṣaṇa [105], jala pippalikā [106], hiṅgu [107-108], jīraka [109-110], kāravī [111] upakuñcikā [111], vāṣpīkā [111], rājīkā [112], yavānī [112], chichikā [113], bhūstrīṇa [113]

kharāhvā [114], dhānyaka [115-117], jambīra [117], bhaṅgā [118], surabhi [119], tumburu [120], varvarī [120-121], kṛṣṇa gandhā [121], śigru [122], madhu śigru [122], varuṇa [123], pāribhadra [123], bilva [124], pāṭalā [124], kāsmarī [125], vahni mantha [125], eraṇḍa [126], trikaṅṭaka [126], kaṅṭakārikā [127], bṛhatī [127], pṛśnī parṇī [128], sthirā [128], jīṅgī [129], balā [130], mahā balā [130], nāga balā [131]. aśva gandhā [131], māṣa parṇī [132], mudga parṇī [132], ṛddhi [132], vṛddhi [133], kākolī [133-134], medā [134-135], jīvaka [135-136], ṛṣabhaka [135-136], aṣṭa varga [136-137], viśālā [137], sārīvā [138], gavādanī [138], anantā [139], gundrā [139], lodhra [140], sāvara lodhra [140], madhuka [141], prapaunḍarīka [142], mañjiṣṭhā [142], lākṣā [143], muśalī [143-144], śatāvārī [144-146], pārtha [146], asthi saṁhāra [147], mārka [147], droṇa puṣpikā [148], giri karnikā [148], vṛścīkālī [149], dugdhikā [149-150] ahimsrā [150], sudarśanā [150], bhārgī [151], guñjā [151], jayantī [151], sairīya [151], prasārīṇī [152], kokilākṣa [152], kulāhala [152], dhuttūra [153], halinī [154], karavīra [154], āvartakī [154], kośātakī [155], jyotiṣmatī [155], brāhmī [156], vacā [156], kukkurunda [157], śaṅkha puṣpī [157], haṁsa pādī [158], mundī [158-159], mālatī [159], mukula [160], nāga damanī [160], śīriṣa [161], śikthaka [161], āphūka [162-163], dūrvā, [163] niśā [164], dārvī [165], avalguja [165-166], prapunnāḍa [166], karañja [167], kimśuka [167], arīṣṭa [167], viḍaṅga [168], āsphotā [168], tiniśā [168], asana [169], śīmśapā [169], dhātakī [169], kadara [169], apāmārga [170], sinduvāra [170], lajjālu [170-171], vaṁśa [171], rohitaka [172], vṛhaddāra [172], tagara [173], kauntī [173], śrīvāsa [174-175], sarala [174-175], bola [174-175], kunduru [174-175], granthi parṇa [174-175], turuṣka [174-175], silhaka [174-175], spṛkkā [174-175], gundrā [174-175], sarja [174-175], murā [174-175], nakha [174-175], rālā [176], candana [177-179], pataṅga [179], padmaka [180], sevya [180], kuṁkuma [181], kastūrī [181], aguru [182], sura dāru [182], kattṛna [183], kuṣṭha [183], śaṭī [184], kaṅkola [184], jāti phala [185], jāti kośa [185], karpūra [186-189], rāsnā [189-190], elā [190-191], lavaṅga [191], latā kastūrikā [192], kaṭphala [192], madana [193], śatāhvā [194], phalinī [195], gandha priyaṅgu [195], hapuṣā [196], rāṣṇā [197], pauskara [197], śṛṅgī [198], varāṅga [198-199], nāga kesara [199], patraka [200], tālisa patra [200-201], vaṁśa rocanā [201], tugākṣīrī [202], vāsaka [202-203],

kumārī [203-204], amṛtā [204-205], daśa mūla [206-209], pañca kṣīri vṛksa [210-212], pañca valkala [210-212], dhātus [213-214], svarna [215-222], tāra [223-230], tāmra [231-235], vaṅga [235-237], nāga [238-240], ritikā [241-244], kāmśya [245], loha [246-262], upa dhātu [263], abhraka [264-279], mākṣika [279-282], haritāla [283-285], manaḥ śilā [286-287], nīlāñjana [288], tutthaka [288-289], kharpara [289], rasaka [290], pārada [290-300], upa rasa [301-303], hiṅgula [303-305], gandhaka [306-311], śilājatu [312-318], ratna and upa ratna [319-323], viṣa [323-332], kāla kūṭa [332-333], vatsa nābha [333-336], upa viṣa [336], gairika [337], svarṇa gairika [337], srotoñjana [338], sauvīra-kāñjana [338], śveta marica [339], pīta rohiṇī [339], vandāka [339], kāca [340], kāsisa [340-341], śaṁkha [341], udadhi mala [341], laghu śaṁkha [341], saurāṣṭrī [342], pañka [342], hasti mada [343-344], gorocanā [344], sindūra [345], kamala [346], raktotpala [347], kumuda [347], jātī [348], karuṇa [349], mallikā [350], mādhavī [351], yūthikā [351-352], kubjaka [353], śata-patrī [354-355], ketakī [356], naipālī [356], vārṣikī [357], campaka [357], rāja campaka [358], bakula [358], vaka [359], pāṭāla [360], deva vallabha [361], nīpa [361], kadamba [361], tulasī [362-363], damana [363], phaṇijjhaka [364], kumuda [365], utpala [365], śaṇa [366], kovidāra [366], karbudāra [366], śālmātī [366], madhūka [367], yūthikā [367], dhātakī [367], mucukunda [368], mllikā [368], jayā [368], vṛṣa [369], agastya [369], brahma [370], nimba [370], muṣkaka [370], asana [370], kuṭaja [370], ketaka [371], saireya [371].

Chapter 3 : Different Types of Salt etc.

122

Salt in general [1], saindava [2], gaja [3], sāmudra [4-5], viḍa [5], pākya [6], ṭankana kṣāra [7], sudhā kṣāra [7], śvadamṣṭrā kṣāra [8], palāśa kṣāra [8], other kṣāras [9-11], rucaka [12-13], kṛṣna lavana [13], romaka lavana [14], audbhīda lavaṇa [14], paṁśuja [15], yavaśukaja kṣāra [16], sarjikā kṣāra [16], uṣaḥ kṣāra [17], pācīta kṣāra [17].

Chapter 4 : Sugar cane Juice and its Products

128

Sugar cane juice [1], ikṣu [3-4], dīrgha pora [5], vaṁśaka [5], śata pora [5], kāntāra [6], tāpasa [6], kaṇḍekṣu [6], sūcī patra

etc. [7], kośakāra [8], taste of different parts of īkṣu [8], juice extracted by chewing [9], juice extracted by machine [10], boiled juice [10], phāṇita [10-11], guḍa [12-15], khaṇḍa [16], paunḍraka śarkarā [16], madhu śarkarā [17], sāmudrikodbhavā śarkarā [17-18]. śarkarā in general [18-19].

Chapter 5 : Honey

135

Variety [1], property in general [2-4], paittika [4], bhrāmara [5], kṣaudra [5], māḁṣika [6], chātra [7-8], ārghya [8], auddālika [9], dalodbhava [10], general description [11-16].

Chapter 6 : Milk & Milk Products

141

Variety [1-2], cow's milk [3], goat's milk [4-5], sheep's milk [6], buffalo milk [7], camel milk [8], mare's milk [9], elephant's milk [10], woman's milk [10], general description [11-31], kṣīra phena [32-33], containers [34-35], ghana [35], pīyūṣa [35], morāṭa [36], dadhi kūrcikā [37]. takra kūrcikā [37], kilāṭa [37], kṣīrasika [38], piṇḍa [38-39], general description [39-41].

Chapter 7 : Curd

154

Property in general [1-2], variety [3-9], curd of cow's milk [10], curd of buffalo milk [11], curd of goat's milk [12], general description [13-20], curd of camel's milk [21], curd of sheep milk [22], curd of mare's milk [22-23], curd of woman's milk [23-24], curd of elephant's milk [24-25], general description [25-28], sara and mastu [28-31].

Chapter 8 : Butter Milk

164

Property in general [1-2], variety [2-7], property of different types [8-9], general description [10-18].

Chapter 9 : Butter and Ghee

171

Butter of cow's milk [1-2], butter of buffalo milk [2-3], milk-butter [3-4], freshly collected butter [4-5], preserved butter [5],

ghee of cow's milk [6-7] ghee of goat's milk [7-8], ghee of buffalo milk [8-9], ghee of camel's milk [9-10], ghee of sheep's milk [10-11], ghee of mare's milk [11-12], ghee of elephant's milk [12-13], ghee of woman's milk [13-14], ghee prepared of milk [14], preserved ghee [15-16], ghṛta maṇḍa [17], Hayāṁ gavīna [18], preservation [19-23], contra-indication [22-23].

Chapter 10 : Different Types of Oil

179

Property of oil in general [1-2], gingili oil [2-4], linseed oil [5-6], mustard oil [6-7], castor oil [7-9], kusumbha oil [10], kośāmra oil [11], oil from other plants [11-13], karañja oil [14], ariṣṭaja oil [14], tuvara oil [15], āruṣkara oil [15], jyotiṣmatī oil [16], aksa oil [16-17], atimukta oil [16-17], akṣoṭa oil [16-17], nālikela oil [16-17], madhūka oil [16-17], trapusa oil [16-17], oil [16-17], kuṣmāṇḍa oil [16-17], śleṣmātaka oil [16-17], piyāla ervāru oil [16-17], śrīparna oil [18], kimśuka oil [18], oi's for inhalation [19-20], yavatiktā oil [21], sahakāra oil [22], general description [22], sarja rasa oil [23], general description [24-25], muscle fat and bone marrow [26-29], general description [30].

Chapter 11 : Alcoholic Drinks

188

Properties in general [1-3], āsava ariṣṭa [4-5], surā [6-7], vāruṇī [7-8], different parts [9-10], prasannā [11], kādambarī [11-12], jagala [12-13], medaka [13], vakkasa [14], kiṇvaka [14], madhūlaka [15], mārīvika [15-17], khārjūra [18], gauḍa [19-20], mādūka [20-21], sidhu [21-23], śārka [24], madhvāsava [25], ākṣika [25-26], jāmbava & tauvara [26], general description [27-35]

Chapter 12 : Vinegars

199

Śukta [1-3], kāñjika [4-5], tuṣodaka [5-6], sauvīra [7-8], āranāla [9], dhānyāmla [9-10], śaṇḍākī [10-12], special preparation of kāñjika [13].

Chapter 13 : Different Types of Urine

204

Variety [1], general property [1-2], cow's urine [3-4], goat's

urine [5], sheep's urine [6], buffalo's urine [6-7], elephant's urine [7-8], urine of horse [8-9], camel's urine [9], urine of donkey [10], stool of animals [11], human urine [12], general description [13-14].

Chapter 14 : Different Types of Water

210

Properties in general [1-2], variety [3-13], poisonous water [13-15], water from hail stone [15-17], water from dew & frost [17-19], water from snow [20-23], water from earth [23-30], river water [31-33], water coming out from earth [34-35], water from spring [36-37], water from pond [38-39], water from pālvala or small pond [40-41], lake water [41-42], caṇḍa water [43-44], vapī water [45-46], well water [47-48], vikira water [49-50], water of the field [51], rain water [52], water in different seasons [53-56], amśūdaka [56-58], water in different months [58-60], time of collection [61] mode of intake [62], candīa kāntu water [63] sea water [63], river water [64-67] polluted water [68-69], cold water [70-75], boiled water [76-79], ārogyāmbu [80-83], śṛta śīta [83-87], coconut water [88], time of taking water [89-91], water pollution [92-99], purification of water [100-102], time taken for digestion [103].

Chapter 15 : Different Types of Rice

241

Rakta śāli [1], gaura ṣaṣṭika [2], mahā śāli [3], kalama [3], vṛihi [3], pāṭala [4], sowing & transplantation [4], cultivation [5], general description [6-9]

Chapter 16 : Different Types of Corn and Pulses

245

Śyāmaka, priyangu, nīvāra & koradūsa [1], yava [2-3], anu yava and vaṃśaja yava [3], godhūma [4-5], tila [6-7], mudga [8-9], vanya mudga [10], masūra [10], makusthaka [11], caṇaka [11], hareṇu & satīna [12], ādhakī [12-13], kulattha [13-14], vanya kulattha [15], māṣa [15-16], ātma guptā and kākāṇḍa [17], araṇya māṣa [17], rāja māṣa [18], kākāṇḍa & ātma guptā [19], atasī and kusumbha [20], niṣpāva [21], śīmbi [21-25], siddhārtha [25-26], rājikā and sarṣapa [26], property in preservation [27-28], germinated corns [29], general description [29-30].

Chapter 17 : Different Types of Meat**256**

Jāngala and ānūpa [1-15], vileśaya [16-18], guhāśaya [19-20], parṇa mṛga [20-21], viškira [22-24], pratuda [25-28], prasaha [29-31], grāmya [31-32], kūlecara [33-35], plava [36-40], kośastha [41-42], pādin [43-46], matsya [46-47], hariṇa [48], eṇa [49], pṛṣat [50] muṇḍinī[51], nyaṅku [51], ṛṣya [52], śaśa [52], śalyaka [53], lāva [54-57], vartika [57], caṭaka [58], veśma caṭaka [58], var-taka [59], tittiri [60], kukkuṭa [61], pāniya kukkuṭa [62], hārita [63], pāṇḍuka [64], kapota [65], pāravata [65-66], egg [66], chāga [67-71], mesa [72-73], go [74], aśva [75], mahisa [76], kadambaka & cakrāṅga [77], kacchapa [78], gaja [78-79], varāha [79], carma citrita sūkara [80], khaḍga [81], barhī [82], kapota [82-84], sarpa [85-86], śaṅkha kūrma [86-87], kṛṣṇa karkaṭa [87], haṁsa [88], cakravāka etc., [88-89], godhā [90], mūśaka [90], description in general [91-96].

Chapter 18 : Different Types of Fish**286**

Property in general [1-2], rohita [3], nandikāvarta & śakula [4], pāthīna [5], śṛṅgī etc., [6-7], madgura [8], kṛṣṇa matsya [8], āli [9], pṛyu [9], illiśa [10], balaṅga [10], proṣṭikā [11], nandī-varta [11], dīrgha tuṇḍaka [12], bhāskara [12], śakula[13], śailīndhu [13] gargabha[14], mṁvāka [14], imbikā [15], small fish [15], eggs [16], dry fish [17], putrified fish [17], burnt fish [17], river fish [18], pond fish [19], sea fish[19-20], well fish [21], general description [22-32].

Chapter 19 : Fruits**298**

Dādima [1-2], nipa etc., [3], karkandhu etc., [4-5], āmra [6-18] āmrātaka [19-20], lakuca [21], kara mardaka [21], amla vetasa [22], tuntiḍika [22-23], amlikā and kośamra [23], airāvata & danta śatha [24], nāranga [24], nimbūka [25], rāja nimbū [25], jāmbira [26], karuṇa [26], mātuluṅga [27], tvak tikta [28] keśara [29], madhu karkaṭi [30-31], kapittha [31-33], jāmbu [33], tinduka [34], priyāla [34], parpaṭika [35], kṣīrī [36], phalgu [37], bimbī [37], śamī [38], mṛdvīkā [38-42], kadālī [43-44], kāśmarya [44], kharjūra [45-52], madhūka [52-53], parūśaka [54-55], tāla [55-59], nārikela [59-60], panasa [61-64], moca[65],

ślśmātaka [66], pauskara [66], udumbara [66], vāluka [67-68], tinduka [68], priyāla [69], vibhītaka [69], kola [70], āmalaka [70], bijapūraka, śāmpāka & kośāmra [71], vādāma [72-73], pulp in general [74], bad fruits [75].

Chapter 20 : Vegetables

323

General description [1-2], jīvantī [3], taṇḍuliyaka [3], vās-tuka [4], cili & pālaṅkya [5], kāsa mardaka [6], kāka jaṅghā [7], methikā [7], kākamāci [8], satīna [9], harimantha [9], kalāya [10], rāja kṣavaka [10-11], maṇḍūka parṇī & gojihvakā [11-12], suniṣaṅṅaka [12], cāṅgeri [13], kaṁcaṭa [14], modaka [14], varuṇa & prapunnāta [15], vatsādanī etc., [16], kāla śāka [17], varṣābhū [17], cīra bilva, aṅkura & asana [18], veṇu karīra [18-19], āṭarūṣaka etc., [20], vārtāka [21-23], vārtāku [24], bṛhatī [25], paṭolo [26], kāra vellaka [27], karkoṭika & hasti karkoṭika [27-28], vandhyā karkoṭi & kevuka [28], kūśmāndaka etc., [29-31], alābū [32], kaṭu tumbi [32], trapusa, ervāru & kakāru [33-36], kūśmānda nāḍi [36-37], alābu nālikā [37], paṭolikā [38], upodikā [39], āruka [40], nirica [40-41], mārusa [41-42], kalaṁbuka [42], hīla mocikā [43], grīśma sundara [43], mūla kapotikā [44], mūlaka [45-46], sarsapa [46], rājikā & pañcāngula [47], kausumbha [47], māśa [48], āhastinī & pattūrā [48], nyagrodha etc., [49], saṁśvedaja [50-53], pinākī [54], vidārī [54], śatāvārī [55-56], visa śālūka etc., [57], pauškara [58], tāla pralamba [58], muñjātaka [59], āluka [59-60], piṇḍāruka [61], surendra kanda [61], kadali kanda [62], māṅaka [62], sūraṇa & bhūkanda [63], amlikā kanda [64], kumuda kanda etc., [65], musalī [66], vārāha kanda [66-67], tāla śiras etc., [67-69], general description [70-71].

Chapter 21 : Group of Best Articles

348

Dhānya [1], māṁśa [2], phala [3], śāka [4], ksīra, ghṛta & lavana [5], sour and pungent articles [5], bitter and sweet articles [6], astringent things [6], sugar cane products & drinks [7], miscellaneous [7-9].

Chapter 22 : Attributes of six Tastes 352

Sweet [1], sour [2-3], saline [3], pungent [4], bitter [5], astringent [6],

Chapter 23 : Different Types of Maṇḍa 355

Maṇḍa [1]; lāja maṇḍa [2-3], dhānya maṇḍa [3-4], vāṭya maṇḍa [4-5], rakta śālī maṇḍa [6], aṣṭaguna maṇḍa [7-8], miscellaneous [9-11].

Chapter 24 : Peyās and Allied Preparations 359

Peyā [1], vilepī [2], yavāgū [3-5], pāyasa [6], kṛśārā [6], anna [7-11], ghola bhakta [12], vāryanna [13-14].

Chapter 25 : Sūpa and Allied Preparations 364

Sūpa [1] yava & canaka saktu [2], śālī saktu [3-4], lāja saktu [5], yava saktu [6-8], avalehikā [8], mantha [9-12], dhānolāmbā [12], lājā [13], pṛthukā [14], dhānā [15], niṣpāva [15], taṇḍula piṣṭa [16].

Chapter 26 : Meat and Its Preparations 370

Māmsa [1-9], māmsa rasa [10-14], sorāva [14-15].

Chapter 27 : Yuṣas and Allied Preparations 376

Mudga yūsa [1], rāga śāḍava [2-4], paṭola & nimbū yūsa [5], mūlaka yūsa [6], kulattha yūsa [7] pañcamuṣṭika yūsa [8-9], navāṅga yūsa [10], other varieties [11-12], yava maṇḍa [13], sarva dhānya maṇḍa [14], khaḍa & kāmbalika [14], dāḍi-māmla [15], dhānyāmla [16], dadhyāmla [16], takrāmla [17], kṛta & akṛta yūsa [18-19], śaṇḍākī [19], rāga śāṇḍava [20], rasālā [21], pānaka [22-24], bhaksya [25], ghrta pūra [26], guḍa bhaksya [27], madhu śīrṣaka etc., [28], saṭṭaka [29], abhisyanda [30], phenaka [31-32], vesavāra [33], palala & śas-kulī [33], parpaṭa & kṣīra parpati [34], paiṣṭika bhaksya [34-35], vīrūdhaka bhaksya [35-37], pūpaka [37], other varieties [38-42] kulmāṣa [43], miscellaneous [43].

Chapter 28 : Anupāna**394**

Anupāna in general [1-2], water [2], hot water [3-4], cold water [5-6], luke warm water [6], milk & meat soup [7] dhānyāmla [7], alcohol [8], fruit juice [9], milk [9-10], honey water [10], miscellaneous [11-19].

Chapter 29 : Substitutes**401**

Permissible substitutes of various drugs [1-33], miscellaneous [34-38].

Chapter 30 : Groups of Drugs**410**

General description [1-7], vidāri gandhādi gaṇa [8-9], āragvadhādi gaṇa [10-11], sāla sārādi gaṇa [12-13], varuṇādi gaṇa [14-15], vīratarvādi gaṇa [16-17], rodhrādi gaṇa [18-19], arkādi gaṇa [20-21], surasādi gaṇa [22-23], muskakādi gaṇa [24-25], kṛṣṇādi gaṇa [26-27], elādi gaṇa [28-29], vacādi & haridrādi gaṇa [30-31], kakolyādi gaṇa [32-33], ūsakādi gaṇa [34-35], sārīvādi gaṇa [36-37], aṅjanādi gaṇa [38-39], parūsakādi gaṇa [40-41], bṛhatyādi gaṇa [42-43], gudūcyādi gaṇa [44], vatsakādi gaṇa [45-46], mustādi gaṇa [46-47], utpalādi gaṇa [48], triphalā [49-53], tryūṣaṇa [53-54], trikarsita [55], āmalakyādi gaṇa [56], trapvādi gaṇa [57-58], lāksādi gaṇa [59-60], kṣudra pañca mūla [61], mahat pañca mūla [62], daśa mūla [63], vallija pañca mūla [64], pañca kaṇṭaka [65-66], tṛṇa pañca mūla [67], kadambādi gaṇa [68], karañjādi gaṇa [69], pañca kola [70], pācana gaṇa [72], dāraṇa gaṇa [73], prapīdana gaṇa [74], śodhana kasāya [75], saṁśodhana varti [76-78], pañca gavya, etc., [79-81], saṁśodhana ghr̥ta [81-82], śodhana taila [83], śodhana cūrṇa [84], śodhana rasa kriyā [85], ropana kasāya [86], ropana varti [87], ropana kalka [88], ropana ghr̥ta [89], ropana taila [90], ropana cūrṇa and rasakriyā [91], utsādana [92], avasādana [93-94], pañca valkala [96], aṣṭa varga [97-103], sarvaūśadhi [104-105], sugandhāmalaka [106], tri sugandhi & cātur jātaka [107-109], pañca sugandhi [110], varārdha & ādya puṣpaka [111], mahā sugandhi [112], saṁtarpaṇa [113], group of sweet drugs [114-117], group of sour drugs [118-121], group of saline drugs [121-122], group of pungent

drugs [122-124], group of bitter drugs [125-130], group of astringent drugs [131-134], pañcāgni [135], groups of drugs for saṁśodhana [136], drugs for emesis [137], drugs for purgation [138], drugs which are both emetic & purgative [139-140], errhines [141], group of drugs for alleviation of vāyu [143], group of drugs for alleviation of pitta [144], group of drugs for alleviation of kapha [145], proper dosage [146], unwholesome food for a patient [147], wholesome food & regimens [148-150], general description [151-154].

Chapter 31 : Synonyms of Drugs (Abhayādi varga)

450

Upakrama [1], harītakī [2-3], āmalaka [4], vibhītaka [4-5], triphalā [5], bhūmyāmalakī [6], prācīnāmalaka [6], vāsā [7], guḍūci [8-9], bilva [9-10], araṇī [10], patalā & kāṣṭha pāṭalā [11], gambhāri [12], śyonāka [13], mahat pañca mūla [14], gokṣura [15], sāli parṇī [16], pṛṣṇi parṇī [17], bṛhat kaṇṭakāri [18], laghu kaṇṭakāri [19], śveta kaṇṭakāri [20], laghu pañca mūla [20], daśa mūla [21], ṛdhi and vṛddhi [21], kākoli [22], ksīra kākoli [23], medā [23], mahā medā [24], jīvaka [24], ṛṣabhaka [25], aṣṭa varga [25], jīvanti [26], madhu yaṣṭi [27], māsa parṇī [28], mudga parṇī [29], jīvanīya gana [30], eraṇḍa [31], rakta eraṇḍa [32], sārīvā [33], yavāsā [34-35], mahā muṇḍī [36], apāmārga [37], rakta apāmārga [38], kampillaka [38], dantī [39-40], jaya-pāla [41], śveta niśoṭha [41], śyāma niśoṭha [42], indra vāruṇī [43-44], āragvadha [45], nīlinī [46], kaṭukī [47], aṅkola [48], sehuṇḍa [49], nimba [50], mahā nimba [51], kirāta tikta [52], kuṭaja [53], indra yava [54], madana phala [55], kaṁkustha [56], svarṇa ksīri [57], sātalā [58], aśmanta [59], kāñcanāra [60], nirguṇḍī [61], sephālikā [61], meṣa śṅgī [62], sveta punarnavā [63], rakta punarnavā [64], ksudra varsābhū [64], rāsnā [65], aśva gandhā [66], prasāraṇī [67], śatāvārī [68], mahā śatāvārī [69], balā [70], mahā balā [71], atī balā [72], tejavati [73], jyotismati [74], devadāru [74], saralā [75], puskara mūla [76], kuṣṭha [77], karkaṭa śṅgī [78], rohiṣa tṛṇa [79], kaṭphala [80], bhārgī [81], pāsāna bheda [82], mustā [83], dhātakī [84], vidārī kanda [85-86], māyikā [87], vārāhī kanda [88], pāthā [89], mūrvā [90], mañjiṣṭhā [91], haridrā [92], dāru haridrā [93], cakra marda [94], vākucī [95], bhṛṅga rāja [96], parpaṭa [97], śaṇa

puṣpī [98], trāya māṇā [99], mahā jālinī [100], ativiṣā [101], kākamācī [102], kāka jaṅghā [103], lodhra [104], vṛddha dāru [105], devadālī [106], haṁsa pādī [107], soma vallī [108], nākulī [108], vata patrī [109], lajjālu [109], muśālī [110], kapī kacchu [111], putrañjīva [111], vandhyā karkotī [112], viṣṇu krāntā [113], śaṁkha puṣpī [113], dugdhi [122], arka puṣpī [123], bhal-lātaka [123] cerapotī [124], droṇa puṣpī [125], brāhmī [126], suvarcalā [127], matsyākṣī [128], nāga damanī [129], guñjā [130], vellantara [131], vandāka [132], piṅḍalū [133], chikkiṇī [133], rohitaka [134], moca rasa [135], aja gandhī [136]. saireyaka [136-137], giri karṇikā [138], kokilākṣa [139], kārpāsa [140], ārāma śītalā [140], tāmra cūḍa [141], vāmī [141], valā motā [142], śara puṁkhā [142], mayūrā śikhā [143], lakṣmanā [143], māṁsa rohiṇī [144], asthī saṁhāra [144], arka [145], karavīra [146], dhastūra [147], kalihārī [148], kumārī [149], bhaṅgā [150], kāñcanī [150], dūrvā [151], gaṇḍa dūrvā [152], kāsa [152], darbha [153], muñja [153], nala [154], vaṁśa [154], khurāsānī yavānī [155], khasa khasa [155], āphū [156], pātāla garuḍa [156].

Chapter 32 : Synonyms of Drugs

496

(Śuṅṭhyādi varga)

Śuṅṭhī [1], ārdra [2], marica [2], pippalī [3], tryūṣaṇa and caturūṣaṇa [4], pippalī mūla [5], cavya [6], gaja pippalī [6], citraka [7], pañca kola, saḍūṣaṇa [8], śata puṣpā [9], miśreyā [10], methī [10], aja modā [11], jirā [12], upakuñcikā [13], yavānī [14-15], aja gandhā [16], vacā [17], hapusā [18], vidanga [19], dhānyaka [20], hingu patrī [21], hiṅgu [22], vaṁśa rocanā [23], saindhava [24], sauvarcala [24], vida [25], sāmudra lavaṇa [25], audbhida lavaṇa [26], romaka lavana [26], pāṁśu lavaṇa [27], kāca lavaṇa [27], yava ksāra [28], svarjī kṣāra [28], taṅkaṇa [29], sudhā ksāra [29], sarva kṣāra [30].

Chapter 33 : Synonyms of Drugs

507

(Karpūrādi varga)

Karpūra [1], kastūrī [2], candana [3], rakta candana [4], pīta candana [5], kṛṣṇāguru [6], kuṁkuma [7], śīlā rasa [8], jātiphala [9], jāti patrī [9], lavaṅga [10], kaṁkola [11], sūkṣ-

mailā [11], sthūlailā [12], tvak [13], teja patra [14], nāga kesara [14-15], tri sugandhi & caturjātaka [16], tālīsa [17], saraḷa [18], śrīvāsa [18], bālā [19], jatāmāmsī [20], uśira [21], reṇukā [21], priyaṅgu [22], pāripela [22], śaileya [23], kunduru [23], guggulu [24], rāla [25], sthaṇeyaka [26], coraka [26], ekāṅgī [27], karcūra [27], śaṭī [28], sprkkā [28], granthi parṇī [29], nalī [29], padmaka [30], puṇḍarīka [30], tagara [31], gorocanā [32], nakha [33], patanga [34], lākṣā [35], parpaṭī [36], padma [36-37], padma cāriṇī [37], śveta kamala [38-40], raktotpala [40], nilotpala [41], kalhāra [42], kamala keśara [42], padma bīja [43], mṛṅgāla [43], śālūka [44], jāṭī [44-45], mālatī [46], yūthikā [46-47], sevati [47-48], ketakī [49], vāsantī [50], mādhavī [50-51], punnāga [52], vakula [53], kunda [54], muca-kunda [54], velā [55-56], bandhu jīva [56], japā [57], sindūrī [57], tulaśī [58], maruvaka [59], damana [59-60], kuṭheraka [60-61].

Chapter 34 : Synonyms of Drugs

529

(Suvarṇādi varga)

Suvarṇa [1], rupyaka [2], tāmra [2], kāṁsya [3], pittala [4], vaṅga [5], nāga [5], lauha [6], maṇḍūra [6], pārada [7], abhra [8], gandhaka [8], māksika [9], manaḥśilā [9], haritāla [10], garīka [11], tuttha [12], kāśīsa [13], hiṅgula [14], sindūra [14], sauvīra añjana [15], srotoñjana [15], rasañjana [16], puṣpāñjana [17], śilā jatu [18], bola [19], sphaṭikā [19], samudra phena [20], pravāla [21], muktā [21], māṇikya [22], sūrya kānta [22], candra kānta [23], gomeda [23], hīrā [24], vaiḍūrya [24], marakata [25], śukṭī [25], śaṁkha [26], laghu śaṁkha [26], kapardikā [27], khaṭikā [27], gauḍa pāsāṇa [28], paṅka and vālukā [28], cumbaka pāsāṇa [29], kāca [29].

Chapter 35 : Synonyms of Drugs

541

(Vaṭādi varga)

Vaṭa [1], aśvattha [2], udumbara [3], kāṣṭhodumbara [4], plakṣa [4], nandī [5], kadamba [5], arjuna [6], śīrīṣa [7], ārtagaḷa [8], vetasa [8], jala vetasa [9], samudra phala [9], śleṣmātaka [10], pīlu [11-12], sāka [12], śāla [13], tamāla [13], khadira [14], vit khadira [15], babbūla [15], vijaya sāra [16], tinisa [16],

bhūrja [17], palāśa [17], dhava [18], dhanvana [19], aja karna [19], varuṇa [20], jīṅgini [20], śallakī [21], iṅgudī [22], karahārī [22], muškaka [23], pārībhadrā [23], śālmalī [24], tuṇi [25], sapta parṇa [26], haridrā [26], karañja [27], karañji [28], śamī [29], śīrīsikā [30], ariṣṭaka [30], siṃsapā [31], agastya [31].

Chapter 36 : Synonyms of Drugs (Drāksādi varga)

554

Drāksā [1-4], āmra [5-8], jambu [8-10], nārikela [11-13], kharjūrikā [14-17], silemāni kharjūra [18], kadālī [19-21], dāḍīma [21-23], badara [24-27], laghu badara [27-30], ksīrī [31-32], priyāla [33-34], parusaka [35-36], tinduka [37-39], kumkīṇī [40-41], āru [41-42], madhūka [42-45], panasa [46-47], lakuca [48-49], tāla [49-51], kharbūja [52-53], seva [53-55] amṛta [56], bādāma [57], nikocaka and pistā [58-60], kelā [60], āru [61], añjīra [62], aksoṭa [63], pālevaka and mālavaka [64-65], tūta [66], gāṅgeruka and todana [67-69], tuvaraka [70-71], bīja pūraka [71-75], madhu karkaṭikā [75-76], nāraṅgī [76-77], jambīraka [78-79], amla vetasa [79-80], sārāmlaka [81], nimbuka [81-85], karma raṅga [86], amlikā [87-88], tittidīka [89-90], karamarda [90-91], kapittha [92-94], kapittha patrī [94-95], āmrātaka [95-96], rājāmra [97], caturamla and pañcāmra [98-99], kośāmra [99-101], supārī [101-103], tāmbūla [104-105], lavalī [106-107], general description [108-109].

Chapter 37 : Synonyms of Drugs (Kūṣmāṇḍādi varga)

587

kūṣmāṇḍa [1], kāliṅga [2], tumbī [2], katu tumbī [3], karkaṭī [3], trapusa [4], cirbhatī [5], vāluka [5-6], kośātakī [6-7], rāja kośātakī [7], mahā kośātakī [8], vṛntākī [8-9], bimbī [10], kāravellaka [10-11], karkoṭaka [11], vandhyā karkoṭakī [12], kola simbī [13], ḍiṅḍisā [13], simbi [14], vāstūka [14], jīvantaka [15], cillī [15], kāla śāka [16], ṭandulīyaka [16-17], phogo [17], paṭola [18-19], ciccīṅḍa [19], pālaṅkyā [20], upodikā [20], lonika [21], suniṣannaka [22], śira vāra [22], sarṣapa śāka [23], caṅga śāka [23], kalāya śāka [24], caṅgerī [24], kāsamarda ann grñjana [25], mūlaka [25], karīraka [26], śīgru [26-28], laśuna [28-29], palāṅḍu [29], kṣīra palāṅḍu [30], grñjana [30-32], sūra-

ṇa[32-33], asthi saṁhāra [33], vārāhi [34], muśalī [34], keyu [35], bhūchatra [35], māṇa kanda [36], kaseru [36], śṛṅgātaka [37], piṇḍālu [37-39].

Chapter 38 : Synonyms of Drugs

602

(Jalādi varga and food preparations)

Jala [1], dugdha [2], dadhi [2], takra [3-4], navanīta [5], ghṛta [5], madya [6], iksu [7], iksu vikāra [8-9], madhu [10-11] madhūcchiṣṭa [12], group of dhānya [12-14], ksīrī [15-16], rāga ṣāḍava [16-19], khaṇḍāmra & khaṇḍāmalaka [19-20], sikhariṇī [20-22], pānaka [23-28], sattaka [28-30], maṇḍaka [30-33], polikā [34-35], śālīpiṣṭa [35-36], godhūma bhakṣya [36]. vaidala bhakṣya [37], māṣa bhakṣya [37], anya bhakṣya [38], guda yukta bhakṣya [38], ghṛta pakva bhakṣya [39], taila pakva bhakṣya [39], dugdha bhakṣya [40], ghṛta pūra [41-44], sarīyāva [44-48], madhu śīrsaka [48-50], madhu pūpaka [50-51], dadhi pūpaka [51-53], viṣyandana [54-58], lapsikā [58-60], phenikā [60-61], modaka [61-64], vaṭaka [64-66], iṇḍarī [67], somālikā [67], kuṇḍalika [68-71], kulmāṣa [71-72], mantha [72-75], saktu [76-79], lājā [80-81], dhānā [81], pṛthukā [82], holaka [83], umvī [84].

Index : I

625

(Glossary of Technical Terms)

Index : II

645

(Drugs and Diet described in this Text)

Index : III

673

(Synonyms of Drugs)

**INDO-ROMANIC EQUIVALENTS
OF DEVNĀGARĪ**

अ	a	क	ka	ण	ṇa	व	va
आ	ā	ख	kha	त	ta	श	śa
इ	i	ग	ga	थ	tha	ष	ṣa
ई	ī	घ	gha	द	da	स	sa
उ	u	ङ	ṅa	ध	dha	ह	ha
ऊ	ū	च	ca	न	na		
ऋ	ṛ	छ	cha	प	pa		
ॠ	ṝ	ज	ja	फ	pha		
ए	e	झ	jha	ब	ba		
ऐ	ai	ञ	ña	भ	bha		
ओ	o	ट	ṭa	म	ma		
औ	au	ठ	ṭha	य	ya		
अं	m̐	ड	ḍa	र	ra		
अः	ḥ	ढ	ḍha	ल	la		

INTRODUCTION

The history of the materia medica of ayurveda is as old as the Vedas. The *Ṛk Veda* (prior to 4500 B.C.), which is the oldest repository of human knowledge, has described about 67 plants. Other Vedas, namely, *Sāman*, *Yajus* and *Atharvan* are also replete with references to various aspects of ayurveda, including the description of drugs and their therapeutic effects. Medicinal plants are also described in the *sāmhītā*, *upanīṣat* and *purāṇa* texts.

Ayurveda is an *upaveda* or subsidiary text of the *Atharva veda* and it has the following specialised branches ;

- (1) *Kāya cikitsā* or Internal medicine ;
- (2) *Śalya tantra* or Surgery ;
- (3) *Śālākya tantra* or the treatment of diseases of head and neck ;
- (4) *Agada tantra* or Toxicology ;
- (5) *Bhūta vidyā* or the management of seizures by evil spirits and other mental disorders ;
- (6) *Bāla tantra* or Paediatrics ;
- (7) *Rasāyana tantra* or Geriatrics including Rejuvenation therapy ; and
- (8) *Vājīkaraṇa tantra* or Science of Aphrodisiacs.

Classics were composed on each of these specialised branches. In some classics, all these branches of ayurveda were put together. Prior to the seventh century B.C., many ayurvedic classics were composed. The important ones, among them, are *Caraka sāmhītā*, *Suśruta sāmhītā*, *Bhela sāmhītā*, *Kāśyapa sāmhītā* and *Hārīta sāmhītā*. Most of these texts are not available in their original form now. *Caraka sāmhītā*, which was originally composed by Agniveśa and was called *Agniveśa sāmhītā*, was subsequently redacted by Caraka. Even this redacted version is not available in its entirety now. Out of 120 chapters,

about 41 chapters were missing and were subsequently added by a fourth century scholar named Dṛdhabala. *Suśruta saṁhitā* was also redacted by Nāgārjuna. The remaining three texts are not available in their complete form. *Hārīta saṁhitā*, which is available now, appears to be different from the original one. Subsequently, two texts of Vāgbhata, namely, *Aṣṭāṅga hṛdaya* and *Aṣṭāṅga saṁgraha* were added to this series of classics and both these works are available in their complete form. In all these important ayurvedic classics, separate chapters are provided for the description of drugs and their therapeutic properties. The fundamental principles dealing with the concept of drug composition and drug action are also described in these texts. *Dravya guṇa* or materia medica, as a separate text, came into existence much later.

The advent of Buddhism in India brought considerable change in the practice of ayurveda. Surgery, the performance of which is invariably associated with pain, was treated as a form of *himsā* or violence, and therefore, its practice was banned. To compensate this loss, and to alleviate the sufferings of ailing humanity, more drugs were added during this period to ayurvedic materia medica. Prior to this period, metals and minerals were no doubt used for therapeutic purposes. But their use was in a crude form and they were sparingly used. Buddhist scholars added considerably to the metals and minerals in ayurvedic materia medica, inasmuch as *Rasa śāstra* or Iatro-chemistry, formed a specialised branch and many authentic texts were composed on this subject. Thus, the loss by discarding the practice of surgery was well compensated by the addition of iatro-chemistry to the materia medica of ayurveda during this period.

Some of the Buddhist rulers, like Asoka, established several herb-gardens, so that people could get drugs conveniently for the treatment of their diseases. Buddhist monks were encouraged to learn ayurveda and practise it, which was considered to be the most convenient and popular method of spreading the teachings of their Preceptor. Thus, through Buddhism, ayurveda spread to Śrī Lankā, Nepal, Tibet, Mongolia, the Buriyat Republic of Soviet Russia, China, Korea, Japan and

other South-East Asian countries. Ayurvedic texts, including texts on materia medica, were translated into the languages of these countries and these are still available in translated form even though some of their originals have become extinct in the country of their origin. Based upon the fundamental principles of ayurveda, some local herbs, diet and drinks were included in the traditional medicine of the respective countries. The materia medica of ayurveda was thus enriched.

India was severally invaded by outsiders like the Greeks, the Saks and the Hoons. When these people came into contact with the rich tradition of India, especially the medical science, they carried back with them medicines and doctors. Indian doctors who went with them, translated ayurvedic texts into their languages. The new drugs which were specially used in those places were incorporated into the ayurvedic pharmacopoeia. Such repeated exchanges of scholars enriched ayurveda and its materia medica. Through commercial channels ayurvedic drugs and spices were exported to these countries and they were held in high esteem there.

Several universities were established during this period for imparting theoretical and practical training in different religious and secular subjects. Taxila and Nalanda were the two such universities which attracted not only intellectuals, from different parts of this country but many from abroad. In Taxila, there was a medical faculty with Ātreya as its Chairman. In Buddhist literature, there are many interesting stories and anecdotes about the activities of these universities, their scholars and faculty members. One such anecdote is related to Jīvaka who was three times crowned as the King of Physicians because of his proficiency in the art of healing. He was an expert in paediatrics and brain surgery. It was the practice at that time for candidates desirous of admission to the faculty in the university to appear for a test before the Dvārapāla or the gate-keeper. Jīvaka and several other princes had to face these tests before being considered for admission to the medical faculty. They were asked to go to the nearby forests and collect as many plants as possible, which did not possess any medicinal property. By the evening candidates returned

with several plants which they considered to be free from medicinal properties. Jivaka did not return for several days and, when he did, he was empty handed. On a query from the gate-keeper, Jivaka replied, "I could not find any plant, or for that matter anything which does not have medicinal value." He alone was selected for admission to the medical faculty. This was the status of knowledge of the candidates for the medical faculty at that time. This was the time when the knowledge of materia medica became highly developed.

As has been mentioned before, Buddhism was partially responsible for the arrest of development in some branches of ayurveda. Foreigners who ruled over India brought with them medicines and medical men from their own countries and patronised them. The practice of ayurveda, thus, lost the support and patronage of the rulers. Apart from foreign invasions, during the medieval period, the ruling states in this sub-continent itself were engaged in fighting amongst themselves. The spread of Buddhism was so rapid among the masses of India and abroad that the intellectuals of the country were terribly afraid for their own existence. While their rulers were engaged in political battles, these intellectuals quarrelled among themselves in the name of religion. During this process, many libraries were burnt. Quite apart from any original thinking, the scholars could not preserve even the books which had already been composed prior to this period. The practice of ayurveda was despised. It was considered sinful to touch a dead body or a woman giving birth to a child. Thus, the practice of obstetrics, anatomical dissections and surgery went out of the hands of the physicians. Examination of urine and stool was considered unclean. Pulse examination by touching the patient was frowned upon. Thus, the practitioners of ayurveda became outcasts. The profession did not attract intellectuals. Specialised branches disappeared from the scene. What remained were only a few medicines for a few diseases and these were practised by people of low intellectual calibre.

Because of the arrest of the progress, many superstitious interpolations and redactions crept into the medical texts. Even these texts were not readily available. Such was the

state of affair during the sixteenth century A.D. which moved Rājā Toḍaramalla to salvage the remanants of these sciences from the then available mutilated texts by incorporating the knowledge and experience of the scholars of that time. In this encyclopaedic work different topics of ayurveda are described in 97 chapters. Out of these, only ten selected chapters have been utilised for preparation of the present work on materia medica.

Literature on Ayurvedic materia medica

The oldest text on the materia medica of ayurveda now extant is the *Rasa vaiśesika* of Nāgārjuna (fifth century A.D.). It deals, among others, with various concepts of drug composition and drug action. During the medieval period, the *Aṣṭāṅga nighaṅṭu* was composed by one Vāhatācārya. This work describes the synonyms of drugs belonging to various groups or *ganās* of *Aṣṭāṅga saṁgraha*. This Vāhatācārya seems to be different from Vāgbhaṭa, the author of *Aṣṭāṅga hrdaya* and *Aṣṭāṅga saṁgraha*. This seems to be the work done during the eighth century A.D..

The *Paryāya ratnamālā* of Mādhava (9th century A.D.) describes the synonyms of different groups of drugs. *Dhanvantari nighaṅṭu* is perhaps the most popular text where the properties of different groups of drugs are described along with their synonyms. This work was composed prior to the thirteenth century A.D. *Nighaṅṭu śeṣa* was composed by a Jain scholar namely Hemacandra in twelfth century A.D. It contains the synonyms of different types of plants. *Śodhala nighaṅṭu* is another important work on the materia medica of ayurveda next to *Dhanvantari nighaṅṭu*. It was composed during the twelfth century A.D. *Madanapāla nighaṅṭu* composed by Madana pāla in 1374 A.D. describes the properties of different types of drugs. *Kaiyadeva nighaṅṭu* written by Kaiyadeva, describes the properties of 9 groups of drugs. It was composed during A.D. 1450. Bhāva miśra composed an encyclopaedic work called *Bhāva prakāśa* during the sixteenth century A.D. It has a separate section on the description of drugs and their synonyms. Besides, several texts on *rasa śāstra* were composed during this period. In these texts the properties of metals and minerals and a few vegetable as well as animal products are also described.

These texts on the materia medica of ayurveda were composed prior to the composition of *Āyurveda Saukhyam* of Todarānanda. Many verses of *Āyurveda Saukhyam* are also available in the *Bhāva-prakāśa*, *Āyurveda prakāśa* and *Mādhava nighanṭu*, even though these names are not quoted by the author. A cursory glance through the text of *Āyurveda Saukhyam* of Todaramalla indicates that the author has taken care to indicate the name of the text or the author from where material has been compiled. *Mādhava nighanṭu*, *Āyurveda prakāśa* and *Bhāva prakāśa* were already composed when *Āyurveda Saukhyam* was under preparation. Either these works were not considered important enough to be cited as references or they were not available to the scholars who compiled the text of *Āyurveda Saukhyam*. The identity of the texts between these works namely, *Āyurveda Saukhyam* on the one hand, and *Mādhava nighanṭu*, *Āyurveda prakāśa* and *Bhāva prakāśa* on the other, indicates that all of them might have collected their textual material from another work which has since gone extinct.

The classification of drugs, food and drinks in these texts vary from each other. The system of classification followed by *Mādhava nighanṭu* is closer to the classification followed in *Ayurveda Saukhyam*.

Basic Concepts regarding the Creation of the universe

Ayurveda has drawn its basic concepts from the different philosophical systems of ancient India. The *Sāṃkhya-Pātañjala* system and the *Nyāya-Vaiśeṣika* system have considerably influenced the physical, physico-chemical, physiological and pharmacological theories of ayurveda. *Sāṃkhya-Pātañjala* system accounts for the creation of the universe and composition of matter on the principles of cosmic evolution. The *Nyāya vaiśeṣika* system lays down the methodology of scientific studies and elaborates the concepts of mechanics, physics and chemistry.

The manifested world, according to the *Sāṃkhya* is an evolution of the unmanifested *Prakṛti* or primordial matter stuff, which is conceived as formless and undifferentiated, limitless and ubiquitous, indestructible and undecaying, ungrounded and

uncontrolled as well as without beginning and without end. This unity of *Prakṛti* is a mere abstraction. It is in reality an undifferentiated manifold and indeterminate infinite continuum of three attributes called (1) the *sattva* (2) the *rajas* and (3) the *tamas*. The *sattva* attribute is the medium of reflection of intelligence. The *rajas* represents the energy which creates a tendency for work by overcoming resistance. The *tamas* is the mass or inertia where the effects of *rajas* and *sattva* in the form of energy and conscience respectively are manifested.

These three *guṇas* or attributes are interdependent. The *rajas*, in combination with the *sattva*, helps in the creation of the sensory and motor faculties including the mental faculty. The *rajas*, in combination with *tamas*, gives rise to the five categories of *tanmātrās* which are also known as subtle *bhūtas*. These *tanmātrās* are in the form of quanta of different types of energy, which, by different types of permutation and combination, gives rise to different categories of material. All these quanta of energy are present in all the types of matter. Therefore, there is nothing like a pure substance consisting of only one type of energy. It is at this stage that the energy is transformed into matter with undifferentiable distinction.

These unmanifested *tanmātrās* and the manifested *mahābhūtas* are of five types namely, *pṛthvī*, *ap*, *tejas*, *vāyu* and *ākāśa*. Since there is nothing like a pure substance, as has already been explained, the substance of a drug is called *pārthiva*, *āpya*, *taijasa*, *vāyaviya* or *ākāśīya*, depending upon the predominance of the *tanmātrās* of *pṛthvī*, *ap*, *tejas*, *vāyu* and *ākāśa* respectively in its composition.

According to *Nyāya-Vaiśeṣika* system, there are nine *dravyas* or categories of matter. They are the five *mahā bhūtas*, namely, *pṛthvī*, *ap*, *tejas*, *vāyu* and *ākāśa* and *dik* (direction or space), *kāla* (time), *ātman* (soul) and *manas* (mind). It is significant to note here that the time and space are considered in *Nyāya-Vaiśeṣika* as two different categories of matter. Similarly, *ātman* and *manas* are also considered as matter. Thus, according to *Nyāya-Vaiśeṣika*, the entire universe, including the time, space, soul and mind is of nine categories. Depending upon

their attributes all the basic atoms of modern physics and chemistry can be classified into these five categories of *mahā bhūtas*. If these items are to be explained according to the *Sāṃkhya-Pātañjala* system then each one of these atoms is a conglomeration of five categories of energy or *tanmātrās*, having a mass in the form of *pṛthvī*, cohesion or gravitation in the form of *ap*, heat or light in the form of *tejas*, motion in the form of *vāyu* and intermittent space in the form of *ākāśa tanmātrā*. Thus, the *Nyāya-Vaiśeṣika* concept of matter begins from where the *Sāṃkhya-Pātañjala* concept of matter ends. There is a subtle difference between these two concepts.

These *mahābhūtas* are present both in drugs and in human bodies, in a particular proportion. The human body grows during young age, gains stability during adulthood and gets decayed or reduced during the old age. During all these stages of human life, these *mahābhūtas* remain in a particular proportion in a state of equilibrium in the human body. During the different stages of life, because of the activities of life force represented in the form of the action of *agni* or enzymes, there is a natural consequence of these *mahābhūtas* being consumed for the manifestation of energy and heat. This natural loss is replenished and the normal growth and maintenance of stability are achieved by the supplementation of these *mahābhūtas* through intrinsic and extrinsic sources i.e., food, drinks, senses, air, light and mental activities.

If there is any change in this equilibrium of *mahābhūtas* in the human body, it results in disease and decay. To correct this state of imbalance, the patients are given different types of drugs, food, drinks and regimens which help in the maintenance of this state of equilibrium. This, in brief, is the concept on the basis of which a drug is selected for the treatment of a disease. But it is very difficult to ascertain the nature of the *mahābhūtas* which have undergone changes in the body. It is also difficult to ascertain the quantum of *mahābhūta* present in a particular drug, diet or regimen. That is why, for all practical purposes, this theoretical concept in *ayurveda* has further been simplified with a view to enable the physician to determine with ease and convenience the nature of

disturbance in the body and the type of drug, diet and regimen required for a healthy person and a patient.

Composition of Human body

The five *mahābhūtas* which enter into the composition of the human body are classified into three categories, namely (1) *doṣas*, (2) the *dhātus* and (3) the *malas*. *Doṣas* govern the physiological and physico-chemical activities of the body and these are three in number, namely (1) *vāyu*, (2) *pitta* and (3) *kapha*. (These are often mistranslated as wind, bile and phlegm respectively). *Vāyu* is responsible for all the movements and sensations, including motor actions inside the body. *Pitta* is responsible for all physio-chemical activities of the body in the form of metabolism, production of heat and energy. *Kapha* is the substance which maintains compactness or cohesiveness in the body by providing the fluid matrix to it. These *doṣas* are dominated by different *mahābhūtas* as per the table given below :—

<i>Doṣa</i>	<i>Dominating mahābhūta</i>
1. <i>Vāyu</i>	<i>Vāyu</i> and <i>ākāśa mahābhūtas</i>
2. <i>Pitta</i>	<i>Tejas mahābhūta</i>
3. <i>Kapha</i>	<i>Ṙṥthvī</i> and <i>ap mahābhūtas</i> .

These *doṣas*, namely, *vāyu*, *pitta* and *kapha*, are further divided into five categories each. Their locations and functions are described in detail in ayurvedic classics. Diseases that are produced by the aggravation or diminution of *doṣas* are also described in ayurvedic texts. From these signs and symptoms manifested in the human body, the physician can judge the type of *mahābhūta* that has gone astray resulting in the manifestation of the disease and this helps the physician to select a particular drug.

The *dhātus* are the basic tissue elements of the body. They are seven in number, namely, (1) *rasa* or chyle or plasma, (2) *rakta* or the red-blood corpuscles, (3) *māṁsa* or muscle tissue, (4) *medas* or the fat tissue, (5) *asthi* or bone tissue, (6) *majjā* or the bone marrow and (7) *śukra* and *rajas* or the sperm and ovum which are responsible for procreation.

These *dhātus* or basic tissue elements remain in a particular proportion in the human body and any change in their equilibrium leads to disease and decay. Their functions are described in detail in ayurvedic classics. Diseases are produced only when the *doṣas* interact with these *dhātus* and this happens only when there is disturbance in their equilibrium.

These seven *dhātus* are also composed of five *mahābhūtas*. However, *pṛthvī mahābhūta* predominates in muscle and fat tissues; *jala mahābhūta* predominates in lymph, chyle and other fluid tissue elements; the hemoglobin fraction of the blood is primarily composed of *tejas mahābhūta*; bones are composed of *vāyu mahābhūta* and the pores inside the body are dominated by *ākāśa mahābhūta*.

If there is any change in the equilibrium of these *dhātus* certain signs and symptoms are manifested in the body which are described in detail in ayurvedic classics. From these signs and symptoms, the physician can ascertain the *mahābhautic* requirement of the body for the correction of the disease, and drugs are selected accordingly.

The *malas* or the waste products are primarily of three categories, namely, (1) the stool, (2) the urine and (3) the sweat. These are required to be eliminated regularly. The catabolic products of the body in the form of unwanted *mahābhūtas* are eliminated through them. If these are not eliminated in the required quantity, then this results in disease and decay, and various signs and symptoms are manifested in the body. From these signs and symptoms, the physician can ascertain the exact *mahābhautic* requirement of the body and select a drug or recipe for correcting the disease.

Thus, the physician can ascertain the exact position of the *mahābhūtas* in the body from certain external signs and symptoms.

Drug Composition

Depending upon the predominance of *mahābhūtas*, drugs

are classified into five categories details of which are given in the table below :

Predominance
of *mahābhūta*
in the drug.

Attributes and actions of the
drug.

(1)

(2)

Prthvi

Substances that are heavy, tough, hard, stable, non-slimy, dense, gross and abounding in the quality of smell are dominated by *prthvī*; they promote plumpness and stability.

Ap

Substances that are liquid, unctuous, cold, dull, soft, slimy and abounding in the qualities of taste are dominated by *ap* or *jala*; they promote stickiness, unctuousness, compactness, moistness and happiness.

Tejas

Substances that are hot, sharp, subtle, light, ununctuous, non-slimy and abounding in the qualities of vision are dominated by *tejas*; they promote combustion, metabolism, lustre, radiance and colour.

Vāyu

Substances that are light, cold, ununctuous, rough, non-slimy, subtle and abounding in the qualities of touch are dominated by *vāyu*; they promote roughness, aversion, movement, non-sliminess and lightness.

(1)

Ākāśa

(2)

Substances that are soft, light, subtle, smooth and dominated by the qualities of sound are dominated by *ākāśa*; they promote softness, porosity and lightness.

From the above description alone, it becomes difficult at times to select a particular drug, diet, drink or regimen for the treatment of a particular disease. To facilitate the understanding of the *mahābhautic* composition of a drug and to ascertain its exact action on the human body, drugs are classified into six categories on the basis of their tastes; into 20 categories on the basis of their *guṇas* or attributes; into eight or two categories on the basis of their *vīrya* or potency and into three categories on the basis of their *vipāka* or the taste that emerges after digestion. In ayurvedic texts, the actions of different groups of drugs on the above lines are described in detail. From these tastes (*rasas*), attributes (*guṇas*), potency (*vīrya*) and the taste that emerges after digestion (*vipāka*), one can determine the *mahābhautic* composition of the drug. The dominating *mahā bhūtas* in drugs of different tastes are given in the table below :

<i>Taste</i>	<i>Predominating mahā bhūtas</i>
1. Sweet	<i>Ṙṥthvi</i> and <i>ap</i>
2. Sour	<i>Ap</i> and <i>tejas</i>
3. Saline	<i>Ṙṥthvī</i> and <i>tejas</i>
4. Pungent	<i>Vāyū</i> and <i>tejas</i>
5. Bitter	<i>Vāyu</i> and <i>ākāśa</i>
6. Astringent	<i>Vāyu</i> and <i>ṣṥthvī</i> .

Mahābhautic predominance for the manifestation of twenty *guṇas* or attributes is given in the table below :

<i>Guṇa</i>	<i>Predominating mahā bhūtas</i>
1. <i>Guru</i> (heavy)	<i>Ṙṥthvī</i> and <i>ap</i>
2. <i>Laghu</i> (light)	<i>Tejas</i> , <i>vāyu</i> & <i>ākāśa</i>

3. <i>Śīta</i> (cold)	<i>Ap</i>
4. <i>Uṣṇa</i> (hot)	<i>Tejas</i>
5. <i>Snigdha</i> (unctuous)	<i>Āp</i>
6. <i>Rūkṣa</i> (ununctuous)	<i>Prthvī, tejas</i> and <i>vāyu</i>
7. <i>Manda</i> (dull)	<i>Prthvī</i> and <i>ap</i>
8. <i>Tīkṣṇa</i> (sharp)	<i>Tejas</i>
9. <i>Sthīra</i> (stable)	<i>Prthvī.</i>
10. <i>Sara</i> (fluid)	<i>Vāyu</i> and <i>ap</i>
11. <i>Mṛdu</i> (soft)	<i>Ap</i> and <i>ākāśa</i>
12. <i>Kaṭhina</i> (hard)	<i>Prthvī</i>
13. <i>Viśada</i> (non-slimy)	<i>Prthvī, tejas, vāyu</i> and <i>ākāśa</i>
14. <i>Picchila</i> (slimy)	<i>Ap</i>
15. <i>Slakṣṇa</i> (smooth)	<i>Tejas</i>
16. <i>Khara</i> (rough)	<i>Vāyu</i>
17. <i>Sūkṣma</i> (subtle)	<i>Tejas, vāyu</i> and <i>ākāśa</i>
18. <i>Sthūla</i> (gross)	<i>Prthvī</i>
19. <i>Sāndra</i> (dense)	<i>Prthvī</i>
20. <i>Drava</i> (liquid)	<i>Ap</i>

About *vīrya* or potency, there are two different views. One group of scholars hold *uṣṇa* (hot) and *śīta* (cold) to be the two types of *vīryas*. Regarding their *mahābhautic* composition *uṣṇa dravyas* are dominated by *tejas mahā bhūta* and *śīta dravyas* are dominated by *ap* and *prthvī mahā bhūtas*. Another group of scholars hold eight attributes as *vīryas* and their *mahā bhautic* composition is given below :

<i>Vīrya</i>	<i>Predominating mahā bhūtas</i>
1. <i>Śīta</i>	<i>Prthvī</i> and <i>ap</i>
2. <i>Uṣṇa</i>	<i>Tejas</i>
3. <i>Snigdha</i>	<i>Jala</i>
4. <i>Rūkṣa</i>	<i>Vāyu</i>
5. <i>Guru</i>	<i>Prthvī</i> and <i>ap</i>
6. <i>Laghu</i>	<i>Tejas, vāyu</i> and <i>ākāśa</i>
7. <i>Manda</i>	<i>Ap</i>
8. <i>Tīkṣṇa</i>	<i>Tejas</i>

Vipāka or the taste of a drug after digestion, is of three types, namely, *madhura* (sweet), *amla* (sour) and *kaṭu* (pungent).

The *mahābhautic* composition of these *vipākas* is determined according to those of the respective tastes.

The action of some drugs cannot be explained according to their *rasa* (taste), *guṇa* (attribute), *vīrya* (potency) and *vipāka* (taste that emerges after digestion). It is because the *mahā bhūtas* which take part in the manifestation of *rasa*, *guṇa* etc., do not actually take part in producing the therapeutic action of the drug. They manifest their action only when the drug is administered to the patient and this is called *prabhāva* or specific action.

It will be seen from the above that a drug, diet or drink, for a healthy person or a patient to prevent and cure a disease, is not selected empirically but on the basis of a rational theory. In the ayurvedic texts on materia medica, in respect of each drug, such rational explanations are not provided because such details were not found necessary. None the less, these rational explanations are always kept in view before deciding upon the therapeutic effect of a drug. On the basis of accumulated experience and the repeated observations through centuries, these actions are determined. A physician or a research worker is supposed to have prior comprehension of the rationality of these actions on the basis of *paribhāṣā* that is described in the fundamental concepts.

Mechanism of Drug Action

Before closing this topic, it will be necessary to explain some basic differences in the mechanism of drug action between ayurveda and the modern allopathic system of medicine. Ayurveda, like other systems of traditional medicine, has its unique features. It lays more emphasis on the promotion of positive health and prevention of diseases. The existence of organisms and their role in the causation of several infective diseases in the body have been recognised and elaborated. But for the prevention and cure of such diseases, the drugs and therapies prescribed in ayurvedic classics and administered by ayurvedic physicians do not aim at only killing these organisms. Some of these medicines might have bacteriostatic or bactericidal effects. But most of them do not act in this way. In

ayurveda, more emphasis is laid upon the "field" than the "seed". If the field is barren then the seed, howsoever potent it may be, will not germinate. Similarly, howsoever potent the germ or the bacteria may be, they will not be able to produce disease in the human body unless the tissues of the body are fertile (vitiated) enough to accept them and help in their growth and multiplication. Killing these germs by administering medicine would not solve the problem permanently. It may give instant relief, and perhaps the body resistance during this period will be developed enough as a reaction to the infection by these germs which may result in the prevention of their further attacks. Man cannot live in an absolutely germ-free atmosphere even though he can minimise it. The only thing that can be done safely is to keep the tissues of the body barren and unreceptive towards these germs. Once the body is afflicted, the tissues should be so conditioned by drugs, diet and other regimen that these germs or bacteria, by whatsoever name we may call them, will find the atmosphere hostile towards their survival, multiplication and growth. All medicines and therapies including preventive measures prescribed in ayurveda aim at conditioning the tissues and not killing the invading organisms.

Allopathic drugs which are employed specially for killing organisms may produce the same or a similar effect on the tissues of the body. When they are given in a dose sufficient to kill the invading organisms, they may simultaneously kill the friendly organisms in the body as well, and may impair the normal functioning of the tissues. Thus, they produce side or toxic effects while curing the disease. Ayurvedic medicines, on the other hand, while conditioning the tissues of the body against the organisms, nourish and rejuvenate them. Thus, when the disease is cured, the individual gets many side benefits. It is because of this that all ayurvedic medicines are tonics.

Except for a few modern drugs, e.g. minerals and vitamins, all others are meant exclusively for patients. All ayurvedic drugs, on the other hand, can be given to both patients and healthy individuals simultaneously—in patients they cure diseases and

in healthy individuals they prevent disease and promote positive health. To illustrate the point: *vāsā* (*Adhatoda vasica* Nees) is very often prescribed by ayurvedic physicians to a patient suffering from bronchitis, laryngitis, pharyngitis and even tuberculosis. May be, some fractions of this drug have properties to kill some of the organisms causing these ailments. But that is not the primary consideration which motivates the physician to prescribe this drug. These organisms thrive and multiply to produce a disease in the respiratory tract and throat only when the local tissue elements are afflicted with excessive *kapha dosa*. *Vāsā* counteracts this aggravated *kapha doṣa*, and helps in the maintenance of its state of equilibrium in the body by which the organisms become incapable of producing these ailments.

In ayurveda the treatment prescribed does not aim at correcting the afflicted part alone. In the process of manifestation of the disease several organs are involved. The disease takes its origin from a particular place. It moves through a particular channel and then gets manifested in a particular organ. Therefore, the treatment always aims at correcting the site of origin, the channels of circulation along with the site of manifestation of the disease—all together. Take for example, the treatment of bronchial asthma which in ayurvedic parlance is known as *tamaka śvāsa*. The breathing difficulty in the disease is caused by the spasm of the bronchi, and to relieve it, antispasmodic drugs are generally prescribed in modern medicine. But the aim of the ayurvedic treatment of this disease is different. May be, some ayurvedic drugs used against this disease have this antispasmodic effect which can be demonstrated even in animals under experiment. But most of the drugs which are used in this treatment will not produce any anti-spasmodic effect and a pharmacologist will be at a loss and reject them as useless in the treatment of bronchial asthma. A clinician, on the other hand, will appreciate its effects on his patients even though he may not be able to explain their effects in terms of modern physiological and pathological concepts. This disease takes its origin from the stomach and small intestine. The primary aim of the ayurvedic physician is to correct these two organs either by

giving emetic therapy, or by giving such medicines which will keep the bowels clean. *Haritakī* (*Terminalia chebula* Retz.) along with other medicines is useful in correcting these two organs of the body, and therefore, all preparations indicated for the treatment of bronchial asthma invariably contain *haritakī* and other drugs having identical properties.

These four topics on (1) the basic concepts regarding the creation of the universe; (2) composition of the human body; (3) drug composition and (4) the mechanism of drug action, described above are very important to the understanding and appreciation of the materia medica of ayurveda. At times, research workers, in their enthusiasm to develop the new drug from the plant sources, chemically and pharmacologically screen the drugs prescribed in the ayurvedic materia medica without paying any attention to these basic concepts and peculiar features of the system. They try to isolate alkaloids, glycosides and other similar active principles from these drugs. These so called active principles are often not found in some of these ayurvedic drugs and when they are found they do not necessarily produce the results which are attributed to the whole drug in the ayurvedic materia medica. No wonder, therefore, that the scientists are disappointed at the end of their hard labour and after considerable expenditure from the State exchequer. Sometimes they come to an erroneous conclusion that all ayurvedic drugs or at least most of them are therapeutically useless. This disappointment and wrong conclusion could be avoided if the research on ayurvedic drugs is planned and designed in the beginning, keeping in view these fundamental principles of ayurveda on drug composition and drug action.

In the present text on ayurvedic materia medica, only the single drugs—their synonyms and properties are described along with a few compound recipes, food articles and drinks. In actual ayurvedic practice, along with the single drugs, a number of compound preparations are used. These single drugs and compound preparations which are in use in ayurvedic therapeutics are not free from shortcomings.

Classification of Ayurvedic Drugs

In Ayurveda, more than 8000 medicines—single drugs and compound preparations—have been described. In general, these ayurvedic drugs can be classified into five categories as follows :

(a) *Scientifically Studied Drugs* : Some single drugs and compound preparations, for example, *sarpa gandhā* and *yoga-rāja guggulu* have been studied scientifically and their therapeutic claims verified. *Sarpa gandhā* is useful for high blood pressure and *yoga rāja guggulu* for rheumatism. The gum resin of a plant called *guggulu* is the important ingredient of the latter medicine.

(b) *Popular Non-toxic Drugs* : Some ayurvedic medicines are popular for their therapeutic utility and of non-toxic character. One such medicine is *Cyavana prāśa*. *Āmalakī* is the important ingredient of this medicine which is useful in treating chronic diseases of the lungs like chronic bronchitis.

(c) *Effective but Toxic Drugs* : There are some drugs for example, *bhallātaka avaleha*, which have known therapeutic value but which also produce severe toxicity, if used injudiciously. *Bhallātaka* is the important ingredient of this medicine which is used in the treatment of chronic and obstinate skin diseases, among others.

(d) *Drugs of Rare Use* : Some drugs, for example, *Śrī viṣṇu taila*, though mentioned in ayurvedic classics, are not in extensive use. Only physicians of certain regions of India use them and claim their efficacy.

(e) *Hereditary and Patent Drugs* : Some physicians have specialised in curing certain diseases. The formulae and methods of preparation of the drugs they administer are known only to them or to the trusted members of their family. While some of the drugs are not as effective as the claims made for them, some others are found to be very effective. In most cases, physicians are not at all willing to disclose the formulae; and even if they give consent, it is associated with a demand for heavy financial compensation.

Need For Standardization

In olden days, the physician was rarely required to be consulted for minor ailments because the senior members of every family were well acquainted with the use of herbs available in their vicinity for treating such ailments. The physician's role in such cases was only to guide the family members to obtain the correct herb, to process it properly and to instruct the patient about the dietetic and other regimen to be followed. Only serious cases were brought to the physician for direct supervision, and in such cases, he had to prepare his own medicines. Things have changed now. At present, the physician is approached even for a minor ailment. People generally are not interested in knowing common household remedies or they do not believe in their efficacy. Thus, ayurvedic physicians, like modern doctors, have become busy practitioners who are also hard pressed for time to prepare their own medicines. Even for dispensing, these physicians are dependant entirely upon their compounders. As a result, many big commercial firms supplying medicines to ayurvedic physicians have come into existence. This, in turn, has led to a number of problems as follows :

(a) *Collection of Premature Herbs* : For therapeutic purposes different parts of medicinal plants are required to be used which are to be collected during specified periods. For example, *āmalakī* should be collected only when the fruits are fully ripe. Annual plants should be collected before the ripening of seeds, biennials during spring and perennials during autumn. Twigs must be of the first year's growth and roots, leaves and bark should be collected in the cold, hot and rainy seasons respectively. These instructions are seldom followed during the actual collection of herbs by large manufacturers of ayurvedic medicines.

(b) *Improper Processing and Preservation*: Usually, raw drugs are stored for some time before they are processed. Proper care in processing and preservation is required so that the active principles of the drugs may not get deteriorated. Dumping them in bundles or in gunny bags, and keeping them exposed

to sun, rain and dust, adversely affect their therapeutic effectiveness.

(c) *Methods of Preparation* : Various methods are indicated in ayurvedic texts for the preparation of the same medicine. While some of the methods involve much time and labour, some others are less expensive. For reasons of economy, quite a few pharmacies follow the less expensive methods or develop some methods which make their products less expensive with no guarantee that the drugs so prepared are equally effective. According to ayurvedic texts, raw oil has to be processed before it is used for the preparation of medicated oil. This processing is known as *mūrchanā*. Pharmacies very rarely resort to this processing and in the absence of standard methods for testing these discrepancies in their drug preparation, the physicians cannot be sure about the effectiveness of the drugs they prescribe.

(d) *Use of Adulterated and Sub-standard Drugs* : Therapeutically important drugs like *vatsa nābha* and *yaṣṭi madhu* are often adulterated and sold in the market at a comparatively cheaper price. In the absence of any effective control over the sale of adulterated and spurious drugs, the dealers take full advantage and sell to their customers anything that resembles, or is made to resemble the genuine drug. The art of adulteration and preparation of spurious drugs has advanced to such an extent that even the most experienced among the *vaidyas* finds it difficult to distinguish between genuine and spurious samples. Ayurvedic physicians as well as commercial firms are often cheated and supplied with adulterated stuff. This obviously results in the circulation of sub-standard drugs in the market:

(e) *Substitution of Costly Drugs* : In some ayurvedic texts, of late, *pratidinidhi dravyas* or official substitutes of many costly drugs have been prescribed; for example, *kuṣṭha* can be used in place of *puṣkara mūlā* and *gaja pippalī* in the place of *cavya*. Instead of treating these usages as exceptional cases, the substitutes are often unscrupulously used as a rule (under the shelter of textual prescriptions) to make the medicinal preparations cheaper.

(f) *Omission of Ingredients*: Generally speaking, compound preparations are used in ayurvedic medicines. It is often the total effect of all the ingredients in the formula rather than the action of individual drugs that plays a vital role in therapeutics. Drug combinations are envisaged to serve the following important purposes :

(i) *Synergistic action* : *Tṛṇa-pañca-mūla-kvātha* presents a case of synergistic action. Even though all the ingredients of this group are known to be diuretics, still when given together, they produce marked diuresis which effect is not observed in individual drugs.

(ii) *Combined action* : The case of *Rāsnā-saptaka-kvātha* used for the treatment of rheumatic afflictions is illustrative of the combined action of an ayurvedic medicine. For curing rheumatism, which is known in ayurveda as *āma vāta*, the medicine should have sedative, digestive, laxative and anti-inflammatory action. Of all the ingredients of this drug, *rāsnā* is anti-inflammatory and sedative, ginger promotes digestion, and the root of *eraṇḍa* is a laxative.

(iii) *Neutralizing toxicity* : An example of this is the case of *Agni tundi vaṭi*. *Kupīlu* is an irritant to the nerves. It cannot be taken alone in a heavy dose as is required to make it therapeutically effective. But it is well tolerated when taken in combination with other drugs, specially after undergoing *śodhana*.

(iv) *Specific Action* : An example of this is the case of *Cyavana prāśa*. *Pippalī* added to this preparation has heating effect in addition to anti-tubercular property. The heating effect of the preparation is neutralized by the addition of other cooling drugs like *āmalakī*. Thus, the medicine is left with a marked anti-tubercular effect.

Keeping the above points in view, various formulae have been described for medicinal preparations in ayurvedic classics. Due to non-availability of drug ingredients or the expense involved, if any ingredient is accidentally or intentionally omitted from the preparation then not only is the efficacy reduced but adverse effects may also be produced at times.

(g) *Improper Storage* : Different categories of ayurvedic preparations which remain effective for a certain limited period are described in the classics. If these drugs are kept for a longer period, they lose their potency. Large manufacturing concerns, however, cannot help neglect this rule; for, the drugs prepared cannot be consumed immediately but will have to be sent to their various branches. Hence, there is considerable lapse of time before the medicine is actually used by the patient.

Identification of Raw Drugs

It is difficult to correctly identify certain drugs described in ayurvedic classics due to the following reasons :

(a) *Non-availability* : Some drugs like *Soma* and *Jivaka* are not available now a days. It is probable that they have become extinct.

(b) *Multiplicity of Names* : In ayurvedic classics, drugs are often described with synonyms. Synonyms apart, the same drug is known by different names in different parts of the country. For example, *Clitoria ternatea* Linn. which is known in North India as *aparā jitā*, is called *śamkha puṣpī* in South India. But these two have distinct and different therapeutic attributes or characteristics.

(c) *Many Drugs with Same Name* : Under the name of *rāsnā*, thirteen different drugs are being made use of in different parts of the country for medicinal preparations.

(d) *Non-availability of Specific Varieties* : The drug *harītakī* is said to be of seven varieties. But presently, not more than four varieties are available. So is the case with other drugs like *bhṛṅgarāja* and *dūrvā*.

(e) *Exotic Plants* : Some plants, though introduced in India very recently, have grown profusely. Due to lack of proper knowledge, some of these plants have been given ayurvedic names which have led to their wrong identification.

For example, *Argemone mexicana* Linn. is often mistaken for *svarṇa-kṣirī*.

(f) *Adulteration* : Because of short supply, drugs, such as *yaṣṭi-madhu*, are often adulterated.

(g) *Synthetic Preparations* : Taking advantage of the heavy demand from consumers of certain drugs, such as *vamśa locana* or bamboo salt, some firms have started manufacturing imitations and synthetic preparations the therapeutic efficacy of which is in no way comparable to that of the genuine drug.

Difficulties for Identification

Most of the ayurvedic drugs can be identified conveniently. But there are some, which elude proper identification because of the following reasons :

(a) *Passage of Time* : Ayurvedic classics were written about 3000 years ago. Some of the drugs described at that time may have undergone modifications due to physical and genetic factors and some others may have become extinct. Thus, identification of a drug from the physical characteristics mentioned in the ayurvedic texts or commentaries thereon is not an easy task. The plant *soma*, which is mentioned even in the Vedas, is described by Suśruta as having 15 leaves in total. On new moon day, the plant, becomes leafless and every day thereafter, one leaf is added to it till it has 15 leaves on full moon day. Its root is said to contain a large quantity of an exhilarating sweet juice. Plants of this description are not, however, to be seen now.

(b) *Inadequate Description* : An important plant by name *svarṇa-kṣirī* is described as having golden latex and leaves like those of *sārivā*. This is said to grow in the Himalayas. This information is, however, very inadequate for identifying the plant correctly. Whether the contributors to the ayurvedic classics had a knowledge of systematic botany or not is a debatable point; but when these texts were compiled, there was no printing facility, so much so that brevity was always the rule in describing ayurvedic drugs.

(c) *Loss of Contact* : In olden days, learning had to be done through *guru-śiṣya paramparā*, which meant that the disciple had to seek and obtain first-hand knowledge from teachers. But with the advent of foreign influence, this traditional way of learning has been given up. Due to the inadequacy of written texts and the absence of direct links to gain deeper knowledge of the ayurvedic classics, it became difficult for later authors to appreciate what has been originally stated in the classics; and this has resulted in incoherent views. Personal knowledge of drugs available in various surroundings has become so meagre that ayurvedic physicians are often required to seek guidance from cow-herds and forest dwellers for the identification of such drugs.

(d) *Lack of Facility* : Even the available knowledge is not properly codified. Descriptions of plants and animals are also available in texts allied to ayurveda, such as *Smṛti śāstras* and *Dharma śāstras*. They are required to be critically screened.

(e) *Observance of Secrecy* : In the medieval period, in order to prevent the acquisition of ayurvedic knowledge by foreign invaders and unscrupulous natives, names having more than one meaning and also with allegorical meanings have been used in the texts. Due to the rigidity observed in the selection of disciples, some authors died without training even a single disciple and the knowledge acquired by them had thus been lost.

(f) *Short Supply* : Some important raw drugs, such as musk and bamboo salt, are in short supply. Hence, their prices are not only very high but spurious substitutes for them are also largely sold in the market.

Procedure for Naming Formulae

The names of the drug formulations are usually based on the following six factors :

(a) *Important Ingredient* : Some preparations are named after the important ingredient, for example, *Āmalakī rasāyana*.

(b) *Authorship* : The name of the sage or *ṛṣi* who first discovered or patronized the formula is used in naming the drug, for example, *Agastya harītakī*.

(c) *Therapeutic Property* : The disease for which the formula was indicated is at times used in naming the preparation, for example, *Kuṣṭhi.aghna lepa*.

(d) *First Ingredient of the Formula* : The drug that heads the list in the formula is sometimes used in naming the preparation, for example, *Pippalyāsava*.

(e) *Quantity of Drug* : At times, the preparation is named after the quantity of drug used, for example, *Ṣaṭpala ghrīta*.

(f) *Part of the Plant* : The drug is at times named after the part of the plant used, for example, *Daśa mūla kaṣāya*.

Multiplicity of Formulae

There are medicines having the same name but a number of different formulae, so much so that each differs from the other in composition, ratio of ingredients, method of preparation, mode of administration, mode of action, dosage and *anupāna*. Take, for example, *khadirādi vaṭi*. It has as many as eight formulae. In this preparation, the number of ingredients varies from 5 to 37, and the percentage of the main ingredient, namely, *khadira* (catechu) varies from 15 to 92. In four out of the eight formulae, costly drugs like *kasturī* or musk are added, the percentage of musk varying from formula to formula. In one formula, poisonous drugs like *bhallātaka* and *bākuci* are added as they are considered to be effective in obstinate skin diseases including leprosy. Thus, standardization of such medicines, which must also take into account of these variations, poses a very difficult problem.

Pharmaceutical Processes

In ayurveda, different pharmaceutical processes are followed in the preparation of drugs. Besides helping isolation of the

active fraction of the drugs, these processes help make the medicines:

- (a) easily administrable,
- (b) tasteful,
- (c) digestible and assimilable,
- (d) therapeutically more effective,
- (e) less toxic and more tolerable, and
- (f) more preservable.

Sodhana or Purification

Some raw drugs are required to be used after *Sodhana*. The literal meaning of the word *sodhana* is purification. But this is often misinterpreted to mean that the substance is rendered physically and chemically pure. *Sodhana*, no doubt, brings about physical and chemical purity to some extent but at times more physical and chemical impurities are added to the substance during certain stages of this processing. By such additions, the drug becomes less toxic and therapeutically more effective. Pure aconite, for example, cannot be administered so freely as *sodhita* aconite. Aconite, which is a cardiac depressant, becomes a cardiac stimulant after *sodhana* with cow's urine. Thus, the actual implications of *sodhana* processes require detailed study.

Some gum resins, such as *guggulu* and some drugs containing volatile oils, such as *kusṭha* are also described to undergo *sodhana* by boiling them with milk, *go-mūtra*, etc. Boiling of these drugs however, definitely reduces the volatile oil content which is supposed to be therapeutically very active. The utility of such purificatory processes should, therefore, be studied before proceeding with the standardization of ayurvedic drugs.

Ayurveda should not be viewed from the point of history of medicine alone. It is both history and medicine. No doubt, there is a history of thousands of years behind it, but it is even now a living medical system catering to the health needs of millions of people living in India, Śrī lankā and Nepāl

including some of the Central Asian and South East Asian countries. There are several hundreds of trained and registered practitioners of ayurveda in these countries and people have implicit faith in the therapeutic efficacy of the drugs and therapies of this system. Like other medical systems it has, of course, its limitations. Advanced civilization and modernisation have not left ayurveda untouched. Accidental human errors and intentional profit motives coupled with the vicissitudes of time have created several problems for this system of medicine. Therefore, the Ayurvedic drug that is found in the market may not carry the same therapeutic effect as is claimed for it in the ayurvedic texts. The reasons for this are elaborated in the last eight topics of this 'Introduction' for the guidance of research workers, practitioners and well wishers of this system. The ayurvedic materia medica provides a rich storehouse of therapeutically effective drugs and these gems are to be selected with due care for mitigating the miseries of the suffering humanity."

अमन्त्रमक्षर नास्ति नास्ति मूलमनौषधम् ।
अयोग्यः पुरुषो नास्ति योजकस्तत्र दुर्लभः ।

"There is no letter which is not a *mantra* (incantation); there is no root which is not a medicine and there is no human being who is not useful. Only their *yojaka* (co-ordinator) is a rare commodity."

CHAPTER 1

भैषज्याहारचेष्टानां यो न वेन्ति गुणागुणं ।

न स वेन्ति भिषक् सम्यक् स्वस्थास्वस्थहिताहितम् ॥ १ ॥

अतः समस्तवस्तूनां गुणदोषविनिश्चयः ।

ज्ञातव्यो यत्नतः सद्भिर्वैद्यैः परहितार्थिभिः ॥ २ ॥

A physician who is not acquainted with the good and bad effects of drugs, diet and regimens, does not correctly know the things which are useful and harmful for healthy persons and patients. Therefore, a good physician who desires the welfare of others, should carefully ascertain the good and bad qualities of all these things.

संक्षिप्तं ग्रंथमिच्छन्ति भिषजो विस्तरद्विषः ।

संक्षिप्तोऽयमतः सूक्तः संप्रयुक्तो निगद्यते ॥ ३ ॥

Physicians generally do not like to go through details. They like books in condensed form. Therefore, this work is being composed in a condensed form by collecting useful material (from different sources).

वृद्धिं तुल्यगुणैर्भविर्विपरितगुणैः क्षयं ।
 युक्तैर्यान्ति हि सक्षेपाद्दोषाद्याः सर्वधातवः ॥ ४ ॥
^{2,3}

In brief, all *dhātus*, *doṣas* etc., get increased in quantity by the utilization of homologous material (having similar properties). They get decreased by the utilization of material having opposite properties.

द्रव्यगुणरत्नमालायाम्

द्रव्ये रसो गुणो वीर्यं विपाकः शक्तिरेव च ।
 संवेदनक्रमादेताः पञ्चावस्था प्रकीर्तिताः ॥ ५ ॥

According to *Dravyaguna Ratnamālā*

Rasa (taste), *guṇa* (property), *vīrya* (potency), *vipāka* (taste that emerges after digestion) and *śakti* (specific action)—these are the five consecutively manifested states of matter.

क्वचिद्रसो गुणः क्वापि वीर्यं विपाक एव च ।
 क्वचित्प्रभावः स्वं कर्म द्रव्यस्थो विदधाति हि ॥ ६ ॥

While being lodged inside the matter, sometimes the *rasa*, sometimes the *guṇa*, sometimes the *vīrya*, sometimes the *vipāka* and sometimes the *prabhāva* manifest their effects on the individual's body.

मधुरोऽम्लः पटुश्चैव कटुतिक्तकषायकाः ।
 इत्येते षड्रसाः ख्याताः नानाद्रव्यसमाश्रिताः ॥ ७ ॥

Six Tastes

Madhura (sweet), *amla* (sour), *paṭu* or *lavana* (saline), *kaṭu* (pungent), *tikta* (bitter) and *kaṣāya* (astringent)—these are the six *rasas* (tastes) which are lodged in matter.

मधुर रसगुणः

⁴
रसो मधुरकः शीतो धातुस्तन्यबलप्रदः ।

चक्षुष्यो वातपित्तघ्न कुर्यात्स्थौल्यमलकृमीन् ॥ ८ ॥

[भावप्रकाशः पूर्वखण्डः वर्गप्रकरण ६:१७५]

बालबृद्ध क्षतक्षीणवर्णकेशेन्द्रियौजसाम् ।

प्रशस्तो बृंहणः कण्ठ्यः गुरुः सन्धानकृन्मतः ॥ ९ ॥

[अष्टाङ्गहृदयः सूत्र १० · ७-८]

विषघ्नो पिच्छिलश्चापि स्निग्धः प्रीत्यायुषोहितः ।

Attributes of Sweet taste

Sweet taste is cooling, promoter of the growth of tissue elements (*dhātus*), lactation (*stanya*) and strength. It promotes eyesight (*cakṣuṣya*), alleviates *vāyu* and *pitta*, and causes obesity, excessive production of waste products (*mala*) and *kṛmi* (parasites). It is useful for children, old men and persons suffering from consumption and emaciation. It is also useful for complexion, hair, sense organ and *ojas*. It is nourishing and promoter of voice. It is heavy (*guru*) and it helps in uniting the broken or torn tissues (*sandhānakṛt*). It is anti-toxic, slimy (*picchila*) and unctuous (*snigdha*). It is conducive to pleasant feeling and longevity.

सोऽतियुक्तो ज्वरश्वासगलगण्डार्बुदकृमीन् ।

स्थौल्याग्निमान्द्यमेहांश्च कुर्यान्मेदःकफामयान् ॥ १० ॥

When used in excess, it causes *jvara* (fever) *śvāsa* (asthma), *galagaṇḍa* (goitre), *arbuda* (tumour), *kṛmi* (parasitic infestation), *sthaulya* (obesity), *agnimāndya* (suppression of digestive power), *meha* (obstinate urinary disorders including diabetes), and diseases caused by the vitiation of *medas* (adipose tissue) as well as *kapha*.

अथाम्लः

रसोऽम्लः पाचनो रुच्यः पित्तश्लेष्माप्रदो लघुः ।

⁵
लेखनोष्णो वह्निः शीतः क्लेदनः पवनापहः ॥ ११ ॥

[भावप्रकाशः पूर्वखण्डः वर्गप्रकरण ६: १७६-१८०]

स्निग्धस्तीक्ष्णः सरः शुक्रविबन्धानाहदृष्टिहा ।

हर्षणो रोमदन्तानामक्षिभ्रूविनिकोचकः ॥ १२ ॥

Attributes of Sour Taste

Sour taste is carminative (*pācana*) and appetiser (*rucya*). It produces *pitta* and *śleşman*. It is light, *lekhana* (which causes scraping), hot, *vahniḥ śīta* (cooling from outside) and *kledana* (promoter of stickiness). It alleviates *vāyu*. It is unctuous, sharp and *sara* (mobile). It reduces *śukra* (semen), *vibandha* (constipation), *ānāha* (tymphanitis) and eye sight. It causes horripilation and tingling sensation in teeth. It also causes twitchings in eyes and eyebrows.

सोऽतियुक्तो भ्रमं कुर्यात्तृड्दाहतिमिरज्वरान् ।

कण्डूपाण्डुत्वविस्फोटशोथवीसर्पकुष्ठकृत् ॥ १३ ॥

When used in excess, it causes *bhrama* (giddiness), *trṭ* (morbid thirst), *dāha* (burning sensation), *timira* (cataract), *jvara* (fever), *kaṇḍū* (itches), *pāṇḍutva* (anemia), *visphoṭa* (postules), *śoṭha* (oedema), *visarpa* (erysipelas) and *kuṣṭha* (obstinate skin diseases including leprosy).

अथ लवणः

लवणः शोधनो रुच्यः पाचनः कफपित्तदः ।

पुंस्त्ववातहरः कायशैथिल्यमृदुताकरः ॥ १४ ॥

बलघ्न आस्यजलदः कपोलगलदाहकृत् ।

Attributes of Saline taste .

Saline taste is *śোধana* (cleansing), *rucya* (appetiser) and

pācana (carminative). It produces *kapha* and *pitta*. It reduces virility (*pumstva*) and *vāyu*. It causes slothfulness (*śaithilya*) and softness (*mṛdutā*) of the body. It reduces strength. It causes salivation and burning sensation in the cheek and throat.

6

सोऽतियुक्तोऽक्षिपाकासपित्तकोपक्षतादिकृत् ।

वलीपलितखालित्यकुष्ठवीसर्पतृट्प्रदः ॥ १५ ॥

[भावप्रकाशः पूर्वखण्डः वर्गप्रकरण ६ : १८०-१८३]

When used in excess, it causes *akṣipāka* (conjunctivitis), *asrapitta* (bleeding from different parts of the body), *kṣata* (consumption), *valī* (premature wrinkling), *palita* (premature graying of hair), *khālitya* (baldness), *kuṣṭha* (obstinate skin diseases including leprosy), *visarpa* (erysipelas) and *tr̥ṣ* (morbid thirst).

अथ कटु :

‘कटुकः पित्तलः श्लेष्मकृमिकण्डूविषापहः ।

7

आग्नेयो वातलः स्तन्यमेदःस्थौल्यहरो लघुः’ ॥ १६ ॥

‘अश्रुदो नासिकाक्षयास्यजिह्वाऽग्नोद्वेजको मतः ।

दीपनः पाचनो रुच्यो नासिकाशोषणः परम् ॥ १७ ॥

क्लेदमेदोवसामज्जशकृन्मूत्रोपशोषणः ।

स्रोतःप्रकाशको रूक्षो मेध्यो वर्चोविवन्धकृत्’ ॥ १८ ॥

[भावप्रकाशः पूर्वखण्डः वर्गप्रकरण ६ : १८५-१८६]

Attributes of Pungent taste

Pungent taste aggravates *pitta* and reduces *kapha*, *kṛmi* (parasitic infection), *kanḍū* (itching) and toxicity. It has properties of fire (*agni*) and it aggravates *vāyu*. It reduces *stanya* (lactation), *medas* (fat) and *sthaulya* (adiposity). It is light. It causes lacrimation and irritates nose, eyes, mouth and tip of the tongue. It is *dīpana* (stimulant of digestion), *pācana* (carminative) and *rucya* (appetiser). It causes dryness (*śoṣaṇa*) of the

nose. It depletes (*śoṣaṇa*) *kleda* (sticky substance in the body), *medas* (fat), *vasā* (muscle fat), *majjā* (bone marrow), *śakṛt* (feces) and *mūtra* (urine). It opens up the channels of circulation. It is ununctuous (*rukṣa*). It promotes intellect (*medhya*). It produces more of feces and constipation.

8
सोऽतियुक्तो भ्रमास्यौष्ठतालुशोषातिसारदः ।
9
कण्ठादिपीडामूर्च्छातृट्कंपदो बलशुक्र [हृत्] ॥१६॥

When used in excess, it causes giddiness, dryness of mouth, lips and palate and diarrhoea. It also causes pain in throat etc., *mūrchā* (fainting), *tṛṣṭ* (morbid thirst) and *kampa* (shivering). It reduces strength and semen.

अथ तिक्त :

तिक्तः शीतस्तृषामूर्च्छाज्वरपित्तकफान् जयेत् ।
10
कमिकृष्टविषोत्क्लेशदाहरक्त [गदा] पहः ॥ २० ॥
रुच्यः स्वयमरोचिष्णुः कण्ठस्तन्यास्यशोधनः ।
वातलोऽग्निकरो नासाशोषणो रुक्षणो लघुः ॥ २१ ॥

Attributes of Bitter taste

Bitter taste is cooling and it cures morbid thirst, fainting and fever. It alleviates *pitta* and *kapha*. It cures *kṛmi* (parasitic infection), *kuṣṭha* (obstinate skin diseases including leprosy), *viṣa* (poisoning), *utkleśa* (nausea), *dāha* (burning sensation) and diseases caused by the vitiation of blood. Even though bitter taste itself is not relishing it is an appetiser. It cleanses the throat, lactation and mouth. It aggravates *vāyu* and stimulates *agni* (enzymes responsible for digestion and metabolism). It dries up the nose. It is ununctuous and light.

सोऽतियुक्तः शिरःशूलमन्यास्तम्भश्चमार्त्तिकृत् ।

कम्पमूर्च्छातृषाकारी बलशुक्रक्षयप्रदः ॥ २२ ॥

[भावप्रकाशः पूर्वखण्डः वर्गप्रकरण ६ : १८८-१९१]

When used in excess, it causes *śiraḥ śūla* (headache), *manyāstambha* (torticolis), *śrama* (exhaustion), *artī* (pain), *kampa* (tremor), *mūrchā* (fainting) and *tṛṣā* (morbid thirst). It reduces strength and semen.

अथ कषाय :

कषायो रोपणो ग्राही शोषणो वातकोपनः ।

जिह्वाजाड्यकरः कण्ठस्रोतसां च विबन्धकृत् ।

Attributes of Astringent taste

Astringent taste is healing (*ropaṇa*), constipative (*grāhī*) and drying (*śoṣaṇa*). It aggravates *vāyu*. It causes sluggishness in the movement of the tongue and it obstructs the throat as well as the channels of circulation. It causes constipation.

‘सोऽतियुक्तो ग्रहाध्मानहृत्पीडाक्षेपणादिकृत्’ ॥ २३ ॥

[भावप्रकाशः पूर्वखण्डः वर्गप्रकरण ६ : १६४]

When used in excess it causes *graha* (obstruction), *ādhamāna* (tymphanitis), *hṛtpidā* (pain in cardiac region), *ākṣepaṇa* (convulsions) etc.

अथ तत्रैवविशेषा :

मधुरं श्लेष्मलं सर्वमृते शालेः पुरातनात् ।

‘मुद्गगोधूमतःक्षौद्रात्सिताया जाङ्गलामिषात्’ ॥ २४ ॥

[भावप्रकाशः पूर्वखण्डः वर्गप्रकरण ६ : १६५]

Exceptions

All sweet things aggravate *kapha* except old *sāli* rice, *mudga* (*Phaseolus mungo* Linn.), wheat, honey, sugar and meat of animals of *jāngala* type.

अम्लं पित्तकरं प्रायो विना धात्रीं च दाडिमात् ।

लवणं प्रायशो द्वेषी नेत्रयोः सैन्धवं विना ॥ २५ ॥

प्रायः कटु तथा तिक्तमवृष्यं वातकोपनम् ।

शुष्ठीकृष्णारसोनानि पटोलममृतां विना ।

प्रायशस्तम्भनं प्रोक्त कषायमभयां विना ॥ २६ ॥

All sour things aggravate *pitta* except *dhātrī* and *dādima*. Generally saline things afflict eyesight; but rock salt (*saindhava*) is an exception to it. Generally pungent and bitter things are not aphrodisiac and they aggravate *vāyu*. *Sunṭhī*, *kṛṣṇā*, *rasona*, *paṭola* and *amṛtā* are, however, exceptions. All astringent things are generally *stambhana* (constipative); but *abhayā* is an exception to this rule.

सामान्येनात्र निर्दिष्टा गुणाः षड्रससंभवाः ।

रसानां ¹¹योगजेऽपि स्यादन्य एव गुणोदयः ॥ २७ ॥

In the above, properties of drugs having six tastes are described in general. Combination of various tastes, however, produces new properties which were non-existent in the original tastes.

सयोगाद्विषतां याति सममाज्येन माक्षिकम् ।

अमृतत्वं विषं याति सर्पदष्टस्य वै यथा ॥ २८ ॥

[भावप्रकाशः पूर्वखण्डः वर्गप्रकरण ६ : १६६—२००]

At times the combination of certain drugs produces poisonous effects; for example, ghee and honey in equal quantities. Even a poison at times works like ambrosia; for example, administration of poisonous drugs to a person afflicted by snake bite.

अथ गुणानां गुणाः

लघुपथ्य पर प्रोक्तं कफघ्नं शीघ्रपाकि च ।

गुरुवातहरं पुष्टिः श्लेष्मकृत् चिरपाकि च ॥ २९ ॥

Actions of various *gunas* (attributes)

Things which are *laghu* (light) are wholesome. They

alleviate *kapha* and get digested immediately. Things that are *guru* (heavy) alleviate *vāta*. They cause nourishment and aggravate *kapha*. They take a long time for digestion.

स्निग्धं कफकर वातहरं वृष्यं बलप्रदम् ।

रूक्षं परं कफहरं समीरणकरं मतम् ।

तीक्ष्णं पित्तकरं प्रायो लेखनं कफवातहृत् ॥ ३० ॥

[भावप्रकाशः पूर्वखण्डः वर्गप्रकरण ६ : २०२—२०४]

Snigdha (unctuous) things aggravate *kapha* and alleviate *vāta*. They are aphrodisiac and they promote strength. *Rukṣa* (ununctuous) things alleviate *kapha* and aggravate *vāyu*. Things that are *tikṣṇa* (sharp) aggravate *pitta* and they are generally *lekhana* (having scraping property). They alleviate *kapha* and *vāta*.

अथ वीर्यम् :

वीर्यमुष्ण तथा शीतं प्रायशो द्रव्यसंमतम् ।

यत्सर्वमग्निषोमीयं दृश्यते भुवनत्रये ॥ ३१ ॥

Vīrya (Potency)

Vīrya (potency) is of two categories viz., *uṣṇa* (hot) and *śīta* (cold). They are inherent in matter. They represent the *agni* and *soma* principles of the three worlds.

अथ-तद्गुण :

उष्णं वातकफौ हन्यात्पित्तं तु तनुते तराम् ।

शीतं वातकफात्क्लान्कुरुते पित्तहृत्परम् ॥ ३२ ॥

[भावप्रकाशः पूर्वखण्डः वर्गप्रकरण ६ : २३८—२३९]

Their attributes

Those having *uṣṇa* (hot) potency alleviate *vāta* and *kapha* and they aggravate *pitta*.

Those having *śīta* (cooling) potency cause diseases of *vāyu* and *kapha*; but they alleviate *pitta*.

अथ विपाक :

¹²
स्वादुः पटुश्च मधुरमम्लोम्ल पच्यते रसः ।

[भावप्रकाशः पूर्वखण्डः वर्गप्रकरण ६ : २४२]

कटुतिक्तकषायाणां पाकः स्यात्प्रायशः कटुः ॥ ३३ ॥

[चरकः सूत्र २६ : ५८]

Vipāka (Taste that emerges after digestion)

The *vipāka* of sweet and saline things is *madhura* (sweet) and sour things have *amla* (sour) *vipāka*. The *vipāka* of pungent, bitter and astringent things is generally *kaṭu* (pungent).

अथ विपाकानां गुणाः

श्लेष्मकृन्मधुरः पाको वातपित्तहरो मतः ।

अम्लस्तु कुरुते पित्त वातश्लेष्मगदापहः ।

कटुः करोति पवन कफं पित्त च नाशयेत् ॥ ३४ ॥

[भावप्रकाशः पूर्वखण्डः वर्गप्रकरण ६ : २४३—२४४]

Attributes of Vipākas

Things having *madhura* (sweet) *vipāka* aggravate *kapha* and alleviate *vāta* and *pitta*. Those having *amla* (sour) *vipāka* aggravate *pitta* and alleviate diseases of *vāyu* and *kapha*. *Kaṭu* (pungent) *vipāka* aggravates *vāyu* but alleviates *kapha* and *pitta* (?).

अथ प्रभाव :

प्रभावस्तु यथा धात्री लकुचस्य रसादिभिः ।

समोऽपि कुरुते दोषत्रितयस्य विनाशनम् ॥ ३५ ॥

[भावप्रकाशः पूर्वखण्डः वर्गप्रकरण ६ : २४६—२४७]

Prabhāva or specific action

The examples of *prabhāva* are *dhātrī* and *lakuca*. They have similar *rasa* (taste) etc. But the former alleviates all the three *doṣas* whereas the latter does not.

क्वचित्तु केवलं द्रव्यं कर्म कुर्यात् प्रभावतः ।
 13

ज्वरं हन्ति शिरोबद्धा सहदेवीजटा यथा ॥ ३६ ॥

[भावप्रकाशः पूर्वखण्डः वर्गप्रकरण ६ : २४८]

At times the *dravya* (matter) itself produces action by its *prabhāva*. For example, the root of *sahadevī* cures fever when tied into the head (hair).

NOTES AND REFERENCES

This is the eighth chapter of *Ayurveda Saukhyam* in Toḍarānanda and the invocation reads as follows :

गोपांगनाप्रांगणभूमिभागे शनैरगच्छत्सुनिगृह्यधार्त्री ।
 पायान्नृपं टंडणवंशजातं पदद्वयं यः कृतवान् स्वसृष्टेः ।

1. परिहिताय वै इति षष्ठ पुस्तके पाठः ।
2. द्रष्टव्यम् चरकः सूत्र ४४-८५ ।
3. "अौषधीषु सकल द्रववर्ग-धान्य-मांस-फल-शाक-रसाश्च ।
 कृत्यमन्नमनुपानकं युक्तं भाव-भावरचनाक्रमेणः" ॥
 पाठोऽय आदर्शपुस्तकेषु अधिकमुपलभ्यते ।
4. मधुरो हि रसः इति आकरे पाठः ।
5. लेखितोष्णो इति आकरे पाठः ।
6. पित्तकोठक्षतादिकृत् इति आकरे पाठः ।
7. द्रष्टव्यम् भावप्रकाशः पूर्वखण्डः वर्गप्रकरण ६ : १८४ ।
8. भ्रान्तिदाहमुखतात्वोष्ठशोधकृत् इति आकरे पाठः ।
9. बलशुक्रकृत्. इति द्वितीयपुस्तके पाठः ।
10. विषापहः इति द्वितीयपुस्तके पाठः ।
11. योगतस्तु इति आकरे पाठः ।
12. मिष्टः इति आकरे पाठः ।
13. कुर्यात्प्रधानतः इति षष्ठपुस्तके पाठः ।

CHAPTER 2

हरस्य भवने जाता हरिता¹ च स्वभावतः ।
हरते सर्वरोगाश्च तेन प्रोक्ता हरीतकी ॥

Harītakī (Terminalia chebula Retz.)

It is called *harītakī* because of the following :

- (1) it grows in the abode of Hara (Lord Siva) i.e. in the Himalayas ;
- (2) it is green (*harita*) by nature ;
- (3) it cures (*harate*) all diseases ;

जीवन्ती जीवनो योगान्² पावनात्पूतना मता ।
सुधावद्मृता ज्ञेया विजया विजयप्रदा ॥ २ ॥
नृणामभयदा यस्मादभया तत्प्रकीर्तिता ।
रोहिणी तु गुणरोहाच्चेतनाच्चेतकी मता ॥ ३ ॥

The names of different varieties of *harītakī* have the following significance ;

- (a) *Jīvantī* because it promotes life (*jīvana*) ;
- (b) *Pūtanā* because it purifies (*pāvana*) ;
- (c) *Amṛtā* because it is like ambrosia (*amṛta*) ;
- (d) *Vijayā* because it endows the user with victory (*vijaya*) ;
- (e) *Abhayā* because it takes away fear (*bhaya*) ;
- (f) *Rohiṇī* because it promotes (*rohāt*) the attributes (*guṇas*) ;
- (g) *Cetakī* because it promotes consciousness (*cetanā*).

जीवन्ती स्वर्णवर्णाभा पूतनास्थिमती मता ।

अमृता त्रिदला प्रोक्ता विजया तुबरूपिणी ॥ ४ ॥

पंचांगी त्वभया ज्ञया मता वृत्ता तु रोहिणी ।

अंगी³ तु चेतकी ज्ञेया कर्म तासामिहोच्यते ॥ ५ ॥

Different varieties of *harītakī* have the following characteristics :

- (a) *Jīvantī* is golden in colour ;
- (b) *Pūtanā* has a bigger stone ;
- (c) *Amṛtā* has three *dalas* (pieces or fruits in a bunch)
- (d) *Vijayā* is like a *tumbī* ;
- (e) *Abhayā* has five *angas* (pieces) ;
- (f) *Rohiṇī* is round in shape ,
- (g) *Cetakī* has three *angas* (pieces),

सर्वरोगेषु जीवन्ती प्रलेपे पूतना मता ।
 शुद्ध्यर्थममृता ज्ञेया विजया सर्वरोगहृत् ॥ ६ ॥
 अस्थिरोगेऽभया प्रोक्ता रोहिणी व्रणरोहिणी ।
 चेतकी चूर्णयोगे म्यात्सप्तधाऽत्र प्रकीर्तिता ॥ ७ ॥

Properties of different varieties of *harītakī* are as below :

- (a) *Jīvantī* is useful in all diseases ;
- (b) *Pūtanā* is useful in external application ;
- (c) *Amṛtā* is useful in cleansing the body ;
- (d) *Vijayā* cures all diseases ;
- (e) *Abhayā* is useful in the diseases of bones ;
- (f) *Rohiṇī* helps in the healing of ulcers ;
- (g) *Cetakī* is useful in potions used in the form of powder.

These are the seven varieties of *harītakī*.

‘हरीतकी पञ्चरसाऽलवणा तुवरोत्कटा ।
 रूक्षोष्णा दीपनी मेध्या स्वदुपाका रसायनी ॥ ८ ॥
 5
 सरा बुद्धिप्रदाऽऽमुष्या चक्षुष्या वृंहणी लघुः ।

Attributes

Harītakī has five tastes. It does not possess saline taste. It is extremely astringent. It is ununctuous, hot, *dīpana* (digestive stimulant), *medhya* (promoter of memory), *svādu pāka* (sweet in *vipāka*), *rasāyana* (rejuvenating), *sara* (laxative), *buddhi prada* (promoter of intellect), *āyusya* (promoter of longevity), *cakṣuṣya* (promoter of eye sight), *bṛmhaṇa* (nourishing) and *laghu* (light),

शवास-कास-प्रमेहार्शः कुष्ठ-शोथोदरकृमीन् ॥ ९ ॥

वैस्वर्यग्रहणीदोषविबन्धविषमज्वरान् ॥ ६ ॥

गुल्माधमानव्रणच्छर्दिहिककाकण्डूहृदामयान् ॥ ७ ॥

कामलां शूलमानाहं प्लीहानञ्चापि कर्षति' ॥ १० ॥

[भावप्रकाशः पूर्वखण्डः वर्गप्रकरण २ : १९-२२]

It cures *śvāsa* (asthma), *kāsa* (coughing), *prameha* (obstinate urinary disorders including diabetes), *arśas* (piles), *kuṣṭha* (obstinate skin diseases including leprosy), *śoṭha* (oedema), *udara* (obstinate abdominal diseases including ascitis), *kṛmī* (parasitic infections), *vaisvarya* (hoarseness of voice), *grahaṇī doṣa* (sprue syndrome), *vibandha* (constipation), *viśamajvara* (malarial fever), *gulma* (phantom tumour), *ādhmāna* (tymphanitis), *vraṇa* (ulcer), *chardi* (vomiting), *hikkā* (hiccup), *kaṇḍū* (itching), *hṛdāmaya* (heart disease), *kāmalā* (jaundice), *śula* (colic pain), *ānāha* (wind formation in stomach) and *plihā* (splenic disorder).

अम्लत्वाद्वातशमनी पित्तघ्ना स्वादुत्तक्तः ।

कटोः कषायात्कफहृत् त्रिदोषघ्नी हरीतकी ॥

Because of sour taste it alleviates *vāyu* ; because of sweet and bitter tastes it alleviates *pitta* and because of pungent and astringent tastes it alleviates *kapha*. Thus, *harītakī* alleviates all the three *doṣas*.

मज्जाश्रितं तु मधुरं अम्लं स्नाय्वास्थिसंश्रितम् ।

त्वगाश्रितं तु कटुकं तिक्तं वृन्ताश्रितं मतम् ॥ १२ ॥

अस्थ्याश्रित कषाय तु रसमाहुर्मनीषिणः ।

Tastes predominant in different parts of *harītakī* are as follows :

- (1) Sweet taste in *majjā* or pulp ;
- (2) Sour taste in fibres and stone ,

- (3) Pungent taste in skin ;
- (4) Bitter taste in stalk ;
- (5) Astringent taste in stone.

नवा स्निग्धा घना वृत्ता गुर्वी क्षिप्ता च याम्भसि ॥ १३ ॥

[भावप्रकाशः पूर्वखण्डः वर्गप्रकरण २ : २ -]

9

निमज्जेत्सा प्रशस्ता स्यात्कथितातिगुणप्रदा ।

Characteristics of good quality

Harītakī which is fresh, unctuous, compact, round and heavy is the best. When put in water it should sink. This type of *harītakī* is extremely useful and therapeutically very effective.

चर्विता वर्धयत्यग्निं पेषिता मलशोधिनी ।

10

स्विन्ना संग्राहिणी प्रोक्ता भृष्टा पथ्या त्रिदोषनुत् ॥ १४ ॥

[भावप्रकाशः पूर्वखण्डः वर्गप्रकरण २ : २८, ३०]

Different ways of Using

Used in different ways it produces the following effects :

- (1) when taken by chewing it promotes digestive power ;
- (2) when used in paste form it cleanses the bowels ;
- (3) when used by steam boiling it is constipative ;
- (4) when used after frying it alleviates all the three *doṣas*.

ग्रीष्मे तुल्यगुडां सुसैन्धवयुतां मेघावनद्धेऽम्बरे ।

तुल्या शर्करया शरद्दयमलया शुण्ठ्या तुषारागमे ॥ १५ ॥

पिप्पल्या शिशिरे वसन्तसमये क्षौद्रेण संयोजिताम् ।

राजन्प्राप्य हरीतकीमिवरुजो नश्यन्तु ते शत्रवः ॥ १६ ॥

Use in different seasons

In different seasons *harītakī* should be used as follows :

- (1) In summer it should be used with equal quantity of *guḍa* ;
- (2) In rainy season it is to be used with adequate quantity of *saindhava* ;
- (3) In autumn season it is to be used with equal quantity of purified sugar ;
- (4) In the beginning of winter it is to be used with *śunṭhī*.
- (5) In the later part of winter it is to be used with *pippalī*.
- (6) In the spring season it should be mixed with honey and then used.

O ! King, let your enemies be destroyed as diseases get destroyed by the use of *harītakī* in the above mentioned manner.

लवणेन कफं हन्ति पित्तं हन्ति सशर्करा ।

धृतेन वातजान् रोगान्सर्वरोगान्गुडान्विता ॥ १७ ॥

Usage for different *doṣas*

It alleviates *kapha* when taken with salt. *Pitta* is alleviated when it is taken with sugar. When taken with *ghee* it cures all diseases caused by *vāyu*. Taken with *guḍa*, *harītakī* cures all types of diseases.

अध्वातिखिन्नः परिहीनतेजा रूक्षः कृशो लघनकर्षितश्च ।

पित्ताधिको गर्भवती च नारी विमुक्तसत्वस्त्वभया न सेवेत् ॥१८॥

Contra-indications

Harītakī should not be used by persons who are extremely exhausted by travelling, who have lost the lustre of their body, who have ununctuous skin, who are emaciated, whose body is dried up by fasting, whose *pitta* is aggravated, ladies who are pregnant and those who have lost their will power.

बिभीतकं स्वादुपाकं कषायं कफपित्तनुत् ।
 उष्णवीर्यं हिमस्पर्शं भेदनं कासनाशनम् ॥ १६ ॥
 11
 रूक्षं नेत्रहितं केश्यं जंतुवैस्वर्यनाशनम् ।

Bibhītakī (Terminalia bellerica Roxb.)

Bibhītakī is sweet in *vipāka*. It is astringent in taste. It alleviates *kapha* and *pitta*. It is hot in potency. It is cooling in touch. It is *bhedana* (purgative), *kāsa nāśana* (cures coughing), *rūkṣa* (ununctuous), *netrahita* (useful for eyesight) and *keśya* (useful for hair). It cures parasitic infections and impaired voice.

बिभीतमज्जातृट्छदिकफवातहरो लघुः ॥ २० ॥

[भावप्रकाशः पूर्वखण्डः वर्गप्रकरण २ : ३७-३८]

The seed pulp of *bibhītaka* cures *tr̥ṣ* (morbid thirst), *chardi* (vomiting) and diseases caused by *kapha* and *vāta*. It is light.

कषायो मदकृत्स्वादुर्धात्रीमज्जापि तद्गुणः ।
 12

Āmalakī (Emblīca officinalis Gaertn.)

The seed pulp of *āmalakī* has the same property as that of *bibhītakī*. It is intoxicating and sweet.

हरीतकीसमं धात्रीफलं किन्तु विशेषतः ॥ २१ ॥

रक्तपित्तप्रमेहघ्नं परं दृश्यं रसायनम् ।

The fruit of *dhātrī* is similar to *harītakī* in its properties. It has, however, some specific properties. It cures *raktapitta* (a disease characterised by bleeding from different parts of the body) and *prameha* (obstinate urinary disorders including diabetes). It is exceedingly aphrodisiac and rejuvenating.

हन्ति वातं तदम्बलत्वात्पित्तं माधुर्यशैत्यतः ।

कफं रूक्षकषायत्वात्फलं धात्र्यास्त्रिदोषजित् ॥ २२ ॥
 13

[भावप्रकाशः पूर्वखण्डः वर्गप्रकरण २ : २८, ४०-४१]

It alleviates *rāta* because of its sour taste. Because of its sweet taste and cooling effect it alleviates *pitta*. *Kapha* is alleviated by its ununctuousness and astringent taste. The fruit of *dhātrī* alleviate all the three *doṣas*.

कुर्यापित्तं तदम्लत्वात्कफं माधुर्यशैत्यतः ।

वातं रूक्षकषायत्वादेवं किं न विपर्ययः ॥ २३ ॥

It should aggravate *pitta* by its sour taste. By its sweet taste and cooling effect *kapha* should get aggravated. Its ununctuousness and astringent taste should aggravate *vāyu*. Why does it not happen ?

घात्र्यास्त्रिदोषहंतृत्वं शक्त्यैव मुनिभिः स्मृतम् ।

संभावनावशादुक्ता रसादेरपि हेतुता ॥ २४ ॥

According to sages this property of *dhātrī* to alleviate all the three *doṣas* is because of its *prabhāva* (specific action). This property has been explained on the basis of its *rasa* etc., because of the existence of such a possibility.

यस्य यस्य फलस्येह वीर्यं भवति यादृशम् ।

तस्य तस्यैव वीर्येण मज्जानमपि निर्दिशेत् ॥ २५ ॥

[सुश्रुतः सूत्र ४६ : २०८]

The potency (*vīrya*) of the pulp of the seed will be the same as that of its fruit. This rule is applicable to all plants.

अभयैका योजनीया द्वावेव तु बिभीतकौ ।

घात्रीफलानि चत्वारि त्रिफलेयं प्रकीर्तिता” ॥२६॥

Triphalā

One fruit of *abhayā*, two fruits of *bibhītakī* and four fruits of *āmalakī*—taken together these are called *triphālā*.

“शिवा पंचरसायुष्या चक्षुष्याऽलवणा सरा ।

मेध्योष्णा दीपनी दोष-शोथ-कुष्ठ-व्रणापहा ॥ २७ ॥

Śivā has five tastes. It is *āyusya* (promoter of longevity), *caḥṣuṣya* (promoter of eyesight), *alavana* (free from saline taste), *sara* (laxative), *medhya* (promoter of intellect), *uṣṇa* (hot) and *dīpana* (stimulant of digestion). It alleviates *doṣas*, *sotha* (oedema), *kuṣṭha* (obstinate skin diseases including leprosy) and *vraṇa* (ulcer).

तद्वद्भात्री विशेषेण वृष्या शीतैव वीर्यतः ।

Dhātrī has similar properties. It has, however, some specific properties inasmuch as it is aphrodisiac and it is *śīta* (cooling) in potency.

‘भेदनं कटुरुक्षोष्ण वैस्वर्यकृमिनाशनम् ।

15

चक्षुष्यं स्वादुपाक्यक्षं कषायं कफपित्तनुत्’ ॥ २८ ॥

[सुश्रुतः सूत्र ४६ : २००]

Akṣa is purgative, purgent, ununctuous and hot. It cures hoarseness of voice and parasitic infection. It promotes eyesight. It is sweet in *vipāka* and astringent in taste. It alleviates *kapha* and *pitta*.

‘त्रिफला कफपित्तघ्नी मेह-कुष्ठ-विनाशिनी ।

17

चक्षुष्या दीपनी रुच्या विषमज्वरनाशिनी’ ॥ २९ ॥

[भावप्रकाशः पूर्वखण्डः वर्गप्रकरण २ : ४४]

Triphalā alleviates *kapha* and *pitta*. It cures *meha* (obstinate urinary disorders) and *kuṣṭha* (obstinate skin diseases including leprosy). It is *caḥṣuṣya* (promoter of eyesight), *dīpana* (digestive stimulant) and *rucya* (appetiser). It cures *viṣama jvara* (malarial fever).

कफपित्तहरा रूक्षा मधुरा मृदुरेचनी ।

18

वातकृत्कटुका पाके कषाया त्रिवृताऽसिता ॥ ३० ॥

Trivṛt (Operculina turpethum Silva Manso)

The black variety of *trivṛt* alleviates *kapha* and *pitta*,

rukṣa (ununctuous), *madhura* (sweet), *mṛdu recana* (laxative), *vātakṛt* (aggravator of *vāta*), *kaṭu pāka* (pungent in *vipāka*) and astringent in taste.

तस्मादल्पातरगुणा विज्ञेया त्रिवृताऽरुणा ।

The reddish (*aruna*) variety of *trivṛt* is slightly inferior in quality.

ज्वरहृद्भोगवातासृग्दावर्त्तादि—रोगिणु ॥ ३१ ॥

राजवृक्षोऽधिकं पथ्यो मृदुर्मधुरशीतलः ।

Rājavr̥kṣa (Cassia fistula Linn.)

For patients suffering from *jvara* (fever), *hṛdroga* (heart disease), *vātāsṛk* (gout) and *udāvarta* (upward movement of wind in abdomen), *rājavr̥kṣa* is extremely wholesome. It is *mṛdu* (soft), sweet and cooling.

तत्फलं मधुरं बल्यं वातपित्तामहृत्सरं ॥ ३२ ॥

पीतं तोयेन निन्नशिद्गृध्रसीं प्रबलामपि ।

Its fruit is sweet and strength promoting. It reduces *vāta*, *pitta* and *āma*. It is laxative. When taken with water it cures even the severe type of *gr̥dhrasī* (sciatica).

कटुकाह्वा सरा रूक्षा कफपित्तज्वरापहा ॥ ३३ ॥

Kaṭukā (Picrorhiza kurroa Royle ex Benth.)

Kaṭukā is laxative and ununctuous. It alleviates *kapha*, *pitta* and fever.

त्रायन्ती कफपित्तास्रगुल्मज्वरहरी सरा ।

Trāyantī (Gentiana kurroo Royle)

Trāyantī cures vitiated *kapha*, *pitta* and blood ~~gūlma~~ (phantom tumour) and fever. It is laxative.

Tikta valkalī

Tikta valkalī alleviates vitiated *kapha*, *pitta* and blood, pain, *chardi* (vomiting) and *viṣa* (poisoning).

यासः सरो ज्वर-छर्दि-श्लेष्म-पित्त-विसर्पनुत् ।

Yāsa (Alhagī pseudalhagi Desv.)

Yāsa is laxative. It cures fever, vomiting, aggravated *kapha* and *pitta* and *visarpa* (erysipelas).

भूधात्री वातकृत्तिका कषाया मधुरा हिमा ॥ ३५ ॥

पिपासा कास-पित्तास्र-कफ-पाण्डु-क्षयापहा ।

Bhūdhātrī (Phyllanthus niruri Linn.)

Bhūdhātrī aggravates *vāyu*. It is bitter, astringent and sweet in taste. It is cooling. It cures *pipāsā* (morbid thirst), *kāsa* (coughing), *pittāśra* (a disease characterised by bleeding from different parts of the body), vitiated *kapha*, *pāṇḍu* (anemia) and *kṣaya* (consumption).

खदिरः कुष्ठवीसर्पमेहपित्तविषापह ॥ ३६ ॥

Khadira (Acacia catechu Willd.)

Khadira cures *kuṣṭha* (obstinate skin diseases including leprosy), *visarpa* (erysipelas), *meha* (obstinate urinary disorders including diabetes), aggravated *pitta* and *viṣa* (poisoning).

भूनिबो वातलो रूक्षः कफपित्तज्वरापहः ।

Bhūnimba (Swertia chirata Buch.—Ham.)

Bhūnimba aggravates *vāyu*. It is ununctuous and it alleviates aggravated *kapha* and *pitta* as well as fever.

निबः पित्तकफच्छर्दिन्नणहृत्लासकुष्ठनुत् ॥ ३७ ॥

21

“शीतो ग्राह्यग्निकृत्कासज्वरतृट्कुमिमेहजित् ।

Nimba (Azadirachta indica A. Juss.)

Nimba cures aggravated *pitta* and *kapha*, *chardi* (vomiting), *vraṇa* (ulcer), *hṛllāsa* (nausea) and *kuṣṭha* (obstinate skin diseases including leprosy). It is cooling, constipative and

digestive stimulant. It cures *kāsa* (coughing), *jvara* (fever), *tr̥ṣ* (morbid thirst), *kṛmi* (parasitic infection) and *meha* (obstinate urinary disorders including diabetes).

22
निम्बपत्रं तु चक्षुष्यं कृमिपित्तविषप्रणुत् ॥ ३८ ॥

Leaf of *nimba* promotes eye sight. It cures *kṛmi* (parasitic infection), aggravated *pitta* and *viṣa* (poisoning).

23
तत्फलं भेदनं स्निग्धमुष्ण कुष्ठहर लघु ।

Fruit of *nimba* is purgative, unctuous and hot. It cures *kuṣṭha* (obstinate skin diseases including leprosy). It is light.

महानिंबः परं ग्राही कषायो रूक्षशीतलः ॥ ३९ ॥

***Mahā nimba* (*Melia azedarach* Linn.)**

Mahā nimba is exceedingly constipative, astringent, ununctuous and cooling.

पर्पटः पित्ततृदाहज्वरहृत् श्लेष्मशोषणः ।

***Parpaṭa* (*Fumaria parviflora* Lam.)**

Parpaṭa cures aggravated *pitta*, *tr̥ṣ* (morbid thirst), *dāha* (burning syndrome) and *jvara* (fever). It dries up *kapha*.

24
पाठातीसारशूलघ्नी कफपित्तज्वरापहा ॥ ४० ॥

***Pāṭhā* (*Cissampelos pareira* Linn.)**

Pāṭhā cures *atisāra* (diarrhoea), *sūla* (colic pain), aggravated *kapha* and *pitta* and *jvara* (fever).

25
“द्विविधः कुटजो ज्ञेयः पुस्त्रीभेदेन तद्विदा ।

वृहत्फलः श्वेतपुष्पः स्निग्धो दीर्घच्छदः पुमान् ॥ ४१ ॥

तथातिरक्तबहलत्वचः प्रोक्तो विशारदः ।

***Kuṭaja* (*Holarrhena antidysenterica* Wall.)**

According to scholars, *kuṭaja* is of two types viz., male

and female. The male variety has bigger fruits, white flowers and unctuous as well as long leaves. Its bark is exceedingly red and thick.

अणुफला वृत्तपुष्पा पुष्पैः श्यावारुणैर्युक्ता ॥ ४२ ॥

धवलत्वक् भवेद्यासौ विज्ञेया स्त्री न संशयः ।

If the fruits are small, flowers are round in shape and grayish red in colour and bark is white, then this is undoubtedly the female variety of *kuṭaja*.

कुटजः पुरुषो ग्राही रक्तपित्तातिसारनुत् ॥ ४३ ॥

वातघ्नो प्रदरे योज्यो ततो हीनगुणाऽपरा ।

The male variety of *kuṭaja* is constipative and it alleviates *raktapitta* (a disease characterised by bleeding from different parts of the body) and *atisāra* (diarrhoea). It alleviates *vāyu* and is useful in *pradara* (menorrhagia and other allied gynaecological disorders).

The female variety is inferior in quality.

फलाच्च पुष्पतो ज्ञेया इति पाराशरोऽब्रवीत् ॥ ४४ ॥

According to the sage *Parāśara*; these varieties of *kuṭaja* should be determined from the characteristics of their fruits and flowers.

28

‘कुटजः कफपित्तामृक् त्वग्दोषार्शोऽतिसारजित् ।’

Kuṭaja alleviates vitiated *kapha*, *pitta* and *rakta*. It cures *tvagdoṣa* (skin diseases), *arśas* (piles) and *atisāra* (diarrhoea).

तद्बीजं रक्तपित्तातिसारज्वरहरं हिमम् ॥ ४५ ॥

Its seed cures *raktapitta* (a disease characterised by bleeding from different parts of the body), *atisāra* (diarrhoea) and *jvara* (fever). It is cooling.

ह्रीवेरं छर्दिहृल्लासतृष्णातीसारनाशनम् ।

Hrīvera (*Coleus vettiveroides* K. C. Jacob.)

Hrīvera cures *chardi* (vomiting), *hṛllāsa* (nausea), *rṣṇā* (morbid thirst) and *atisāra* (diarrhoea).

कफघ्नं कटुकं तिक्तं मुस्त संग्राहिपाचनम् ।

Mustā (*Cyperus rotundus* Linn.)

Mustā alleviates *kapha*. It is pungent and bitter in taste, *saṅgrāhi* (constipative) and *pācana* (carminative).

दोषघ्नं पाचनं ग्राहि तिक्तं चातित्रिवाह्वयम् ॥ ४६ ॥

Atiṣā (*Aconitum heterophyllum* Wall.)

Atiṣā alleviates *doṣas*. It is carminative, constipative and bitter.

संग्राही कफवातघ्नं बिल्वं दीपनपाचनं ।

बालं, वृद्धं त्रिदोषाय दुर्जरं पूतिमाहृतं ॥ ४७ ॥

Bilva (*Aegle marmelos* Corr.)

Unripe and immature fruit of *bilva* is constipative. It alleviates *kapha* and *vāta*. It is a digestive stimulant and carminative.

Ripe and matured fruit of *bilva* aggravates all the three *doṣas*. It is difficult of digestion and produces foul smelling wind.

कफवातामशूलघ्नी ग्राहिणी बिल्वपेशिका ।

The *peśi* (pulp or flesh) of *bilva* cures vitiated *kapha* and *vāyu*, *āma* and *śūla* (colic pain). It is constipative.

‘फलेषु परिपक्वं यद्गुणवत्तदुदाहृतम् ।

बिल्वादन्यत्र विज्ञेयमामं तद्विगुणोत्तरम् ॥ ४८ ॥

[सुश्रुतः सूत्र ४६ : २०६]

Generally, among fruits, matured ones are considered to be of good quality. *Bilva* is an exception to this rule inasmuch as its immature fruits are better in quality.

कफानिलाम --- दुर्न्नामत्रघ्नशोफोदरापहम् ।

सरं पुनर्नवायुग्ममुष्णवीर्यं रसायनम् ॥ ४६ ॥

Punarnavā (Boerhaavia diffusa Linn.)

Two varieties of *punarnavā* alleviate *kapha* and *vāyu*, reduce *āma* and cure *durnāman* (piles), *vradhna* (inguinal lymphadenitis), *śopha* (oedema) and *udara* (obstinate abdominal diseases including ascitis.) They are laxative and hot in potency. They are *rasāyana* (rejuvenating).

चित्रकोऽग्निसमः पाके शोफार्शःकृमिकुष्ठहाः ।

Citraka (*Plumbago zeylanica* Linn.)

Citraka acts like fire during digestion i.e. it is a strong digestive stimulant. It cures *śopha* (oedema), *arśas* (piles), *kṛmi* (parasitic infection) and *kusṭha* (obstinate skin diseases including leprosy).

लोहितः केशरागश्च कृमिकुष्ठज्वरापहः ॥ ५० ॥

The red variety of *citraka* imparts colour to the hair and it cures *kṛmi* (parasitic infection), *kusṭha* (obstinate skin diseases including leprosy) and *jvara* (fever).

तद्वदन्ती प्रभावात्तु विरेचयति सा नरम् ।

Dantī (*Baliospermum montanum* Muell.—Arg.)

Dantī has properties similar to those of *citraka*. However, because of *prabhāva* (specific action) it causes purgation.

कफकृमिहरी तीक्ष्णा हस्तिदन्ती विरेचनी ॥ ५१ ॥

Hasti danti (*Trichosanthes bracteata* Voigt)

Hasti danti alleviates *kapha* and *kṛmi* (parasitic infection). It is sharp and purgative.

जयपालो गुरुस्निग्धो रेची पित्तकफापहः ।

Jayapāla (*Croton tiglium* Linn.)

Jayapāla is heavy, unctuous and purgative. It alleviates *pitta* and *kapha*.

सुन्ही साष्ठीलिकाध्मानगुल्मोदरहरी सरा ॥ ५२ ॥

Snuhī (*Euphorbia nerifolia* Linn.)

Snuhī cures *aṣṭhīlikā* (stony tumour in abdomen), *ādhmāna* (tymphanitis), *gulma* (phantom tumour) and *udara* (obstinate abdominal diseases including ascitis). It is *sarā* (purgative).

दूषीविषोदरप्लीहागुल्मकुष्ठप्रमेहिषु ।

28

बहुदोषे प्रयोक्तव्यमग्नितुल्यं सुघापयः ॥ ५३ ॥

The latex of *snuhī* which is like fire should be used when the *doṣas* in a patient are aggravated very much in excess and also for patients suffering from *dūṣī viṣa* (artificial poison), *udara* (obstinate abdominal diseases including ascitis), *plīhā roga* (splenic disorder), *gulma* (phantom tumour), *kuṣṭha* (obstinate skin diseases including leprosy) and *prameha* (obstinate urinary disorders including diabetes).

हेमाह्वा रेचनी तिक्ता मदनुत् क्लेदकारिणी ।

कृमि-कंडू-कफानाह-विष- कुष्ठ-विनाशिनी ॥ ५४ ॥

Hemāhvā (*Argemone mexicana* Linn.)

Hemāhvā is purgative, bitter and *madanut* (cures intoxication.). It produces *kleḍa* (stickiness) in body. It cures *kṛmi* (parasitic infection), *kaṇḍū* (itching), vitiated *kapha*, *ānāha* (constipation), *viṣa* (poisoning), and *kuṣṭha* (obstinate skin diseases including leprosy).

29

अर्कः कृमिहरस्तीक्ष्ण

30

सरोर्णं कुष्ठनाशनः ।

Arka (*Calotropis gigantea* R. Br. ex Ait.)

Arka cures *kṛmi* (parasitic infection). It is sharp and purgative. It also cures *arśas* (piles) and *kuṣṭha* (obstinate skin diseases including leprosy).

तत्पयः कृमिदोषघ्नं हितं कुष्ठोदरार्शसाम् ॥ ५५ ॥

The latex of *arka* cures *kṛmidoṣa* (parasitic infection) and it is useful for patients suffering from *kuṣṭha* (obstinate skin

diseases including leprosy), *udara* (obstinate abdominal diseases including ascitis).

31 32

आरुष्करं तौवरकं कषायं कटुपाकि च ।

उष्णं कृम्युदरानाहशोफदुर्न्मिनाशनम् ॥ ५६ ॥

33

ग्रहणीकफवाताग्निमांक्षामज्वरगुल्मनुत् ।

Āruṣkara & Tuvaraka (Semecarpus anacardium Linn. f. & Hydnocarpus wightiana Blume)

Āruṣkara and *tauvaraka*—both are astringent in taste and pungent in *vipāka*. They are hot and they cure *kṛmi* (parasitic infection), *udara* (obstinate abdominal diseases including ascitis), *ānāha* (constipation), *śopha* (oedema) *durnāman* (piles), *grahaṇī* (sprue syndrome), vitiated *kapha* and *vāta*, *agnimāndya* (suppression of the power of digestion), *āma*, *jvara* (fever) and *gulma* (phantom tumour).

तन्मज्जा मधुरः पाके वृष्यश्चाशोहरः परः ॥५७॥

The pulp of these drugs is sweet in *vipāka* and aphrodisiac. It also cures *arśas* (piles).

गुग्गुलुः पिच्छिलः स्पर्शो विशदोभ्यवहारतः ।
 सुस्वादुः सकटुस्तित्तः सकषायो रसायनः ॥ ५८ ॥
 वर्ण्यः स्वर्यः कटुः पाके रूक्षः श्लक्ष्णोऽग्निदीपनः ।
 क्लेदमेदोनिलश्लेष्मगंडमेहापचीकृमीन् ॥ ५९ ॥
 पिडकाग्रंथिशोथार्शोहन्त्युष्णस्रंसनो लघुः ।

Guggulu (Commiphora mukul Engl.)

Guggulu is slimy in touch. But it has a non-slimy (*viśada*) effect on the body when used. It is sweet, pungent, bitter and astringent in taste. It is *rasāyana* (rejuvenating), *varṇya* (promoter of complexion), *svarya* (promoter of good voice), *katupāka* (pungent in *vipāka*), *rūkṣa* (ununctuous), *ślakṣna*

(smooth) and *agnidīpana* (promoter of digestive power). It alleviates *kleda* (sticky material in the body), *medas* (fat), vitiated *vāyu* and *kapha*, *gaṇḍa* (goitre), *meha* (obstinate urinary disorders including diabetes), *apacī* (cervical adenitis), *kṛmi* (parasitic infection), *pidakā* (pimples), *granthi* (adenitis), *śoṭha* (oedema) and *arśas* (piles). It is hot, *sraṁsana* (laxative) and light.

स नवो बृंहणो वृष्यः पुराणस्त्वतिकर्षणः ॥ ६० ॥

Fresh *guggulu* is *bṛmhaṇa* (nourishing) and *vṛṣya* (aphrodisiac). Old *guggulu* is extremely depleting (*karṣaṇa*).

³⁴ “महिषाक्षो महानीलः कुमुदः पद्म इत्यपि ।

हिरण्यः पञ्चमो ज्ञेयो गुग्गुलोः पञ्चजातयः ॥ ६१ ॥

³⁶ भृङ्गांजनसवर्णस्तु महिषाक्ष इति स्मृतः ।

महानीलस्तु विज्ञेयः स्वनामसमलक्षणः ॥ ६२ ॥

³⁷ कुमुदः कुमुदाभस्तु पद्मश्चामिपसन्निभ ।

³⁸ हिरण्याक्षस्तुहेमाभः पञ्चैते समुदाहृताः ॥ ६३ ॥

There are five varieties of *guggulu*. They are *mahiṣākṣa*, *mahānīla*, *kumuda*, *padma* and *hiraṇya*. *Mahiṣākṣa* variety has the colour of either *bhṛṅga* or *añjana*. *Mahānīla* is extremely blue in colour. *Kumuda* variety has the colour of a *kumuda* flower i.e. white. *Padma* variety of *guggulu* looks red like flesh. *Hiraṇākṣa* looks like gold. Thus all the five varieties of *guggulu* are illustrated.

³⁹ महिषाक्षो महानीलो गजेन्द्राणां हितावुभौ ।

[भावप्रकाशः पूर्वखण्डः तृतीय कर्पूरादिवर्ग ३३-३६]

⁴⁰ ह्यानां कुमुदः पद्मः स्वस्त्यारोग्यकरो परौ ॥ ६४ ॥

विशेषेण मनुष्याणां कनकः परिकीर्तितः ।

41

कदाचिन्महिषाक्षस्तु मतः कैश्चिन्नृणामपि ॥ ६५ ॥

Mahiṣākṣa and *mahānīla*—these two varieties of *guggulu* are useful in the treatment of elephants. *Kumuda* and *padma* varieties are useful in the treatment of horses. *Kanaka* variety is specifically indicated for human beings. According to some scholars *mahiṣākṣa* is also useful for the treatment of human beings.

गुग्गुलुर्विशदस्तिक्तो वीर्योष्णः पित्तलः सरः ।

42

कषायः कटुकः पाके कटुरुक्षो लघुः परम् ॥ ६६ ॥

भग्नसंधानकृद्वृष्यः सूक्ष्मः स्वर्यो रसायनः ।

दीपनः पिच्छिलो बल्यः कफवातत्रणापचीः ॥ ६७ ॥

मेदो मेहांश्च वातास्रक्लेदकुष्ठाममारुतान् ।

पिडिकाग्रन्थिशोफार्शोगण्डमालाकृमीञ्जयेत् ॥ ६८ ॥

Guggulu is *viśada* (non-slimy), *tikta* (bitter) and *uṣṇa vīrya* (hot in potency). It aggravates *pitta*. It is laxative and astringent in taste. It is pungent in *vipāka* as also in taste. It is ununctuous and extremely light. It heals fracture of bones. It is *vṛṣya* (aphrodisiac), *sūkṣma* (subtle), *svarya* (promoter of voice), *rasāyana* (rejuvenator), *dīpana* (digestive stimulant), *picchīla* (slimy) and *balya* (promoter of strength). It alleviates aggravated *kapha* and *vāta*. It cures *vraṇa* (ulcer), *apacī* (cervical adenitis), *meda* (adiposity), *meha* (obstinate urinary disorders including diabetes), *vatāsra* (gout), *kleda* (appearance of sticky material in excess in the body), *kuṣṭha* (obstinate skin diseases including leprosy), *āma māruta* (rheumatism), *piḍikā* (pimples), *granthī* (adenitis), *śopha* (oedema), *arśas* (piles), *gandumālā* (enlarged cervical glands) and *kṛmī* (parasitic infection).

माधुर्याच्छमयेद्वातं कषायत्वाच्च पित्तहा ।

तिक्तत्वात्कफजित्तेन गुग्गुलुः सर्वदोषहा ॥ ६९ ॥

[भावप्रकाशः पूर्वखण्डः तृतीय कर्पूरादिवर्ग ३६—४१]

Because of its sweet taste it alleviates *vāta*. *Pitta* is alleviated by its astringent taste. It alleviates *kapha* because of its bitter taste. Thus, all the three *doṣas* are alleviated by *guggulu*.

स नवो बृंहणो वृष्यः पुराणस्त्वतिलेखनः ।
 स्निग्धः काञ्चनसङ्काशः पक्वजम्बूफलोपमः ॥ ७० ॥
 नूतनो गुग्गुलुः प्रोक्तः सुगन्धि यस्तु पिच्छिलः ।
 शुष्को दुर्गन्धकश्चैव त्यक्तप्रकृतिवर्णकः ॥ ७१ ॥
 पुराणः स तु विज्ञेयो गुग्गुलुर्वीर्यवर्जितः ।

Fresh *guggulu* is *br̥mhāṇa* (nourishing) and *vṛṣya* (aphrodisiac). Old *guggulu* is extremely depleting (*lekhāna*).

Fresh *guggulu* is unctuous. It is golden in colour and it looks like a ripe fruit of *jambu*. It has fragrance and it is slimy. Old *guggulu* on the other hand emits a foul smell and it is devoid of its natural colour. Old *guggulu* does not possess the required potency.

अम्ल तीक्ष्णमजीर्णं च व्यवायं श्रममातपम् ॥ ७२ ॥
 मद्य रोषं त्यजेत्सम्यक् गुणार्थी पुरसेवकः ।

The patient who is using *guggulu* should refrain from sour things, sharp things, things that are indigestible, sexual act, exhaustion, exposure to sun, alcoholic drinks and anger if he desires to have the prescribed therapeutic effects of this drug.

43

श्रीवासो मधुरस्तिक्तः स्निग्धोष्णस्तुवरः सरः ॥७३॥

44

पित्तलो वातमूर्धाक्षिस्वररुक्कफपीनसान् ।

रक्षोऽश्रीस्वेददौर्गन्ध्ययूकाकण्ड्व्रणप्रणुत् ॥ ७४ ॥

[भावप्रकाशः पूर्वखण्डः तृतीय कर्पूरादिवर्ग ४२-४७]

Śrīvāsa (Pinus roxburghii Sargent)

Śrīvāsa is sweet and bitter in taste, unctuous, hot, saline and laxative. It aggravates *pitta*. It cures aggravated *vāta*, diseases of head, eyes and voice, aggravated *kapha*, *pīnasa* (chronic sinusitis), attacks by evil spirits (*rakṣas*), unauspiciousness, excessive sweating, foul smell of the body, lice (*yūkā*), itching and ulcer.

यदाऽमृतं वैनतेयो जहार सुरसत्तमात् ।

तदा ततोऽपतद् बिन्दुः स रसोनो ऽभवद्भुवि ॥ ७५ ॥

पञ्चभिश्च रसैर्युक्तो रसेनाम्लेन वर्जितः ।

45

तस्माद्रसोन इत्युक्तो द्रव्यनिश्चयकारकैः ॥ ७६ ॥

कटुकश्चापि मूलेषु तिक्तः पत्रेषु संस्थितः ।

नाले कषाय उद्दिष्टो नालाग्रे लवणः स्मृतः ॥ ७७ ॥

बीजे तु मधुरः प्रोक्तो रसस्तद्गुणवेदिभिः ।

Rasona (Allium sativum Linn.)

When *Garuḍa* took *amṛta* from *Indra*, then a drop of it fell down on the earth and *rasona* came out of it. According to scholars who are experts in the determination of various aspects of drugs, it is called '*rasona*' because it has five *rasas* (tastes) and it is devoid (*una*) of one *rasa* (taste) i.e. *amla* (sour). Pungent taste resides in its root (*bulb*); bitter taste in the leaf, astringent taste in the stem, saline taste at the top of the stem and sweet taste in the seed.

रसोनो बृंहणो बृष्यः स्निग्धोष्णः पाचनः सरः ॥ ७८ ॥

रसे पाके च कटुकस्तीक्ष्णो मधुरको मतः ।

भग्नसन्धानकृत्कंठघो गुरुः पित्तास्रवृद्धिदः ॥ ७९ ॥

बलवर्णकरो मेधाहितो नेत्रयो रसायनः ।

हृद्रोगजीर्णज्वरकुक्षिशूलविबन्धगुल्माश्चिकासशोफान् ॥८०॥

[भावप्रकाशः पूर्वखण्डः द्वितीय हरीतक्यादिवर्गं २२०—२२५]

दुर्नामकुष्ठानलसादजन्तुसमीरणश्वासकफांश्च हन्ति ।

Rasona is *byr̥hāṇa* (nourishing), *vyśya* (aphrodisiac), unctuous, hot, carminative and laxative. In taste and *vipāka* it is pungent. It is sharp in property and sweet. It helps in the healing of fracture. It is good for throat and heavy. It aggravates *pitta* and blood. It promotes strength, complexion, intellect and eyesight. It is rejuvenating. It cures *hṛdroga* (heart disease), *jīrṇa jvara* (chronic fever), *kukṣi śūla* (colic pain in the pelvic region), *vibandha* (constipation), *gulma* (phantom tumour), *aruci* (anorexia), *kāsa* (coughing), *śopha* (oedema), *durnāman* (piles), *kuṣṭha* (obstinate skin diseases including leprosy), *anala sāda* (suppression of the power of digestion), *jantu* (parasitic infection), *samīraṇa* (aggravated *vāyu*), *śvāsa* (asthma) and aggravated *kapha*.

46

मद्यं मांसं तथाम्लं च हितं लशुनसेविनः ॥ ८१ ॥

Diet

Alcoholic drink, meat and sour things are useful for a person using *rasona*.

व्यायाममातपं रोषमतिनीरं पयो गुडम् ।

रसोन्नमश्नन् पुरुषस्त्यजेदेतान्निरन्तरम्⁴⁷ ॥ ८२ ॥

[भावप्रकाशः पूर्वखण्डः द्वितीय हरीतक्यादिवर्गं २२५—२२६]

Prohibitions

A person using *rasona* should avoid exercise, exposure to sun, anger, water in excess, milk and *guḍa* (jaggery).

पत्रे सक्षारमधुरो मध्ये मधुरपिच्छिलः ।

तीक्ष्णोष्णो लसुनः कदः कटुपाकरसः सरः ॥ ८३ ॥

हृद्यः केशयो गुरुवृष्यः स्निग्धो दीपनरोचनः ।

भग्नसंधानकृद्वलयो रक्तपित्तप्रदूषणः ॥ ८४ ॥

किलास-कुष्ठ-गुल्माशोमेह-कृमि-कफानिलान् ।

48

सहिध्मापीनसश्वासकासान् हन्ति रसायनः” ॥८५॥

[माधवद्रव्यगुणः विविधौषधिवर्ग. ३७—३९]

Its leaf is alkaline and sweet; its stem is sweet and slimy and its bulb is sharp, hot, pungent both in taste and *vipāka* and laxative. *Lasuna* is *hṛdya* (cardiac tonic), *keśya* (promoter of hair), heavy, *vṛṣya* (aphrodisiac), unctuous, *dīpana* (digestive stimulant), *rocana* (appetiser), *bhagna sandhāna kṛt* (healer of fracture) and *balya* (strength promoting). It vitiates blood and *pitta*. It cures *kilāsa* (leucoderma), *kuṣṭha* (obstinate skin diseases including leprosy), *gulma* (phantom tumour), *arśas* (piles), *meha* (obstinate urinary disorders including diabetes), *kṛmi* (parasitic infection), aggravated *kapha* and *vāyu*, *hidhmā* (hiccup), *pīnasa* (chronic sinusitis), *śvāsa* (asthma) and *kāsa* (coughing). It is *rasāyana* (rejuvenating).

‘पलाण्डुस्तद्गुणैस्तुल्यः कफहृन्नातिपित्तलः ।

49

50

अनुष्णः केवलं [वा] तं स्वादुपाकरसो जयेत्’ ॥८६॥

Palāṇḍu (*Allium cepa* Linn.)

Palāṇḍu has properties similar to those of *rasana*. It alleviates *kapha* but does not aggravate *pitta* in excess. It is not very hot. It alleviates *vāta* (which is not combined with other aggravated *doṣas*). It is sweet in *vipāka* and taste.

‘पलांडुर्मधुरो वृष्यः कटु स्निग्धोऽनिलापहः ।

51

52

बल्यः पित्ताविरोधी च कफहृद्रोचनो गुरुः’ ॥ ८७ ॥

[माधवद्रव्यगुणः विविधौषधिवर्ग ८०]

Palāṇḍu is sweet, aphrodisiac, pungent and unctuous. It alleviates *vāyu*. It promotes strength and does not aggravate *pitta*. It alleviates *kapha*. It is an appetiser and heavy.

तीक्ष्णो गृज्जको ग्राही ग्रहण्यशोऽविकारनुत् ।

53
पुष्पाणि कफवातघ्नान्येतान्येषां फलानि च ॥ ८८ ॥

Grñjanaka (Daucus carota Linn.)

Grñjanaka is sharp and constipative. It cures *grahaṇī* (sprue syndrome) and *arśas* (piles). Its flowers and fruits alleviate *kapha* and *vāta*.

‘कफानिलहरं स्वयं विबन्धानाहशूलनुत् ।

कटूष्णं रोचनं वृष्यं हृद्यं चैवाद्रकं स्मृतम् ॥ ८९ ॥

[सुश्रुतः सूत्र ४६ : २२७]

Ārdraka (Zingiber officinale Rosc.)

Ārdraka alleviates *kāpha* and *vāyu*. It promotes good voice. It cures *vibandha* (constipation), *ānāha* (obstruction to the movement of wind in the stomach) and *śūla* (colic pain). It is pungent, hot, appetiser, aphrodisiac and cardiac tonic.

54
वातश्लेष्मविबन्धेषु रसस्तस्योपदिश्यते ।

The juice of *ārdraka* is indicated in constipation caused by *vāyu* and *kapha*.

आदिका तिक्तमधुरा मूत्रला रक्तपित्तहृत् ॥ ९० ॥

Ardrikā (small variety of *ārdraka*) is bitter and sweet in taste. It is *mūtrala* (diuretic) and it cures *raktapitta* (a disease characterised by bleeding from different parts of the body).

“गुडाद्रकं वातहरं चक्षुष्यं पित्तनाशनम् ।

क्षतघ्नं चैव वृष्यं च वर्चोभेदि कफापहम् ॥ ९१ ॥

Guda (jaggery) and *ārdraka*, taken together, alleviate *vāyu*. It promotes eye sight and alleviates *pitta*. It is *kṣataghna* (cures consumption), *vṛṣya* (aphrodisiac), purgative and *kaphāpaha* (alleviator of *kapha*).

चक्षुष्य रोचनं स्वयं विपाके मधुरं सरम् ।

स्तम्भाटोपानिलघ्नं च कर्षणं लवणाद्रकम् ॥ ९२ ॥

भेदनं पिप्पलीमूलं दीपनं कृमिनाशनम् ।

The root of *pippalī* is purgative, and digestive stimulant. It cures *krymi* (parasitic infection).

60

पित्तप्रकोपी तीक्ष्णोष्णं रूक्षं दीपनपाचनम् ॥ १०० ॥

61

रसे पाके कटु श्लेष्मवातघ्नं मरिचं लघु ।

Marica (*Piper nigrum* Linn.)

Marica aggravates *pitta*. It is sharp, hot, ununctuous, digestive stimulant and carminative. It is pungent both in taste and *vipāka*. It alleviates *kapha* and *vāyu* and is light.

स्वादु पाक्चार्द्रमरिचं गुरु श्लेष्मप्रसेकि च ॥ १०१ ॥

Green *marica* is sweet in *vipāka* and heavy. It eliminates *kapha*.

62

‘नात्युष्णं नातिशीतं च वीर्यतो मरिचं सितम्’ ।

White variety of *marica* is neither hot nor cold in potency.

63

कटूष्णं लघु चक्षुष्यमवृष्य कफवार्तजित् ॥ १०२ ॥

त्र्यूषणं कासमेदोघ्नं मेहकुष्ठत्वगामयान् ।

निहन्याहीपनं गुल्मपीनसाग्न्यल्पतामपि ॥ १०३ ॥

Tryūsaṇa

Suṇṭhī, *pippalī* and *marica* taken together are called *tryūsaṇa*. It is pungent, hot and light. It promotes eye sight. It is not an aphrodisiac. It alleviates *kapha* and *vāta*. It cures *kāsa* (coughing), *medas* (adiposity), *meha* (obstinate urinary disorders including diabetes), *kuṣṭha* (obstinate skin diseases including leprosy) and *tvagāmaya* (skin diseases). It is digestive stimulant. It also cures *gulma* (phantom tumour), *pipāsā* (morbid thirst) and *agrīyalpatā* (suppression of the power of digestion).

चविकागजपिप्पलौ पिप्पलीमूलवत्स्मृतौ ।

तयोनिःस्यदिनी ज्ञेया विशेषाद्गजपिप्पली ॥ १०४ ॥

Cavikā & Gajapippalī (Piper chaba Hunter & Scindapsus officinalis Schott.)

Cavikā and *gaja pippalī* are like the root of *pippalī* in their properties. *Gaja pippalī* is more expectorant than *cavikā*.

पञ्चकोलं कफानाहगुल्मशूलारुचीर्जयेत् ।

मरिचेन युत तत्तु षड्दूषणमुदीरितम् ॥ १०५ ॥

Pañcakola and Ṣaḍdūṣaṇa

Pippalī, pippalī mūla, cavikā, citraka and *nāgara*—these five drugs taken together are called *pañcakola*. It cures aggravated *kapha, ānāha* (obstruction to the movement of wind in the stomach), *gulma* (phantom tumour), *śūla* (colic pain) and *arucī* (anorexia).

These above mentioned five drugs along with *marica* are called *ṣaḍdūṣaṇa*.

64

‘जलपिप्पलिका हृद्या चक्षुष्या शुक्रला लघु. ।

65

संग्राहिणी हिमार्क्षारक्तपित्तज्वरापहा’ ॥ १०६ ॥

Jala pippalī (Lippia nodiflora Mich.)

Jala pippalī is *hṛdya* (cardiac tonic), *caḥṣuṣya* (promoter of eyesight), *śukrāla* (spermatopoetic), *laghu* (light) *saṅgrāhiṇī* (constipative), *hima* (cooling) and *rukṣa* (ununctuous). It cures *raktapitta* (a disease characterised by bleeding from different parts of the body) and *jvara* (fever).

66

‘लघुष्णं पाचन हिशु दीपनं कफवातनुत् ।

67

स्तिग्धं तीक्ष्ण कटुरसं शूलाजीर्णविबन्धनुत्’ ॥ १०७ ॥

[सुश्रुतः सूत्र ८६ : २२८]

68

‘कृमिगुल्मोदरानाहशूलाजीर्णविबन्धनुत्’ ।

69
‘लघूष्णं कटुकं पाके रुच्यं पित्ताग्निदीपनम् ॥ १०८ ॥

Hingu (Ferula foetida Regel.)

Hingu is light, hot, carminative and digestive stimulant. It alleviates *kapha* and *vāta*. It is unctuous, sharp and pungent in taste. It cures colic pain, indigestion, constipation, *kṛmi* (parasitic infection), *gulma* (phantom tumour), *udara* (obstinate abdominal diseases including ascitis) and *ānāha* (obstruction to the movement of wind in abdomen). It is pungent in *vipāka* and appetiser. It aggravates *pitta*.

कटु श्लेष्मानिलहरं गन्धाढ्यं जीरकद्वयम् ॥ १०९ ॥

[सुश्रुतः सूत्र ४६ : २२६]

‘ग्राहि रुक्षं मेध्यं वृष्यं चक्षुष्य छर्दिगुल्मनुत् ।

71

आध्मानहृत्पाचन च गर्भाशयविशुद्धिकृत्’ ॥ ११० ॥

Jiraka (Cuminum cyminum Linn.)

Both the types of *jirā* are pungent. They alleviate *kapha* and *vāyu*. They are full of aroma. They are constipative, ununctuous, promoter of memory, aphrodisiac and promoter of eyesight. They cure *chardi* (vomiting), *gulma* (phantom tumour) and *ādhmāna* (tymphanitis). They are carminative and they help in the cleansing of the uterus.

कारवी श्लेष्मवातघ्नी तद्वज्जेयोपकुंचिका ।

Kāravī and *Upakuñcikā* (Carum carvi Linn. and *Nigella sativum* Linn.)

Kāravī alleviates *kapha* and *vāta*. *Upakuñcikā* has similar properties.

वाष्पिका कटुतीक्ष्णोष्णा कृमिश्लेष्महरि सरा ॥ १११ ॥

Vāṣṭpikā (Carum bulbocastanum Koch)

Vāṣṭpikā is pungent, sharp and hot. It cures *kṛmi* (parasitic infection) and aggravated *kapha*. It is laxative.

तद्वच्च राजिका रुष्या दीपनी कोष्ठशूलनुत् ।

Rājikā (Brassica nigra Koch).

Similarly *rājikā* is appetiser and digestive stimulant. It cures colic pain in the abdomen.

72

यवानी पित्तला कुष्ठ-कृमि-वातकफापहा ॥ ११२ ॥

Yavānī (Trachyspermum ammi Sprague)

Yavānī aggravates *pitta*. It cures *kuṣṭha* (obstinate skin diseases including leprosy), *kṛmi* (parasitic infection) and aggravated *vāyu* as well as *kapha*.

73

“छिछिका शीतली कुष्ठ-कृमि-वातकफापहा” ।

Chichikā

Chichikā is cooling. It cures *kuṣṭha* (obstinate skin diseases including leprosy), *kṛmi* (parasitic infection) and aggravated *vāta* as well as *kapha*.

74

पुंस्त्वघ्नः कटुतीक्ष्णोष्णो भुस्तूणो वक्त्रशोधनः ॥ ११३ ॥

Bhūstr̥ṇa (Cymbopogon martini Wats.)

Bhūstr̥ṇa causes impotency. It is pungent, sharp and hot. It cleanses the mouth.

75

खराह्वा कफवातघ्नी वस्तिरोगहजापहा ।”

Kharāhvā (Apium graveolens Linn.)

Kharāhvā alleviates *kapha* and *vāyu*. It alleviates diseases of the bladder and pain.

कषायं तिक्तमधुरं हृद्यं दीपनरोचनम् ॥ ११४ ॥

धान्यकं कासतृट्छिदि. शमनं चक्षुषोहितम् ।

Dhānyaka (Coriandrum sativum Linn.)

Dhānyaka is astringent, bitter and sweet in taste, cardiac tonic, digestive stimulant and carminative. It cures *kāsa* (coughing), *tr̥ṣṭ* (morbid thirst) and *chardī* (vomiting). It is useful for eyes.

76

“भव्यभोजनभोज्येषु विविधेष्ववचारिता ॥ ११५ ॥

आर्द्रां कुस्तुंचरी कुर्यात्स्वादुसौगन्ध्यहृद्यताम् ।

Green *kustumbarī* (*dhānyaka*), when used in different ways, imparts good taste, fragrance and cardiac tonic property to various excellent types of eatables.

सा शुष्का मधुरा पाके स्निग्धा तृट्दाहनाशिनी ॥ ११६ ॥

77

दोषघ्नी कटुका किञ्चित् तिक्ता स्रोतोविशोधनी ।”

The dried *kustumbarī* is sweet in *vipāka* and unctuous. It cures *tr̥ṣ* (morbid thirst), *dāha* (burning syndrome) and aggravated *doṣas*. It is slightly pungent and bitter. It cleanses the channels of circulation.

जम्बीरः पाचनस्तीक्ष्णः कृमिवातकफापहः ॥ ११७ ॥

[सुश्रुतः सूत्र ४६ : २३०-२३२]

Jambīra (*Citrus limon* Burm. f)

Jambīra is carminative and sharp. It cures *kṛmi* (parasitic infection) and aggravated *vāta* and *kapha*.

78

‘भंगा कफहरा तिक्ता ग्राहिणी दीपनी लघुः ।

79

तीक्ष्णोष्णा पित्तला मोहमदकृद्वाग्विबन्धिनी’ ॥ ११८ ॥

[धन्वन्तरिनिघण्टुः गुडूच्यादि प्रथमवर्ग १३१]

Bhaṅgā (*Cannabis sativa* Linn.)

Bhaṅgā alleviates *kapha*. It is bitter, constipative, digestive stimulant, light, sharp and hot. It aggravates *pitta*. It causes unconsciousness, intoxication and talkativeness.

80

मुखभिर्दीपनो रुच्यो मुखवैशद्यकारकः ।

[सुश्रुतः सूत्र ४६ : २३३]

पार्ष्वशूलारुचिश्वासकासहृक्कानिलापहः ॥ ११९ ॥

Surabhi

Surabhi is digestive stimulant and appetiser. It causes non-sliminess (freshness) in mouth. It cures *pārśva sūla* (pain in the sides of chest), *aruci* (anorexia), *śvāsa* (asthma), *kāsa* (coughing) and aggravated *vāyu*.

तुम्बरुः पित्तकृद्वातकृमिदौर्गन्ध्यनाशनः ।

Tumburu (Zanthoxylum alatum Roxb)

Tumburu aggravates *pitta*. It alleviates aggravated *vāyu*. It cures *kṛmi* (parasitic infection) and *daurgandhya* (foul smell coming out of the body).

‘वर्बरी त्रितयं रुक्षं सरं कटुविदाहि च ॥ १२० ॥

81

पित्तलं कफवातास्रद्व्रूकृमिविषापहम् ।’

Varvarī

Three varieties of *varvarī* are ununctuous, laxative, pungent, *vidāhi* (causing burning sensation). They aggravate *pitta* and alleviate *kapha*, *vāta* as well as vitiated blood. They cure *dadrū* (ring worm), *kṛmi* (parasitic infection) and *viṣa* (poisoning).

शोथविद्रधिगंडघ्नी कृष्णगन्धा कफापहा ॥ १२१ ॥

Kṛṣṇagandhā (a variety of Śigru)

Kṛṣṇagandhā cures *śoṭha*, (oedema), *vidradhi* (abscess) and *gaṇḍa* (goitre). It alleviates *kapha*.

82

‘शिग्रुस्तीक्ष्णा लघुग्रीही वह्निकृत्कफवातजित् ।

Śigru (Moringa pterigosperma Gaertn.)

Śigru is sharp, light, constipative and digestive stimulant. It alleviates *kapha* and *vāta*.

मधुशिग्रुः सरस्तित्तः शोथघ्नो दीपनः कटुः ॥ १२२ ॥

Madhu śigru (a variety of Śigru)

Madhu śigru is laxative and bitter (?). It alleviates *śoṭha* (oedema) and stimulates digestion. It is pungent.

उष्णोश्मरिहरो भेदी वरुणोऽनिलशूलहृत् ।

Varuṇa (Crataeva nurvula Buch. Ham.)

Varuṇa is hot. It cures *aśmari* (stone in urinary tract), It is purgative. It alleviates aggravated *vāyu* and *śūla* (colic pain).

पारिभद्रोऽनिलश्लेष्मशोथमेहकृमीन् जयेत् ॥ १२३ ॥

Pāribhadra (Erythrina variegata Linn.)

Pāribhadra cures aggravated *vāyu* and *kapha*, *śoṭha* (oedema), *meha* (obstinate urinary diseases including diabetes) and *kṛmi* (parasitic infection).

बिल्वमूलं मरुत्श्लेष्मच्छदिघ्नं न च पित्तकृत् ।

Bilva (Aegle marmelos Corr.)

The root of *bilva* alleviates *vāyu* and *kapha*. It cures *chardī* (vomiting) and it does not aggravate *pitta*.

83

पाटला कफवातघ्नी कट्वंशा ग्राहि दीपनीम् ॥ १२४ ॥

Pāṭalā (Stereospermum suaveolens DC.)

Pāṭalā alleviates *kapha* and *vāta*. It is slightly pungent. It is constipative and digestive stimulant.

कषाया मधुरा तिक्ता काश्मरी च कफापहा ।

Kāśmarī (Gmelina arborea Linn.)

Kāśmarī is astringent, sweet and bitter. It alleviates *kapha*.

शोथनुद्बह् निमन्थाश्च हितो वातविकारिणाम् ॥ १२५ ॥

Vahnimantha (Clerodendrum phlomidis Linn. f.)

Vahnimantha alleviates *śoṭha* (oedema) and it is useful for patients suffering from diseases caused by *vāyu*.

एरण्डमूलं शूलघ्नं वृष्यं वातहरं परम् ।

Eraṇḍa (Ricinus communis Linn.)

The root of *eraṇḍa* cures *śūla* (colic pain). It is aphrodisiac and is an excellent alleviator of *vāyu*.

बृष्यस्त्रिकण्टको बल्यो वातघ्नो मूत्रकुच्छूजित् ॥१२६॥

Trikaṇṭaka (Tribulus terrestris Linn.)

Trikaṇṭaka is aphrodisiac, strength promoter and alleviator of *vāyu*. It cures *mūtrakṛcchra* (dysuria).

उष्णा वातकफश्वासकासघ्नी कंटकारिका ।

Kaṇṭakārikā (Solanum xanthocarpum Schrad & Wendle.)

Kaṇṭakārikā is hot. It alleviates *vāyu* and *kapha*. It cures *śvāsa* (asthma) and *kāsa* (bronchitis).

पाचिनी ग्राहिणी सोष्णा वातघ्नी बृहती तथा ॥१२७॥

Bṛhatī (Solanum indicum Linn.)

Bṛhatī is carminative, constipative, hot, and alleviator of *vāyu*.

पृश्निपर्णी स्थिरा चैव पित्तश्लेष्मातिसारिणाम् ।

पानभोजनसंस्कारे शस्यते वातभूयसाम् ॥ १२८ ॥

Pṛśniparṇī and Sthirā (Uraria picta Desv. & Desmodium gangeticum DC.)

Pṛśniparṇī and *sthirā* are very useful for patients suffering from diarrhoea caused by *pitta* and *kapha* and for patients dominated by vitiated *vāta*. Their food and drinks should be boiled along with these two drugs.

84

जिगिनी ब्रणहृद्ब्रोगवातातीसारजित्कटु ।

Jiṅginī (Lannea grandis Engl.)

Jiṅginī cures *vraṇa* (ulcer), *hydroga* (heart disease), aggravated *vāyu* and *atisāra* (diarrhoea). It is pungent.

उष्णस्तस्यास्तु निर्यासो नस्याद्वाहुव्यथापहः ॥१२९॥

The gum resin extracted from this plant is hot. If this is

given for inhalation (*nasya*), then it cures pain in the arm.

वातपित्तापहं ग्राहि वृष्यं बल्यं बलात्रयम् ।

Balā (Sida cordifolia Linn.)

There are three varieties of *balā*. They alleviate *vāyu* and *pitta*. They are constipative and aphrodisiac.

85

स्निग्ध मधुरमायुष्य महती मूत्रकृच्छ्रनुत् ॥ १३० ॥

Mahābalā (Sida rhombifolia Linn.)

Mahābalā is unctuous, sweet and promoter of longevity. It cures *mūtrakṛcchra* (dysuria).

क्षतक्षीणहितायुष्या वृष्या नागबलाधिकम् ।

Nāgabalā (Grewia populifolia Vahl.)

Nāgabalā is specially useful for patients suffering from *kṣata kṣīṇa* (consumption). It promotes longevity and is aphrodisiac.

बल्याश्वगन्धा वातघ्नी कासश्वासक्षये हिता ॥१३१॥

Aśvagandhā (Withania somnifera Dunal.)

Aśvagandhā promotes strength, and alleviates *vāyu*. It is useful in *kāsa* (bronchitis), *śvāsa* (asthma) and *kṣaya* (phtthisis).

माषपर्णी महावृष्या चक्षुष्या मुद्गपर्णिका ।

Māṣaparnī & Mudga parnī (Teramnus labialis Spreng. & Phaseolus trilobus Ait.)

Māsa parnī is exceedingly aphrodisiac. *Mudga parnī* promotes eye sight.

ऋद्धिर्बल्या त्रिदोषघ्नी शुक्रला मधुरा गुरुः ॥ १३२ ॥

Rddhi

Rddhi promotes strength. It alleviates all the three *doṣas*. It is spermatopoetic (*śukrala*), sweet and heavy.

वृद्धिर्गर्भप्रदा शीता वृष्या कासक्षयापहा ।

Vṛddhi

Vṛddhi helps in conception (*garbhaprada*). It is cooling and aphrodisiac. It cures *kāsa* (bronchitis), and *kṣaya* (consumption).

काकोलीयुगल शीतं शुक्रल मधुरं गुरु ॥ १३३ ॥

86

जयेत्समीरदाहान्नपित्त-शोष-विष-ज्वरान् ।

Kākolī

Kākolī has two varieties. Both of them are cooling, spermatopoetic (*śukrala*), sweet and heavy. They cure aggravated *vāyu*, *dāha* (burning syndrome), *asrapitta* (a disease characterised by bleeding from different parts of the body), *śoṣa* (consumption), *viṣa* (poisoning) and *jvara* (fever).

मेदायुगमं गुरुस्वादुवृष्यं स्तन्यं कफापहम् ॥ १३४ ॥

बृंहणं शीतलं पित्तरक्तक्षयसमीरजित् ।

Medā

There are two varieties of *medā*. They are heavy, sweet, aphrodisiac and *stanya* (galactagogue). They alleviate *kapha*. They are *br̥mhaṇa* (nourishing) and cooling. They alleviate *pitta*, blood, *kṣaya* (consumption) and *vāyu*.

जीवकर्षभकौ बलयौ शीतौ शुक्रकफप्रदौ ॥ १३५ ॥

हरतः पित्तदाहान्नकार्श्यशोषक्षयापहौ ।

Jivaka & Ṛṣabhaka

Jivaka and *ṛṣabhaka* are strength promoting, cooling and spermatopoetic. They aggravate *kapha*. They cure aggravated *pitta*, *dāha* (burning syndrome), vitiated blood, *kārsya* (emaciation), *śoṣa* (consumption) and *ksaya* (phthisis).

87

अष्टवर्गोऽष्टभिर्द्रव्यैरेतैः शीतोऽतिशुक्रलः ॥ १३६ ॥

बृंहणः पित्तदाहान्न—शोषघ्नः स्तन्यगर्भकृत् ।

Aṣṭavarga

Ṛddhi, bṛddhi, kākolī, kṣīra kākolī, medā, mahāmedā,

jīvaka and *ṛṣabhaka*—these eight drugs, taken together, are known as *aṣṭavarga*. It is cooling, exceedingly spermatopoetic and nourishing. It alleviates aggravated *pitta*, *dāha* (burning syndrome), *asra* (vitiated blood) and *śoṣa* (consumption). It promotes lactation and conception.

विशाला कफवातघ्नी मेहकुष्ठहरी सरा ॥ १३७ ॥

Viśālā (*Trichosanthes bracteata* Voigt)

Viśālā alleviates *kapha* and *vāta*. It cures *meha* (obstinate urinary disorders including diabetes) and *kuṣṭha* (obstinate skin diseases including leprosy). It is laxative.

सारिवा वातपित्तास्रविषमज्वरनाशिनी ।

Sārivā (*Hemidesmus indicus* R. Br.)

Sārivā alleviates *vāta*, *pitta* and blood. It cures *viṣama jvara* (malarial fever).

88

गवादनी त्वक्शोषघ्नी शोफ-कुष्ठव्रणापहा ॥ १३८ ॥

Gavādānī

Gavādānī cures *tvak śoṣa* (emaciation or dryness of skin), *śoṣha* (oedema), *kuṣṭha* (obstinate skin diseases including leprosy) and *vraṇa* (ulcer).

अनंता ग्राहिणी रक्तपित्तप्रशमनी हिमा ।

Anantā (*Cryptolepis buchanani* Roem. and Schult.)

Anantā is constipative. It cures *raktapitta* (a disease characterised by bleeding from different parts of the body). It is cooling.

चक्षुष्या मूत्रकृच्छ्रघ्नी गुन्द्रा पित्तास्रदाहनुत् ॥ १३९ ॥

Gundrā (*Typha elephantina* Roxb.)

Gundrā promotes eyesight. It cures *mūtrakṛcchra* (dysuria), aggravated *pitta* and blood and *dāha* (burning syndrome).

लोध्रोऽसूक्कफपित्तघ्नश्चक्षुष्यः शोथजित्सरः ।

Lodhra (Symplocos crataegoides Buch.—Ham.)

Lodhra alleviates vitiated blood, *kapha* and *pitta*. It promotes eyesight and cures *śoṭha* (oedema). It is laxative.

तद्वत्सावररोध्रोऽपि चक्षुष्यो मृदुरेचनः ॥ १४० ॥

Sāvara Lodhra (Symplocos racemosa Roxb.)

Sāvara lodhra shares the properties of *lodhra*. Besides, it promotes eyesight and is a mild purgative.

89
मधुकं रक्तपित्तघ्नं व्रणशोधनरोपणम् ।

गुरुः स्वादुहिमं वृष्यं चक्षुष्यं स्वरवर्णकृत् ॥१४१॥

Madhuka (Glycyrrhiza glabra Linn.)

Madhuka cures *rakta pitta* (a disease characterised by bleeding from different parts of the body). It cleanses and heals the ulcer (*vraṇa*). It is heavy, sweet, cooling, aphrodisiac and promoter of eyesight, voice and complexion.

प्रपौण्डरीकं चक्षुष्यं शिशिरं व्रणरोपणम् ।

Prapaunḍarīka

Prapaunḍarīka promotes eye sight. It is cooling and it heals ulcer.

मंजिष्ठा कुष्ठवीसर्पशोथघ्नी वर्णदा परम् ॥१४२॥

Mañjiṣṭhā (Rubia cordifolia Linn.)

Mañjiṣṭhā cures *kuṣṭha* (obstinate skin diseases including leprosy), *visarpa* (erysipelas) and *śoṭha* (oedema). It is an excellent drug for the promotion of complexion.

लाक्षा भग्नविसर्पघ्नी वण्यं त्वग्दोषनाशिनी ।

Lākṣā (Lac)

Lākṣā helps in the healing of fracture. It cures *visarpa* (erysipelas). It promotes complexion and cures skin diseases.

90
मुशली मधुरा वृष्या वीर्योष्णा बृंहणी गुरुः ॥१४३॥

तिक्ता रसायनी हन्ति गुदजान्यनिलं तथा ।

Muśālī (Chlorophytum tuberosum Baker)

Muśālī is sweet, aphrodisiac, hot in potency, *br̥mhaṇī* (nourishing), heavy, bitter and rejuvenating. It cures *gudaja* (piles) and aggravated *vāyu*.

द्विधा शतावरी ज्ञेया कण्टकैरधरोत्तरैः ॥१४४॥

⁹¹
द्विविधा तु भवेद् ग्राह्या गुणैस्त्वेषां न संशयः ।

शीता कषाया मधुरा पथ्या वृष्या रसायनी ॥१४५॥

वातपित्तविबन्धघ्नी वणौजोबलवर्द्धिनी ।

Śatāvārī (Asparagus racemosus Willd.)

Śatāvārī is of two varieties. One variety has thorns below and the other has thorns above. Both of them are therapeutically useful and there should be no doubt about it. It is cooling, astringent, sweet, wholesome (*pathya*), aphrodisiac and rejuvenating. It cures aggravated *vāyu* and *pitta* as well as constipation. It promotes complexion, *ojas* (vital fluid?) and strength.

92

पार्थः पथ्यः क्षते भग्ने रक्तस्तम्भनवद्गुणैः ॥ १४६ ॥

Pārtha (Terminalia arjuna W. & A.)

Pārtha is useful in *kṣata* (phthisis), *bhagna* (fracture) and *raktastambhana* (coagulation of blood).

अस्थिभग्नेऽस्थिसंहारो हितो बल्योऽनिलापहः ।

Asthī samhāra (Cissus quadrangularis Linn.)

Asthī samhāra is useful in *asthi bhagna* (fracture of bone). It promotes strength and alleviates *vāyu*.

चक्षुष्यो मार्कवः केश्यः कफपाण्ड्वामयापहः ॥१४७॥

Mārkaṅkava (Eclipta alba Hassk.)

Mārkaṅkava promotes eye sight and hair growth. It cures vitiation of *kapha* and *pāṇḍu* (anemia).

कफामकामलाशोथकुमिघ्नी द्रोणपुष्पिका ।

Droṇapūṣṭikā (*Leucas cephalotes* Spreng.)

Droṇapūṣṭikā cures aggravated *kapha*, *ūma*, *kāmalā* (jaundice), *śoṭha* (oedema) and *kṛmi* (parasitic infection).

शोषघ्नी विशदा कण्ठ्या विपघ्नी गिरिकर्णिका ॥१४८॥

Girikarṇikā (*Clitoria ternatea* Linn.)

Girikarṇikā cures *śoṣa* (consumption). It is *viśada* (non-slimy). It is useful for throat and it cures *viṣa* (poisoning).

कासजिद्वातशमनी वृश्चिकाली विषापहा ।

Vṛścikālī (*Pergularia extensa* N. E. Br.)

Vṛścikālī cures *kāsa* (bronchitis), aggravated *vāyu* and *viṣa* (poisoning).

दुग्धकोष्णा गुरुवृष्या वातला गर्भकारिणी ॥१४९॥

स्वादूर्ध्विष्टम्बिनी चैव कफकुष्ठकृमीन् जयेत् ।

Dugdhikā (*Euphorbia thymifolia* Linn.)

Dugdhikā is hot, heavy and aphrodisiac. It aggravates *vāyu* and promotes conception. It is sweet and constipative. It cures aggravated *kapha*, *kuṣṭha* (obstinate skin diseases including leprosy) and *kṛmi* (parasitic infection).

अहिंसा विषशोथघ्नी तद्गुणैव सुदर्शना ॥१५०॥

Ahimsrā & Sudarśanā (*Copparis sepiarin* Linn. & *Crinum asiaticum* Linn.)

Ahimsrā cures *viṣa* (poisoning) and *śoṭha* (oedema). *Sudarśanā* has similar properties.

कासश्वासहरी भार्गी गुंजा कुष्ठत्रणापह्ना

Bhārgī & Guñjā (*Clerodendrum serrajum* Moon & *Abrus precatorius* Linn.)

Bhārgī cures *kāsa* (bronchitis) and *vāṭha* (asthma).

Guñjā cures *kuṣṭha* (obstinate skin diseases including leprosy).

leprosy) and *vraṇa* (ulcer).

जयन्ती विषदोषघ्नी सैरीयः कफवातजित् ॥१५१॥

Jayantī & Sairīya (*Sesbania sesban* Merr. & *Barleria cristata* Linn.)

Jayantī cures *viṣadoṣa* (poisoning). *Sairīya* alleviates *kapha* and *vāta*.

वातरक्तहरी सोषणा वृष्या बल्या प्रसारिणी ।

Prasārīṇī (*Paederia foetida* Linn.)

Prasārīṇī cures *vāta rakta* (gout). It is hot, aphrodisiac and strength promoting.

आमवातानिलासघ्नी कोकिलाक्ष-कुलाहलौ ॥१५२॥

Kokilākṣa & Kulāhala (*Astercantha longifolia* Nees & *Blumea balsamifera* DC.)

Kokilākṣa and *Kulāhala* cure *ānavāta* (rheumatism) and *anilāsra* (gout).

धुतूरोमदवर्णाग्निवान्तिकृज्ज्वरकुष्ठनुत् ।

95

उष्णो गुरुर्गणश्लेष्मकंडूकृमिविषापहः ॥१५३॥

Dhuttūra (*Datura stramonium* Linn.)

Dhuttūra produces *mada* (intoxication), *varṇa* (complexion), *agni* (digestive power) and *vānti* (vomiting). It cures *jvara* (fever) and *kuṣṭha* (obstinate skin diseases including leprosy). It is hot and heavy, It also cures *vraṇa* (ulcer), aggravated *kapha*, *kaṇḍū* (itching), *kṛmi* (parasitic infection) and *viṣa* (poisoning).

96

हलिनी-करवीरो च कुष्ठदुष्टव्रणापहौ ।

Halinī & Karavīra (*Gloriosa superba* Linn. & *Nerium indicum* Linn.)

Halinī and *karavīra* cure *kuṣṭha* (obstinate skin diseases including leprosy) and *duṣṭa vraṇa* (obstinate type of ulcer).

ऊर्ध्वार्धकफपित्तघ्नी कुष्ठमावर्त्तकी हरेत् ॥१५४॥

Āvartakī (Helicteres isora Linn.)

Āvartakī cures aggravated *kapha* and *pitta* both from upper and lower parts of the body. It also cures *kuṣṭha* (obstinate skin diseases including leprosy).

कोशातकी कफार्शोघ्नी पक्वामाशयशोधिनी ।

Kośātakī (Luffa acutangula Roxb.)

Kośātakī cures aggravated *kapha* and *arśas* (piles). It cleanses both the *pakvāśaya* (colon) and *āmāśaya* (stomach including small intestine).

मेध्या ज्योतिष्मती तीक्ष्णा व्रणविस्फोटनाशिनी ॥१५५॥

Jyotiṣmatī (Celastrus paniculatus Willd.)

Jyotiṣmatī promotes intellect. It is sharp and it cures *vraṇa* (ulcer) and *visphoṭa* (pustular eruptions).

वयसः स्थापिनी ब्राह्मी मेधायुःस्मृतिवर्धिनी ।

Brāhmī (Bacopa monnieri Pennell)

Brāhmī prevents aging. It promotes intellect, longevity and memory.

97

98

कफवातास्रभूतघ्नी वचायुःस्मृतिबुद्धिदा ॥१५६॥

Vacā (Acorus calamus Linn.)

Vacā cures aggravated *kapha*, *vāta* as well as blood and attacks by evil spirits (*bhūta*). It promotes longevity, memory and intellect.

99

कुक्कुटसंज्ञकं कटुस्तिक्तं ज्वररक्तकफापहः ।

Kukkurunda

Kukkurunda is pungent and bitter. It cures fever and vitiated blood and *kapha*.

शंखपुष्पी सरा तिक्ता मेध्या कृमिविषापहा ॥१५७॥

Śaṅkha puṣpī (Convolvulus pluricaulis Chois)

Śaṅkha puṣpī is laxative and bitter. It promotes *medhā*

(intellect) and cures *kṛmi* (parasitic infection) and *viṣa* (poisoning).

‘हंसपादी गुरु. शीता हस्ति रक्तगुरु (?) व्रणान् ।

***Haṁsa pādī* (*Adiantum lunulatum* Burm.)**

Haṁsa pādī is heavy and cooling. It alleviates vitiated blood and cures serious type (*guru*) of *vraṇa*.

मुडी तिक्ता कटुपाके वीर्योष्णा मधुरा लघु ॥१५८॥

100

मेध्या गण्डापचीकृच्छ्रमियोन्यतिपाण्डुनुत् ।’

***Mundī* (*Sphaeranthus indicus* Linn.)**

Mundī is bitter in taste and pungent in *vipāka*. It is hot in potency, sweet and *laghu*. It promotes intellect (*medhā*) and cures *ganḍa* (goitre), *apacī* (cervical adenitis), *kṛcchra* (dysuria), *kṛmi* (parasitic infection), *yonyarti* (pain in female genital tract) as well as *pāṇḍu* (anemia).

मालती कफपित्तास्रस्त्रणकृमिकुष्ठनुत् ॥१५९॥

***Mālatī* (*Aganosma dichotoma* K. Schum.)**

Mālatī cures aggravated *kapha*, *pitta* and blood, *ruk* (pain), *vraṇa* (ulcer), *kṛmi* (parasitic infection) and *kuṣṭha* (obstinate skin diseases including leprosy).

चक्षुष्या मुकुलं तस्यास्तत्पुष्पं कफपित्तनुत् ।

Its bud (*mukula*) promotes eyesight. Its flowers alleviate *kapha* and *pitta*.

स्यान्नागदमनी वर्ण्या लूतासर्पविषापहा ॥१६०॥

***Nāgadamanī* (*Artemisia vulgaris* Linn.)**

Nāgadamanī promotes complexion and cures poisoning by *lutā* (venomous spider) and *sarpa* (snake).

शिरिषो विषवीसर्पस्वेदस्वदोषशोधजित् ।

***Śirīṣa* (*Albizzia lebeck* Benth.)**

Śirīṣa cures *viṣa* (poisoning), *vīsarpa* (erysipelas), *sveda*

(profuse sweating), *daurgandhya* (foul smell of body), *tvagdoṣa* (skin diseases) and *śoṭha* (oedema).

सिक्थकं व्रणवीर्यर्षकृष्णवातास्रजित् परम् ॥ १६१ ॥

Sikthaka

Sikthaka is an excellent cure for *vraṇa* (ulcer), *vīsarpa* (erysipelas), *kuṣṭha* (obstinate skin diseases including leprosy) and *vātāsra* (gout).

आफूकं शोषणं ग्राही श्लेष्मघ्नं वातपित्तलम् ।

Āphūka (*Papaver somniferum* Linn.)

Āphūka (opium) is *śoṣaṇa* (drying) and *grāhī* (constipative). It alleviates *kapha* and aggravates *vāta* as well as *pitta*.

वप्यो बल्यः खसतिलः उन्नेष्मन्तो व तजिद्गुरुः ॥ १६२ ॥

Khasa tila (seeds inside the poppy pod) is aphrodisiac and strength promoting. It aggravates *kapha* and alleviates *vāyu*. It is heavy.

वल्कलस्तत्फलोद्भूतो रक्षो ग्राही विशोषणः ।

The *valkala* (outer layer) of the poppy pod is ununctuous, *grāhī* (constipative) and *viśoṣaṇa* (excessively drying).

रक्तपित्तहरी दूर्वा कंडूत्वग्दोषनाशिनी ॥ १६३ ॥

Dūrvā (*Cynodon dactylon* Pers.)

Dūrvā cures *rakta pitta* (a disease characterised by bleeding from different parts of the body), *kaṇḍū* (itching) and *tvagdoṣa* (skin disease).

101

पाडूमेहापचीपिल्लत्वग्दोषकृमिजन्निशा ।

कफपित्तहरी शोथकंडूकुष्ठव्रणापहा ॥ १६४ ॥

Niśā (*Curcuma longa* Linn.)

Niśā cures *pāṇḍu* (anemia), *meha* (obstinate urinary disorders including diabetes), *apacī* (cervical adenitis), *pilla*

type of eye disease), *tvagdoṣa* (skin disease) and *kṛmi* (parasitic infection). It alleviates *kapha* and *pitta* and cures *śoṭha* (oedema), *kaṇḍū* (itching), *kuṣṭha* (obstinate skin diseases including leprosy) and *vraṇa* (ulcer).

तद्वद्वार्वी विशेषेण कफाभिष्यन्दनाशिनी ।

Dārvī (Berberis aristata DC.)

Dārvī shares the properties of *niśā*. It is specially useful for curing *abhiṣyanda* (conjunctivitis) caused by *kapha*.

त्वग्दोषमारुतश्लेष्मविषप्रशमनं स्मृतम् ॥ १६५ ॥

अवलगुजं फलं, तद्वत्प्रपुन्नाटस्य चोच्यते ।

‘कुष्ठगुल्मोदराशोघ्न कटुपाके तथैव च ॥ १६६ ॥

Avalguja (Psoralea corylifolia Linn.)

The fruit of *avalguja* cures *tvagdoṣa* (skin disease), aggravated *vāyu* and *kapha* and *viṣa* (poisoning).

Prapunnāḍa (Cassia tora Linn.)

Prapunnāḍa shares the properties of *avalguja*. Moreover, it cures *kuṣṭha* (obstinate skin diseases including leprosy), *gulma* (phantom tumour), *udara* (obstinate abdominal diseases including ascitis) and *arśas* (piles). It is pungent in *vipāka*.

करंजकिंशुकारिष्टफलं जंतु प्रमेहजित् 102 ।

रूक्षोष्णं कटुकं पाके लघुवर्तिकफापहम् ॥ १६७ ॥

Karañja, kiṁśuka & Ariṣṭa (Pongamia pinnata Merr., Butea monosperma Kuntze and Sapindus trifoliatus Linn.)

The fruits of *karañja*, *kiṁśuka* and *ariṣṭa* cure *jantu* (parasitic infection) and *prameha* (obstinate urinary disorders including diabetes). They are ununctuous, hot, pungent in *vipāka* and light. They alleviate *vāta* and *kapha*.

तिक्तमीषद्विषहितं विडङ्गं कृमिनाशनम् ।

Viḍaṅga (Embelia ribes Burm. f.)

Viḍaṅga is slightly bitter. It is useful in the treatment

of poisoning and it cures *kṛmi* (parasitic infection).

103
 आस्फोता विषकुष्ठघ्नी तिनिशा दाहपित्तनुत् ॥ १६८॥

Āsphotā & Tiniśā (*Vallis solanacea* O. Ktze. & *Ougeinia dalbergioides* Benth.)

Āsphotā cures *viṣa* (poisoning) and *kuṣṭha* (obstinate skin diseases including leprosy).

Tiniśā cures *dāha* (burning syndrome) and aggravated *pitta*.

105
 असतः कफपित्तघ्न शिशपादाहशोथनुत् ।

Asana and Śimśapā (*Pterocarpus marsupium* Roxb. & *Dalbergia sissoo* Roxb.)

Asana alleviates *kapha* and *pitta*. *Śimśapā* cures *dāha* (burning syndrome) and *śoṭha* (oedema).

धातकी रक्तपित्तघ्नी कदरो दन्तदाढ्यकृत् ॥ १६९॥

Dhātakī & Kadara (*Woodfordia fruticosa* Kurz. & *Acacia suma* Buch.—Ham.)

Dhātakī cures *raktapitta* (a disease characterised by bleeding from different parts of the body).

Kadara makes teeth strongly embedded in the gums (*danta dārḍhya kṛt*).

अपामार्गोऽग्निकृत्तीक्ष्णः सिन्दुवारोऽनिलापहः ।

Apāmārga and Sinduvāra (*Achyranthes aspera* Linn. & *Vitex trifolia* Linn.)

Apāmārga stimulates digestion and it is sharp.

Sinduvāra alleviates *vāyu*.

106
 लज्जालूः शीतला तिक्ता कषाया श्लेष्मपित्तहृत् ॥ १७०॥

107
 रक्तपित्तमतीसारं योनिदोषं विनाशयेत् ।

Lajjālu (Mimosa pudica Linn.)

Lajjālu is cooling, bitter and astringent. It alleviates *kapha* and *pitta*. It cures *raktapitta* (a disease characterised by bleeding from different parts of the body), *atisāra* (diarrhoea) and *yonidoṣa* (diseases of the female genital tract).

¹⁰⁸ बंशो ¹⁰⁹ व्रणान्नसंहारो भेदनः शोथनाशनः ॥ १७१ ॥

Vamśa (Bambusa bambos Druce)

Vamśa cures *vraṇa* (ulcer) and vitiated blood. It is purgative and it cures *śoṭha* (oedema).

रोहीतको यकृत्प्लीहगुल्मोदरहरः सरः ।

Rohitaka (Tecomella undulata Seem.)

Rohitaka cures diseases of *yakṛt* and *plīhan*, *gulma* (phantom tumour) and *udara* (obstinate diseases of the abdomen including ascitis). It is laxative.

¹¹⁰ शोथामकफवातघ्नो बृहदारो रसायनः ॥ १७२ ॥

Vṛhaddāra (Argyrea speciosa Sweet)

Vṛhaddāra cures *śoṭha* (oedema), *āma* and aggravated *kapha* as well as *vāta*. It is rejuvenating.

¹¹¹ भूयो व्रणकफान्घ्नः तगरः कुष्ठवद्गुणैः ।

Tagara (Valeriana wallichii DC.)

Tagara shares the properties of *kuṣṭha*. It is specifically useful in curing *vraṇa* (ulcer) and vitiated *kapha* as well as blood.

कफवातहरी कौन्ती दीपनी न च पित्तकृत् ॥ १७३ ॥

Kauntī (Vitex agnus-costus Linn.)

Kauntī alleviates *kapha* and *vāta*. It stimulates digestive power. It does not aggravate *pitta*.

श्रीवासः सरलं बोलः कुन्दसर्गन्धिपर्णकम् ।

¹¹² तुरुष्कं ¹¹³ सिद्धकं स्पृक्का गुन्द्रा सर्जोमुरा नखम् ॥ १७४ ॥

सर्वेऽमी पावनालक्ष्मीरक्षोघ्ना ज्वग्नाशनाः ।

स्वादुतिक्तरसायुष्याः स्वेददौर्गन्ध्यनाशनाः ॥ १७५ ॥

Śrīvāsa (Pinus roxburghii Sargent) etc.

Śrīvāsa, sarala, bola, kunduru, granthiparṇa, turuṣka, silhaka, sprkkā, gundrā, sarja, murā and nakha—all these drugs cure aggravated *vāyu, alakṣmī* (inauspiciousness), *rakṣa* (afflictions by *rakṣas*) and *jvara* (fever). They are sweet and bitter in taste. They promote longevity. They cure *svedadaurgandhya* (foul smell because of excessive sweating).

‘राला हिमा गुरुस्तिक्ता कषाया ग्रहणी जयेत् ।

114

ग्रहसंस्वेदवीमर्पज्वरत्रणविपादिकाः’ ॥ १७६ ॥

Rālā

Rālā is cooling, heavy, bitter, and astringent. It cures *grahaṇī* (sprue syndrome), *graha* (affliction by unfavourably situated planets), *saṁsveda* (excessive sweating), *vīsarpa* (erysipelas), *jvara* (fever), *vraṇa* (ulcer) and *vipādikā* (cracking of the sole of the feet).

पित्तास्रविषतृद्दाहकृमिघ्नं गुरु रक्षणम् ।

115

सर्वं सत्तिकमधुरं चन्दनं शिशिरं परम् ॥ १७७ ॥

Candana (Śveta and Rakta) (Santalum album Linn. & Pterocarpus santalinus Linn. f.)

Both the varieties of *candana* cure vitiated *pitta* and blood, *viṣa* (poisoning), *trṣ* (morbid thirst), *dāha* (burning syndrome) and *kṛmi* (parasitic infection). They are heavy, ununctuous, bitter, sweet and exceedingly cooling.

मनोज्ञं चन्दनं श्वेतं रक्तपित्तविषापहम् ।

हृद्यं प्रह्लादनीयं च सत्तिकमतिशीतलम् ॥१७८॥

Śveta candana is *manojña* (pleasing to the mind) and it cures *rakta pitta* (a disease characterised by bleeding from different parts of the body) and *viṣa* (poisoning). It is *hṛdya*

(cardiac tonic), *prahlādanīya* (which gives comfort), bitter and exceedingly cooling.

चक्षुष्यं रक्तपित्तघ्नं व्रण्यं लोहितचंदनम् ।

Lohita candana promotes eyesight. It cures *rakta pitta* (a disease characterised by bleeding from different parts of the body). It is useful in the treatment of ulcers (*vraṇya*).

116 पतंगं तिक्तमधुरं 117 व्रण्यं 118 पित्तकफास्रजित् ॥ १७६ ॥

***Patāṅga* (Caesalpinia sappan Linn.)**

Patāṅga is bitter and sweet. It is *vraṇya* (useful in the treatment of ulcer). It alleviates *pitta*, *kapha* and blood.

पद्मकं 119 कुष्ठविस्फोटज्वरदाहव्रणापहम् ।

***Padmaka* (Prunus cerasoides D. Don.)**

Padmaka cures *kuṣṭha* (obstinate skin diseases including leprosy), *visphoṭa* (pustular eruption), *jvara* (fever), *dāha* (burning syndrome) and *vraṇa* (ulcer).

सेव्यं पित्तास्रजित्स्वेददाहदौर्गन्ध्यनाशनम् ॥ १८० ॥

***Sevya* (Vetiveria zizanioides Nash)**

Sevya alleviates *pitta* and blood. It cures *sveda* (excessive sweating), *dāha* (burning syndrome) and *daurgandhya* (foul smell of body).

वातघ्नं 120 कुकुमं सोष्णं बल्यं त्वग्दोषनाशनम् ।

***Kumkuma* (Crocus sativus Linn.)**

Kumkuma alleviates *vāyu*. It is hot. It promotes strength and cures *tvagdoṣa* (skin disease).

कस्तूरी छदिदौर्गन्ध्यवातालक्ष्मीमलापहा ॥ १८१ ॥

***Kastūrī* (musk)**

Kastūrī cures *chardi* (vomiting), *daurgandhya* (foul smell of the body), aggravated *vāyu*, *alākṣmī* (inauspiciousness) and *maḷa* (excessive excretion of waste products).

कटुतिक्तोष्णमगुरु स्निग्धं वातकफापहम् ।

Aguru (Aquilaria agallocha Roxb.)

Aguru is pungent, bitter, hot and unctuous. It alleviates *vāyu* and *kapha*.

स्निग्धोष्णं कटुकं पाके सुरदावँनिलापहम् ॥१८२॥

Suradāru (Cedrus deodara Loud.)

Suradāru is unctuous, hot and pungent in *vipāka*. It alleviates *vāyu*.

कत्तूणं तिक्तमधुरं वातश्लेष्मविषापहम् ।

Katṛṇa (Cymbopogon citratus Stapf.)

Katṛṇa is bitter and sweet. It alleviates *vāyu* and *kapha*, and cures *viṣa* (poisoning).

कुष्ठं सतिक्तमधुरं वातश्लेष्मविषापहम् ॥ १८३ ॥

Kuṣṭha (Saussurea lappa C.B. Clarke.)

Kuṣṭha is bitter and sweet. It alleviates *vāyu* and *kapha*, and cures *viṣa* (poisoning).

121

‘शटी वातकफश्वासकासज्वरहरा मता’ ।

Śaṭī (Hedychium spicatum Ham. ex. Smith.)

Śaṭī alleviates *vāyu* and *kapha*. It cures *śvāsa* (asthma), *kāsa* (bronchitis) and *jvara* (fever).

सुगन्धिः कटुको हृद्यः कंकोलः कफवातजित् ॥१८४॥

Kaṅkola (Piper cubeba Linn. f.)

Kaṅkola is fragrant, pungent and cardiac tonic. It alleviates *kapha* and *vāta*.

122

तद्ब्रज्जातीफलं प्रोक्तं भ्रमपित्तकरं परं ।

Jātīphala (Myristica fragrans Houtt.)

Jātīphala shares the properties of *kaṅkola*. In addition it causes *bhrama* (giddiness) and aggravates *pitta*.

जातीकोशो लघुस्तिक्तः ¹²³ क्लेददौर्गन्ध्याजन्मतः । १८५।

Jātikośa

Jātikośa is light and bitter. It cures *kleḍa* and *daurgandhya* (foul smell of the body).

सत्तिक्त. कटुकश्चैव बलासस्य विनाशनः ।

कर्पूरः शीतलः पाके चक्षुष्यः कफनाशनः ॥१८६॥

Karpūra (Cinnamomum camphora Nees. & Eberm)

Karpūra is bitter and pungent. It alleviates *kapha*. It is cooling in *vipāka* (?). It promotes eyesight and is an expectorant.

‘पक्वात्कर्पूरतः प्राहुरपक्वं गुणवत्तरम् ।

तत्रापि स्याद्यदक्षुद्रं स्फटिकाभं तदुत्तमम् ॥१८७॥

Apakva karpūra is better than *pakva karpūra*. There, also, *karpūra* which is not in small pieces and which is like crystal is the best.

पक्वं च सदलं स्निग्धं हरितद्युति चोत्तमम् ।

भङ्गो मनागपि न चेन्नपतन्ति कणास्ततः ॥१८८॥

Pakva karpūra which is in pieces (*sadala*), which is unctuous and which has greenish tinge is the best provided granules (even in small quantity) do not fall out of it when broken into pieces.

तिक्तदाहास्यवैरस्य ¹²⁴ मेद-शोथ-त्रिषापहः ।’

It cures *dāha* (burning syndrome), *āsya vairasya* (distaste in mouth), *medas* (adiposity), *śoṭha* (oedema) and *viṣa* (poisoning).

‘राष्णा हिमा गुरुस्तिक्ता कषाया ग्राहि[णी] जयेत् ॥१८९॥

¹²⁶ ग्रहास्रस्वेदवीसर्पज्वरव्रणविपादिकाः ।’

Rāṣṇā (Pluchea lanceolata Oliver & Hiern.)

Rāṣṇā is cooling, heavy, bitter, astringent and constipative. It cures *graha* (afflictions by evil spirits), vitiated blood, *sveda* (excessive sweating), *vīsarpa* (erysipelas), *jvara* (fever), *vraṇa* (ulcer) and *vipādikā* (cracking of the soul of the feet.)

127

एला तृच्छदिहृल्लासकंडूपित्तकफापहा ॥१६०॥

Elā (Amomum subulatum Roxb.)

Elā cures *tṛṣṭ* (morbid thirst), *chardi* (vomiting), *hṛllāsa* (nausea), *kaṇḍū* (itches) and aggravated *pitta* as well as *kapha*.

सूक्ष्मैला सूत्रकृच्छार्शःश्वामकासकफे हिता ।

Sūkṣmailā (Elettaria cardamomum Maton.)

Sūkṣmailā is useful in *mūtrakṛcchra* (dysuria), *arśas* (piles), *śvāsa* (asthma), *kāsa* (bronchitis) and aggravation of *kapha*.

विवन्धानाहशूलघ्नं लवङ्गं भुक्तपाचनम् ॥ १६१ ॥

Lavaṅga (Syzygium aromaticum Merr. & L.M.)

Lavaṅga cures *vibandha* (constipation), *ānāha* (flatulence) and *sūla* (colic pain). It helps in the digestion of food.

चक्षुष्या मुखरोगघ्नी लताकस्तूरिका हिमा ।

Latā kastūrikā (Hibiscus abelmoschus Linn.)

Latā kastūrikā promotes eye sight and cures diseases of mouth. It is cooling.

128

कटफल मुखरोगघ्न कासश्वासक्षयापहम् ॥१६२॥

Kaṭphala (Myrica nagi Thunb.)

Kaṭphala cures diseases of mouth, *kāsa* (bronchitis), *śvāsa* (asthma) and *kṣaya* (consumption).

मदनो वामनः तिक्त वीर्योष्णो लेखनो लघुः ।

रूक्षः कुष्ठकफानाहशोफगुल्मत्रणापहः ॥ १६३ ॥

Madana (Randia dumetorum Lam.)

Madana is emetic, bitter, hot in potency, *lekhana* (scraping), light and ununctuous. It cures *kuṣṭha* (obstinate skin diseases including leprosy,) aggravated *kapha*, *ānāha* (flatulence), *śopha* (oedema), *gulma* (phantom tumour) and *vraṇa* (ulcer).

शताह्वानिलदाहास्रशूलतूट्छदिनाशिनी ।

मधुरा रोचनी वृष्या दाहासृक्पित्तनाशिनी ॥ १६४ ॥

Satāhvā (Foeniculum vulgare Mill.)

Satāhvā cures aggravated *vāyu*, *dāha* (burning syndrome), vitiated blood, *śūla* (colic pain), *tr̥ṣṭ* (morbid thirst) and *chardi* (vomiting). It is sweet, *rocana* (appetiser) and aphrodisiac. It alleviates *pitta*.

फलिनी गात्रदौर्गन्ध्यरक्तपित्तज्वरापहा ।

Phalinī (Prunus mahaleb Linn.)

Phalinī removes *gātra daurgandhya* (foul smell of the body) and cures *rakta pitta* (a disease characterised by bleeding from different parts of the body) and *jvara* (fever).

129

शस्ता शोणितपित्तातियोगे गन्धप्रियंगुका ॥ १६५ ॥

Gandha priyaṅgu (Callicarpa macrophylla Vahl)

Gandha priyaṅgu is useful in the acute form of *śoṇita pitta* (a disease characterised by bleeding from different parts of the body).

ह्युषा दीपनी तिक्ता कटूष्णा तुवरा गुरुः ।

130

पित्तोदरसमीराशो-ग्रहणी-गुल्म-शूलहृत् ॥ १६६ ॥

Hapuṣā (Juniper communis Linn.)

Hapuṣā is digestive stimulant, bitter, pungent, hot, saline and heavy. It cures aggravated *pitta*, *udara* (obstinate abdominal diseases including ascitis), aggravated *vāyu*, *arśas* (piles), *grahaṇī* (sprue syndrome), *gulma* (phantom tumour) and *śūla* (colic pain).

131
 'राष्णोष्णा वातशोथामवातवातामयान् जयेत् ।

Rāṣṇā (Alpinia gulanga Willd.)

Rāṣṇā is hot. It cures aggravated *vāyu*, *śoṭha* (oedema), *ānavāta* (rheumatism) and *vātāmaya* (diseases caused by the vitiation of *vāyu*).

पौष्करं पार्श्वरक्ष्वासकासहिककाज्वरापहा ॥१६७॥

Pauškara (Inula racemosa Hook. f.)

Pauškara cures *pārśvaruk* (pain in the sides of chest), *śvāsa* (asthma), *kāsa* (bronchitis), *hikkā* (hiccup) and *jvara* (fever).

133
 शृङ्गी कफानिलश्वासकामहिककाज्वरापहा ।

Śṛṅgī (Pistacia integerrima Stew. ex Brandis)

Śṛṅgī cures aggravated *kapha* as well as *vāyu*, *śvāsa* (asthma), *kāsa* (bronchitis), *hikkā* (hiccup) and fever (*jvara*).

134
 वरांगं कफशुक्रामवातघ्नं मधुरं कटु ॥ १६८ ॥

विषतृच्छर्दिहृल्लासकफपित्तविसर्पनुत् ।

Varāṅga (Cinnamomum zeylanicum Blume.)

Varāṅga alleviates *kapha* and reduces semen. It cures *ānavāta* (rheumatism). It is sweet and pungent. It cures *viṣa* (poisoning), *tr̥ṣ* (morbid thirst), *chardi* (vomiting), *hṛllāsa* (nausea), aggravated *kapha* as well as *pitta* and *visarpa* (erysipelas).

135
 त्वग्दोषस्वेददौर्गन्ध्यनाशनो नागकेसरः ॥ १६९ ॥

Nāgakesara (Mesua ferrea Linn.)

Nāgakesara cures *tvagdoṣa* (skin diseases), *sveda* (excessive sweating) and *daurgandhya* (foul smell of the body).

136
 पत्रकं कफवाताशोहृल्लासारोचकापहम् ।

Patraka (Cinnamomum tamala Nees and Eberm.)

Patraka alleviates *kapha* and *vāta* and cures *arśās* (piles), *hṛllāsa* (nausea) and *arocaka* (anoxeria).

137

तालीसपत्रं तीक्ष्णोष्ण कफवातक्षयापहम् ॥ २०० ॥

पित्तकृत्स्नं स्वयं वल्लिकृद्वक्त्रशोधनम् ।

Tālisa patra (Abies webbiana Lindl.)

Tālisa patra is sharp and hot. It alleviates *kapha* and *vāta*. It cures *kṣaya* (consumption). It aggravates *pitta*. It is laxative (*sraṁsana*). It promotes good voice and digestive power. It also cleanses mouth.

138

कषाया मधुरा रूक्षा कासघ्नी वंशरोचना ॥ २०१ ॥

Vaṁśa rocanā (Bamboo manna.)

Vaṁśa rocanā is astringent, sweet and ununctuous. It cures *kāsa* (bronchitis).

तुंगाक्षीरी क्षयश्वासकासघ्नी मधुरा हिमा ।

Tugākṣīrī

Tugākṣīrī cures *kṣaya* (consumption), *śvāsa* (asthma) and *kāsa* (bronchitis). It is sweet and cooling.

बासकः कासवैस्वर्यं रक्तपित्तकफापहः ॥ २०२ ॥

139 140

‘तृषाश्वासज्वरच्छदिमेहकुष्ठक्षयापहः ।

Vāsaka (Adhatoda vasica Nees)

Vāsaka cures *kāsa* (bronchitis), *vaiśvarya* (impairment of voice), *raktapitta* (a disease characterised by bleeding from different parts of the body), aggravated *kapha*, *trṣā* (morbid thirst), *śvāsa* (asthma), *jvara* (fever), *chardī* (vomiting), *meha* (obstinate urinary disorders including diabetes), *kuṣṭha* (obstinate skin diseases including leprosy) and *kṣaya* (consumption).

कुमारी भेदनी शीता यकृत्प्लीहकफज्वरान् ॥ २०३ ॥

निहन्ति वल्लिविस्फोटपित्तरक्तवगामयान् ।

Kumārī (Aloe barbadensis Mill.)

Kumārī is *bhedana* (purgative) and cooling. It cures *yakṛt* (diseases of liver), *plihan* (diseases of spleen), aggravated *kapha*, *jvara* (fever), *vahni visphoṭa* (carbuncle), aggravated *pitta* as well as *rakta* and *tvagāmaya* (diseases of skin).

बल्याऽमृता त्रिदोषघ्नी ग्राहिण्युष्णारसायनी ॥२०४॥

141

दीपनी तृट्ज्वरछर्दीकामलावातरक्तजित् ।

कटुतिक्ता स्वादुपाका लघ्वी दाहामकुष्ठनुत् ॥२०५॥

Amṛtā (Tinospora cordifolia Miers)

Amṛtā promotes strength. It alleviates all the three *doṣas*. It is *grāhī* (constipative), hot, rejuvenating and digestive stimulant. It cures *tṛt* (morbid thirst), *jvara* (fever), *chardī* (vomiting), *kāmalā* (jaundice) and *vāta rakta* (gout). It is pungent, bitter, sweet in *vipāka* and light. It also cures *dāha* (burning syndrome), *āma* and *kuṣṭha* (obstinate skin diseases including leprosy).

शालिपर्णीपृश्निपर्णीबृहतीद्वयगोक्षुरम् ।

वातपित्तहर वृष्य कनीयः पञ्चमूलकम् ॥२०६॥

Daśamūla

Śāliparṇī, *pṛṣṇi parṇī*, *brhatī*, *kaṅṭakārī* and *gokṣura*—these five drugs taken together, are called *kanīyas pañcamūla*. It alleviates *vāyu* and *pitta* and it is aphrodisiac.

[श्रीफलः सर्वतोभद्रा पाटला गणिकारिका ।

142

श्योनाकः पञ्चभिश्चनैः पञ्चमूलं महन्मतम् ॥२०७॥]

Śrīphala, *sarvato bhadrā*, *pāṭalā*, *ganikārikā* and *śyonāka*—these five drugs taken together are called *mahat pañcamūla*.

एताभ्या पञ्चमूलाभ्या दशमूलमुदाहृतम् ।

दोषत्रय-श्वासकासशिर.पीडापतन्त्रकान् ।

तन्द्रीशोथज्वरानाहारुचिपार्श्वरुजो जयेत् ॥२०८॥

All these ten drugs included both in *kanīyas pañcamūla* and *mahat pañcamūla* taken together are called *daśamūla*. It cures *doṣa traya* (aggravated *vāyu*, *pitta* and *kapha*), *śvāsa* (asthma), *kāsa* (bronchitis), *śiraḥ pīdā* (headache), *apatantraka* (convulsion), *tandrī* (drowsiness), *śoṭha* (oedema), *jvara* (fever). *ānāha* (tymphanitis), *aruci* (anorexia) and *pārśva ruk* (pain in the sides of the chest).

मन्याहनुश्रवणलोचननासिकास्यभ्रूशंखदन्तगलतालुशिरोविकारान् ।

कुष्ठानि हन्ति दशमूलकपायपीतं क्वाथेन वा सहफलत्रितयोद्भवेन ॥२०९॥

Decoction of these ten drugs belonging to the group of *daśamūla* or the decoction of *harītakī*, *bibhītaka* and *āmalakī* (*triphalā*) along with these ten drugs belonging to *daśamūla* group cures diseases of *manyā* (sternomastoid region), *hanu* (mandibles), *śravaṇa* (ears), *locana* (eyes), *nāsikā* (nose), *āśya* (mouth), *bhrū* (eye brows), *śaṅkha* (temporal region), *danta* (teeth), *gala* (throat), *tālu* (palate) and *śiras* (head). It also cures *kuṣṭha* (obstinate skin diseases including leprosy).

143

न्यग्रोधोदुम्बराश्वत्थपारिषप्लक्षपादपाः ।

पञ्चैते क्षीरिणो वृक्षास्तेषां त्वक् पञ्चवल्कलम् ॥२१०॥

Pañca kṣīri vṛkṣa and *Pañca valkala*

Nyagrodha, *udumbara*, *aśvattha*, *pāriṣa* and *plakṣa*—these five are called *kṣīri vṛkṣas* (trees having milky latex). Barks of all these five trees taken together are called *pañca valkala*.

144

केचित्तु पारिषस्थाने शिरीषं वेतसं परम् ।

Some physicians use *śirīṣa* and some others use *vetasa* in the place of *pāriṣa* included in this group of drugs.

क्षीरिवृक्षाः हिमाः वर्ण्याः योनिदोषव्रणापहाः ॥२११॥

रूक्षाः कषायाः मेदोघनाः वीसर्पामयनाशनाः ।

शोथपित्तकफास्रघनाः स्तन्यभग्नास्थियोगदाः ।

Kṣīri vṛkṣas are cooling. They promote complexion (*varṇya*) and cure *yoni doṣa* (ailments of the female genital tract) and *vraṇa* (ulcer). They are ununctuous, and astringent. They cure *medas* (adiposity), *visarpa* (erysipelas), *śoṭha* (oedema) and vitiated *pitta*, *kapha* as well as blood. They promote lactation and help in the union of fractured bones.

त्वक्पञ्चकं हिमं ग्राहिं व्रणशोथविसर्पजित् ॥२१२॥

Pañca valkala is cooling and constipative. It cures *vraṇa* (ulcer), *śoṭha* (oedema) and *visarpa* (erysipelas).

अथ धातूपधातु-रसोपरस-रत्नोपरत्न-विषोपविषगुणाः

तत्रधातुलक्षणम्

‘स्वर्णं तारं च ताम्रं च वंगं नागस्तु पञ्चमः ।

145

रौतिका च तथा कांस्यं लोहं चेत्यष्टधातवः ॥२१३॥

Properties of Dhātu, Upadhātu, Rasa, Uparasa, Ratna, Uparatna, Viṣa and Upaviṣa.

Description of Dhātus

Svarṇa (gold), *tāra* (silver), *tāmra* (copper) *vaṅga* (tin), *nāga* (lead), *rītikā* (bell metal), *kāmsya* (brass), *loha* (iron) —these eight are called *dhātus*.

‘वलीपलितखालित्यकाश्याबल्यजरामयान् ।

146

निवार्यनृणां दधति देहं तद्धातवो मताः ॥२१४॥

[भाव प्रकाशः पूर्वखण्डः धात्वादिवर्गं ८:२]

They are called *dhātus* because they sustain (*dadhati*) the body of human beings by curing *valī* (premature wrinkles), *palita* (premature graying of hair), *khālitya* (baldness), *kārsya* (emaciation), *abalya* (weakness), *jarā* (old age) and *āmaya* (diseases).

सुवर्णोत्पत्तिलक्षणगुणाः —

‘पुरा निजाश्रमस्थाना सप्तर्षीणां जितात्मनाम् ।

पत्नीं विलोक्य लावण्यलक्ष्मीःसम्पन्नयौवनाः ॥ २१५ ॥

कन्दर्पदर्पविध्वस्तचेतसो जातवेदसः ।

147

पतित यद्धरापृष्ठे रेतस्तद्धेतामतामगात् । २१६ ॥

कृत्रिमञ्चापि भवति तद्रसेन्द्रस्य वेधतः ।

Origin and description of Gold

Mythology

In the days of yore, *Jātavedas* (Agni or Fire god) became passionately excited when he saw the extremely beautiful, auspicious and youthful wives of the self controlled seven sages (*Saptarṣis*) in their hermitages. The semen he, thus, ejaculated fell upon the earth which became gold. Gold is also prepared artificially by the *vedhana* (a specific method of processing) of mercury.

148

दाहे रक्तं सित छेदे निकषे कुङ्कुमप्रभम् ॥ २१७ ॥

149

150

तार शुक्वोत्थितं स्निग्धं मृदु तद्गुरु शस्यते ।

Good quality

The gold which becomes red when burnt, white when cut and like saffron when rubbed over *nikāṣa* (a specific type of stone used for testing the genuineness of gold), which is prepared out of silver or copper and which is unctuous, soft and heavy is the best.

151

152

श्वेतांगं कठिनं रूक्षं विवर्णं समलं दलम् ॥ २१८ ॥

153

दाहे छेदेऽसितं श्वेतं घर्षेऽस्फुटं लघुं त्यजेत् ।

Bad quality

The gold which is partially white, hard, ununctuous and discoloured, which is associated with impurities, which has pieces like leaves, which becomes black in burning or cutting, which does not produce clear colour when rubbed over *nikāṣa* and which is light should not be used in medicine.

सुवर्णं शीतलं वृष्यं बल्यं गुरु रसायनम् ॥ २१६ ॥

[भावप्रकाशः पूर्वखण्डः धातूपधातुवर्गः ८ : ३-५ ८-१०]

स्वादुपाकरसं तिक्तं हृद्यं तु वरलेखनम् ।

154

‘पवित्रं बृंहणं नेत्र्यं मेघास्मृतिविशुद्धिदम् ॥ २२० ॥

155

हृद्यमायुष्करं कान्तिवाग्विशुद्धिस्थिरत्वकृत् ।

विषद्वयक्षयोन्मादन्निदोपज्वरशोषजित ॥ २२१ ॥

Property

Gold is cooling, aphrodisiac, strength promoting, heavy, rejuvenating, sweet in *vipāka* and taste, bitter, cardiac tonic exceedingly depleting (*vara lekhana*), *pavitra* (remover of sins), nourishing and promoter of eye sight. It purifies intellect and memory, and promotes longevity. It also purifies complexion and voice. It causes steadiness. It cures both the types of *viṣa* (poisoning), *kṣaya* (consumption), *unmāda* (insanity), vitiation of all the three *doṣas*, *jvara* (fever) and *śoṣa* (phthisis).

156

बलं सवीर्यं हरते नराणां रोगव्रजं पोषयतीह काये ।

अमौल्यकार्यं च सदैव हेमापवव मदोपमृण करोति ॥ २२२ ॥

Adverse effects

When gold is used without proper processing, it takes away strength and energy, helps manifestation of several diseases, causes discomfort and because of its toxicity even causes death.

त्रिपुरस्य वधार्थाय निर्मिमेषैर्विलोचने ।

निर्गक्षयामास शिवः क्रोधेन परिपूरितः ॥ २२३ ॥

157

ततस्तूल्का समापतत्तस्यैकस्माद्विलोचनात् ।

158

तस्माद्भुङ्क्ष्वः समभवद्दृश्वानर इव ज्वलन् ॥ २२४ ॥

द्वितीयादपतन्नेत्रादश्रुबिन्दुस्ते वामकात् ।

159

तस्माद्भ्रजतमुद्भूतमुक्तकर्मसु संस्थितम् ॥ २२५ ॥

[भावप्रकाशः पूर्वखण्डः धातूपधातुवर्गः ८ : ११-१२, १४-१६]

Silver

Mythology

When lord *Siva*, full of anger, looked without twinkling of eyes for killing the demon *Tripura*, then from one of his eyes a meteor (*ulkā*) fell down which gave birth to *Rudra* who was dazzling like fire. From the left eye drops of tears fell down which gave birth to silver and this is used for all different purposes.

160

कृत्रिमं चापि तत्प्रोक्तं वंगदेः रसयोगतः ।

It is also prepared artificially by adding *vaṅga* (tin) etc., to processed mercury.

गुरुः स्निग्ध मृदु श्वेतं दाहच्छेदघनक्षमम् ॥ २२६ ॥

161

वर्णादियं चन्द्रवत्स्वच्छं तारे नवगुणाः स्मृताः ।

Good quality

Heaviness, ununctuousness, softness, white colour, power to stand burning, cutting and pressure (*ghana*), good colour, pure appearance like moon—these are the nine qualities of good silver.

कठिनं कृत्रिमं रूक्षं रक्तं पीतदलं लघुः ॥ २२७ ॥

दाहच्छेदघननेर्ण्टं हृष्ये दोषा दशस्मृताः ।

Bad quality

Hardness, artificial preparation, ununctuousness, redness, yellowness, fragility (*dala*), lightness and getting destroyed by burning, cutting or pressure (*ghana*)—these are the ten defects in silver.

162

रूप्यं शीतं कषायाम्लं स्वादुपाकरसं सरम् ॥ २२८ ॥

वयसः स्थापनं स्निग्धं लेखनं वातपित्तजित् ।

163

प्रमेहादिकरोगांश्च नाशयत्यचिरं ध्रुवम् ॥२२६॥

Properties

Silver is cooling, astringent and sour in taste, sweet both in *vipāka* and taste, and laxative. It prevents aging. It is unctuous and *lekhana* (depleting). It alleviates *vāta* and *pitta*. It certainly cures diseases like *prameha* (obstinate urinary disorders including diabetes).

तारं शरीरस्य करोति तापं विध्वसनं यच्छति शुक्रनाशम् ।

165

सपाटवं वीर्यबलं निहन्ति महान्गदान्पोषयतीत्यगुद्धम् ॥२३०॥

Adverse effects

Aśuddha (not properly processed) silver produces excessive heat (*tāpa*) in the body and causes its destruction. It destroys semen, efficiency, energy and strength. It gives rise to many serious diseases (*mahāgada*).

166

शुक्रं यत्कार्तिकेयस्य पतितं धरणीतले ।

तस्मादेतत्समुद्भूतं ताम्रमाहुः पुराविदः ॥२३१॥

[भावप्रकाशः पूर्वखण्डः धातूपधातुवर्गः ८:१७,१६-२२]

Tāmra (Copper)

Mythology

According to scholars well versed in the *purāṇas*, the semen of *Kārtikeya* which fell on the earth gave rise to *tāmra* (copper).

167

कृष्णं रूक्षमतिस्तब्धं श्वेत चापि घनासहम् ।

168

लौहनागयुतं चेति शुल्वं स्याद्दोषसप्तकम् ।

Bad quality

Black colour, ununctuousness, excessive compactness, white colour, inability to tolerate pressure (*ghana*), mixture of

iron and lead—these are the seven defects in copper of bad quality.

ताम्रं कषाय मधुरं सत्किं स्याद्द्रोपणं बृंहणमल्पमेव ॥२३२॥

[भावप्रकाशः पूर्वखण्डः धातूपधातुवर्गं नः २५-२६]

पित्तोदरार्शः कृमिकुष्ठपीनसश्लेष्मक्षयघ्नं ज्वरशूलनुद्धिमम् ।

Properties

Copper is astringent, sweet and bitter. It is *ropaṇa* (healer of ulcers) and slightly *bīmhaṇa* (nourishing). It cures aggravated *pitta*, *udara* (obstinate abdominal diseases including ascitis), *arśas* (piles), *kṛmi* (parasitic infection), *kuṣṭha* (obstinate skin diseases including leprosy), *pīnasa* (chronic rhinitis), aggravated *kapha*, *kṣaya* (consumption), *jvara* (fever) and *sūla* (colic pain). It is cooling.

न विषं विषमित्याहुस्ताम्रं तु विषमुच्यते ॥ २३३ ॥

एको दोषो विषे सम्यक् ताम्रे त्वष्टौ प्रकीर्तिता ।

भ्रमो मूर्च्छा विदाहश्च स्वेदोत्क्लेदनवान्तयः ॥ २३४ ॥

अरुचिश्चित्तसंताप एते दोषा विषोपमा ।

Adverse effects

Poison is not the real poison. It is copper (not processed properly) which is the real poison. Poisons have only one adverse effect whereas copper (which is not processed properly) has eight types of adverse effects. These are *bhrama* (giddiness), *mūrccā* (fainting), *vidāha* (burning sensation), *sveda* (excessive sweating), *utkledana* (production of stickiness in the body), *vānti* (vomiting), *aruci* (anorexia), *citta santāpa* (excessive discomfort in mind)—these are the eight types of adverse effects which are like poisoning effects.

खुरकं मिश्रकञ्चेति द्विविधं वङ्गमुच्यते ॥ २३५ ॥

[आयुर्वेदप्रकाश ३ : १४८]

खुरकञ्च गुणैश्चैष्टं मिश्रकं त्वहितं मतम् ।

Vaṅga (Tin)

Variety

Vaṅga is of two types. They are called *khuraka* and *miśraka*. Of these two, *khuraka* type of *vaṅga* is very useful in therapeutics whereas the *miśraka* type is harmful.

170
बंगं लघु सरं रूक्षमुष्णं मेहकफकृमीन् ।

171
निहन्ति पाण्डु सशवासं दृश्यमीषत्तु पित्तलम् ॥२३६॥

[आयुर्वेद प्रकाश ३:१५०]

Property

Vaṅga is light, laxative, ununctuous and hot. It cures *meha* (obstinate urinary diseases including diabetes), *kapha*, *kṛmi* (parasitic infection), *pāṇḍu* (anemia) and *śvāsa* (asthma). It is good for eye sight and it slightly aggravates *pitta*.

172
सिंहो यथा हस्तिगणं निहन्ति तथैव बङ्गोऽखिलमेहवर्गम् ।

173
देहस्य सौख्यं प्रबलेन्द्रियत्वं कृशस्य पुष्टिं कुरुते नरस्य ॥२३७॥

[आयुर्वेदप्रकाश ३:१५१]

As a lion kills a horde of elephants, similarly, *vaṅga* cures all types of *meha* (obstinate urinary disorders including diabetes). It causes happiness of the body and promotes the strength of sense organs. It nourishes an emaciated person.

दृष्ट्वा भोगिसुतां रम्यां वासुकिस्तु मुमोच यत् ।

वीर्यं जातस्ततो नागः सर्वरोगापहो नृणाम् ।

[आयुर्वेदप्रकाश ३:१५४]

Nāga (Lead)

Mythology

The semen ejaculated by *Vāsuki* after seeing the beautiful daughter of Bhogī gave rise to *nāga* (lead). It cures all diseases of human beings.

सीसं वंगगुणं ज्ञेयं विशेषान्मेहनाशनम् ॥ २३८ ॥

[आयुर्वेदप्रकाश ३:१८५]

Property

Nāga shares all the properties of *vanga*. However, the former specifically cures *meha* (obstinate urinary disorders including diabetes).

न गस्तु नागशततुल्यबलं ददाति
व्याधिं च नाशयति जीवनमातनोति ।

वह्निं प्रदीपयति कामबलं करोति
मृत्यु च नाशयति सततं सेवितः सः ।

[आयुर्वेदप्रकाश ३:१८७]

Nāga (Lead) endows a person with the strength of one hundred *nāgas* (cobras), cures diseases, promotes longevity, stimulates digestion, increases the strength for sexual act and prevents death if used constantly.

पाकेन हीनौ खलु वंगनागौ
कुष्ठानि गुल्मांश्च तथाऽतिकुष्ठान् ॥२३९॥

[आयुर्वेदप्रकाश ३ : १८६]

पाण्डुप्रमेहानपि वातशोफभगन्दरश्वित्रकिलासशूलान् ।

विषोपम रक्तविकारवृन्दं क्षयं च कृच्छ्राणि कफं ज्वरं च ।

मेहाश्मरी विद्रधि मुखरोगान्तर्तीश्च नित्यं कुरुतेऽबलत्वम् ।

Adverse effects

Use of *nāga* (lead) and *vanga* (tin) without proper processing causes *kuṣṭha* (obstinate skin diseases including leprosy), *gulma* (phantom tumour), *atikuṣṭha* (?), *pāṇḍu* (anemia), *prameha* (obstinate urinary disorders including diabetes), *śopha* (oedema) caused by *vāyu*, *bhagandara* (fistula-in-ano), *śvitra* (leucoderma), *kilāsa* (a type of leucoderma) and *śūla* (colic pain). They are like poisons and cause *rakta vikāra* (diseases caused by the vitiation of blood), *kṣaya* (consumption), *kṛcchra*

(dysuria), aggravation of *kapha*, *jvara* (fever), *aśmarī* (stone in urinary tract), *vidradhi* (abscess), *mukharoga* (diseases of mouth), *arti* (pain) and *nitya abalatva* (progressive weakness).

रीतिका काकतुण्डी च द्विविधा सा प्रकीर्तिता ।

संतप्ता काजिके क्षिप्ता ताम्राभा रीतिका मता ॥२४१॥

एवं च जायते कृष्णा काकतुण्डीति सा मता ।

Rītikā (Bell metal)

Variety

This is of two types viz., *rītikā* and *kākatuṇḍī*. If the metal is heated and dipped into *kāñji* (vinegar) and it becomes copper-coloured then it should be known as *rītikā*. If it becomes black in colour, then it is *kākatuṇḍī*.

गुर्भी मृद्धी च पीताभा स्फारांगी त्रोटनाक्षमा ॥२४२॥

सुस्निग्धा मसृणांगी च रीतिरेतादृशी शुभा ।

Good quality

Rītikā which is heavy, soft, yellowish in colour, dazzling (*sphārāngī*), *troṭanākṣama* (difficult to break), unctuous and smooth is of good quality.

स्तब्धा रूक्षा खरा श्वेता रक्तातीव घनासहा ॥२४३॥

174

पुटगा च मलयुक्ता रीतिका न शुभा मता ।

Bad quality

Rītikā which is *stabdha* (compact), ununctuous, rough, white, excessively red, *ghanāsaha* (intolerant of pressure), *puṭaga* (having layers) and associated with impurity (*mala*) is not useful.

‘रीतिकायुगल मूक्षमं सतिक्तं लवण रसे ।

175

शोधन पाण्डुरोगघ्न क्रमिघ्न नातिलेखन’ ॥२४४॥

[भावप्रकाश पूर्वखण्डः धातूपधातुवर्ग ८ : ७५]

Property

Both the types of *rītikā* are *sūkṣma* (subtle), bitter and saline in taste and cleansing. They cure *pāṇḍu* (anemia) and *kṛmi* (parasitic infection). It is not a depletive (*lekhaṇa*) in excess.

कांस्यं कषाय तिक्तोष्णं लेखनं विशदं सरं ।

रूक्षं गुरु च चक्षुष्यं कफपित्तहरं परम् ॥२४५॥

***Kāmsya* (Brass)**

Kāmsya is astringent, bitter, hot, *lekhaṇa* (depletive), *viśada* (non-slimy), laxative, ununctuous and heavy. It promotes eye sight and alleviates *kapha* and *pitta*.

176

पुरा लोमिलदैत्याना निहतानां सुरैर्युधि ।

177

उत्पन्नानि शरीरेभ्यो लोहानि विविधानि च ॥२४६॥

[आयुर्वेदप्रकाश ३ : २०४]

Loha* (Iron)*Mythology**

In the days of yore, different types of *lohas* came out from the bodies of the *lomila daityas* (a group of demons) when they were killed during their war with the gods.

‘लोहं तिक्तं सरं शीतं कषायं मधुरं गुरु ।

रूक्षं वयस्यं चक्षुष्यं लेखनं वातलं जयेत् ॥२४७॥

कफं पित्तं गरं शूलं शोफार्शः प्लीहपाण्डुताम् ।

मेदोमेहकृमीन्कुष्ठं तत्किट्टं तद्वदेव हि ॥ २४८ ॥

Property

Loha is bitter, laxative, cooling, astringent, sweet, heavy, ununctuous, *vayasya* (promoter of longevity) and *caṅkṣuṣya* (promoter of eye sight). It aggravates *vāyu* and alleviates *kapha* and *pitta*. It cures *gāra* (poisoning), *śūla* (colic pain), *śopha*

(oedema), *arśas* (piles), *plīhan* (splenic disorder), *pāṇḍutā* (anemia), *medas* (adiposity), *meha* (obstinate urinary disorders including diabetes), *kṛmi* (parasitic infection) and *kuṣṭha* (obstinate skin diseases including leprosy).

Its *kitta* which is called *maṇḍūra* (rust of iron) shares all the properties of iron.

गुरुता दृढतोत्क्लेद कश्मलं दाहकारिता ।

अश्मदोषः सुदुर्गन्धो दोषाः सप्तायसस्य च ॥२४६॥

Bad quality

Gurutā (heaviness), *ḍṛḍhatā* (sturdiness), *utkleḍa* (stickiness), *kaśmala* (impurity), *dāhakāritā* (producing burning sensation), *aśmadoṣa* (adulteration with stone ?) *sudurgandha* (foul smell)—these are the seven defects of iron.

षडत्वकुष्ठामयमृत्युदंतद्दहद्रोगशूलौ कुरुतेऽश्मरी च ।

नानारुजानां च तथा प्रकोपं
करोति हृल्लासमशुद्धलोहम् ॥२५०॥

Adverse effects

Loha, which is not properly processed, causes *śaṇḍatva* (impotency), *kuṣṭha* (obstinate skin diseases including leprosy), *mṛtyu* (death), *hydroga* (heart disease), *śūla* (colic pain), *aśmarī* (stone in urinary tract), aggravation of different types of pain and *hṛllāsa* (nausea).

178

जीवहारि मदकारि चायस चेदशुद्धिमदसंस्कृत ध्रुवम् ।

179

पाटवं न कुरुते शरीरके दारुणं हृदि रुजं च यच्छति ॥२५१॥

[आयुर्वेदप्रकाशा ३:२१८-२२५]

If *loha* which is not properly processed is taken then it takes away the life, produces intoxication, does not produce energy in the body and causes acute pain in the heart.

कूष्माण्ड तिलतैलं च माषान्नं राजिकां तथा ।

180

मद्यमम्लरस चैव त्यजेल्लोहस्य सेवकः ॥ २५२ ॥

[आयुर्वेदप्रकाश ३ : २२६]

Prohibition

Persons using *loha* should give up *kuṣmāṇḍa*, *til* oil, *māṣa*, *rājikā*, *madya* (alcoholic drinks) and *amla rasa* (things having sour taste).

लोह साराह्वयं श्रेष्ठं तस्य लक्षणमुच्यते ।

181

क्षमाभृच्छिखराकारन्यंगान्ये [न्यम्लेनमर्दिते] ॥२५३॥

दृश्यन्ते यत्र मूक्षमाणि मारं लोहेषु तद्वदेत् ।

Sāra loha

Sāra loha is the best among irons. It is *kṣamābhṛt* (stands to pressure) and *śikharākāra* (tapering in shape). When triturated with sour juice it leaves small dust-like particles.

लौहं साराह्वयं हन्याद्ग्रहणीमतिसारकम् ॥ २५४ ॥

अर्धसर्वागजं वातं शूलं च परिणामजम् ।

छदिपीनसपित्तं च श्वासं चाशु नियच्छति ॥२५५॥

Property

Sārā lauha immediately cures *grahaṇī* (sprue syndrome), *atisāra* (diarrhoea), aggravation of *vāyu* in half of the body or all over the body, *pariṇāmaja śūla* (colic pain which appears during the process of digestion of food), *chardi* (vomiting), *pīnasa* (chronic rhinitis), aggravated *pitta* and *śvāsa* (asthma).

यत्पात्रे न प्रसरति जले तैलबिन्दुः प्रतप्ते ।

182

183

हिगुर्गन्धं त्यजति च निजं तिक्ततां निबकल्कः ॥ २५६ ॥

तप्तं दुग्धं भवति शिखराकारकं नैति भूमिम् ।

कृष्णागः स्यात्सजलचणकः कान्तलोहं तदुक्तम् ॥ २५७ ॥

Kānta loha

In a pot of *kānta loha* containing hot water if a drop of oil is put then the oil does not spread. *Hingu* (asafoetida) loses its foul smell and the paste of *nimba* loses its bitterness when put in such a pot. If milk is boiled in this pot, then it goes up in the form of a *śikhara* (pyramid) but does not fall down. It becomes black when *caṇakāmla* (*sajala caṇaka*) is kept in this pot.

गुल्मोदरार्शः शूलममामवातं भगन्दरम् ।

कान्त तत्कामलाशोफकुष्ठक्षयरजोहरेत् ॥ २५८ ॥

देहपृष्टिबलस्थैर्यं दत्त जनयते सुतान् ।

184

रक्तप्लीहप्रशमनमम्लपित्त शिगोरुजम् ॥ २५९ ॥

सर्वान् रोगान्विजयते कान्तलोहं न संशयः ।

Property

Kānta loha cures *gulma* (phantom tumour), *udara* (obstinate abdominal diseases including ascitis), *arśas* (piles), *śūla*, (colic pain), *āma*, *āmaṅvāta* (rheumatism), *bhagandara* (fistula-in-ano), *kāmalā* (jaundice), *śopha* (oedema), *kuṣṭha* (obstinate skin diseases including leprosy), *kṣaya* (consumption) and *ruk* (pain). It gives nourishment to the body and promotes strength and stability. It helps in the procreation of children. It alleviates vitiation of blood, *plīhan* (diseases of spleen), *amla pitta* (hyper acidity of stomach) and *śiroruk* (headache). *Kānta loha* cures all these diseases undoubtedly.

185

शनाद्दमुत्तमं किट्ट मध्यं चाशीतिवार्षिकम् ।

186

अधमं पष्ठिवाषीय ततो हीन विषोपमम् ॥ २६० ॥

[आयुर्वेदप्रकाश ३ : २६०-२६१]

Loha kiṭṭa (Rust of Iron)

Loha kiṭṭa which is one hundred years old is the best, eighty years old is mediocre and sixty years old is inferior. Rust of iron which is less than sixty years old is like poison.

योजयेत्लोहवत्सर्वं लोहस्थाने च तन्मलम् ।

तत्किट्ट तद्गुणं ज्ञेयं विशेषात्पाण्डुनाशनम् ॥ २६१ ॥

In the place of *loha*, its *mala* (rust) can be used in all diseases because the latter shares all the properties of the former. Moreover, its *mala* (rust) is specifically indicated in the treatment of *pāṇḍu* (anemia).

किट्टाद्दशगुणं मुण्डं मुण्डातीक्ष्णं शताधिकम् ।

तीक्ष्णाल्लक्षगुणं कान्तं भक्षणात्कुरुते बलम् ॥ २६२ ॥

[आयुर्वेदप्रकाश ३ : २६४]

From *kiṭṭa* (*mandūra* or rust of iron) *muṇḍa loha* is ten times effective, from *muṇḍa loha*, *tīkṣṇa loha* is hundred times effective and from *tīkṣṇa loha*, *kānta* is one lakh times effective in producing strength.

अभ्रकं माक्षिकं तालं शिला नीलांजनं तथा ।

तुत्थकं रसकं चैते प्रोक्ताः सप्तोपधातवः ॥ २६३ ॥

Upadhātus

Abhraka, *mākṣika*, *tāla*, *śilā*, *nīlāñjana*, *tutthaka* and *rasaka*—these seven are known as *upadhātus*.

‘पुरा वधाय वृत्रस्य वज्रिणा वज्रसुद्धृतम् ।

विस्फुलिगास्ततस्तस्य गगनं परिसर्पिता ॥ २६४ ॥

ते निपेतुर्धनध्वानाच्छिखरेषु महीभृताम् ।

तेभ्य एव समुत्पन्नं तत्तद्गिरिषु चाभ्रकम् ॥ २६५ ॥

[आयुर्वेदप्रकाश ३ : ८६-८७]

Abhraka (Mica)

Mythology

In the days of yore, when *Vajri* (*Indra*) took out the *vajra* to kill the demon *Vṛtra*, then *visphulingas* (fire particles) from

that *vajra* spread over the sky and because of the thundering sound of the clouds fell on the tops of mountains. Thus, *abhraka* took birth in those mountains.

कदाचिद्गिरिजा देवी हर दृष्ट्वा मनोहरम् ।

मुमोचयत्तदावीर्यं तज्जानं शुभमभ्रकम् ॥ २६६ ॥

Once upon a time, the goddess *Girijā* saw the extremely handsome *Hara*. The genital fluid (ovum) she then ejaculated gave rise to pure *abhraka*.

तत्र दक्षिणशैलेऽर्कशोपादल्पगुणं हि तत् ।

अल्पसत्त्वं तदाधत्ते तस्य सत्त्व गुणप्रदम् ॥ २६७ ॥

Quality

Abhraka which is available in the southern mountains is inferior in quality because it gets dried by the strong heat of the sun. It produces less of *sattva*. However, this *sattva* is therapeutically useful.

अतस्तूत्तरशैलोत्थं बहुसत्त्वं गुणाधिकम् ।

Abhraka which is available in northern mountains contains more of *sattva* and is therefore superior in quality.

तद्वज्रं वज्रजातत्वादभ्रमभ्ररवोद्भवात् ॥२६८॥

189

190

गगनात्पतितं यस्माद्गगनं च ततो मतम् ।

Derivation

It is called *vajra* because of its origin from thunder (*vajra*). It is called *abhra* because it is produced with the help of the cloud (*abhra*). Since it has fallen from the sky (*gagana*), it is called *gagana*.

विप्रक्षत्रियविट्शूद्रभेदात्तस्याच्चतुर्विधम् ॥२६९॥

क्रमेणैव सितं रक्तं पीतं कृष्णं च वर्णतः ।

प्रशस्यते सितं तारे रक्तं चैव रसायने ॥ २७० ॥

पीतं हेमनि कृष्णं तु गदेषु द्रुतयेऽपि च ।

Variety

It is of four types viz., *vipra*, *kṣatriya*, *viṭ* and *sūdra* and they are white, red, yellow and black respectively. The white variety is useful in the preparation of silver, red variety for rejuvenation therapy, yellow variety in the preparation of gold and the black variety for the treatment of diseases as well as for *druti kriyā*.

पिनाकं दर्दुरं नागं वज्रं चेति चतुर्विधम् ॥२७१॥

मुञ्चत्यग्नौ विनिक्षिप्तं पिनाकं दलसंचयम् ।

अज्ञानाद् भक्षणं तस्य महाकुष्ठप्रदायकम् ॥२७२॥

दर्दुरं त्वग्निगं चातिकुरुते दर्दुरध्वनिम् ।

गोलकान्बहुशः कृत्वा स स्यान्मृत्युप्रदायकः ॥२७३॥

[भावप्रकाशः धातूपधातुवर्गः ८:११५-१२०]

‘नागं तु नागवद्वह्नौ फूत्कारं परिमुञ्चति ।

तद्भक्षितमवश्यं तु विदधाति भगन्दरम् ॥२७४॥

वज्रं तु वज्रवत्तिष्ठेत्तन्नाग्नौ विकृतिं व्रजेत् ।

192

सर्वाभ्रेषु वरं वज्रं व्याधिवाधक्यमृत्युजित्’ ॥२७५॥

It is also classified in four different ways viz., *pināka*, *dardura*, *nāga* and *vajra*. When placed on fire, the *pināka* variety of *abhraka* gives up leaves, and if because of ignorance, it is used, then it causes serious types of *kuṣṭha* (obstinate skin diseases including leprosy). The *dardura* variety of *abhraka* when placed on fire produces sound like a frog. It produces many *golakas* (abscesses?) and thus leads to death. The *nāga* variety of *abhraka* produces hissing (*phutkāra*) sound like that of a cobra, when placed on fire. This, when used, certainly produces *bhagandara* (fistula-in-ano). The *vajra* variety of *abhraka* stands on the fire like a *vajra* (thunder) without under-

going any change. Amongst all these varieties, the *vajra* type of *abhraka* is the best and it overcomes diseases, old age and even death.

अभ्रं कषायं मधुरं सुशीतमायुष्करं धातुविवर्धनं च ।

हन्यात्त्रिदोषं व्रणमेहकुष्ठं प्लीहोदर ग्रन्थिविषं कृमीश्च ॥२७६॥

Property

Abhraka is astringent, sweet, exceedingly cooling and promoter of longevity and *dhātus* (tissue elements of the body). It alleviates all the three *doṣas* and cures *vraṇa* (ulcer), *meḥa* (obstinate urinary disorders including diabetes), *kuṣṭha* (obstinate skin diseases including leprosy), *plīhan* (splenic disorders), *udara* (obstinate abdominal diseases including ascitis), *granthi* (adenitis), *viṣa* (poisoning) and *kṛmi* (parasitic infection).

रोगान्हन्ति दृढयति वपुर्वीर्यवृद्धिं विधत्ते ।

तारुण्यादयं रमयति शनं योषितां नित्यमेव ॥२७७॥

193

दीर्घायुष्याञ्जनयति सुतान् सिंहतुल्यप्रभावान् ।

मृत्योर्भीतिं हरति नितरां सेव्यमानं मृताभ्रम् ।

Abhraka, when used in *bhasma* form, cures diseases, produces sturdiness of the body and increases semen. It produces youthfulness because of which a person can enjoy sex with one hundred ladies daily. It helps in the procreation of children endowed with longevity and strength like a lion. It takes away the fear of untimely death for ever.

194

पीडां विधत्ते विविधा नरणा कुष्ठ अय पाण्डुगद च गोथम् ।

[भावप्रकाशः धातुपधानुवर्गं ८-१२०-१२०, १२४-१२६]

195

हृत्पाश्वर्षपीडां च करोत्यशुद्धमभ्र त्वशुद्धं गुरुनापद स्यात् ।

Adverse effect

Abhraka, which is not properly processed, produces

different types of pain, *kuṣṭha* (obstinate skin diseases including leprosy), *ksaya* (consumption), *pāṇḍu* (anemia), *śopha* (oedema), *hṛt pīḍā* (pain in cardiac region), *pārśva pīḍā* (pain in the sides of the chest) and serious type of burning sensation in the body of human beings.

माक्षिकं द्विविधं प्रोक्तं पीतं शुक्लं च सर्वतः ॥२७६॥

तयो सुवर्णवर्णं तु विज्ञेयं प्रवरं जनैः ।

Mākṣika (Copper pyrite)

Variety

Mākṣika is of two types viz., yellow and white. The golden colour (yellow) *mākṣika* is considered to be the better.

196

‘माक्षिकं मधुरं तिक्तं स्वयं वृष्यं रसायनम् ॥२८०॥

197

चक्षुष्यं वस्तिरुक्कुष्ठपाङ्गुमेहविषोदरम् ।

198

199

अर्शः शोफं क्षयं कण्डू त्रिदोषं च नियच्छति ॥२८१॥

[आयुर्वेदप्रकाश ८.६-१०]

Property

Mākṣika is sweet, bitter, promoter of good voice, aphrodisiac and rejuvenating. It promotes eye sight and cures *vastiruk* (pain in bladder), *kuṣṭha* (obstinate skin diseases including leprosy), *pāṇḍu* (anemia), *mcha* (obstinate urinary disorders including diabetes), *viṣa* (poisoning), *udara* (obstinate abdominal diseases including ascitis), *arśas* (piles), *śopha* (oedema), *ksaya* (consumption), *kandū* (itching) and all the three aggravated *doṣas*.

‘मंदानलत्वं बलहानिमुग्धां विष्टभतां नेत्रगदान्सकुष्ठान् ।

200

करोति मालां व्रणपूर्वकं च शुध्यादिहीनं खलु माक्षिकं च ॥२८२॥

[आयुर्वेदप्रकाश ४:११]

Adverse effect

If *mākṣika* is used without proper processing then it

causes indigestion, extreme loss of strength, constipation, diseases of the eye, *kuṣṭha* (obstinate skin diseases including leprosy), *mālā* (cervical adenitis) and *vraṇa* (ulcer).

हरितालं कटु स्निग्ध कपायोष्ण हेरद्विषम् ।

201

कंडूकुष्ठास्यरोगास्रकफपित्तकचव्रणान् ॥ २८३ ॥

[आयुर्वेदप्रकाश २ : १७४]

Haritāla (Yellow arsenic)

Property

Haritāla is pungent, unctuous, astringent and hot. It cures *visa* (poisoning), *kaṇḍū* (itching) *kuṣṭha* (obstinate skin diseases including leprosy), *āsyaroga* (diseases of the mouth), vitiated blood, *kapha* and *pitta*, *kaca* (diseases of hair) and *vraṇa* (ulcer).

हरति च हरितालं सौष्ठवं देहजातम् ।

202

सृजति च बहुतापं मेहकृच्छ्राश्मपीडाम् ॥ २८४ ॥

वितरति कफवातान् स्नायुशोष करोति ।

ह्यमृतमिहसमन्तात्कुष्ठरोगाश्च वेगात् ॥ २८५ ॥

Adverse effect

Haritāla (which normally works as a nectar), when used without proper processing, takes away the beauty of the body and produces excessive heat, *meha* (obstinate urinary diseases including diabetes), *kṛcchra* (dysuria), *aśma* (stone in the urinary tract) and *pīḍā* (pain). It aggravates *kapha* and *vāta*, dries up *snāyu* (tendons and ligaments), and produces *kuṣṭharoga* (obstinate skin diseases including leprosy).

मनःशिला मन्दबलं करोति जन्तु भ्रुव शोधनमन्तरेण ।

204

मलस्य व्रन्ध किल मूत्ररोध सशर्करं कृच्छ्रगद च कुर्यात् ॥ २८६ ॥

[आयुर्वेदप्रकाश २ : २१७]

Manahśilā (Realgar)

Adverse effect

Manahśilā used without *śodhana* (processing) certainly causes weakness, constipation, obstruction to micturation, *śarkarā* (gravels in the urinary tract) and *kṛcchra* (dysuria).

अतिदुर्धरमाध्माघ्नं विषमज्वरनाशनम् ।
रसायनं सुवर्णघ्नं लोहमार्दवकारकम् ॥ २८७ ॥

Property

It cures serious types of *ādhmāna* (flatulence) and *viṣama jvara* (malarial fever). It is rejuvenating. It is *suvarnaghna* (which reduces gold into *bhasma* form) and *lohamārdava kāraaka* (which causes softness in iron).

नेत्रामयहर हृद्य सोष्ण नीलाञ्जनं मतम् ।

Nilāñjana (Lead sulphide)

Nilāñjana cures eye diseases. It is cardiac tonic and hot.

205 कटुकं क्षारं कपाय वामक लघु ॥ २८८ ॥

लेखन भेदनं शीतं चक्षुष्य कफपित्तजित् ।

त्रिपामकुष्ठकडूघ्नं तद्गुण खर्परं स्मृतम् ॥२८९॥

[आयुर्वेदप्रकाश ८.३८-३९]

Tutthaka and Kharpara (Copper sulphate and Zinc ore)

Tutthaka is pungent, alkaline, astringent, emetic, *laghu*, *lekhana* (depleting), purgative and cooling. It promotes eye sight and cures *kapha* as well as *pitta*. It cures *viṣa* (poisoning), *āma*, *kuṣṭha* (obstinate skin diseases including leprosy) and *kaṇḍū* (itching).

Kharpara shares the properties of *tuttha*.

ये गुणास्तुत्थके प्रोक्तास्ते गुणाः रसके मताः ।

Rasaka

Rasaka has the same properties as those of *tuttha*.

रसायनार्थिभिलोकैः पारदोरस्यते यतः ॥२६०॥

ततो रस इति प्रोक्तः स च धातुरिति स्मृतः ।

Pārada (Mercury)

Derivation

It is called *rasa* because persons desirous of rejuvenation commonly use (*rasyate*) it. It is also called '*dhātu*'.

207

शिवाङ्गास्त्रिर्गतं तेजः पतितं धरणी तले ॥२६१॥

208

तद्देहसारजातत्वाच्छुक्लवर्णमभूच्च तत् ।

Mythology

It was produced from the *tejas* (semen) of Lord *Śiva* which fell on the earth because of which it is white in colour.

क्षेत्रभेदेन विज्ञेयं शिववीर्यं चतुर्विधम् ॥२६२॥

209

श्वेतं रक्तं तथा पीत कृष्णं च भवति क्रमात् ।

ब्राह्मणः क्षत्रियो वैश्यः शूद्रश्च खलु जातितः ॥२६३॥

Variety

Depending upon the nature of the earth on which it was produced it is of four types viz., white, red, yellow and black. They are called *bīhmaṇa*, *kṣatriya*, *vaiśya* and *śūdra* respectively.

शस्त श्वेतं रुजा नाशे रक्तं किल रसायने ।

धातुवादे तु तन्पीतं खे गतौ कृष्णमेव च ॥२६४॥

[भावप्रकाशः धातूपधातुवर्गं दः८७-८९]

The white variety is useful in curing diseases. Red variety is used in rejuvenation. For *dhātuvāda* (preparing gold out of ordinary metals) yellow variety is used. Black variety is used for *khe gati* (moving in the sky).

210
स्वयं रसो भवेद्ब्रह्मा बद्धश्चैव जनार्दनः ।

211
रञ्जित क्रामितः सूतः साक्षाद्देवो महेश्वरः ॥२६५॥

Property

Pārada itself is *Brahmā* and after *baddha* (a special process by which mercury is made to stand strong heat without vaporisation), it is *Janārdana*. After *rañjana* and *krāmaṇa saṃskāras* (processes), the mercury becomes *Maheśvara* himself.

मूर्च्छित्वा हृगति रुजं बन्धनमनुभूय खे गतिं कुरुते ।

212
अजरीकरोति हि मृतः कोऽज्यः करुणाकरः सूतात् ॥२६६॥

[भावप्रकाशः धातूपधातुवर्गं ८ : २३-२४]

After *mūrchanā saṃskāra*, *pārada* cures diseases. After *bandhana saṃskāra* it enables a person to move in sky. After *mārana* (lit. death) *saṃskāra* it prevents death. In view of the above, who else (other than *pārada*) is more blissful ?

पारदः षड्रसः स्निग्धस्त्रिदोषघ्नो रसायनः ।

213
योगवाही महावृष्यः सदा दृष्टिबलावहः ।

सर्वामयहरः प्रोक्तो विशेषात्सर्वकुष्ठनुत् ॥२६७॥

Pārada has six *rasas* (tastes). It is unctuous. It alleviates all the three *doṣas*. It is rejuvenating, *yogavāhin* (which enhances the efficacy of other drugs when mixed) and exceedingly aphrodisiac. It always promotes eye sight and strength. It cures all diseases. It has special curative property for all types of *kuṣṭha* (obstinate skin diseases including leprosy).

214
मलं विषं वह्निगिरीवचापलं ,

215
नैसर्गिकं दोषमुशन्ति पारदे ।

216
उपाधिजौ द्वौ त्रपुनागसंज्ञकौ

217 218
दोषौ च सूते कथितौ चिकित्सकैः ॥२६८॥

Doṣas and adverse effects

Mala, viṣa, vahni, giri and *capala*--these are the *naisargika* (natural) *doṣas* (defects) in *pārada*. It has two other *doṣas* called *trapu* and *nāga* which are artificial (*upādhiḥ*).

219
मलेन मूर्च्छा मरणं विपेन
दाहोऽग्निना कष्टतरः शरीरे ।

220
देहस्य जाड्यं गिरिणा सदा स्या—
221
च्चापल्यतो वीर्यहृति च पुंसः ।

222
वङ्गेन कुष्ठ भुजगेन गण्डो
223
भवेदतोऽसौ खलुशोधनीयः ॥२६६॥

Mala doṣa causes *mūrccā* (fainting), *viṣa doṣa* causes death, *vahni doṣa* causes burning sensation of serious type. Numbness and rigidity (*jāḍya*) appear in the body because of *giri doṣa*. *Chapala doṣa* destroys semen in the man. *Vaṅga doṣa* produces *kuṣṭha* (obstinate skin diseases including leprosy) and *nāga doṣa* produces *ganḍa* (goitre). Therefore, it is necessary to make *pārada* free from all these *doṣas* through the process of *śodhana* before use.

संस्कारहीन खलु सूनराजं यः सेवते तस्य करोति बाधाम् ।
224

देहस्य नाशं विदधानि नूनं कुष्ठाश्च रोगाञ्जनयेन्नराणाम् ॥३००॥

[भावप्रकाशं धातूपधातुवर्गं ८ ६१-६२, ६६-६७, १००]

If *pārada* is used without *śodhana*, than the person suffers from many serious maladies like *kuṣṭha* resulting in death.

अथोपरसा :

‘गन्धको वज्रवैक्रान्तो वज्राभ्रं तालकं शिला ।

खर्परं शिखि तुत्थं च विमलां हेममाक्षिकम् ॥३०१॥

225

कासीसं कान्तपाषाणो वराटांजनहिङ्गुलम् ।

कंकुष्ठं शंखभूनागं टंकणं च शिलाजतु ॥३०२॥

उक्ता उपसरसा जानेद्रव्यनिर्णयकारिभिः ।

Uparasa

Gandhaka, vajra, vaikrānta, vajrābhra, tālaka, śilā, kharpara, śikhituttha, vimalā. hema mākṣika, kāśisa, kānta pāśāṇa, varāta, añjana, hingula, kamkuṣṭa, śamkha, bhūnāga, tankaṇa and *śilājatu*—these are known as *uparasas* by persons well versed in the identification of drugs.

दरदस्त्रिविधः प्रोक्तश्चर्मरिः शुक्तुण्डकः ॥३०३॥

हंसपादस्तृतीयः स्याद्गुणवानुत्तरोत्तरम् ।

Hingula (Cinnabar)

Variety

Darada or *hingula* is of three types viz., *carmāra*, *śuka tuṇḍaka* and *haṁsa pāda*. The latter ones are therapeutically better than the former ones.

चर्मरिः शुक्लवर्णः स्यात्सपीतः शुक्तुण्डकः ।

जपाकुसुमसङ्काशो हंसपादो महोत्तमः ॥३०४॥

[भावप्रकाशः धातूपधातुवर्गः ८:१०२-१०४]

Carmāra is white, *śukatūṇḍaka* is yellow and *haṁsa pāda* is red like a flower of *japā*. The last one is the best.

तिक्तं कषायं कटुर्हिगुलं स्यान्नेत्रामयघ्न कफपित्तहारि ।

हृल्लासकुष्ठज्वरकामलाश्च प्लीहामवातौ च गरं निहन्ति ॥३०५॥

[भावप्रकाशः धातूपधातुवर्गः ८:१०५]

Property

Hingula is bitter, astringent and pungent. It cures eye diseases, aggravated *kapha* as well as *pitta*, *hṛllāsa* (nausea), *kuṣṭha* (obstinate skin diseases including leprosy), *jvara* (fever), *kāmālā* (jaundice) *plīhan* (splenic disorders), *āmavāta* (rheumatism) and *gara* (poisoning).

227

‘श्वेतद्वीपे पुग देव्या
क्रीडन्त्या रजसा [५५] प्लुतम् ।

228

दुकूलं तेन वस्त्रेण स्नातायाः क्षीरे नीरघौ ।

229

प्रसृतं यद्रजस्तस्माद्गन्धकः समजायत ॥३०७॥

Gandhaka (Sulphur)

Mythology

In the days of yore, in the *Śveta dvīpa*, goddess *Pārvati* was playing aquatic games in the *kṣīra sāgara* during her menstrual period. From her garments, the menstrual fluid got into the water from which *gandhaka* took its origin.

230

चतुर्धा गन्धक. प्रोक्तो रक्तः पीतः सितोऽसितः ।
रक्तो हेमक्रियामूक्तः पीतश्चैव रमायजे ॥३०८॥
व्रणादिलेपने श्वेतः श्रेष्ठ कृष्णः सुदुर्लभः ।

Variety

Gandhaka is of four types viz , red, yellow, white and black. The red variety is used in processing (preparing) gold (*hema kriyā*). The yellow variety is used in rejuvenation therapy. The white variety is useful in ointments for ulcers. The black variety which is the best is extremely rare.

गन्धकः कटुकस्तिक्तो वीर्योष्णस्तुवरः सरः ॥३०९॥
पित्तलः कटुकः पाके कंडूविसर्पजन्तुजित् ।
हन्ति कुष्ठक्षयप्लीहकफवातान् रमायनम् ॥३१०॥

[भावप्रकाश धानूपधानुवर्गं नः १०७-१११]

Property

Gandhaka is pungent, bitter, hot in potency, saline,

laxative, aggravator of *pitta* and pungent in *vipāka*. It cures *kuṣṭha* (obstinate skin diseases including leprosy), *kṣaya* (consumption) and *plīhan* (splenic disorders). It alleviates *kapha* and *vāta*, and is rejuvenating.

‘अशुद्धो गन्धकः कुण्ठं तापं देहे करोति हि ।

सौख्यं च रूपं च बलं

232

शुक्रमोजो हन्ति न संशयः ॥३११॥’

Adverse effect

Use of *gandhaka* which is not properly processed (*aśuddha*) causes *kuṣṭha* (obstinate skin diseases including leprosy) and *tāpa* (burning sensation). It undoubtedly takes away happiness, complexion, strength, semen and *ojas*.

233

‘निदाघे धर्मसतप्ता धातुसारं धराधराः ।

निर्यासवत्प्रमुञ्चन्ति तच्छिलाजनु कीर्तितम् ॥३१२॥

[आयुर्वेदप्रकाश ४:६६]

Silājatu (Mineral pitch)

The essence of stones which exudates from the mountains by the heat of the sun in summer is called *silājatu*.

मधुरं च मृत्तिकां च जपापुःपनिभं च यत् ।

विपाके कटुशीतं च तत्सुवर्णस्य निःसृतम् ॥३१३॥

Variety

The *silājatu* which comes out of stones of gold is sweet and bitter in taste, like the flower of *japā* in colour, pungent in *vipāka* and cooling.

‘राजतं पाण्डुरं शीतं कटुकं स्वादुपाकि च ।

ताम्रान्मयूरकण्ठाभं तीक्ष्णमुष्णं च जायते ॥ ३१४ ॥

234

‘लौहं जटायुपक्षाभं सतिक्तं लवणं भवेत् ।

विपाके कटुकं शीत सर्वश्रेष्ठमुदाहृतम् ॥३१५॥

[आयुर्वेदप्रकाशः ४ : ६६-१००]

The silver type of *śilājatu* is gray in colour, cooling, pungent in taste and sweet in *vipāka*. The *śilājatu* derived from *tāmra* is like the peacock throat in colour, sharp and hot. The *śilājatu* derived from iron stone is like the feather of *jatāyu* in colour and bitter and saline in taste. It pungent in *vipāka* and cooling. This is the best of all varieties.

यथाक्रमं वातपित्तं श्लेष्मापन्ने कफे त्रिषु ।

विशेषतः प्रशम्यन्ते भेदा अश्मजतूद्भवाः ॥३१६॥

The first variety is useful in alleviating *vāyu* and *pitta*, the second and third varieties alleviate *kapha* and the fourth one alleviates all the three *doṣas*.

शिलाजं कटुतिक्तोष्णं कटुपाकं रमायनम् ।

235

छेदि योगवहं हन्ति कफमेहाश्मशर्कराः ॥३१७॥

मूत्रकृच्छ्रं क्षयं श्वासं वातार्शामि च पाण्डुताम् ।

236

अपस्मारं तथोन्मादं शोफकुष्ठोदरकृमीन् ॥३१८॥

[भावप्रकाशः धातूपधानुवर्गः ८:८०-८२]

Property

It is pungent and bitter in taste, hot, pungent in *vipāka* and rejuvenating. It is *chedi* (depleting) and *yogavaha* (which enhances the properties of other drugs). It cures aggravated *kapha*, *meha* (obstinate urinary diseases including diabetes), *aśma śarkarā* (stones and gravel in the urinary tract) *mūtra kṛcchra* (dysuria), *kṣaya* (consumption), *śvāsa* (asthma), aggravated *vāyu*, *arśas* (piles), *pāṇḍu* (anemia), *apasmāra* (epilepsy), *unmāda* (insanity), *śopha* (oedema), *kuṣṭha* (obstinate skin diseases including leprosy), *udara* (obstinate abdominal diseases including ascitis) and *kṛmi* (parasitic infection).

अथरत्नोपरत्नलक्षणगुणा—

गरुत्मतेन्द्रनीलाद्याः प्रस्तरा रत्नसंज्ञकाः ।

मौक्तिकाद्युपरत्नं स्यादुत्पत्तिस्तस्य कथ्यते ॥३१६॥

Ratna and Uparatna (Jewels & costly stones)

Derivation

Stones like *garutman* and *indranila* are called *ratnas*. *Muktā* etc., are called *uparatnas*. Now the derivation of this term is being described.

धनार्थिनो जनाः सर्वे रमन्तेऽस्मिन्नतीव यत् ।

नतां रत्नमिति प्रोक्तं शब्दशास्त्रविशारदैः ॥३२०॥

[भावप्रकाशः धातूपधातुस्तनोपरत्नवर्गः ८:१६८]

[आयुर्वेदप्रकाश ५२]

Since people desirous of wealth indulge (*ramante*) in excess in these stones, therefore scholars of linguistics call them *ratna*.

इन्द्रपक्षीन्द्रसूर्येन्दुमणयः पुष्परागकः ।

वज्रवैडूर्यगोमेदपद्मरागा अमीनव ॥३२१॥

Type

Indra, paksīndra, sūryendu, maṇi, puṣpa rāga, vajra, vaiḍūrya, gomeda and *padma rāga*—these are the nine *ratnas*.

मुक्ताविद्रुमशंखाद्या रत्नोपमणयतस्तथा ।

Mukta, vidruma, śaṅkha etc., are called *uparatnas*.

चक्षुष्याः लेखनाः शीताः कषाया मधुरा सरा ॥३२२॥

मंगल्या धारणादश्री ग्रहदुष्टविषापहाः ।

Property

These *ratnas* and *uparatnas* are *caḥṣuṣya* (promoter of eye sight), *lekhana* (depleting), cooling, astringent, sweet and laxa-

tive. Wearing them bestows auspiciousness and destroys the evil effects of *graha* (planets), *duṣṭi* (evil sight) and *viṣa* (poisoning).

पूजार्थमात्मयोनेश्च ब्रह्मणा सृजतः किल ॥३२३॥
 237
 अकरोद्विघ्नमसुरः कैटभाख्यः प्रतापवान् ।
 तदाक्रुद्धस्य वदनाद्ब्रह्मणस्तेजसोनिधेः ॥३२४॥
 क्रोधो विग्रहवान्भूत्वा निवपातातिदारुणः ।
 स तं ददाहर्गर्जन्तमन्तकामं महाबलम् ॥३२५॥
 ततोऽसुर घातयित्वा तन्नेजोऽवर्धताद्भुतम् ।
 ततो विषादो देवानामभवत्तं निरीक्ष्य च ॥३२६॥
 विषादजननत्वाच्च विषमित्यभिधीयते ।
 ततः स्पष्टा प्रजा शेषा तदा तं क्रोधमीश्वरः ॥३२७॥
 न्यस्तवान्सर्वभूतेषु स्थावरेषु चरेषु च ।

Viṣa (Poisons)

Mythology

A powerful demon, who was created by *Brahmā*, created disturbance in the performance of rituals by the latter. Then *Brahmā*, the abode of all the powers (*tejas*) became very angry and from his mouth the terrifying anger came out in a corporeal form (*vigrahavān*) and fell on the roaring powerful demon and burnt him. After his death, that flame surprisingly expanded. Looking at this, the gods became exceedingly sad. Because of its property to cause sorrow (*viṣāda*), it is called *viṣa*. Then being requested by the remaining subjects, *Īśvara* withdrew that flame of anger and placed it in *sthāvaras* (those who do not move like vegetable kingdom, stone etc.,) and *cara* (those who move like animal kingdom).

यथाऽव्यक्तं रसं तोयं आन्तरिक्ष महीगतम् ॥३२८॥
 तेषु तेषु प्रदेशेषु रसं तं तं नियच्छति ।

एवमेव विषं यच्च द्रव्ये व्याप्यावतिष्ठते ॥३२६॥

स्वभावादेवतत्तस्य रस समनुवर्तते ।

As the rain water which has no manifested taste while in the sky, carries different types of tastes when it falls on the earth and comes in contact with different types of soil, - similarly the *viṣa* acquires the taste of the substance in which it resides.

विषे यस्माद्गुणाः सर्वे तीक्ष्णाः प्रायेण सन्ति हि ॥३३०॥

विषं सर्वमतो ज्ञेयं सर्वदोषप्रकोपनम् ।

Property

All the properties of *viṣa* are super imposed by sharpness (*tīkṣṇa*). Therefore, all types of poisons aggravate all the three *doṣas*.

238

कालकूटोवत्सनाभः शृङ्गकश्च प्रदीपनः ॥ ३३१ ॥

हालाहलो ब्रह्मपुत्रो हारिद्रः सक्तुकस्तथा ।

सौराष्ट्रक इति प्रोक्ता विषभेदा अमीनव ।

Variety

Kālakūṭa, *vatsanābha*, *śṛṅgaka*, *pradīpana*, *hālāhala*, *brahmaputra*, *hāridra*, *saktuka* and *saurāṣṭraka*—these are the nine varieties of *viṣa*.

239

कालकूटः कृष्णवर्णैरनन्तीविन्दुभिस्ततः ॥ ३३२ ॥

अयं तु देवासुसमरे मालिनाम्नोऽसुरस्य शोणितात्समुत्पन्नस्य पिप्पल-
सदृशस्य तरोः निर्यासः अहिच्छत्रमलयकोङ्कणशृङ्गवेरपर्वतादिषूत्पद्यते ।

Kālakūṭa is studded with innumerable black spots. It was originally produced from the blood of a demon called *Māli* during the war between the gods and the demons. It is the exudate of a tree having leaves like those of *pippala*. It is

available in the mountains like *Ahichhatra*, *Malaya*, *Koṅkaṇa* and *Sṛṅgavera*.

वत्सनाभः मिन्दुवारमदृशपत्रो वत्सनाभ्याकृतिः एतत्समीपे वक्षा
न वर्धन्ते ॥ ३३३ ॥

Vatsanābha has leaves like those of *sinduvāra* and in shape it is like the umbilicus of a calf. No other tree grows near this plant.

240

‘ब्राह्मणः पाण्डुरास्तेषु क्षत्रियो रक्तवर्णकः ।’

[भावप्रकाशः विषोपविषवर्गं ८ : २००]

वैश्यः पीतप्रसः शूद्रः कृष्णाभः स तु निन्दितः ।

‘रसायने विषं विप्रं क्षत्रिय देहपुष्टये’ ॥ ३३४ ॥

[भावप्रकाशः विषोपविषवर्गं ८ : २०१]

कुष्ठनाशे प्रयुञ्जीत वैश्यं शूद्रं च घातुषु ।

Among them, the *brāhmaṇa* variety is gray (*pāṇḍura*) in colour, *kṣatriya* is red, *vaiśya* is yellow and *śūdra* is black. The last variety is not useful therapeutically. The *brāhmaṇa* (*vipra*) type of *viṣa* is useful in rejuvenation therapy ; *kṣatriya* type is for nourishment of the body ; *vaiśya* type is for curing *kuṣṭha* (obstinate skin diseases including leprosy) and *śūdra* is for processing *dhātus*.

विषं प्राणहरं युक्त्या प्राणकृच्च रसायनम् ॥ ३३५ ॥

योगवाहि परं श्लेष्मवातहृत्सन्निपातजित् ।

Property

Viṣa kills a person ; but when used judiciously it gives life and works as a rejuvenating agent. It is an excellent *yoga-vāhin* (which enhances the properties of other drugs). It alleviates *kapha* and *vāyu*, and cures *sannipāta* (a condition created by the aggravation of all the three *doṣas*).

मर्कशीरं स्नुहीशीरं लांगली करवीरकः ।

गुंजाऽहिफेनो धुत्तूरः सप्तोपविषजातयः ॥ ३३६ ॥

[भावप्रकाशः धानूपधानुरन्नोपरत्नविषोपविषवर्गं ८ : २०५]

Upaviṣa (Subsidiary poisons)

Variety

Arka kṣīra, snuhīksīra, lāṅgalī, karavīraka, guñjā, ahiphena and *dhuttūra*—these are the seven *upaviṣas* (subsidiary poisons).

विशदो गैरिकः स्निग्धः कषायो मधुरोहिमः ।

Gairika (Red Ochre)

Gairika is *viśada* (non slimy), unctuous, astringent, sweet and cooling.

स्वर्णगैरिकस्तु तद्वच्चक्षुष्यं तद्विशेषतः ॥ ३३७ ॥

A variety of it is known as *svarna gairika*. It shares all the properties of *gairika*. It is specially useful as a promoter of eyesight.

स्रोतोञ्जनं वरं तत्र ततः सौवीरकाञ्जनम् ।

Srotoñjana & Sauvīrakāñjana

As a promoter of eyesight, *srotoñjana* is better than *svarna gairika* and *sauvīrakāñjana* is better than *srotoñjana*.

कफघ्नं कटुकं तिक्तं ह्रैदि सोष्णं रसायनम् ॥ ३३८ ॥

‘चक्षुष्यं श्वेतमरिचं चक्षुष्या पीतरोहिणी ।

Śveta marica & Pītarohiṇī

Śveta marica alleviates *kapha*. It is pungent, bitter, depleting, hot and rejuvenating. *Śveta marica* and *pītarohiṇī*—both are also promoters of eyesight (*caṅśuṣya*).

वंदाकः कफवातास्ररक्षोत्रणविषापहः ॥ ३३९ ॥

Vandāka

Vandāka alleviates *kapha*, *vāta* and blood. It cures *rakṣas* (afflictions by evil spirits), *vraṇa* (ulcer) and *viṣa* (poison).

सक्षार उष्णवीर्यश्च काचो ²⁴¹ दृष्टिकरोऽञ्जनात् ।

Kāca

Kāca is alkaline and hot in potency. It promotes eye sight when used as a collyrium.

कासीसद्वयमम्लोष्ण तिक्त केश्यं दृशोर्हितम् ॥ ३८० ॥

हन्ति कण्डूविषशिवत्रशूलाघातकफानिलान् ।

Kāsīsa (Iron sulphate)

Both the types of *kāsīsa* are sour, hot, bitter and *keśyu* (promoter of good hair). They also promote eyesight. They cure *kaṇḍū* (itching), *viṣa* (poison), *śvitra* (leucoderma), *śūla* (colic pain), *āghāta* (injury) and aggravated *kapha* as well as *vāyu*.

शंखोदधिमलौ शीतौ कपायात्रनिलेखनौ ।

Śaṅkha and Udadhimala (Conch-shell and Cuttle fish bone)

Śaṅkha and *samudrapheṇa*—both are cooling, astringent and *atilekhana* (exceedingly depleting).

242

लघुशंखादयः शीत. नेत्ररुक्स्फोटनायना. ॥ ३८१ ॥

[माधवद्रव्यगुण : १५३-१५६]

Laghu śaṅkha

Laghu śaṅkha etc., are cooling. They cure *netraruk* (pain in eyes) and *sphoṭa* (pustular eruptions).

‘कफपित्तविपातिघ्नी मौराष्ट्री व्रणशोधनी ।

Saurāṣṭrī (Alum)

Saurāṣṭrī cures aggravated *kapha* as well as *pitta* and *viṣa* (poisoning). It is *vraṇaśodhana* (cleansing of ulcers).

पंकः पित्तास्रदाहृत्नो भग्नक्षयहितो हिमः ॥ ३४२ ॥

Pañka (Mud)

Pañka alleviates *pitta*, vitiated blood and *dāha* (burning syndrome). It is useful in *bhagna* (fracture) and *kṣaya* (consumption). It is cooling.

केश्यो ²⁴³ हस्तिमदशिवत्ररंजनो विषनाशनः ।

सर्वपित्तमपस्मारकुष्ठदुष्टत्रणापहः' ॥ ३४३ ॥

[माधवद्रव्यगुणः विविधौषधिवर्गः १६८-१६९]

‘चक्षुष्यः कटुतीक्ष्णोष्णमुन्मादकृमिनाशनः ।

Hasti mada

Hastimada is *keśya* (promoter of good hair). It gives colour to *śvitra* (leucoderma) and cures *viṣa* (poison), aggravated *pitta*, *apasmāra* (epilepsy), *kuṣṭha* (obstinate skin diseases including leprosy) and *duṣṭa vraṇa* (serious type of ulcer). It promotes eyesight. It is pungent, sharp and hot. It also cures *unmāda* (insanity) and *kṛmi* (parasitic infection).

गोरोचनातिमाङ्गल्या विषालक्ष्मीग्रहापहा' ॥ ३४४ ॥

[माधवद्रव्यगुणः विविधौषधिवर्गः १७०]

Gorocana (Ox bile)

Gorocana is exceedingly propitious and it cures *viṣa* (poison), *alākṣmī* (inauspiciousness) and *graha* (afflictions by evil planets).

244

‘सिन्दूरमुष्णं वीमर्षकुष्ठकडूविषापहम् ।
भग्नमधानजनन व्रणशोधनरोपणम् ॥ ३४५ ॥

[भाष्यप्रकाशः पुष्पवर्गः १६७]

Sindūra (Red oxide of lead)

Sindūra is hot and it cures *visarpa* (erysipelas), *kuṣṭha* (obstinate skin diseases including leprosy) *kaṇḍū* (itching) and *viṣa* (poisoning). It helps in the healing of fracture. It cleanses and heals ulcers.

“कमलं शीतल वर्ण्यं मधुर कफपित्तजित् ।

245

“तृष्णादाहान्निविस्फोटविषविसर्पनाशन” ॥ ३४६ ॥

[भाष्यप्रकाशः पुष्पवर्गः ५ : ३]

Kamala (*Nelumbo nucifera* Gaertn.)

Kamala is cooling, *varṇya* (promoter of complexion) and sweet. It alleviates *kapha* and *pitta*. It cures *trṣṇā* (morbid thirst), *dāha* (burning syndrome), *asra* (vitiated blood), *visphoṭa* (pustular eruptions), *viṣa* (poisoning) and *visarpa* (erysipelas).

तम्मादल्पान्तरगुणमन्यद्रक्तोत्पलादिक ।

Raktotpala (*Nymphaea rubra* Roxb.)

Raktotpala shares all the properties of *kamala* ; but it is slightly inferior.

कुमुदं पिच्छिल स्निग्ध मधुर ह्लादि शीतल ॥३४७॥

[भाष्यप्रकाशः पुष्पवर्गः ५ : १५]

Kumuda (*Nymphaea alba* Linn.)

Kumuda is slimy, unctuous, sweet, *hlādi* (pleasing) and cooling.

जातीद्वय लघूष्ण स्यात्तित्त दोषत्रयापह ।

246

शिरोऽक्षिमुखदंतात्तिविषकुष्ठव्रणस्रजित् ॥ ३४८ ॥

Jātī (Jasminum grandiflorum Linn.)

Both the varieties of *jātī* are light, hot and bitter. They alleviate all the three *doṣas*. They cure diseases of head, eyes, mouth, teeth, *viṣa* (poisoning), *kuṣṭha* (obstinate skin diseases including leprosy), *vraṇa* (ulcer) and vitiated blood.

ईपदुष्णं मरुत्श्लेष्मनाशनं बहुगन्धकृत् ।

कामसजननं चापि करुणकुसुमं मतम् ॥ ३४९ ॥

Karuṇa

The flower of *karuṇa* is slightly hot. It alleviates *vāyū* and *kapha*. It is very fragrant and it stimulates passion.

‘मल्लिकोष्णालघुवृष्यातिक्ता च कटुका हरेत् ।

247

वातपित्तास्यहृद्रोगकुष्ठारुचिविषव्रणान् ॥ ३५० ॥

Mallikā (Jasminum sambac Ait.)

Mallikā is hot, light, aphrodisiac, bitter and pungent. It alleviates *vāyu* and *pitta* and cures diseases of mouth and heart, *kuṣṭha* (obstinate skin diseases including leprosy), *aruci* (anorexia), *viṣa* (poisoning) and *vraṇa* (ulcer).

248

माधवी मधुरा शीता लघुर्दोषत्रयापहा’ ।

[भावप्रकाशः पुष्पवर्ग ५ : ३९-४०]

Mādhavī (Hiptage benghalensis Kurz)

Mādhavī is sweet, cooling and light. It alleviates all the three *doṣas*.

यूथिकायुगल शीत तिक्तं च कटुकं लघु ॥ ३५१ ॥

तुवर मधुर हृद्यं पित्तघ्नं कफवातलम् ।

ब्रणास्रमुखदन्ताक्षिशिरोरोगविषापहम्” ॥ ३५२ ॥

[भावप्रकाशः पुष्पवर्ग ५ : २६]

Yūthikā (Jasminum auriculatum Vahl.)

Both the types of *yūthikā* are cooling, bitter, pungent, light, astringent, sweet and cardiac tonic. It alleviates *pitta* and aggravates *kapha* as well as *vāyu*. It cures *vraṇa* (ulcer), *asra* (vitiated blood), diseases of mouth, teeth, eyes and head, and *viṣa* (poisoning).

‘कुब्जकः सुरभिः स्वादुः कपायानुरसः सरः ।

249

त्रिदोषशमनो वृष्यः शीत हर्त्ता च स स्मृतः ॥ ३५३ ॥

[भावप्रकाशः पुष्पवर्ग 4 : 37]

Kubjaka (Rosa Moschata Herrm.)

Kubjaka is fragrant, sweet, astringent (as subsidiary taste or *anurasa*) and laxative. It alleviates all the three *doṣas*. It is aphrodisiac and alleviator of cold.

‘शतपत्री हिमा हृद्या ग्राहिणी शुक्रला लघुः ।

दोषत्रयास्रजिद्वर्ण्य कट्वी तिक्ता च पाचिनी’ ॥ ३५४ ॥

[भावप्रकाशः पुष्पवर्ग ५ : २२]

Śatapatrī

Śatapatrī is cooling, cardiac tonic, constipative, promoter of semen and light. It alleviates all the three *doṣas* and vitiated blood and promotes complexion. It is pungent, bitter and carminative.

शतपत्रीभव वारिश्रमघ्न वातपित्तजित् ।

मनोह्लादकर नेत्र्य दुर्गन्धाश्रीविषापहम् ॥ ३५५ ॥

The water (after distillation?) of *śatapatrī* alleviates exhaustion, *vāyu* and *pitta*. It is pleasing to the mind, promoter

of eye sight and remover of foul smell of the body as well as inauspiciousness. It cures *viṣa* (poisoning).

केतकी युगलं तिक्तं कटुस्वादुविषापहम् ।

Ketaki (*Pandanus tectorius Soland ex Parkinson*)

Both the varieties of *ketaki* are bitter, pungent and sweet. It cures *viṣa* (poisoning).

250

नेपाली शीतला तिक्ता लघ्वी दोषत्रयापहा ॥ ३५६ ॥

251

कर्णाक्षि मुखरोगघ्नी तद्गुणा वार्षिकी मता ।

Naipālī & Vārṣikī

Naipālī is cooling, bitter and light. It alleviates all the three *doṣas*. It cures the diseases of ear, eyes and mouth. *Vārṣikī* has similar properties.

‘चंपकः कटुकस्तिक्तः कपायो मधुरो हिमः ।

विषकृमिहरः कृच्छ्रकफपित्तास्रवातजित्’ ॥ ३५७ ॥

[भावप्रकाशः पुष्पवर्ग ५ : ३१]

Campaka (*Michelia champaca* Linn.)

Campaka is pungent bitter, astfingent, sweet and cooling. It cures *viṣa* (poisoning), *kṛmi* (parasitic infection), *kṛcchra* (dysuria), aggravated *kapha*, *pitta*, blood and *vāyu*.

अक्षिरोगहरश्चापि विशेषाद्राजचंपकः ।

Rāja campaka

Rāja campaka is specifically useful for eye diseases.

252

बकुलस्तुवरोरुक्षः कटुपाकरसो गुरुः ।

कफपित्तविषशिवत्रकृमिदन्तगदापहः’ ॥ ३५८ ॥

[भावप्रकाशः पुष्पवर्ग ५ : ३२]

Bakula (Mimusops elengi Linn.)

Bakula is astringent and ununctuous. It is pungent both in *vipāka* and *rasa*. It is heavy. It cures aggravated *kapha* as well as *pitta*, *viṣa* (poisoning), *śvitra* (leucoderma), *kṛmi* (parasitic infection) and *danta gada* (diseases of teeth).

253
‘वको रूक्षः कटुस्तिक्तः कफपित्तविषापहः ।

254
योनिशूलतृपादाहकुष्ठशोफाम्बनाशनः’ ॥ ३५६ ॥

[भावप्रकाशः पृष्पवर्गं ५ : ३४]

Vaka

Vaka is ununctuous, pungent and bitter. It cures aggravated *kapha* as well as *pitta*, *viṣa* (poisoning), *yoni śūla* (pain in female genital tract), *tṛṣṇā* (morbid thirst), *dāha* (burning syndrome), *kuṣṭha* (obstinate skin diseases including leprosy), *śoṣha* (oedema) and *asra* (vitiated blood).

पाटलस्तु महाशीतः कफवानप्रकोपनः ।

मन्दाग्निपित्तरोगघ्नः कफव्याधिविनाशकृत् ॥३६०॥

Pāṭala (Stereospermum suaveolens Dc.)

Pāṭala is exceedingly cooling. It aggravates *kapha* and *vāta*. It cures indigestion, diseases caused by *pitta* as well *kapha* (?).

वानपित्तप्रगमनो मनोजो देववल्लभः ।

Deva vallabha

Deva vallabha alleviates *vāta* and *pitta*. It is pleasing to the mind.

पवित्र नीपकुसुमं तद्वदेवकदंबजम ॥३६१॥

Nīpa & Kadamba (Adina cordifolia Benth and Hook. f and Anthocephalus cadamba Miq.)

The flowers of both *nīpa* and *kadamba* are sacred.

‘तुलसी कटुका तिक्ता हृद्योष्णा दाहपित्तकृत् ।

दीपनी कुष्ठकृच्छ्रास्रपार्श्वरुक्कफवातजित्’ ॥३६२॥

[भावप्रकाशः पुष्पवर्ग ५:६२]

विपकृमिवमिदवासदुर्नामाक्षिरुजापहा ।

Tulasī (*Ocimum sanctum* Linn.)

Tulasī is pungent, bitter, cardiac tonic and hot. It causes *dāha* (burning syndrome) and aggravation of *pitta*. It stimulates digestion, and cures *kuṣṭha* (obstinate skin diseases including leprosy), *kṛcchra* (dysuria), *asra* (vitiation of blood) and *pārsvaruk* (pain in the sides of chest). It alleviates *kapha* and *vāta*. It also cures *viṣa* (poisoning), *kṛmi* (parasitic infection), *vami* (vomiting), *śvāsa* (asthma), *durnāma* (piles) and *akṣiruk* (pain in eyes).

²⁵⁵
‘दमनस्तुवरस्तित्तः शीतो वृष्यः सुगन्धिकः ।

²⁵⁶
ग्रहणीविषकुष्ठास्रक्लेदकण्डूत्रिदोषजित्’ ॥ ३६३ ॥

[भावप्रकाशः पुष्पवर्ग ५:६७]

Damana

Damana is astringent, bitter, cooling, aphrodisiac and fragrant. It cures *grahaṇī* (sprue syndrome), *viṣa* (poisoning), *kuṣṭha* (obstinate skin diseases including leprosy), *asra* (vitiation of blood), *kleda* (stickiness), *kaṇḍū* (itching) and aggravation of all the three *doṣas*.

फणिज्भक्तोऽग्निदोहृद्यस्तित्तोष्णः पित्तलो लघुः ।

‘वृश्चिकादिविषश्लेष्मवातकुष्ठकृमिप्रणुत् ।

²⁵⁷
कटुपाकरसो हृद्यस्तित्तो रुक्षः सुगन्धिकः ॥ ३६४ ॥

[भावप्रकाशः पुष्पवर्ग ५:६५]

Phaṇijjhaka (*Ocimum basilicum* Linn.)

Phaṇijjhaka stimulates digestion, It is cardiac tonic,

bitter and hot. It aggravates *pitta*. It is light. It cures the poisoning by scorpion stings, aggravation of *kapha* and *vāyu*, *kuṣṭha* (obstinate skin diseases including leprosy) and *kṛmi* (parasitic infection.) In *vipāka* and taste it is pungent. It is appetiser, bitter, ununctuous and fragrant.

कुमुदोत्पलनालाश्च सपुष्पाः सफलाः स्मृताः ।

शीतम्वादुकषायाश्च कफमारुतकोपनाः ॥ ३६५ ॥

***Kumuda & Utpala* (Nymphaea alba Linn. & Nymphaea stellata Willd.)**

The stalk, flower and fruit of *kumuda* and *utpala* are cooling, sweet and astringent. They aggravate *kapha* and *vāyu*.

शणस्य - कोविदारस्य कर्बुदारस्य शाल्मलेः ।

पुष्पं ग्राहिप्रशस्तं च रक्तपित्ते विषे क्षये ॥ ३६६ ॥

***Śaṇa, Kovidāra, Karbudāra & Śālmālī* (Crotalaria juncea Linn., Bauhinia variegata Linn., Bauhinia purpurea Linn., & Salmalia malabarica Schott and Endl.)**

The flowers of *śaṇa*, *kovidāra*, *karbudāra* and *śālmālī* are constipative and they are useful in *rakta pitta* (a disease characterised by bleeding from different parts of the body), *viṣa* (poisoning) and *kṣaya* (consumption).

मधूकं श्लेष्मलं ग्राही तद्वदेव च यूथिका ।

***Madhūka & Yūthika* (Madhuca indica J.F. Gmel. & Jasminum auriculatum Vahl.)**

Madhūka and *Yūthika* aggravate *kapha* and they are constipative.

रक्तपित्तातिसारघ्नं घातकी कुसुमं हिमम् ॥ ३६७ ॥

Dhātakī (Woodfordia fruticosa Kurz.)

Dhātakī flower cures *rakta pitta* (a disease characterised by bleeding from different parts of the body) and *atisāra* (diarrhoea). It is cooling.

मुचुकुन्दं शिरोतिघ्नं पित्तास्रघ्न महद्गुणम् ।

Mucukunda (Pterospermum acerifolium Wild.)

Mucukunda is exceedingly useful in curing headache, aggravation of *pitta* and vitiation of blood.

वातघ्नी मल्लिका तिक्ता, रजनी स्तभिनी जया ॥ ३६८ ॥

Mallikā & Jayā (Jasminum sambac Ait & Sesbania sesban Merr.)

Mallikā alleviates *vāyu* and is bitter. *Jayā* imparts colour and is constipative.

वृषायास्तिकयोः पुष्प तिक्त पित्तकफापहम् ।

क्षयकासापहं पाके कटुक वातकोपनम् ॥ ३६९ ॥

Vr̥ṣa & Agastya (Adhatoda vasica Nees & Sesbania grandiflora Pers)

The flowers of *vr̥ṣa* and *agastya* are bitter and they alleviate *pitta* as well as *kapha*. They cure *kṣaya* (consumption) and *kāsa* (bronchitis). In *vipāka*, they are pungent and they aggravate *vāyu*.

अगस्त्यं नातितिक्तं स्यात् नक्तान्ध्यानां प्रशस्यते ।

Agastya is not exceedingly bitter and is useful for patients suffering from *naktāndhya* (night blindness).

ब्रह्मवृक्षस्य निबस्य मुष्ककस्यासनस्य च ॥ ३७० ॥

कफपित्तहरं पुष्प कुष्ठघ्न कुटजस्य च ।

Brahma, Nimba, Muṣkaka Asana & Kuṭaja (Butea monosperma Kuntze, Azadirachta indica A. Juss., Schrebera swietenoides Roxb., Pterocarpus marsupium Roxb., & Holarrhena antidysenterica Wall.)

The flowers of *brahma*, *nimba*, *muṣkaka asana* and *kuṭaja* alleviate *kapha* and *pitta*. They cure *kuṣṭha* (obstinate skin diseases including leprosy).

258 कफघ्नं केतक तिक्तं सैरेय विषहारि च ॥ ३७१ ॥

॥ इति नानौषधिवर्गः ॥

Ketaka & Saireya (Pandanus tectorius Soland ex Parkinson & Barleria cristata Linn.)

Ketaka alleviates *kapha* and is bitter. *Saireya* cures *viṣa* (poisoning).

Thus ends the group of miscellaneous drugs.

NOTES AND REFERENCES

1. रेचका इति द्वितीयपुस्तके पाठः ।
2. पावनी पूतना इति षष्ठपुस्तके पाठः ।
3. त्र्यब्दी इति षष्ठपुस्तके पाठः ।
4. पूतनामृता इति द्वितीयपुस्तके पाठः ।
5. चक्षुष्या लघुरायुष्या बृंहणी चानुलोमिनी इति आकरे पाठः।
6. अग्रहणीरोगः इति आकरे पाठः ।
7. अतृपाच्छदिः इति आकरे पाठः ।
8. प्लीहानञ्च यकृततथा इति आकरे पाठः।
9. च कथिताऽतिगुणप्रदा इति आकरे पाठः ।
10. भ्रष्टा इति द्वितीयपुस्तके पाठः ।

11. कृमि इति आकरे पाठः ।
12. मदकृच्छ्राथ धात्रीमज्जाऽपि इति आकरे पाठः ।
13. धात्र्यास्त्रिदोषनुत् इति द्वितीयपुस्तके पाठः ।
14. द्रव्यगुणरत्नमालायाम्.....त्रिफलेयं प्रकीर्तिता पाठोऽयं द्वितीयपंचम-
पुस्तकयोः नोपलभ्यते ।
15. शिवा.....कफपित्तनुत् पाठोऽयं द्वितीयषष्ठपुस्तकयोः नोपलभ्यते ।
16. कुष्ठहरासरा इति आकरे पाठः ।
17. चैव इति द्वितीयपुस्तके पाठः ।
18. मृदुरोचनी इति द्वितीयपुस्तके पाठः ।
19. कफपित्तस्यरुक् इति द्वितीयपुस्तके पाठः ।
20. वल्कल्ला इति द्वितीयपुस्तके पाठः ।
21. शीतो....कृमिपित्तविषप्रणुत् पाठोऽयं प्रथमपंचमपुस्तकयोः
नोपलभ्यते ।
22. कृमिपित्तविनाशन इति षष्ठपुस्तके पाठः ।
23. हृद्यं इति प्रथमपुस्तके पाठः ।
24. कफपित्तहरं लघु इति षष्ठपुस्तके पाठः ।
25. द्विविध.....पाराशरोऽब्रवीत् पाठोऽयं प्रथमपुस्तके नोपलभ्यते ।
26. कुटजः.....त्वग्दोषार्शोतिसारजित् पाठोऽयं द्वितीयषष्ठपुस्तकयोः
नोपलभ्यते ।
27. चातिविषाद्वयम् इति प्रथमद्वितीयपुस्तकयोः पाठः ।
28. दोषं इति पंचमपुस्तके पाठः ।
29. अक्कः इति प्रथमपुस्तके पाठः ।
30. मुरोक्तं इति द्वितीयपुस्तके पाठः ।
31. तौवरक्तं इति द्वितीय पुस्तके पाठः ।
32. मधुरं इति द्वितीयपुस्तके पाठः ।
33. ग्रहणी.....गुल्मनुत् पाठोऽयं प्रथमपंचमपुस्तकयोः नोपलभ्यते ।
34. महिषाख्यो इति द्वितीयषष्ठपुस्तकयोः पाठः ।
35. एव च इति द्वितीयपुस्तके पाठः ।
36. महिषाख्य इति षष्ठपुस्तके पाठः ।
37. कुमुदः कुमुदाभः स्यात्पद्मौ माणिक्यसन्निभः इति आकरे पाठः ।

38. पञ्चानां लिंगमीरितम् इति आकरे पाठः ।
39. महिषाख्यो इति षष्ठपुस्तके पाठः ।
40. परम् इति द्वितीयपुस्तके पाठः ।
41. कदाचिन्महिषाक्षश्च इति आकरे पाठः ।
कदाचिन्महिषाख्यस्तु इति षष्ठपुस्तके पाठः ।
42. कटू रूक्षो लघुः परः इति आकरे पाठः ।
43. स्मृतः इति षष्ठपुस्तके पाठः ।
44. पत्तलो इति आकरे पाठः ।
45. द्रव्याणां गुणवेदिभिः इति आकरे पाठः ।
46. लशुनसेविनाम् इति आकरे पाठः ।
47. महिषाख्यो.....निरन्तरम् पाठोऽयं प्रथमपञ्चमपुस्तकयोः नोपलभ्यते ।
48. पत्रे.....रसायनः पाठोऽयं द्वितीयषष्ठपुस्तकयोः नोपलभ्यते ।
49. नातं इति द्वितीयषष्ठपुस्तकयोः पाठः ।
50. पलाण्डु..... म्वाडुपाकरसो जयेत् पाठोऽयं प्रथमपञ्चमपुस्तकयोः नोपलभ्यते ।
51. कफकृद्रोचणो इति पञ्चमपुस्तके पाठः ।
52. पलाण्डु.....गुरु पाठोऽयं द्वितीयषष्ठपुस्तकयोः नोपलभ्यते ।
53. शुष्काणि इति प्रथमपुस्तके पाठः ।
54. वातश्लेष्मविबन्धघ्नो इति प्रथमपुस्तके पाठः ।
55. निदाघशरदोर्नेव पूजितमार्द्रकम् इति आकरे पाठः ।
56. गुडार्द्रकं.....समन्वितम् पाठोऽयं प्रथमपञ्चमषष्ठपुस्तकेषु नोपलभ्यते ।
57. श्लघ्न इति षष्ठपुस्तके पाठः ।
58. विबन्ध भेदिनी.....मलपातने पाठोऽयं प्रथमद्वितीयपुस्तकयोः नोपलभ्यते ।
59. विबन्ध.... रसायनी पाठोऽयं प्रथमपञ्चमपुस्तकयोः नोपलभ्यते ।
60. दीपनरोचनम् इति द्वितीयपुस्तके पाठः ।
रोचनदीपनम् इति प्रथमपुस्तके पाठः ।
61. च कटुकं कफघ्न इति प्रथमपुस्तके पाठः ।
62. नात्युष्णं.... सितम् पाठोऽयं प्रथमपञ्चमपुस्तकयोः नोपलभ्यते ।
63. कटुकं इति षष्ठपुस्तके पाठः ।

64. वृष्या इति षष्ठपुस्तके पाठः ।
65. जलपिप्पलिका.....रक्तपित्तज्वरापहा पाठोऽयं प्रथमपंचमपुस्तकयोः नोपलभ्यते ।
66. कफवातजित् इति आकरे पाठः ।
67. रुच्यं पित्तविर्मदनम् इति द्वितीयपुस्तके पाठः ।
68. कृमि.....विबन्धनुत् पाठोऽयं द्वितीयपुस्तके अधिकमुषलभ्यते ।
69. तीक्ष्णोष्णं इति प्रथमपंचमपुस्तकयोः आकरे च पाठः ।
70. पित्ताग्निवर्धनम् इति आकरे पाठः ।
71. ग्राहि.....गर्भाशयविशुद्धिकृत् पाठोऽयं प्रथमपंचमपुस्तकयोः नोपलभ्यते ।
72. जवानी इति प्रथमपुस्तके पाठः ।
73. छिच्छिका.....वातकफापहा पाठोऽयं प्रथमपंचमपुस्तकयोः नोपलभ्यते ।
74. भूतूणो इति द्वितीयपुस्तके पाठः ।
75. पुंस्त्वघ्न.....वस्तिरोगरुजापहा पाठोऽयं षष्ठपुस्तके नोपलभ्यते ।
76. भक्ष्यव्यञ्जनभोज्येषु इति आकरे पाठः ।
77. भव्य.....स्रोतोविशोधनी पाठोऽयं प्रथमपंचमपुस्तकयोः नोपलभ्यते ।
78. भङ्गी कफहरी तिक्ता ग्राहिणी पाचनी लघुः इति आकरे पाठः ।
79. मोहमन्दवाग्बल्लिवर्धिनी इति आकरे पाठः ।
80. हृद्यो इति द्वितीयपुस्तके पाठः ।
81. वर्वरी.....विषापहम् पाठोऽयं प्रथमपंचमपुस्तकयोः नोपलभ्यते ।
82. शिशुः.....वातजित् पाठोऽयं प्रथमपंचमपुस्तकयोः नोपलभ्यते ।
83. कट्वंगो इति षष्ठपुस्तके पाठः ।
84. जिगणी इति षष्ठपुस्तके पाठः ।
85. मूत्रकृच्छ्रजित् इति प्रथमपुस्तके पाठः ।
86. तृषा इति प्रथमपुस्तके पाठः ।
87. भवति इति प्रथमपुस्तके पाठः ।
88. गवादिनी इति षष्ठपुस्तके पाठः ।
89. मधूकं इति द्वितीयपुस्तके पाठः ।
90. मुसली इति द्वितीयपुस्तके पाठः ।
91. द्विगुणा इति षष्ठपुस्तके पाठः ।
92. रक्तस्तम्भनहृद्गुणैः इति द्वितीयपुस्तके पाठः ।

93. वृष्या इति प्रथमपुस्तके पाठः ।
94. फंजी इति प्रथमपुस्तके पाठः ।
95. गुरुर्गणश्लेष्मकटुकुमिविषापहः इति द्वितीयपुस्तके पाठः ।
96. फलिनी इति षष्ठपुस्तके पाठः ।
97. कफवातामभूतघ्नी इति द्वितीयपुस्तके पाठः ।
98. बलायुः इति द्वितीयपुस्तके पाठः ।
99. कुक्कुतुंदुः इति प्रथमपुस्तके पाठः ।
100. हंसपादी.....पाण्डुनुत् पाठोऽयं प्रथमपंचमपुस्तकयोः नोपलभ्यते ।
101. पित्त इति प्रथमपंचमपुस्तकयोः पाठः ।
102. कुष्ठं.....प्रमेहजित् पाठोऽयं द्वितीयषष्ठपुस्तकयोः नोपलभ्यते ।
103. आस्फोटा इति द्वितीयपुस्तके पाठः ।
104. तिनीशा इति प्रथमपुस्तके पाठः ।
105. अशणः इति प्रथमपुस्तके पाठः ।
106. श्लेष्मपित्तजित् इति प्रथमपुस्तके पाठः ।
107. योनिदोषान् इति प्रथमपुस्तके पाठः ।
108. व्रणे इति द्वितीयपुस्तके पाठः ।
109. व्रणास्रसंभारभेदनः इति द्वितीयपुस्तके पाठः ।
110. शोथामवातवातघ्नो इति द्वितीयपुस्तके पाठः ।
111. व्रण्यकफास्रघ्नस्तगरः इति द्वितीयपुस्तके पाठः ।
112. शिल्लकं इति प्रथमपुस्तके पाठः ।
113. गुञ्जासज्जोमुरानखम् इति प्रथमपुस्तके पाठः ।
114. रालाविपादिकाः पाठोऽयं प्रथमपंचमपुस्तकयोः नोपलभ्यते ।
115. शिशिरप्रदम् इति षष्ठपुस्तके पाठः ।
116. पत्रांगं इति षष्ठपुस्तके पाठः ।
117. व्रण्यं इति प्रथमपुस्तके पाठः ।
118. पित्तविषकफापहं इति प्रथमपुस्तके पाठः ।
119. पित्तविस्फोटज्वरदाहविषापहं इति प्रथमपुस्तके पाठः ।
120. व्रण्यं इति प्रथमपुस्तके पाठः ।
121. शटी.....हरामता पाठोऽयं प्रथमपंचमपुस्तकयोः नोपलभ्यते ।

122. कफपित्तहरं इति षष्ठपुस्तके पाठः ।
 123. लघुस्तब्धना इति प्रथमपुस्तके पाठः ।
 124. पक्वात्कर्पूरतः.....शोथ-विषापहः पाठोऽयं प्रथमपञ्चमपुस्तकयोः
 नोपलभ्यते ।
 125. ग्राहिनी इति प्रथमपुस्तके पाठः ।
 126. राष्णा.....व्रणविपादिका पाठोऽयं द्वितीयषष्ठपुस्तकयोः नोपलभ्यते ।
 127. तृच्छदिहृल्लासकटुपित्तकफापहा इति द्वितीयपुस्तके पाठः ।
 तृच्छदिहृल्लासकटुपित्तविषापहा इति षष्ठपुस्तके पाठः ।
 128. कासश्वासव्रणापहम् इति प्रथमपुस्तके पाठः ।
 129. गन्धप्रजागुका इति प्रथमपुस्तके पाठः ।
 130. शूलजित् इति प्रथमपुस्तके पाठः ।
 शूलनुत् इति षष्ठपुस्तके पाठः ।
 131. राष्ट्रोष्णा इति द्वितीयपुस्तके पाठः ।
 132. राष्णावातशोथाना[म]वातवातामयान् जयेत् इति प्रथमपुस्तके पाठः ।
 133. शटीवातकफश्वासकार्श्विकाज्वरापहा इति प्रथमपुस्तके पाठः ।
 134. तजगं इति प्रथमपुस्तके पाठः ।
 135. नागकेशरः इति षष्ठपुस्तके पाठः ।
 136. कटुवातार्शो इति षष्ठपुस्तके पाठः ।
 137. कफकाशक्षयापहम् इति प्रथमपुस्तके पाठः ।
 138. वंशलोचना इति षष्ठपुस्तके पाठः ।
 139. कुष्ठज्वरापहः इति षष्ठपुस्तके पाठः ।
 140. तृषा—क्षयापहः पाठोऽयं प्रथमपञ्चमपुस्तकयोः नोपलभ्यते ।
 141. पाण्डुरक्तजित् इति द्वितीयपुस्तके पाठः ।
 142. श्रीफलः—महन्मतम् पाठोऽयं आदर्शपुस्तिकासु नोपलभ्यते द्वितीय-
 षष्ठपुस्तकयोः—“पञ्चमूलमिदं महत्” इतिमात्र पाठः प्राप्तः ।
 तस्मात् भावप्रकाशात् उद्धृत्य पाठपूरणं कृतम् (भावप्रकाशः गृह्य्यादि
 चतुर्थवर्ग २६:३०) ।
 143. न्यग्रोधोदुम्बराश्वत्थपारिसप्लक्षपादयाः इति द्वितीयपुस्तके पाठः ।
 144. पारिसस्थाने इति द्वितीयपुस्तके पाठः ।
 145. द्रष्टव्यम्—आयुर्वेदप्रकाशः ३:१
 भावप्रकाशः पूर्वखण्डः धात्वादिवर्ग ८:१ ।

146. दधते देहं नृणां हनि आयुर्वेदप्रकाशे पाठः ।
देहं दधति नृणा इति भावप्रकाशे पाठः ।
147. मियात् इति षष्ठपुस्तके पाठः ।
148. निषेके इति आकरे पाठः ।
149. शुल्बोज्झितं इति आकरे पाठः ।
150. हेमगुरुक्षमम् इति द्वितीयपुस्तके पाठः ।
151. तच्छेवतं इति आकरे पाठः ।
152. दलिम् इति द्वितीयपुस्तके पाठः ।
153. कषेत्याज्यं लघु स्फुटम् इति आकरे पाठः ।
154. बुद्धिदम् इति द्वितीयपुस्तके पाठः ।
मेघास्मृतिप्रदम् इति आकरे पाठः ।
155. स्वर्णमायुःकर इति द्वितीयपुस्तके पाठः ।
156. रोगत्रजान् पोषयतीह काये इति आकरे पाठः ।
157. समापतत्तत्स्थैकस्माद्विलोचनात् इति द्वितीयपुस्तके पाठः ।
158. तस्माद्भद्र इति आदर्शपुस्तिकासु पाठः ।
159. तस्माद्रजतमुत्पन्नमुक्तकर्मसु योजयेत् इति आकरे पाठः ।
160. च भवेत्तद्धि वज्रादिरसयोगतः इति आकरे पाठः ।
161. स्वर्णाभि इति आदर्शपुस्तिकासु पाठः ।
162. रूक्ष इति आदर्शपुस्तिकासु पाठः ।
163. नाशयत्यचिराद् इति आकरे पाठः ।
164. करोति विड्बन्धन इति द्वितीयपुस्तके पाठः ।
165. वीर्यं बलं हन्ति ततोश्चापुष्टिं महागदान्पोषयति ह्यशुद्धम् इति
आकरे पाठः ।
166. शुल्ब इति षष्ठपुस्तके पाठः ।
167. कुष्ण इति भावप्रकाशे पाठः ।
168. गुण्यं दुष्टं प्रकीर्तितम् इति आकरे पाठः ।
169. नरसेहितम् इति द्वितीयपुस्तके पाठः ।
170. रङ्ग इति आकरे पाठः ।
171. चक्षुष्यं पित्तलं मनाक् इति आकरे पाठः ।
172. "सिंहौ गजौघं तु यथा" इति आदर्शपुस्तिकासु पाठः ।
173. पुष्टिं विदधाति नूनम् इति आकरे पाठः ।

174. च इति षष्ठपुस्तके पाठः ।
175. रीतिकायुगलं—लेखन पाठोऽप्य द्वितीयपुस्तके नोपलभ्यते ।
176. लोमिलदैत्यस्य निहृतस्य इति आकरे पाठः ।
177. व इति आकरे पाठः ।
178. देहशूलकृदसस्कृतं ध्रुवम् इति आकरे पाठः ।
179. तनुते इति आकरे पाठः ।
180. मद्यमम्ल मसूरांश्च इति आकरे पाठः ।
181. न्यंगान्येवाम्लिते सति इति द्वितीयपुस्तके पाठः ।
182. विसृजति इति द्वितीयपुस्तके पाठः ।
सृजति इति षष्ठपुस्तके पाठः ।
183. तत्कृतां इति द्वितीयपुस्तके पाठः ।
184. रक्तपित्तप्रशमनमम्लपित्तं इति षष्ठपुस्तके पाठः ।
185. शतोत्थमुत्तम इति आकरे पाठः ।
186. षष्ठिवर्षीय इति आकरे पाठः ।
187. निपेतुर्घनध्वानाच्छिखरेषु इति आकरे पाठः ।
188. पुरा—चाभ्रकम् पाठोऽप्य 'प्रथमपञ्चमपुस्तकयोः नोपलभ्यते ।
189. गगनात्स्खलित इति आकरे पाठः ।
190. गगनच्युति जातत्वाद् गगन च जगुः सुराः इति द्वितीयषष्ठपुस्तकयोः
पाठः ।
191. गदे शुद्धतयाऽपि च इति द्वितीयपुस्तके पाठः ।
192. 'नाग वह्निस्थित शब्द फूत्कार परिमुञ्चति ।
तच्छरीर गत नित्य व्याधिं कुर्याद्भगन्दरम् ।
वज्र तु वज्रवत्तिष्ठेत्तन्नागनौ विकृतिं व्रजेत् ।
यत्नतो वर्जयेद्धीमानभ्रकत्रितय भिषक् ।
चतुर्थ पीवर वज्र व्याधिवाद्ध्वंशयन्तु ।'
पाठोऽप्य द्वितीयषष्ठपुस्तकयोः उपलभ्यते ।
193. सुतान् विक्रमैः सिहतुल्यान् इति आकरे पाठः ।
194. दुष्टम् इति द्वितीयपुस्तके पाठः ।
कुष्टम् इति षष्ठपुस्तके पाठः ।
195. करोत्यसह्यामसिद्धमभ्र इति द्वितीयषष्ठपुस्तकयोः पाठः ।
196. सुवर्णमाक्षिक स्वादु इति आकरे पाठः ।
197. बस्तिहृत्कण्ठपाण्डुमेहविषोदरम् इति आकरे पाठः ।

198. विषं इति आकरे पाठः ।
199. अपि नाशयेत् इति आकरे पाठः ।
200. मालां विधत्तेऽपि च गण्डपूर्वा शुद्ध्यादिहीन खल माक्षिक तु इति आकरे पाठः ।
201. कण्डूकुष्ठादि इति आकरे पाठः ।
कण्डूकुष्ठार्शरोगासृक्कफपित्तमरुद्ब्रणान् इति द्वितीयपुस्तके पाठः ।
202. चारुतां इति आकरे पाठः ।
203. बहुतापानङ्गसङ्कोचपीडाः इति आकरे पाठः ।
204. मलानुबन्धं खलुमूत्ररोधं इति द्वितीयपुस्तके पाठः ।
205. बु कटुक इति आकरे पाठः ।
206. विशद इति द्वितीयपुस्तके पाठः ।
207. शिवाङ्गात्प्रच्युतं रेतः इति आकरे पाठः ।
208. छुक्लमच्छामभूच्च इति आकरे पाठः ।
209. तत्तु भवेत् इति आकरे पाठः ।
210. स्वस्थो इति आकरे पाठः ।
211. कामितश्चापि इति आकरे पाठः ।
क्रामिता इति षष्ठपुस्तके पाठः ।
212. अजरीकृतो इति षष्ठपुस्तके पाठः ।
213. दृष्टिबलप्रदः इति आकरे पाठः ।
214. वह्निगिरीत्वचापल इति आकरे पाठः ।
215. पारदो इति द्वितीयपुस्तके पाठः ।
216. त्रपुनागयोगजौ इति आकरे पाठः ।
217. रसेन्द्र इति आकरे पाठः ।
218. भिषक्रमैः इति षष्ठपुस्तके पाठः । मूनीश्वरैः इति आकरे पाठः ।
219. विषेण इति आकरे पाठः ।
220. स्याच्चाञ्चल्यतो इति आकरे पाठः ।
221. प्साम् इति आकरे पाठः ।
222. पण्डो इति आकरे पाठः ।
223. परिशोधनीयः इति आकरे पाठः ।
224. कष्टांश्च इति षष्ठपुस्तके आकरे च पाठः ।

225. वराराजनहिङ्गुलम् इति द्वितीयपुस्तके पाठः ।
226. गन्धो हिङ्गुलमभ्रतालकशिलाः स्रोतोऽञ्जन टकणं,
राजावर्तकचुम्बकौ स्फटिकयाशङ्खखटीगैरिकम् ।
कासीसं रसकं कपर्दसिकताबोलाश्च कङ्कुष्टक ।
सौराष्ट्री च मता अमी उपरसाः सूतस्य किञ्चिद् गुणैः । इति भाव-
प्रकाशे पाठः ।
227. देव्या इति आकरे पाठः ।
228. क्षीरनीरधौ इति आकरे पाठः ।
229. समभूततः इति आकरे पाठः ।
230. मितोसितः इति आकरे पाठः ।
231. रसायनः इति आकरे पाठः ।
232. द्रष्टव्यम्-भावप्रकाशः धातूपधातुवर्गं नः११२ ।
233. धातुसतप्ता इति आकरे पाठः ।
234. यज्जटायु प्रतीकाश सतिक्तं लवणान्वितम् इति द्वितीयपुस्तके पाठः ।
235. कफमेदोश्मशर्कराः इति द्वितीयपुस्तके पाठः ।
236. शोथकुष्ठोदरक्रिमीन् इति आकरे पाठः ।
237. सुदुर्मदः इति षष्ठपुस्तके पाठः ।
238. प्रदीपन इति षष्ठपुस्तके पाठः ।
239. कृष्णवर्णरनन्तैर्विन्दुभिःर्युतः इति षष्ठपुस्तके पाठः ।
240. लोहितप्रभः इति आकरे पाठः ।
241. दृष्टिकृदजनात् इति आकरे पाठः ।
242. नेत्रदोषापहाः स्मृताः इति आकरे पाठः ।
243. हस्तिमदश्चित्तरजनो इति आकरे पाठः ।
244. च कुष्ठपाण्डुविषापहम् इति आकरे पाठः ।
245. तृष्णादाहास्रविस्फोटविषवीसर्पनाशनम् इति आकरे पाठः ।
246. तृष्णा.....व्रणास्रजित् पाठोऽयं प्रथमद्वितीयपञ्चमपुस्तिकासु
नोपलभ्यते ।
247. वातपित्तास्यदृग्ब्याधि इति आकरे पाठः ।
248. लघ्वी दोषत्रयापहा इति आकरे पाठः ।
249. शीतघ्न इतरः मतम् इति आदर्शपुस्तिकासु पाठः ।

250. वासन्ती इति भावप्रकाशे पाठः । (भावप्रकाशः पुष्पवर्ग ५ : २३) ।
251. तत्तलं तद्गुणं स्मृतम् इति भावप्रकाशे पाठः (भावप्रकाशः पुष्पवर्ग ५:२५) ।
252. बकुलस्तुवरोऽनुष्णः इति आकरे पाठः ।
253. बकोऽनुष्णः इति आकरे पाठः ।
254. शोथास्रनाशनः इति आकरे पाठः ।
255. दमनस्तुवरंस्तित्तो हृद्यो इति आकरे पाठः ।
256. ग्रहणाद् इति आकरे पाठः ।
257. सुगन्धिके इति आदर्शपुस्तिकासु पाठः ।
258. द्रष्टव्यम्-भावप्रकाशः पुष्पवर्ग ५ : ४२ ।
259. भावप्रकाशः पुष्पवर्ग ५ : ५३ ।

CHAPTER 3

‘भिष्यन्दि लवणं सर्वं सूक्ष्मं सृष्टमल विदुः ।

वातघ्नं पाकि तीक्ष्णोष्णं रोचनं कफपित्तकृत् ॥१॥

[माधवद्रव्यगुणः लवणवर्ग २:१]

Lavana (Salt)

All types of *lavana* are *abhiṣyandi* (which obstruct channels of circulation), *sūkṣma* (subtle), *ṣṣtamala* (which eliminates waste products) and alleviator of *vāta*. They cause suppuration. They are sharp, hot and appetisers. They aggravate *kapha* and *pitta*.

सैन्धव मधुरं हृद्यं दीपन शीतल लघु ।

चक्षुष्यं पाचन स्निग्धं वृष्यं दोषत्रयापहम् ॥२॥

Saindhava (Rock salt)

Saindhava is sweet, cardiac tonic, digestive stimulant, cooling, light, promoter of eye sight, carminative, unctuous, and aphrodisiac. It alleviates all the three *doṣas*.

गजाख्यं लघुवातघ्नमत्युष्णं भेदि पित्तलम् ।

तीक्ष्णं व्यवायि सूक्ष्म चाभिष्यन्दि कटुपाकि च ॥३॥

Gaja

The *gaja* type of salt is *laghu*, alleviator of *vāta*, extremely hot, purgative, aggravator of *pitta*, sharp, *vyavāyi* (a substance whose digestion and metabolism take place after it has pervaded all over the body), *sūkṣma* (subtle), *abhiṣyandī* (which obstructs the channels of circulation) and pungent in *vipāka*.

सामुद्रं मधुरं पाके स्निग्धं नातिसर गुहं ।

नात्युष्णं दीपन भेदि सक्षारमविदाहि च ॥ ४ ॥

श्लेष्मलं वातनुत्तित्तरूक्षं नातिपित्तलम् ।

Sāmudra (Sea salt)

Sāmudra is sweet in *vipāka* and unctuous. It does not possess strong laxative effect. It is heavy. It is not very hot. It is digestive stimulant, purgative (?), alkaline, *avidāhi* (which does not cause burning sensation). It aggravates *kapha* and alleviates *vāyu*. It is bitter and *arukṣa* (not un-unctuous).

विड [सक्षार]मूर्ध्वाधो कफवातानुलोमनम् ॥ ५ ॥

Viḍa

Viḍa is alkaline. It helps in the elimination of *kapha* as well as *vāyu* both through upward and downward tracts.

दीपन लघु तीक्ष्णोष्ण रुच्य पाक्य व्यवायि च ।

विवन्धानाह्विष्टम्भहृद्रुगौरवशूलनुत् ॥६॥

Pākya

Pākya is digestive stimulant, light, sharp, hot, appetiser and *vyavāyi* (which gets digested and metabolised after it has pervaded all over the body). It cures *vibandha* (constipation), *ānāha* (flatulence), *viṣṭambha* (impairment of the peristaltic movement of the colon), *hṛdruḥ* (heart disease),

gaurava (heaviness) and *śūla* (colic pain).

अग्निदीप्तिकरस्तीक्ष्णष्टंक्णक्षार उच्यते ।

Taṅkaṇa kṣāra (Borax)

Taṅkaṇa kṣāra is a digestive stimulant and it is sharp.

‘सुधाक्षारोऽग्निना तुल्यः क्लेदी पक्ता विदारणः ॥७॥

Sudhākṣāra

Sudhākṣāra is like fire. It is *kledi* (produces stickiness), *paktā* (stimulant of digestion and metabolism) and *vidāraṇa* (which causes perforation).

³
श्वादंष्ट्रो मधुरः शीतो लघुः स्रोतोविशोधनः ।

Śvadamṣṭrā kṣāra

The *kṣāra* of *śvadamṣṭrā* is sweet, cooling and light. It cleanses the channels of circulation.

अनपत्यकरः श्रेष्ठः पालाशः सर्वकर्मसु ॥८॥

Palāśa kṣāra

The *kṣāra* of *palāśa* prevents conception and is the most useful.

पूतीकनक्तमालार्कधवमुष्ककपाटलाः ।

सर्षपत्रपुसैर्वा⁴रुकदलीतिलशिग्रुजाः ॥९॥

कोशातकोन्द्रतर्कारी⁵ शिखरी वरुणाग्निजाः ।

क्षाराश्चान्येऽपि गुल्मार्शोग्रहणीरुक्छिदः सराः ॥१०॥

पाचनाः कृमिपुंस्त्वघ्नाः शर्कराश्मरिनाशनाः ।

चक्षुःकेशौजसां नेष्टा रक्तपित्तकराः परम् ॥ ११ ॥’

[माधवद्रव्यगुणः लवणवर्ग २:६-१३]

॥ इति क्षाराः ॥

Other kṣāras

Kṣāras prepared of *pūtīka*, *naktamāla*, *arka*, *dhava*, *muṣkaka*, *pāṭalā*, *sarṣapa*, *trapusa*, *ervāru*, *kadalī*, *tila*, *śigru*, *kośātaki*, *indra*, *tarkārī*, *śikhari*, *varuṇa*, *agni* and such other drugs cure *gulma* (phantom tumour), *arśas* (piles) and *grahaṇī* (sprue syndrome). They are laxative and carminative. They cure *kṛmi* (parasitic infection). They cause impotency. They cure *śarkarā* (gravel) and *aśmari* (stone in the urinary tract). They are harmful for the eyesight, hair and *ojas*. They cause *rakta pitta* (a disease characterised by bleeding from different parts of the body).

६
रुचकं रोचनं हृद्यं दीपनं पाचनं परम् ।
सस्नेहं वातनुन्नातिपित्तल विशद लघु ॥ १२ ॥
उद्गारशुद्धिद सूक्ष्म विबन्धानाहगूलनुत् ।

Rucaka

Rucaka is an excellent appetiser, cardiac tonic, digestive stimulant and carminative. It is unctuous. It alleviates *vāyu* but does not aggravate *pitta* in excess. It is *viśada* (non-slimy) and light. It cleanses *udgāra* (eructation). It is subtle. It cures *vibandha* (constipation), *ānāha* (flatulence) and *śūla* (colic pain).

सौवर्चलगुणाः कृष्णे लवणे गन्धवर्जिताः ॥ १३ ॥

Kṛṣṇa lavana

Kṛṣṇa lavana shares all the properties of *sauvarcala* except the smell.

रोचन दीपन स्वादु रोमक मारुतापहम् ।

Romaka

Romaka is an appetiser, digestive stimulant, sweet and alleviator of *vāyu*.

सतिक्तं कटुकं क्षारं तीक्ष्णमुत्क्लेदि चोद्भिदम् ॥१४॥

Udbhida

Udbhida is bitter, pungent, alkaline and sharp. It produces *kleḍa* (sticky material) in the body.

‘पांशुजं तिक्तमुष्णं च शोफपित्तकफापहम् ।

Pāṁśuja

Pāṁśuja is bitter and hot. It cures *śopha* (oedema) and aggravation of *pitta* and *kapha*.

गुल्महृद्ग्रहणीपाण्डुप्लीहानाह्गलामयम् ॥ १५ ॥

श्वासार्षः कफवाताश्च क्षमयेद्यावशूकजः ।

Yavaśūkaja kṣāra

The *kṣāra* of *yavaśūka* cures *gulma* (phantom tumour), *hr̥droga* (heart disease), *grahaṇī* (sprue syndrome), *pāṇḍu* (anemia), *plīhan* (splenic disorder), *ānāha* (flatulence), *galā-maya* (diseases of throat), *śvāsa* (asthma), *arśas* (piles) and aggravation of *kapha* as well as *vāyu*.

तस्मादल्पान्तरगुणः सर्जिकाक्षार उच्यते ॥ १६ ॥’

[माधवद्रव्यगुणः लवणवर्ग २:७-६]

Sarjikā kṣāra

Sarjikā kṣāra is slightly inferior in property in comparison with *yavaśūkaja kṣāra*.

उष्णोऽनिलघ्नः प्रक्लेदी उषःक्षारोऽग्निनाशनः ।

Uṣaḥ kṣāra

Uṣaḥ kṣāra is hot, alleviator of *vāyu* and *prakledī* (which produces sticky matter). It destroys the power of digestion.

मेदोघ्नः पाचितः क्षारः मुखबस्तिविशोधनः ।

विरूक्षणोऽनिलकरः श्लेष्मघ्नः पित्तदूषणः ॥ १७ ॥

Pācita kṣāra

Pācita kṣāra cures *medas* (adiposity). It cleanses the mouth and *vasti* (urinary bladder). It is un-unctuous. It aggravates *vāyu*, alleviates *kapha* and vitiates *pitta*.

NOTES AND REFERENCES

1. वातनत्तिकमरूक्षं इति षष्ठपुस्तके पाठः ।
2. साक्षरं इति आदर्शपुस्तिकासु पाठः ।
3. स्वाद्वम्लो इति आकरे पाठः ।
4. सर्षपत्रपुषैर्वारुकदलीतिलशिशुजाः इति आकरे पाठः ।
5. शिरीषवरुणाग्निजाः इति आकरे पाठः ।
6. रुचिकं इति षष्ठपुस्तके पाठः ।

CHAPTER 4

वातासृक्पित्तजित् स्वादुः स्निग्धः प्रीणनबृंहणः ।

जीवनस्तर्पणो वृष्यः शीतश्चेक्षुरसः सरः ॥ १ ॥

[माधवद्रव्यगुणः इक्षुवर्ग ३:१०]

Ikṣurasa (Sugarcane juice)

The juice of *ikṣu* alleviates *vāyu*, blood and *pitta*. It is sweet, unctuous, pleasing, nourishing, life giver, refreshing, aphrodisiac, cooling and laxative.

इक्षवो मधुरा बल्या विपाके मधुरा सराः ।

स्निग्धाः कृमिकराश्चेति ते चानेकविधाः मताः ॥२॥

Ikṣu (Sugarcane)

Different types of *ikṣu* are sweet, strength promoting, sweet in *vipāka*, laxative, and unctuous. They cause *kṛmi* (parasitic infection).

‘पौष्णको भीरुकश्चेति वशकः शतपोरकः ।

कान्तारेक्षुस्तापसेक्षुः काण्ठेक्षुः सूचिपत्रकः ।

¹
‘नैपालो दीर्घपत्रश्च नीलपोरो[ऽ] य कोशकृत् ॥३॥’

[भावप्रकाशः इक्षुवर्ग २३:३-४]

²
इत्येता जानय. स्थौल्यात् गुणान्वक्ष्याम्यतः परम् ।

Iksu is of different types viz., *paundraka*, *bhīruka*, *vaṁśaka*, *śatapora*, *kāntāreksu*, *tāpaseksu*, *kāṣṭheksu*, *sūci patraka*, *naipāla*, *dīrgha patra*, *nīlapora*, and *kośakṛt*. These are the varieties in general and now their properties will be described.

³
सुशीतो मधुरः स्निग्धो बृंहणः श्लेष्मलः सरः ॥ ४ ॥”

[माधवद्रव्यगुणः इक्षुवर्ग ३:३-४]

⁴
दीर्घपोरः सुकठिनः सक्षारो वंशको मतः ।

[भावप्रकाशः इक्षुवर्ग २३:८]

Dīrghapora & Vaṁśaka

Dīrghapora is exceedingly cooling, *sweet, unctuous, nourishing, aggravator of *kapha* and laxative.

Vaṁśaka is hard and alkaline.

⁵
‘वशवच्छतपोरस्तु किञ्चिद्दुष्णः स वातहा ॥ ५ ॥

Śatapora

Śatapora is like *vaṁśa*. It is slightly hot and it alleviates *vāyu*.

कांतरतापसाविक्षु वशकानुगतौ मतौ ।

Kāntāra & Tāpasa

Kāntāra and *tāpasa* types are like *vaṁśaka*.

⁶
एवगुणस्तु काण्डेक्षुर्वातपित्तप्रकोपनः ॥’ ६ ॥

[माधवद्रव्यगुणः इक्षुवर्ग ३:६-७]

Kāṇḍekṣu

Kāṇḍekṣu has similar properties but it aggravates *vāyu* and *pitta*.

सूचीपत्रो नीलपोरो ⁷ नेपालो दीर्घपत्रकः ।

वातलाः कफपित्तघ्नाः सकषाया विदाहिनः ॥ ७ ॥

Sūcīpatra etc.

Sūcīpatra, *nīlapora*, *nepāla* and *dīrgha patraka* aggravate *vāyu*. They alleviate *kapha* and *pitta*. They are astringent and they cause burning sensation.

कोशकारो गुरु शीतो रक्तपित्तक्षयापहः ।

Kośakāra

Kośakāra is heavy and cooling. It cures *raktapitta* (a disease characterised by bleeding from different parts of the body) and *kṣaya* (consumption).

अतीव मधुरो मूले मध्ये मधुर एव च ।

⁸अग्नेत्विक्षुषच विज्ञेय इक्षूणां लवणो रसः ॥ ८ ॥

[माधवद्रव्यगुणः इक्षुवर्ग ३ : ७-९]

Taste of the different parts of *Ikṣu*

The root (lower part of the stem) of *ikṣu* is extremely sweet. The middle portion of the stem of this plant is (moderately) sweet. The upper part of the stem bears saline taste.

अविदाही कफकरो वातपित्तनिवर्हणः ।

चक्षुःप्रह्लादनो वृष्यो दन्तनिष्पीडितो रसः ॥ ९ ॥

Juice extracted by chewing

The juice of *ikṣu* that comes out by chewing does not cause any burning sensation. It aggravates *kapha* but alleviates *vāyu* and *pitta*. It is nourishing to the eyes and aphrodisiac.

‘गुरुविदाही विष्टम्भी यान्त्रिकस्तु प्रकीर्तितः ।

Juice extracted by a machine

The juice of *ikṣu* that is extracted by a machine is heavy and it causes burning sensation. It is constipative.

9

पक्वो गुरुः सरः स्निग्धः सतीक्ष्णः कफवातनुत् ।

Boiled juice

The boiled juice of *ikṣu* is heavy, laxative, unctuous and sharp. It alleviates *kapha* and *vāta*.

10

“फाणितं गुर्वभिप्यन्दि वृंहण कफशुक्रलम्” ॥ १० ॥

[माधवद्रव्यगुणः इक्षुवर्ग ३ : १२-१३]

वातपित्तश्रम हन्ति मूत्रवस्तिविशोधनम् ।

Phāṇita (Penidium)

Phāṇita is heavy, *abhiṣyandi* (which obstructs the channels of circulation) and *br̥mhāṇa* (nourishing). It produces more of *kapha* and semen. It alleviates *vāta* and *pitta*. It relieves exhaustion and cleanses urine and urinary bladder.

रूक्षं मधूकपुष्पोत्थं फाणितं वातपित्तजित्” ॥ ११ ॥

Phāṇita prepared of the flower of *madhūka* is ununctuous. It alleviates *vāta* and *pitta*.

‘गुडो वृष्यो गुरुः स्निग्धो वातघ्नो मूत्रशोधनः ।

नातिपित्तहरो मेदःकफकृमिबलप्रदः’ ॥ १२ ॥

[भावप्रकाशः इक्षुवर्ग २३ : २५]

Gūḍa (Molasses)

Gūḍa is aphrodisiac, heavy and unctuous. It alleviates *vāyu* and cleanses urine. It does not alleviate *pitta* in excess. It produces *medas* (adiposity), *kapha*, *kṛmi* (parasitic infection) and strength.

‘पित्तघ्नो मधुरः स्निग्धो वातहामृक्प्रसादनः ।

सः पुराणोऽधिकगुणो गुडपथ्यतमः स्मृतः’ ॥ १३ ॥

[माधवद्रव्यगुणः इक्षुवर्ग ३ . १५]

हृद्यः पुराणो तर्पण्यो नवः इनेष्मग्निसादकृन् ।

Guḍa which is preserved for a long time (*purāna*) alleviates *pitta*. It is sweet and unctuous. It alleviates *vāyu* and promotes blood. It is superior in therapeutic property and is wholesome par excellence. It is a cardiac tonic.

Freshly collected (*nava*) *guḍa* reduces *kapha* and the power of digestion.

‘गुडमत्स्यण्डिका खण्डशर्कराविमलाः पराः’ ॥ १४ ॥¹¹

यथा यथैषां वैमल्य भवेच्छैत्य तथा तथा ।

‘स्नेहगौरवमाधुर्यं रसत्वं च तथा तथा’ ॥ १५ ॥^{12 13}

Guḍa, *matsyandikā*, *khaṇḍa*, *śarkarā* and *vimalā*—they are progressively free from impurity, cooling, unctuous, heavy, sweet and delicious.

वातपित्तहरं शीतं स्निग्धं हृद्यं मुखप्रियम् ।¹⁴

चक्षुष्यं वृंहणं बल्यं खण्डं वृष्यतनमत्तम् ।

Khaṇḍa (Candied sugar)

Khaṇḍa alleviates *vāyu* and *pitta*. It is cooling, unctuous, cardiac tonic, delicious, promoter of eyesight, nourishing and strength promoting. It is an aphrodisiac par excellence.

क्षीणक्षतहिता वृष्या स्निग्धा पौण्ड्रकशर्करा’ ॥ १६ ॥¹⁵

[माधवद्रव्यगुण इक्षुवर्ग ३ : १५-१७, १८]

Paunḍraka śarkarā

Paunḍraka śarkarā is useful in *kṣīṇa* (emaciation) and

ksata (phthisis). It is aphrodisiac and unctuous.

‘छर्द्यतीसारतृष्णाघ्नी विरूक्षा मधुशर्करा’ ।

[माधवद्रव्य इक्षुवर्ग ३ : २१]

Madhu śarkarā

The *śarkarā* prepared of *madhu* (honey) cures *chardī* (vomiting), *atisāra* (diarrhoea) and *tṛṣṇā* (morbid thirst). It is exceedingly un-unctuous.

16

‘मूत्रकृच्छ्राश्मरीप्लीह्नि हिता सामुद्रिकोद्भवा ॥१७॥

ज्वरासृक्पित्ततृच्छदिमोहमूर्च्छाविषातिषु ।

Sāmudrikodbhavā śarkarā

The *sāmudrikodbhavā śarkarā* is useful in the treatment of *mūtrakṛcchra* (dysuria), *aśmari* (stone in the urinary tract), *plīhan* (splenic disorder), *jvara* (fever), *asṛkpitta* (a disease characterised by bleeding from different parts of the body), *tṛṣṇā* (morbid thirst), *chardī* (vomiting), *moha* (unconsciousness), *mūrchā* (fainting) and *vīṣa* (poisoning).

सर्वा एवामृतप्रख्याः शर्कराः समुद्राहृताः ॥ १८ ॥

Śarkarā in general

All types of *śarkarā* are like ambrosia.

17

सारे स्थिता निर्मलाश्च त्यक्तक्षारा यथा यथा ।

18

तथा तथा वीर्यवत्यः शीतवीर्यास्तथा तथा’ ॥ १९ ॥

[माधवद्रव्यगुणः इक्षुवर्ग ३ : १९-२१]

॥ इत्यिक्षुवर्गः ॥

Depending upon these three factors viz., (1) extraction from the most useful part, (2) freedom from impurity and (3) freedom from alkalinity, the *śarkarā* becomes progressively more potent and more cooling in potency.

Thus ends the group dealing with sugarcane and its derivatives.

NOTES AND REFERENCES

1. नेपालो इति आकरे पाठः ।
2. इत्येते ज्ञातयः स्थौल्याद् गुणत्वक्सारतो मताः इति आकरे पाठः ।
3. सुशीतो—सरः पाठोऽयं द्वितीयपुस्तके नोपलभ्यते ।
4. वंशकः स्मृतः इति आकरे पाठः ।
5. वंशवत् शतपोनस्तु इति आकरे पाठः ।
6. कान्तेक्षुः स च वातप्रकोपणः इति आकरे पाठः ।
7. नैपालो इति भावप्रकाशे पाठः ।
8. अग्रे ग्रन्थित्वचोर्ज्ञेयो लवणो रस एव च इति आकरे पाठः ।
9. कफवातजित् इति आकरे पाठः ।
10. फाणितं—वातपित्तजित् पाठोऽयं षष्ठपुस्तके नोपलभ्यते ।
11. परम् इति आकरे पाठः ।
12. सञ्चरेच्च इति आकरे पाठः ।
13. स्नेह—तथा तथा पाठोऽयं द्वितीयपुस्तके नोपलभ्यते ।
14. स्निग्धं शीतं बल्य इति आकरे पाठः ।
15. स्निग्धा खण्डस्य शर्करा इति आकरे पाठः ।
16. प्लीहहिता इति आकरे पाठः ।
17. सारोत्थिता इति आकरे पाठः ।
18. त्यक्तक्षीरा इति द्वितीयपुस्तके पाठः ।

CHAPTER 5

“वौक्तिकं¹ भ्रामरं क्षौद्रं माक्षिकं छात्रमेव च ।

आर्ध्यमौद्दालकं दालमित्यष्टौ मधुजातयः ॥ १ ॥’

[भावप्रकाशः मधुवर्गं २२:६]

Madhu (Honey)

Variety

Paittika, bhrāmara, kṣaudra, māḥṣika, chātra, ārghya, auddālaka and *dāla*—these are the eight varieties of *madhu*.

कषायानुरसं रूक्षं शीतलं मधुरं मधु ।

दीपनं लेखनं बल्यं व्रणशोधनरोपणम् ॥ २ ॥

सघनं लघुं चक्षुष्यं स्वर्यं हृद्यं² त्रिदोषनुत् ।

Property

Madhu is astringent in *anurasa* (after-taste), un-unctuous, cooling, sweet, a digestive stimulant, *lekhana* (depleting) and strength promoting. It cleans and heals ulcers and helps in the joining of fractured bones. It is light, promoter of eyesight and good voice, cardiac tonic and alleviator of all the three *doṣas*.

3

छर्दिहिककाविषश्वासकासशोथातिसारजित् ॥ ३ ॥

4

रक्तपित्तहर ग्राही कृमिघ्न मोहहृत्परम् ।

It cures *chardī* (vomiting), *hikkā* (hiccup), *viṣa* (poisoning), *śvāsa* (asthma), *kāsa* (bronchitis), *śoṭha* (oedema), *atisāra* (diarrhoea) and *raktapitta* (a disease characterised by bleeding from different parts of the body). It is constipative. It cures *kṛmi* (parasitic infection). It is an excellent drug for curing *moha* (unconsciousness).

पैच्छल्यात्स्वादुभूयस्त्वात्पैक्तिक गुरु सस्मृतम् ॥ ४ ॥

Paittika

Paittika type of *madhu* is slimy and sweet in excess. Therefore it is known to be heavy.

5

भ्रामर कुरुते जाड्यं भूयिष्ठ मधुर च तत् ।

Bhrāmara

Bhrāmara type of *madhu* produces *jāḍya* (numbness and rigidity). It is excessively sweet.

क्षौद्रं विशेषतो ज्ञेय शीतल लघु लेखनम् ॥ ५ ॥

Kṣaudra

Kṣaudra type of *madhu* is specifically cooling, light and *lekhana* (depleting).

तस्माल्लघुतर रूक्ष माक्षिक प्रवर स्मृतम् ।

श्वासादिषु च रोगेषु प्रशस्त तद्विशेषतः ॥ ६ ॥”

[माधवद्रव्यगुणः मधुवर्ग ४ : १-७]

Mākṣika

Mākṣika type of *madhu* is lighter than the former. It is

exceedingly un-unctuous. It is specifically, useful in diseases like *śvāsa* (asthma).

बृहणीय मधु नवं⁶ नातिश्लेष्महर परम् ।

[माधवद्रव्यगुणः मधुवर्ग ४ : १२]

Freshly Collected *Madhu*

Freshly collected (*nava*) *madhu* is nourishing. It does not alleviate *kapha* in excess. It is very useful.

“स्वादुपाक गुरु हिम पिच्छिल रक्तपित्तजिन् ॥७॥

शिवत्रमेहकुमिध्न च⁷ विद्याच्छात्र गुणोत्तरम् ।

Chātra

Chātra type of *madhu* is sweet in *vipāka*, heavy, cooling and slimy. It cures *raktapitta* (a diseases characterised by bleeding from different parts of the body), *śvitra* (leucoderma), *meha* (obstinate urinary disorders including diabetes) and *kṛmi* (parasitic infection). It is of superior quality.

‘आर्ध्रमध्वतिचक्षुष्य कफपित्तहर परम् ।

कषायं कटुक पाके⁸ तिक्त वल्यमवातकृन्⁹ ॥ ८ ॥’

[भावप्रकाशः मधुवर्ग २० : १६]

Ārghya

Ārghya type of *madhu* is an excellent promoter of eye-sight. It is also an excellent alleviator of *kapha* and *pitta*. It is astringent in taste and pungent in *vipāka*. It is bitter and does not aggravate *vāyu*.

श्रौद्दालिक रुचिकर स्वयं कुष्ठविषापहम् ।

कषायमुष्णमम्ल च पित्तकृत्कटुपाकि च ॥ ९ ॥

[भावप्रकाशः मधुवर्ग २२ . २१] [माधवद्रव्यगुण मधुवर्ग ४ . ९]

Auddālika

Auddālika type of *madhu* is appetiser and promoter of good voice. It cures *kuṣṭha* (obstinate skin diseases including leprosy) and *viṣa* (poisoning). It is astringent, hot and sour. It aggravates *pitta*. It is pungent in *vipāka*.

छदिभेहप्रशमन मधुरूक्ष दलोद्भवम् ।

Dalodbhava

Dalodbhava type of *madhu* cures *chardi* (vomiting) and *meha* (obstinate urinary disorders including diabetes). It is un-unctuous.

विशेषात्पौत्तिकं तेषु रक्षोघ्न सर्पिषान्वयात् ।

Special attribute of *Paittika*

Paittika type of *madhu* is specially *rakṣoghna* (which cures afflictions by evil spirits including germs) when used mixed with ghee.

मेद.स्थौल्यापह ग्राहि पुराणमतिलेखनम् ॥ १० ॥

[माधवद्रव्यगुणः इक्षुवर्ग ४८-१२]

10

तद्युक्त विविधैर्द्रव्यै निहन्यादामयान्वहून् ।

नाना द्रव्यात्मकरवाञ्च योगवाहि मधु स्मृतम् ॥ ११ ॥

[माधवद्रव्यगुण मधुवर्ग ४ : १५]

दोषत्रयहर पक्वा मध्वाम तत्रिदोषकृत् ।

Madhu in general

Madhu in general cures *medas* (fat) and *sthaulya* (obesity). It is constipative and when preserved for a long time (*purāṇa*), it is exceedingly depleting. It is a mixture of many drugs; therefore, it cures many diseases. In view of its association with many drugs it is known to be *yogavāhin* (which enhances the property of other drugs). It alleviates all the three *doṣas* when properly digested. If *āma* is produced by its improper digestion it vitiates all the three *doṣas*.

11
उष्णात्तस्योष्णकाले च ज्ञेय विषसमं मधु ॥ १२ ॥

Adverse effect

In a person who is afflicted with heat and during the summer season, *madhu* works like a poison.

तत्सौकुमार्याच्च तथैव शैत्यान्नानीषधीनां रससंभवाच्च ।

उष्णैर्विरुद्धेन विशेषतस्तु
तथान्तरिक्षेण जलेन वापि ॥ १३ ॥

Madhu is tender (*sukumāra*) and cooling. It is produced by the mixture of the juices (*rasa*) of many drugs. Therefore, it is specifically opposed to heat. It also produces adverse effects when used by mixing with rain water (?).

उष्णेन मधु संयुक्तं वमनेष्ववचारितम् ।

अपाकादनवस्थानात् विरुद्धेत्त¹²[न्न] पूर्ववत् ॥ १४ ॥

In emetic therapy, *madhu* is mixed with hot water and administered. It does not produce any adverse effect because it does not stay in the stomach (comes out along with vomiting), and therefore, does not get digested to produce such an effect.

लवणं मधुना नैव तच्च क्षीरेण संयुतम् ।

कदाचिन्नैव दातव्ये तुल्ये च मधु सर्पिषी ॥ १५ ॥

Combination

Salt should not be used in combination with either honey or milk. Honey and ghee should never be used together in equal quantities.

अन्यद्रव्ययुतं पूर्वं सर्पिर्वाप्यथवा मधु ।

समं न कुर्वते दोषमाहुः भेषजवेदिनः ॥ १६ ॥

॥ इति मधुवर्गः ॥

When honey and ghee are used in equal quantities but mixed with other drugs, then such a combination, according to scholars, does not produce any adverse effect.

Thus ends the group of different types of *madhu*.

NOTES AND REFERENCES

1. भ्रामरी इति षष्ठपुस्तके पाठः ।
2. त्रिदोषजित् इति आकरे पाठः ।
3. छर्दिहिवकाविपश्वासकासशोपातिसारनुत् इति आकरे पाठः ।
4. क्रिमितृण्मोहहृत्परम् इति आकरे पाठः ।
5. यन् इति आकरे पाठः ।
6. वातश्लेष्महर इति द्वितीयपुस्तके पाठः ।
7. तृष्णावान्त्यतिसारनुत् इति आदर्श पुस्तिकासु पाठः ।
8. बल्य पित्तामवातकृत् इति माधवद्रव्यगुणे पाठः ।
तिक्तञ्च बलपुष्टिकृत् इति भावप्रकाशे पाठः ।
9. बल्यामवातकृत् इति षष्ठपुस्तके पाठः ।
10. लघूर्णं इति आदर्शपुस्तकेषु पाठः ।
11. उष्णार्त्तमुष्णैरुष्णैर्वातं निहन्ति यथा विषम् इति द्वितीयपुस्तके पाठः ।
12. विरुद्धेत्तच्चपूर्ववत् इति द्वितीयपुस्तके पाठः ।

CHAPTER 6

“गव्यमाज तथौरभ्य महिष चौष्ट्रिक च यत् ।
अश्वयाश्चैव नाग्यश्च मानुषांगां च यत्पयः ॥ १ ॥
तत्त्वनेकौपधिरस प्राणिना प्राणदं गुरु ।
मधुर पिच्छिल स्निग्ध शीत सूक्ष्म सर स्मृतम् ॥ २ ॥

Payas (Milk)

Variety

The milk of *go* (the cow), *ajā* (the goat), *urabhra* (the sheep), *mahiṣa* (buffalo), *uṣṭra* (the camel), *aśva* (the horse), *nāga* (the elephant) and *manuṣya* (woman) is used in medicine. The milk of these animals contains the essence (*rasa*) of many drugs, and therefore, it is life giver, heavy, sweet, slimy, unctuous, cooling, subtle and laxative.

पथ्य रसायनं बल्यं हृद्यं मेध्यं गवां पयः ।

आयुष्यं पुस्त्वकृद्वातरक्तपित्तविकारनुत् ॥ ३ ॥

Go payas (Cow's milk)

Cow's milk is wholesome, rejuvenating, strength promo-

ting and cardiac tonic. It promotes intellect, longevity and virility. It cures aggravation of *vāyu* and *raktapitta* (a disease characterised by bleeding from different parts of the body).

‘छाग कषायं मधुर शीतं ग्राहि पयो लघु ।

रक्तपित्तातिसारघ्न क्षयकासज्वरापहम् ॥ ४ ॥

Chāga payas (Goat's milk)

Goat's milk is astringent, sweet, cooling, constipative and light. It cures *raktapitta* (a disease characterised by bleeding from different parts of the body), *atisāra* (diarrhoea), *kṣaya* (consumption), *kāsa* (bronchitis) and *jvara* (fever).

अजानामल्पकायत्वात्कटुतिक्तनिषेवणात् ।

⁴स्तोकाम्बुपानाद् व्यायामात्सर्वव्याधिहरं पयः ॥ ५ ॥”

[भावप्रकाशः दुग्धवर्ग १४:१६-१७]

Goats have a small physique. They eat mostly pungent and bitter things and drink very little water. They perform a lot of physical exercise. (They are agile). Therefore, goat's milk cures all diseases.

⁵श्रौरभ्रं मधुरं स्निग्धं गुणपित्तकफापहम् ।

⁶उष्णं शुद्धेऽनिले पथ्यं कासे चानिलशोणिते ॥ ६ ॥”

[माधवद्रव्यगुणः क्षीरवर्ग ५:१-६]

Urabhra payas (Sheep's milk)

The milk of the sheep is sweet, unctuous and heavy. It alleviates *pitta* and *kapha*. It is hot and is wholesome for patients having an aggravation of *vāyu* alone. It cures *kāsa* (bronchitis) and *anilaśoṇita* (gout).

⁷महाभिष्यन्दि मधुरं माहिष पक्तिनाशनम् ।

निद्राकरं शीतकरं गव्यात्स्निग्धतरं गुरु ॥ ७ ॥

Mahiṣa payas (Buffalo milk)

The milk of the buffalo is exceedingly *abhiṣyandī* (which obstructs channels of circulation) and sweet. It suppresses the power of digestion. It induces sleep and produces a cooling effect. It is more unctuous and heavy than cow's milk.

8
रूक्षोष्णं लवणं क्षीरमौष्ट्रं स्वादुरसं लघु ।
9
शस्तं वातकफानाहृक्मिशोफोदरार्शसाम् ॥ ८ ॥

Uṣṭra payas (Camel milk)

The milk of the camel is un-unctuous, hot, saline, sweet and light. It is useful in the aggravation of *vāta* and *kapha*, *ānāha* (flatulence), *kṛmi* (parasitic infection), *śopha* (oedema), *udara* (obstinate abdominal diseases including ascitis) and *arśas* (piles).

10
उष्णमेकशफं बल्यं शाखावातहरं पयः ।
मधुराम्लरसं रूक्षं लवणानुरसं कटुः ।
स्निग्धं स्थैर्यकरं शीतं चक्षुष्यं बलवर्धनम् ॥ ९ ॥

[माधवद्रव्यगुण. क्षीरवर्ग ५:७-१०]

Ekaśapha payas (Mares milk)

The milk of the mare is hot. It promotes strength. It cures affliction of the limbs by *vāyu*. It is sweet and sour in taste, un-unctuous, saline in *anurasa* (subsidiary taste) and pungent.

हस्तिन्या मधुरं वृष्यं कषायानुरसं गुरु ।

Hasti payas (Elephant's milk)

The milk of the elephant is unctuous, *sthairyakara* (pro-

ducing steadiness) and cooling. It promotes eyesight and strength. It is sweet, aphrodisiac and astringent in *anurasa* (subsidiary taste) and heavy.

जीवन वृहण सात्म्य स्नेहन ¹¹ मानुषी पयः ।
¹² नावन ¹³ रक्तपित्तेषु तर्पण चाक्षिगूलनुत् ॥ 10 ॥

Mānuṣī payas (Woman's milk)

The woman's milk promotes longevity and nourishment. It is wholesome and unctuous. Its inhalation cures *raṅtapitta* (a disease characterised by bleeding from different parts of the body). When used in *akṣatarpana* therapy (application of cotton swab soaked in the milk over the eyes) it cures pain in the eyes.

अथ वर्णभेदे गुणाः—

कृष्णायागोर्भवेद्दुग्ध वातहारि गुणाधिकम् ।
 पीताया हरते पित्त तथा वातहर भवेत् ॥ 11 ॥
 श्लेष्मलं गुरु शुक्लायाः रक्तायाः वातकृत्पयः ।

Property of the milk of cows of different colours

The milk of a black cow alleviates *vāyu* and it is superior in quality. The milk of a yellow cow alleviates *pitta* and *vāyu*. The milk of a white cow aggravates *kapha*. The milk of a red cow aggravates *vāyu*.

वालवत्सविवत्साना गिवां क्षीर त्रिदोषकृत् ¹⁴ ॥ 12 ॥
 वष्कयिण्यास्त्रिदोषघ्नं तर्पण बजकृत्पय ।

Other Varieties

The milk of the cow having a very young calf or without a calf aggravates all the three *doṣas*. The milk of a cow long after her delivery (*baskayinī*) alleviates all the three *doṣas*. It is refreshing and strength promoting.

जांगलानूपशैलेषु चरन्तीना यथोत्तरम् ॥ १३ ॥

पयो गुरुतर स्नेहो यथाचार प्रवर्तते ।

The heaviness and unctuousness of the milk progressively increases depending upon the arid, marshy and hilly areas in which the cow grazes.

स्वल्पान्नभक्षणाज्जात क्षीर गुरु कफापहम् ॥ १४ ॥

तत्तु बल्य पर वृष्य स्वस्थाना गुणदायकम् ।

पलालतृणकार्पासबीजन रोगिणे हितम् ॥ १५ ॥

The milk of the cow which takes less food is heavy and it alleviates *kapha*. For healthy persons it is very useful inasmuch as it promotes strength and virility. The milk of the cow which eats straw, grass and cotton seed is useful for patients.

15

धारोष्ण गोपयो बल्य लघुशीत मुधासमम् ।

त्रिदोषनुद्दीपन तद्द्वाराशीत त्रिदोषकृत् ॥ १६ ॥

The warm milk of the cow immediately after milking (*dhāroṣṇa*) promotes strength. It is light and cooling. It is like ambrosia. It alleviates all the three *doṣas* and it stimulates the digestion. When it becomes cold after milking (*dhārā śīta*) it aggravates all the three *doṣas*.

वर्जयित्वा स्त्रियाः स्तन्यमामेव हि तद्धितम् ।

The Woman's milk is an exception to this rule inasmuch as it is useful only when it is cold.

आमवातकरं चामं धारोष्णममृतं पयः ॥ १७ ॥ ~

Cold milk causes *ālavāta* (rheumatism) and *dhāroṣṇa* (when it is warm immediately after milking) milk is like ambrosia.

‘धारोष्ण शस्यते गव्य धाराशीत तु माहिपम् ।

शृतोष्णमाविक क्षीरं शृतशीतमजापयः ॥ १८ ॥

Cow’s milk is useful when it is *dhāroṣṇa* and buffalo’s milk is useful when it becomes cold after milking (*dhārā śīta*). Sheep’s milk is useful when it is warm after boiling. Goat’s milk should be used when it is cold after boiling.

शृतोष्ण कफवातघ्न शृतशीत तु पित्तनुत् ।

Boiled and hot milk alleviates *kapha* and *vāta*. The milk which is cooled after boiling alleviates *pitta*.

अर्द्धोदक क्षीरशिष्ट मानाल्लघुतर हितम् ॥ १९ ॥

The milk which is boiled with half of water till the original quantity of milk remains is lighter and useful.

जलेन रहित दुग्धमतिपक्वं यथा यथा ।

तथा तथा गुरु स्निग्ध वृष्य बलविवर्धनम् ॥ २० ॥

[भावप्रकाश दुग्धवर्ग १४:२५-२८]

The milk which is excessively boiled by which it becomes free from its water content, depending upon the time of boiling, becomes progressively more and more heavy, unctuous, aphrodisiac and promoter of strength.

क्षीरसतानिका बल्या वृष्या पित्तानिलापहा ।

The *santānikā* (the layer of cream which is formed on the surface when the milk is boiled on low heat) of milk promotes strength and virility. It alleviates *pitta* and *vāyu*.

16

रात्रौ क्षीर न सेवेत सेवेत यदि न स्वपेत् ॥ २१ ॥

यदि स्वपेद्धरत्यायुस्तस्मात्पथ्यं दिवा पयः ।

Time of taking milk

Milk should not be taken at night. If one happens to

to take milk at night, then he should not sleep. If he sleeps after taking milk, then it reduces longevity. Therefore, milk is wholesome if taken during day time.

रात्रौ चन्द्रगुणाधिक्याद्व्यायामपरिवर्जनात् ॥२२॥

प्रभातिक पयः प्रायो विष्टम्भि गुरु दोषलम् ।

दिवाकरकराघाताद् व्यायामानिलसेवनात् ।

¹⁷
प्रादोषं श्रमनुद्बल्य चक्षुष्य वातपित्तहृत् ॥ २३ ॥

During night the attributes of the moon become predominant and there is no exercise. Therefore early morning (*prabhāta*) milk is generally constipative, heavy and aggravator of *doṣas*. On the other hand, there is exposure to sun shine, exercise and wind, for which the evening (*pradoṣa*) milk alleviates fatigue. It promotes strength and eye sight. It alleviates *vāyu* and *pitta*.

सेवनसमयभेदे गुणभेदः —

“वृष्य बृंहणमग्निदीप्तजनन पूर्वाह्निकाले पयो ।

Time of intake

Milk taken in the forenoon produces aphrodisiac and nourishing effects. It stimulates the power of digestion.

मध्याह्ने बलवर्धन कफहरं पित्तापहं दीपनम् ॥ २४ ॥

Milk taken during noon-time promotes strength. It alleviates *kapha* and *pitta*. It is a digestive stimulant.

¹⁸ बाले ¹⁹ वृद्धिकर क्षये क्षय[ह]र वृद्धेषु ²⁰ रेतोवहम् ।

रात्रौ पथ्यमनेकरोगशमन क्षीरंसदा चाक्षुषम्” ॥२५॥

[भावप्रकाशः दुग्धवर्ग १४ : ३६]

Milk taken during the night promotes strength in children, cures consumption, increasingly produces semen in old-

men. It is wholesome and it cures many diseases. It invariably promotes eye sight.

‘शर्करासहित क्षीरं कफकृत्पवनापहम् ।

Combination

When used in combination with *śarkarā*, milk produces *kapha* and alleviates *vāyu*.

सितासितोपलायुक्त शुक्रद दोषनाशनम् ।

In combination with *sitā* and *sitopalā*, milk produces semen and alleviates *doṣas*.

सगुड मूत्रकृच्छ्रघ्न पित्तश्लेष्मकर भवेत् ॥ २६ ॥

[भावप्रकाशः दुग्धवर्ग १४ : ३६]

If taken in combination with *guḍa*, milk cures *mūtra kṛcchra* (dysuria) and it aggravates *pitta* and *kapha*.

‘वदन्ति पेयं निशि केवलं पयो
भोज्य न तेनेह सहौदनादिकम् ।

21

भवेदजीर्णं यदि न स्वपेन्निशि
क्षीरस्य पीतस्य न शेषमृत्सृजेत् ॥ २७ ॥

Intake of milk at night

Some scholars hold the view that milk alone can be taken at night. But along with milk no other food like rice should be taken. If there is indigestion, then one should not sleep at night. One should not leave a part of the milk after drinking.

विदाहीन्यन्नपानानि दिवा भुक्ते हि मानवः ।

23

तद्विदाहप्रशान्त्यर्थं रात्रौ क्षीरं प्रशस्यते ॥ २८ ॥

[भावप्रकाशः दुग्धवर्ग १४:४०-४१]

Generally, human beings take food and drinks during, the day time which cause burning sensation (*vidāhin*). To alleviate this burning sensation, milk is useful at night.

‘विवर्णं विरसं चाम्ल दुर्गन्धं ग्रथित पयः ।

24

वर्जयेदम्ललवण युक्त कुष्ठादिरोगकृत् ॥ २६ ॥’

[भावप्रकाश. दुग्धवर्ग १४ : ४६]

Bad quality

Milk whose colour and taste are changed, which has become sour, which produces a putrid smell and which is of knotted appearance should not be used. It should not be used when mixed with sour things and salt because this type of milk produces diseases like *kuṣṭha* (obstinate skin diseases including leprosy).

‘दीप्तानले कृशे पुंसि बाले वृद्धे रतप्रिये ।

25

मत हिततम दुग्ध सद्यः शुक्रकरं पयः ॥ ३० ॥

26

Indication

For persons whose digestive power is very strong, who are emaciated, for infants and old persons and for those who indulge in sex, milk is exceedingly useful. It produces semen instantaneously.

क्षीर गव्यमथाज वा . कोष्णं दण्डाहतं भवेत् ।

27

लघु वृष्यं ज्वरहर वातपित्तकफापहम् ॥ ३१ ॥

[भावप्रकाश. दुग्धवर्ग १४ : ४२-४३]

Special Processing

When the luke-warm (*koṣṇa*) milk of either a cow or a goat is stirred with a wooden rod (*daṇḍāhata*), it becomes light and aphrodisiac. It cures fever and alleviates *vāyu*, *pitta* and *kapha*.

‘क्षीरफेनं त्रिदोषघ्न रोचनं बलवर्धनम् ।

28

वह्निवृद्धिकर पथ्य सद्यस्तृप्तिकरं लघु ।

अतीसारेऽग्निमान्द्ये च ज्वरे जीर्णे प्रशस्यते' ॥ ३२ ॥

[भावप्रकाशः दुग्धवर्ग १४:४४-४५]

शूलशोफामकासघ्नं विषमज्वरनाशनम् ।

उरः संधानजनन हिक्काश्वासनिषूदनम् ॥ ३३ ॥

Kṣīra phena (foam of the milk)

The foam that comes out of the milk (*ksīra phena*) alleviates all the three *doṣas*. It is an appetiser and promoter of strength as well as the power of digestion. It is wholesome, instantaneously refreshing and light. It is beneficial in *atisāra* (diarrhoea), *agnimāndya* (suppression of the power of digestion) and *jīrṇajvara* (chronic fever). It cures *śūla* (colic pain), *śopha* (oedema), *āma*, *kāsa* (bronchitis) and *viṣama jvara* (irregular fever). It heals the wound in the chest (*uraḥ sandhāna*) and cures *hikkā* (hic cup), and *śvāsa* (asthma).

नाल्लहीन प्रदातव्य क्षीर तक्र भिषग्वरैः ।

Precaution

Milk and butter milk (*takra*) should not be given without food (*anna*) by a physician.

ताम्रे वातहरं क्षीर सौवर्णे पित्तनाशनम् ॥ ३४ ॥

रौप्ये कफहर चैव कांस्ये रक्तप्रसादनम् ।

Container

Milk in a copper container alleviates *vāyu*. In a gold container it alleviates *pitta*, in silver it alleviates *kapha* and in a brass container it promotes blood.

29

क्षीर तत्काल सूताया घनं पीयूषमुच्यते ॥ ३५ ॥

Ghana & Pīyūṣa

The milk of the cow immediately after delivery is called *ghana* and *pīyūṣa*.

सप्तरात्रात्पर क्षीरमप्रसन्नं तु मोरटम् ।
 30
 'नष्टदुग्धासव मस्तु मोरट जय्यटोऽब्रवीत्' ॥ ३६ ॥

[भावप्रकाशः दुग्धवर्ग १४ : ३२]

Moraṭa

After seven days of the delivery, the milk is called *moraṭa*. According to *Jayyaṭa*, the *āsava* or *mastu* prepared of the curdled (*naṣṭa*) milk is called *moraṭa*.

पक्वं दध्नासम क्षीर विज्ञेया दधिकूर्चिका ।
 तत्रेण तक्रकूर्चीस्यात्तयोः पिण्डः किलाटकः ॥ ३७ ॥
 पाक विना स एव स्यात् क्षीरसीकः मितान्वितः ।

Dadhi kūrçikā, Takra kurçikā, Kīlāṭa etc.,

The preparation made out of boiling curd and milk (in equal quantity) is called *dadhi kūrçikā*. When this is done with buttermilk and milk it is called *takra kūrçikā*. If the preparation is made out in a solid form (*piṇḍa*) then it is called *kīlāṭaka*. If the preparation is done without boiling but by adding sugar, then it is called *kṣīrasīka*.

31

तक्रनष्टं स तक्र यद्दुग्ध [वस्त्रावगालितम्] ॥ ३८ ॥
 द्रवगुणपरित्यक्तं तत्र पिण्डः स उच्यते ।

Pinḍa

When the curdled (*naṣṭa*) milk (?) or butter milk is filtered through a cloth and the residue is completely free from water, it is called *pinḍa*.

पीयूष मोरटश्चापि कूर्चिका दधितक्रयोः ॥ ३९ ॥
 किलाटः क्षीरसीकश्च तक्रपिण्डश्च पुष्टिदः ।
 गुरवः श्लेष्मला वृष्या हृद्या वाताग्निनाशनाः ॥ ४० ॥

दीप्ताग्नीनामनिद्राणां व्यवाये चातिपूजिताः ।

Property of *Pīyūṣa* etc.

Pīyūṣa, *moraṭa*, *dadhi kūrçikā*, *takra kūrçikā*, *kilāṭa*, *kṣīra-sīka* and *takra piṇḍa* are nourishing and heavy. They aggravate *kapha*. They are aphrodisiacs and cardiac tonics. They alleviate *vāyu* and suppress the power of digestion. They are exceedingly useful for those having a strong power of digestion, those suffering from sleeplessness and those indulging in sex.

घर्मो तु माहिष सेव्य हेमन्ते चाप्यजाविकम् ।

गव्यं क्षीरं तु दर्षसु नराणाममृतोपमम् ॥ ४१ ॥

Milk in different Seasons

Buffalo's milk should be used in the summer season. The milk of goat and sheep is useful in *hemanta* (beginning of winter). Cow's milk is like ambrosia for human beings during the rainy season.

॥ इति क्षीरवर्गः ॥

Thus ends the group dealing with various types of milk.

NOTES AND REFERENCES

1. कारभं तथा इति आकरे पाठः ।
2. अश्वायाश्चापि नार्याश्च करेणूनां इति आकरे पाठः ।
3. तत्त्वेनैकोषधिरसं इति षष्ठपुस्तके पाठः ।
4. नात्यम्बुपानाद् इति आकरे पाठः ।
5. स्निग्धमुष्णं वातकफापहम् इति आकरे पाठः ।
6. गुरु इति आकरे पाठः ।

7. महाभिष्यन्दि इति आकरे पाठः ।
8. क्षीरमुष्ट्रीणामीषत्सलवणं लघु इति आकरे पाठः ।
9. शोथो इति आकरे पाठः ।
10. उष्णमैकशफं इति आकरे पाठः ।
11. मानुषं इति आकरे पाठः ।
12. रक्तपित्ते तु इति आकरे पाठः ।
13. चाक्षिशूलनाम् इति आकरे पाठः ।
14. क्षीरत्रिदोषहृत् इति षष्ठपुस्तके पाठः ।
15. सुधासमम् इति षष्ठपुस्तके पाठः ।
16. रात्रि इति द्वितीयपुस्तके पाठः ।
17. अदोषं इति षष्ठपुस्तके पाठः ।
18. वाते इति द्वितीयपुस्तके पाठः ।
19. क्षयकरं इति द्वितीयपुस्तके पाठः ।
20. वृष्य वृहणमग्निदीपनकरं पूर्वाह्निकाले पयो ।
मध्याह्ने बलवर्धन रतिकरं कामाग्निसदीपनम् ।
वालेष्वग्निकरं क्षये हितकर वृद्धेषु वीर्यप्रदम् ।
रात्रौ पथ्यमनेकदोषहरण क्षीर हित चक्षुषाम् ।
इति माधवद्रव्यगुणे पाठः ।
21. भवत्यजीर्णं न शयति शर्वरी इति आकरे पाठः ।
22. यन्नरः इति आकरे पाठः ।
23. सदा पिवेत् इति आकरे पाठः ।
24. कुष्ठादिकृद् यतः इति आकरे पाठः ।
25. पयः प्रिये इति आकरे पाठः ।
26. यतः इति आकरे पाठः ।
27. पिवेत् इति आकरे पाठः ।
28. भवेत् फेनं इति आकरे पाठः ।
29. पीयूषसममुच्यते इति षष्ठपुस्तके पाठः ।
30. जैज्जटोऽब्रवीत् इति षष्ठपुस्तके पाठः ।
31. वाससा..... इति द्वितीयपुस्तके पाठः ।
वाससा गालिता इति षष्ठपुस्तके पाठः ।

CHAPTER 7

‘दध्युष्णं दीपनं स्निग्ध कषायानुरस गुरु ।
पाकेऽम्लं ग्राहि पित्तास्रशोथमेद.कफप्रदम् ॥ १ ॥
मूत्रकृच्छ्रे¹ प्रतीरयाये शीतगे विषमज्वरे ।
अतीसारेऽरुचौ कार्श्ये शस्यते बलशुक्रकृत् ॥ २ ॥

Dadhi (curd)

Dadhi is hot, a digestive stimulant, unctuous, astringent in *anurasa* (subsidiary taste), heavy, sour in *vipāka* and constipative. It vitiates *pitta* and blood and aggravates *śoīha* (oedema), *medas* (adiposity) and *kapha*. It is useful in *mūtra kṛcchra* (dysuria), *pratisyāya* (cold), *śītaga viṣamajvara* (irregular fever which is associated with a feeling of cold), *atisāra* (diarrhoea), *aruci* (anorexia) and *kārśya* (emaciation). It promotes strength and semen.

आदौ मन्दं ततः स्वादुः स्वाद्वम्लं च ततः परम् ।

अम्लं चतुर्थमत्यम्लं पञ्चमं दधि पञ्चधा ॥ ३ ॥

Variety

The first stage of *dadhi* is called *manda* (in which there is

no manifested taste). The second stage of it is called *svādu* (sweet) and the third stage is *svādvamla* (both sweet and sour in taste). During the fourth stage it is called *amla* (sour) and the fifth stage is called *atyamla* (excessively sour). These are the five varieties of *dadhi*.

म द दुग्धवदव्यक्तरस किञ्चिद् घृतं मतम् ।

Manda

Like milk, *manda* has no manifested taste and there is less of ghee in it.

मन्द स्यात्सृष्टविष्मूत्र दोषत्रयविदाहकृत् ॥ ४ ॥

It helps in the elimination of stool and urine. It vitiates all the three *doṣas* and causes burning sensation.

यत्समद्गघनता यात व्यक्तं स्वादुरसं भवेत् ।

2

अव्यक्ताम्लरस तत्तु स्वादुस्तज्जैरुदीरितम् ॥ ५ ॥

Svādu

When it gets properly condensed and there is the manifestation of a sweet taste it is called *svādu*. The sour taste in it is not manifested.

स्वादुः स्यादल्पाभिष्यन्दि वृष्यं मेदःकफापहम् ।

वातघ्न मधुरं पाके रक्तपित्तप्रसादनम् ॥ ६ ॥

[भावप्रकाशः दधिवर्ग १५:१-६]

3

प्राभातिक तु मधुर वातपित्तनिवर्हणम् ।

Svādu is slightly *abhiṣyandi* (which obstructs the channels of circulation). It is aphrodisiac and it reduces *medas* (fat), *kapha* and *vāta*. It is sweet in *vipāka*. It produces more of blood and *pitta*. If this is taken during the early morning then it alleviates both *vāyu* and *pitta*.

‘स्वाद्वम्ल साम्लमधुरं कपायानुरसं भवेत् ॥ ७ ॥

Svādyamla

The *svādyamla* variety of *dadhi* is both sweet and sour in taste. It is astringent in *anurasa* (subsidiary taste).

4
स्वाद्वम्लस्य गुणा ज्ञेया सामान्यदधिवज्जनैः ।

In properties, it is like *dadhi* in general.

5
यत्तिरोहितमाधुर्यं [व्य]क्तम्लं च तदम्लकम् ॥८॥

Amlaka

When *dadhi* is deprived of its sweet taste, and its sour taste is well manifested, then it is called *amlaka*.

अम्लं तु दीपनं रक्तपित्तश्लेष्मविवर्धनम् ।

It stimulates digestion and aggravates blood, *pitta* and *kapha*.

6
तदत्यम्लं दन्तरोमहर्षकण्ठादिदाहकृत् ।

Atyamla

When *dadhi* becomes exceedingly sour it is called *atyamla*. It causes a tingling sensation (*harṣa*) in the teeth and horripilation (*roma harṣa*). It produces burning sensation in the throat etc.

7
अत्यम्लं दीपनं रक्तपित्तद्वुष्टिकरं परम् ॥ ९ ॥'

(भावप्रकाशः दधिवर्गं १५.७-९)

It stimulates digestion and exceedingly vitiates blood and *pitta*.

8
'गव्यं दध्युत्तमं बल्यं पाके स्वादुरुचिप्रदम् ।

'पवित्रं दीपनं स्निग्धं पुष्टिकृत्पवनापहम् ॥ १० ॥

Gavya dadhi (Curd of cow's milk)

Dadhi prepared from Cow's milk is an excellent promoter of strength. In *vipāka*, it is sweet. It is an appetiser, sacred, a digestive stimulant, unctuous and nourishing. It alleviates *vāyu*.

उक्तं दध्नामशेषाणां मध्ये गव्यं गुणाधिकम् ।

Among the several varieties of *dadhi*, the one prepared from cow's milk is known to be the best.

माहिष दधि सुस्निग्धं श्लेष्मलं वातपित्तनुत् ।

स्वादुपाकमभिष्यन्दि वृष्यं गुर्वस्त्रदूषणम् ॥ ११ ॥

[भावप्रकाशः दधिवर्ग १०-११]

Māhiṣa dadhi (Curd of buffalo's milk)

Dadhi prepared from buffalo milk is exceedingly unctuous. It aggravates *kapha* and alleviates *vāyu* as well as *pitta*. It is sweet in *vipāka*, *abhiṣyandi* (which obstructs the channels of circulation), an aphrodisiac and heavy. It vitiates blood.

‘आजं दध्युत्तमं ग्राहि लघु दोषत्रयापहम् ।

शस्यते श्वासकासारः क्षयकार्श्येषु दीपनम् ॥ १२ ॥

Āja dadhi (Curd of goat's milk)

Dadhi prepared from goat's milk is very useful. It is constipative and light. It alleviates all the three *doṣas*. It is useful in *śvāsa* (asthma), *kāsa* (bronchitis), *arśas* (piles), *kṣaya* (consumption) and *kārśya* (emaciation). It stimulates the digestive power.

10

पक्वदुग्धभवं रुच्यं दधि स्निग्धं गुणोत्तमम् ।

पित्तनिलापहं सर्वधात्वग्निबलवर्धनम् ॥ १३ ॥

Dadhi of boiled milk

Dadhi prepared from boiled milk is an appetiser, unctuous and exceedingly useful. It alleviates *pitta* and *vāyu*, and promotes all the tissue elements (*dhātus*), digestive power and strength.

असारं दधि संग्राहि कषायं वातलं लघु ।

11

विष्टम्भि दीपन रुच्य ग्रहणीरोगनाशनम् ॥ १४ ॥

Asāra dadhi

Dadhi which is free from fat is constipative, astringent, aggravator of *vāyu* and light. It produces flatulence (*viṣṭambhī*). It is a digestive stimulant and appetiser. It cures *grahaṇī* (sprue syndrome).

गालितं दधि सुस्निग्ध वातघ्नं श्लेष्मल गुरु ।

बलपुष्टिकरं रुच्यं मधुरं नातिपित्तलम् ॥ १५ ॥

Gālita dadhi

If the watery portion of *dadhi* is removed by filtration, then it becomes exceedingly unctuous. It alleviates *vāyu* and aggravates *kapha*. It is heavy. It promotes strength and nourishment. It is an appetiser and sweet. It does not aggravate *pitta* in excess.

सशर्करं दधि श्रेष्ठं तृष्णापित्तास्रदाहनुत् ।

सगुडं वातनुद्वृष्यं बृंहणं तर्पणं गुरु ॥ १६ ॥

Combination

Combined with sugar, *dadhi* is very useful in curing *trṣṇā* (morbid thirst), vitiated *pitta* as well as blood and *dāha* (burning syndrome).

Along with *guda*, *dadhi* alleviates *vāyu*. It is aphrodisiac, nourishing, refreshing and heavy.

न नक्तं दधि भुञ्जीत न चाप्यघृतशर्करम् ।

न मुद्गमूपं नाक्षौद्रं नोष्णं नामलकैर्विना ॥ १७ ॥'

[भावप्रकाश. दधिवर्ग १५ : १७-१७]

Contra-indications

Dadhi should not be taken at night, nor should it be taken without ghee, sugar, *mudga sūpa* or honey. It should not be taken when it is hot nor without *āmalaki*.

‘शस्यते दधि नो रात्रौ यस्तु चाम्बुघृतान्वितम् ।

¹²

रक्तपित्तकफोत्थेषु विकारेषु हितं न तत्’ ॥ १८ ॥

[भावप्रकाश. दधिवर्ग १५ : प्रक्षिप्तपाठ]

At night, *dadhi* should not be taken. It is useful when mixed with water and ghee. It is not useful in diseases caused by blood, *pitta* and *kapha*.

‘हेमन्ते शिशिरे चैव वर्षासु दधि शस्यते ।

¹³

शरद्ग्रीष्मवसन्तेषु प्रायशस्तद्विर्गहितम् ॥ १९ ॥

In *hemanta* (first part of winter), *śisīra* (later part of winter) and in the rainy season intake of *dadhi* is beneficial. Generally, it is not useful in autumn, summer and spring season.

ज्वरासृक्पित्तवीसर्पकुष्ठपाण्ड्वामयभ्रमान्

प्राप्नुयात्कामलां चोग्रां विधिं हित्वा दधिप्रियः ॥२०॥

[भावप्रकाश. दधिवर्ग १५:१८-१९]

Adverse effect

A person who takes *dadhi* without following the prescribed procedure succumbs to acute form of *jvara* (fever), *asṛk pitta* (a disease characterised by bleeding from different parts of the body), *visarpa* (erysipelas), *kuṣṭha* (obstinate skin diseases including leprosy), *pāṇḍvāmaya* (anemia), *bhrama* (giddiness) and *kāmalā* (jaundice).

विपाके कटुतक्षारमम्लं भेद्यौष्ट्रिकं दधि ।

14

‘वातमर्शासि कुष्ठानि कृमीन्हृन्त्युदराणि च ॥ २१ ॥

Auṣṭrika dadhi (Curd of camel’s milk)

Dadhi prepared from camel’s milk is pungent in *vipāka*, alkaline and sour. It cures aggravated *vāyu*, *arśas* (piles), *kuṣṭha* (obstinate skin diseases including leprosy), *kṛmi* (parasitic infection) and *udara* (obstinate abdominal diseases including ascitis).

कोपन कफवातानां दुर्नाम्नां चाविकं दधि ।’

Āvika dadhi (Curd of sheep milk)

Dadhi prepared from the milk of the sheep aggravates *kapha*, *vāta* and *durnāman* (piles).

दीपनीयमचक्षुष्य वातलं दधि वाडवम् ॥ २२ ॥

15

रूक्षमुष्ण कषाय च कफमू[त्रा]पह च तत् ।

Vāḍava dadhi (Curd of mare’s milk)

Dadhi prepared from mare’s milk is a digestive stimulant and harmful for the eye. It aggravates *vāyu*. It is un-unctuous, hot and astringent. It reduces *kapha* and urine.

स्निग्ध विपाके मधुर बल्यं सतर्पण गुरु ॥ २३ ॥

चक्षुष्यमग्न्य दोषघ्नं दधि नार्या गुणोत्तरम् ।

Nārī dadhi (Curd of woman’s milk)

Dadhi prepared from woman’s milk is unctuous, sweet in *vipāka*, promoter of strength, refreshing and heavy. It is an excellent promoter of eye sight. It alleviates *doṣas*. It is extremely useful.

लघुपाके बलासघ्नं वीर्योष्णं पक्तिनाशनम् ॥ २४ ॥

कषायानुरसं नाग्या दधि वर्चोविवर्धनम् ।

Nāga dadhi (Curd of elephant's milk)

Dadhi prepared from elephant's milk is light in *vipāka*. It alleviates *kapha*. It is hot in potency and it reduces the power of digestion. It is astringent in *anurasa* (subsidiary taste). It increases the quantity of stool.

दधीन्युक्तानि यान्येवं गव्यादीनि पृथक् पृथक् ॥ २५ ॥

विज्ञेयमेव सर्वेषु गव्यमेव गुणोत्तरम् ।

General

Properties of different types of *dadhi* are described above. Among them, the *dadhi* prepared from cow's milk is the best.

कपित्थमज्जकल्केन यद्दामलरसेन तु ॥ २६ ॥

16

‘पिष्टैश्चित्रकमूलैर्वा पक्वाम्नस्य रसेन तु ।’

लिप्तभाण्डेऽथ कठिन मधुरं दधि जायते ॥ २७ ॥

If the inside wall of the *bhāṇḍa* (jar in which curd is prepared) is smeared with the paste of the pulp of *kapittha*, juice of *āmalaka*, paste of the root of *citraka* or the juice of ripe mango, then the curd becomes hard (increased density) and sweet.

लवणं रूप्यं विडं वा दध्नो भवति जीवनम् ।

Salt, silver and *viḍa*—these are very essential (lit. life) for *dadhi*.

दध्नस्तूपरि यो भागो घनः स्नेहसमन्वितः ॥ २८ ॥

लोके सर इति ख्यातो दध्नो मंडस्तु मस्त्विति ।

Sara & Mastu

The upper layer of the milk which is dense and unctuous is called *sara* (cream) and the watery portion of the curd is called *mastu*.

सरः स्वादुर्गुरुर्वृष्यो वातवह्निप्रणाशनः ॥ २६ ॥

वस्तेर्विधमनश्चाम्लः पित्तश्लेष्मविवर्धनः ।

Sara is sweet, heavy and aphrodisiac. It reduces *vāyu* and the power of digestion. It stimulates (*vidhamana*) the bladder. When it becomes sour, it aggravates *pitta* and *kapha*.

मस्तु क्लमहरं बल्यं लघु भक्ताभिलाषदम् ॥ ३० ॥

17

स्रोतोविशोधनं क्लेदि कफतृष्णानिलापहम् ।

अवृष्यं प्रीणनं शीघ्रं भिनत्ति मलसंग्रहम् ॥ ३१ ॥

Mastu cures mental fatigue (*klama*). It is a strength promoter and light. It promotes appetite for food. It cleanses the channels of circulation and produces *kleḍa* (sticky material). It alleviates *kapha*, *tṛṣṇā* (morbid thirst) and *vāyu*. It is not aphrodisiac. It is refreshing and works as an instant laxative.

॥ इति दधिवर्गः ॥

Thus ends the group dealing with various types of *dadhi*.

NOTES AND REFERENCES

1. अतीसारे शुचौ इति आदर्शपुस्तिकासु पाठः ।
2. स्वादु विज्ञैरुदाहृतम् इति आकरे पाठः ।
3. वातपित्तकफाधिकं इति षष्ठपुस्तके पाठः ।
4. सामान्यस्य इति षष्ठपुस्तके पाठः ।
5. वाक्ताम्लं इति द्वितीयपुस्तके पाठः ।
6. दध्यम्लं इति षष्ठपुस्तके पाठः ।
7. रक्तवातपित्तकरं इति आकरे पाठः ।

8. गव्यं दधि विशेषेण स्वाद्वम्लं च रुचिप्रदम् इति आकरे पाठः ।
9. “दध्यामशोषाणां” इति आदर्शपुस्तिकासु पाठः ।
10. श्रुतक्षीरमय द्रव्यं इति आदर्शपुस्तिकासु पाठः ।
11. रुच्यं..... बलपुष्टिकरं पाठोज्यं षष्ठपुस्तके नोपलभ्यते ।
12. तु नैव तत् इति आकरे पाठः ।
13. चापि इति आकरे पाठः ।
14. वातमर्शासि.....र्दाधि पाठोज्यं षष्ठपुस्तके नोपलभ्यते ।
15. कफमूत्रपह इति द्वितीयपुस्तके पाठः ।
16. पिष्टं..... तु पाठोज्यं द्वितीयपुस्तके नोपलभ्यते ।
17. लघुतृष्णानिलापहम् इति षष्ठपुस्तके पाठः ।

CHAPTER 8

तक्र¹ लघुकषायोष्णं दीपनं कफवातजित् ।
शोथोदरार्शो² — ग्रहणीदोषमूत्रग्रहारुचीन् ॥ १ ॥
गुल्मप्लीहघृतव्यापत्हरं पांड्वामयान् जयेत् ।

Takra (Butter milk)

Takra is light, astringent, hot and digestive stimulant. It alleviates *kapha* and *vāta*. It cures *śoṭha* (oedema), *udara* (obstinate abdominal diseases including ascitis), *arśas* (piles), *grahaṇī* (sprue syndrome), *mūtra graha* (anuria), *aruci* (anorexia), *gulma* (phantom tumour), *plīhan* (splenic disorder), *ghṛta vyāpat* (complications because of wrong administration of ghee) and *pāṇḍvāmaya* (anemia).

समुद्धृतघृतं तक्रमद्धोद्धृतघृतं च यत्³ ॥ २ ॥
अनुद्धृतघृतं चान्यदित्येतत्त्रिविधं⁴ स्मृतम् ।

Variety

Takra is of three types depending upon the content of fat

which is either completely removed, half removed or not removed at all.

5

पूर्वं च लघु पथ्यं च गुरुवृष्यतमं परम् ॥ ३ ॥
ततः परं वृष्यतमं यथाक्रममुदाहृतम् ।

The first variety from which fat is completely removed is light and wholesome. The second variety from which half of the fat is removed is exceedingly heavy and aphrodisiac. The third variety from which fat is not removed is exceedingly aphrodisiac.

यान्युक्तानि दधीन्यष्टौ तद्गुण तक्रादिशेत् ॥ ४ ॥

The properties of the different types of *dadhi* prepared from the milk of different animals are also shared by the *takra* prepared out of them.

तक्रं तु घोलं मथितोदश्वित्तक्रप्रभेदतः ।
सुश्रुताद्यैर्मुनिश्रेष्ठैश्चतुर्विधमुदीरितम् ॥ ५ ॥
ससरं निर्जलं घोलं मथितं त्वसरोदकम् ।
तक्रं पादजलं प्रोक्तं उदश्वित्त्वाद्धैवारिकम् ।

[भावप्रकाशः तक्रवर्ग १६:१-२]

7

वानपित्तहरं घोलं मथितं कफपित्तनुत् ॥ ६ ॥

[माधवद्रव्यगुण. तक्रवर्ग ७ : १०]

By the great sages like *Suśruta*, *takra* is described to be of four types viz., *ghola*, *mathita*, *udaśvit* and *takra*. The butter-milk which contains cream and to which water is not added is called *ghola*. When the cream is removed but no water is added then it is called *mathita*. When one fourth quantity of water is added then it is called *takra*. In *udaśvit* half the quantity of water is added.

तक्रं त्रिदोषशमनमुदश्वित्कफदं भवेत् ।

उदश्वित्कफदं बल्यं श्रमघ्नं परमं मतम् ॥ ७ ॥

Takra alleviates all the three *doṣas*. *Udaśvit* aggravates *kapha*, promotes strength and alleviates fatigue par excellence.

अथ मन्दादित्कगुणा :

मंदजातं भवेत्तक्रं रूक्षाभिष्यन्दिदुर्जरम् ।⁸

Property of different types

Butter milk prepared of the *manda* variety of *dadhi* is ununctuous, *abhiṣyandi* (which obstructs the channels of circulation), and difficult of digestion.

तक्र तु मधुरं स्निग्धं श्लेष्मलं वातपित्तनुत् ॥ ८ ॥⁹

Buttermilk prepared of the sweet variety of *dadhi* is ununctuous. It aggravates *kapha* and alleviates *vāyu* and *pitta*.

अम्लं वातघ्नं मत्स्यम्लं रक्तपित्तप्रकोपनम् ।

Buttermilk prepared of the sour variety of *dadhi* alleviates *vāyu*. Buttermilk prepared of *dadhi* which is extremely sour, aggravates *rakta* (blood) and *pitta*.

तत्तु सान्द्रं सान्द्रतरं गुहृद्विद्याद्यथोत्तरम् ॥ ९ ॥

The heaviness of *takra* progressively increases depending upon the increase in density.

वातेऽम्लं सैन्धवोपेतं पित्ते स्वादुसशर्करम् ।

पिवेत्तक्रं कफे रूक्षं क्षारव्योषसमन्वितम् ।

‘मूत्रकृच्छ्रे तु सगुडं पांडुरोगे सच्चित्रकम् ॥ १० ॥’

[भावप्रकाश तक्रवर्ग १६ : १३]

Combination

When there is aggravation of *vāyu*, sour variety of *takra* should be taken by adding rock salt. In *pitta*, sweet variety of

takra should be taken mixed with sugar. In *kapha* the ununctuous variety of *takra* should be used by adding alkalies, *śuṅṭhi*, *pippalī* and *marica*. In *mūtrakṛcchra* (dysuria), *guḍa* should be added and in *pāṇḍu citraka* should be added to the *takra*.

‘हिङ्गुजीरयुतं घोलं ¹⁰ सैन्धवेनावचूर्णितम् ।
¹¹ भवेत्तदतिवातघ्नमर्शोतीसारहृत्परम् ॥ ११ ॥’

[भावप्रकाशः तक्रवर्गं १६ : १२]

सरुच्यं पुष्टिदं बल्यं वस्तिशूलविनाशनम् ।

If *hingū* and *jīrā* are added and the powder of rock salt is sprinkled over *takra*, then it becomes an excellent alleviator of *vāyu*. It also becomes an excellent curative for *arśas* (piles) and *atisāra* (diarrhoea). It is an appetiser, nourishing and strength promoting. It also cures colic pain in the region of *vasti* (urinary bladder).

‘तक्रमामं कफं कोष्ठे हन्ति कण्ठे करोति च ॥ १२ ॥

¹² पीनसश्वासकासादौ पक्वमेव विशिष्यते ।

Process of preparation

Unboiled (*āma*) *takra* alleviates *kapha* in the *koṣṭha* (colon) but produces *kapha* in the throat. The boiled (*pakva*) *takra* is specifically useful in *pīnasa* (chronic cold), *śvāsa* (asthma) and *kāsa* (bronchitis).

शीतकालेऽग्निमान्द्ये च कफवातामयेषु च ॥ १३ ॥

अरुचौ स्रोतसां रोधे तक्रं स्यादमृतोपमम् ।

¹³ तत्तु हन्ति कफच्छर्दिप्रसेकविषमज्वरान् ॥ १४ ॥

पाण्डुमेदो — ग्रहण्यर्शो — मूत्रग्रहभगन्दरान् ।

मेहगुल्ममतीसारं शूलप्लीहोदरारुचिः ॥ १५ ॥

शिवत्रकोष्ठघृतव्यापत्कुण्डलोफतृपाकृमीन्

1

Properties in general

Takra works like ambrosia in winter season, when there is suppression of the power of digestion, in the diseases caused by *kapha* and *vāyu*, in *aruci* (anorexia) and *srotorodha* (obstruction to the channels of circulation). It cures diseases caused by *kapha*, *chardi* (vomiting), *praseka* (salivation), *viṣama jvara* (irregular fever), *pāṇḍu* (anemia), *medas* (adiposity), *grahaṇī* (sprue syndrome), *arśas* (piles), *mūtragraha* (suppression of urination), *bhagandara* (fistula-in-ano), *meha* (obstinate urinary disorders including diabetes), *gulma* (phantom tumour), *atīsāra* (diarrhoea), *śūla* (colic pain), *plīhan* (splenic disorder), *udara* (obstinate abdominal disorders including ascitis), *arucī* (anorexia), *śvitra* (leucoderma), *koṭha* (urticaria), *ghṛta vyāpat* (complications arising out of improper use of ghee), *kuṣṭha* (obstinate skin diseases including leprosy), *śopha* (oedema), *tṛṣā* (morbid thirst) and *kṛmī* (parasitic infection),

नैव तक्रं क्षते दद्यान्नोष्णकाले न दुर्बले ।

15

16

न मूर्च्छाभ्रमदाहेषु न रोगे रक्तपैत्तिके ॥ १६ ॥”

[भावप्रकाश. तक्रवर्ग १६:१४-१८]

Contra-indication

Takra should not be used in *kṣata* (phthisis), during hot season, when a person is weak and in *mūrchā* (fainting), *bhrama* (giddiness), *dāha* (burning syndrome) and *raktapitta* (a disease characterised by bleeding from different parts of the body).

न तक्रसेवी व्यथते कदाचिन्न तक्रदग्धाः प्रभवन्ति रोगाः ।

यथा सुराणाममृतं सुखाय तथा नराणा भुवि तक्रमाहुः ।

[भावप्रकाश. तक्रवर्ग १६ : ७]

Excellence

A person who habitually takes *takra* never suffers and being impregnated with *takra*, diseases do not attack him. As

ambrosia gives happiness to the gods, so also *takra* produces happiness in human beings on this earth.

अम्लेन वातं मधुरेण पित्तं
कफं कषायेण निहन्ति तक्रम् ।
तस्मान्न तक्रं ज्वरितेषु देयं
न तक्रदग्धाः प्रभवन्ति रोगाः ॥ १८ ॥

It cures *vāyu* because of its sour taste, *pitta* because of its sweet taste and *kapha* because of its astringent taste. Therefore (?) *takra* should not be given to a patient suffering from fever and being impregnated with *takra*, diseases do not attack him.

॥ इति तक्रवर्गः ॥

Thus ends the group dealing with various types of *takra*.

NOTES AND REFERENCES

1. लघु कषायाम्लं इति आकरे पाठः ।
2. गोफोदरार्शोग्रहणीदोषमूत्रग्रहारुचीः इति आकरे पाठः ।
3. तत् इति आकरे पाठः ।
4. मतम् इति आकरे पाठः ।
5. गुरु वृष्यमतः इति आकरे पाठः ।
6. सजल इति पष्ठपुस्तके पाठः ।
7. घोलमुदश्विच्छ्लेप्मल भवेत् इति आकरे पाठः ।
8. रूक्षाभिष्यन्दि तद्गुण इति पष्ठपुस्तके पाठः ।
9. सर्व इति द्वितीयपुस्तके पाठः ।
10. सैन्धवे नावधूलितम् इति द्वितीयपुस्तके पाठः ।

11. तद्भवे इति द्वितीयपुस्तके पाठः ।
12. सिद्धमेव तदिष्यते इति प्रथमपुस्तके पाठः ।
13. तक्रं इति षष्ठपुस्तके पाठः ।
14. शोथं इति षष्ठपुस्तके पाठः ।
15. भ्रमतृष्णासु इति षष्ठपुस्तके पाठः ।
16. रक्तपित्तजे इति आकरे पाठः ।

CHAPTER 9

नवनीतं हितं गव्यं वृष्यं वर्णबलाग्निकृत् ।
संग्राहि वातपित्तासृक्क्षयाशो¹[स]दितकासजित् ॥ १ ॥

Navanīta (Butter)

Butter (*navanīta*) prepared from cow's milk is very useful. It is aphrodisiac, promoter of complexion, strength and the power of digestion and constipative. It cures aggravated *vāyu*, *pitta* and blood, *kṣaya* (consumption), *arśas* (piles), *ardita* (facial paralysis) and *kāsa* (bronchitis).

तद्वित बालके वृद्धे विशेषादमृतं विशोः ।

It is useful both for young and old and it is like ambrosia for infants.

नवनीतं महिष्यास्तु वातश्लेष्मकरं² गुरु ॥ २ ॥
दाहपित्तश्रमहरं मेदःशुक्रविवर्द्धनम् ।

Māhiṣa Navanīta

The butter collected from buffalo milk aggravates *vāyu*

and *kapha*. It is heavy. It cures *dāha* (burning syndrome), vitiated *pitta* and *śrama* (physical fatigue). It promotes *medas* (adiposity) and semen.

³
क्षीरोत्थ तदतिस्निग्धं चक्षुष्यं रक्तपित्तजित् ॥ ३ ॥

⁴
वृष्यं बलकरं ग्राहि मधुरं शीतलं परम् ।

Milk butter

The butter collected from milk is extremely unctuous. It promotes eye sight and cures *rakta pitta* (a disease characterised by bleeding from different parts of the body). It is aphrodisiac, promoter of strength, constipative, sweet and extremely cooling.

नवनीतं तु सद्यस्कं स्वादु ग्राहि हिमं लघु ॥ ४ ॥

मेध्यं किञ्चित्कषायाम्लमीषत्तक्रांशसंक्रमात् ।

Freshly collected butter

Freshly collected butter is sweet, constipative, cooling, light and promoter of intellect. It is slightly astringent and sour because of its association with a small quantity of butter milk.

⁵
सक्षारकटुकाम्लत्वाच्छर्शकुष्ठकोपनम् ।

श्लेष्मलं गुरु मेदस्यं नवनीतं चिरन्तनम् ॥ ५ ॥

[भावप्रकाशः नवनीतवर्ग १७ · १-६]

Preserved butter

Butter preserved for a long time is alkaline, pungent and sour because of which it aggravates *chardi* (vomiting), *arśas* (piles) and *kuṣṭha* (obstinate skin diseases including leprosy). It aggravates *kapha*. It is heavy and it produces more of fat.

॥ इति नवनीतवर्गः ॥

Thus ends the group dealing with various types of butter.

स्मृति—बुद्धयग्निशुक्रौजः—कफमेदोविवर्धनम् ।

वातपित्तकफोन्मादशोषालक्ष्मीविषापहम् ॥ ६ ॥

[माघवद्रव्यगुणः घृतवर्ग ६ : १]

“चक्षुष्यं ⁷ दीपनं बल्यं गन्धं सर्पिर्गुणोत्तरम् ।

Ghee Cow's milk ghee

Ghee prepared from cow's milk increases memory, intellect, power of digestion, semen, *ojas*, *kapha* and *medas* (fat). It cures *unmāda* (insanity) caused by *vāyu*, *pitta* and *kapha*, *śoṣa* (consumption), *alākṣmī* (inauspiciousness) and *viṣa* (poisoning). It promotes eyesight, digestive power and strength. Cow's ghee is the best among the ghees.

आजं सर्पिर्दीपनीयं चक्षुष्य बलवर्द्धनम् ॥ ७ ॥

कासे श्वासे क्षये चापि पथ्य पाके च तल्लघु ।

Goat's milk ghee

Ghee prepared from goat's milk stimulates the digestive power and promotes eyesight and strength. It is useful in *kāsa* (bronchitis), *śvāsa* (asthma) and *kṣaya* (consumption). It is light for digestion.

मधुर रक्तपित्तघ्न गुरु पाके कफावहम् ॥ ८ ॥

वातपित्तप्रशमनं ⁸ सुशीतं माहिष घृतम् ।

Buffalo milk ghee

The ghee prepared from buffalo-milk is sweet. It cures *raktapitta* (a disease characterised by bleeding from different parts of the body). It is heavy for digestion. It aggravates *kapha* and alleviates *vāyu* and *pitta*. It is cooling.

‘श्रीष्टं’ कटु घृत पाके शोथकृमिविषापहम् ॥ ९ ॥

दीपनं कफवातघ्नं कुण्डगुल्मोदरापहम् ।

Camel's milk ghee

Ghee prepared from camel's milk is pungent in *vipāka*. It cures *śoṭha* (oedema), *kṛmi* (parasitic infection) and *viṣa* (poisoning). It stimulates digestion and alleviates *kapha* and *vāyu*. It cures *kuṣṭha* (obstinate skin diseases including leprosy), *gulma* (phantom tumour) and *viṣa* (poisoning).

पाके लघ्वाविकं सर्पिर्न च पित्तप्रकोपणम् ॥ १० ॥'

[भावप्रकाशः घृतवर्ग ६-१०]

कफेऽनिले योनिदोषे ⁹ शोथे कंठे च तद्धितम् ।''

[माधवद्रव्यगुणः घृतवर्ग ६ : ३-७]

Sheep's milk ghee

Ghee prepared from sheep's milk is light for digestion and it does not aggravate *pitta*. It is useful in aggravated *kapha* and *vāyu*, *yonī doṣa* (diseases of the female genital tract), *śoṭha* (oedema) and *kampa* (trembling).

‘पाके लघूष्णवीर्यं ¹⁰ च कषायं कफनाशनम् ॥ ११ ॥

दीपनं वद्धविष्मूत्रं ¹¹ विद्यादैकशफं घृतम् ।

Mare's milk ghee

Ghee prepared from mare's milk is light for digestion, hot in potency, astringent, alleviator of *kapha* and stimulant of the digestive power. It obstructs proper elimination of stool and urine.

कषायं बद्धविष्मूत्रं तिक्तमग्निकरं लघु ॥ १२ ॥

हन्ति कारेणवं सर्पिः कफकुष्ठविषकृमीन् ।

Elephant's milk ghee

The ghee prepared from elephant's milk is astringent. It obstructs proper elimination of stool and urine. It is bitter, stimulant of digestion and light. It cures aggravated *kapha*,

kuṣṭha (obstinate skin diseases including leprosy), *viṣa* (poisoning) and *kṛmi* (parasitic infection).

12
चक्षुष्यमग्रं स्त्रीणां च सर्पिः स्यादमृतोपमम् ॥ १३ ॥

13
वृद्धिं करोति देहान्न्योर्लघुपाके विषापहम् ।

Ghee of woman's milk

The ghee prepared from woman's milk is an excellent promoter of eyesight. It is like ambrosia. It promotes the physique and the power of digestion. It is light for digestion and it cures *viṣa* (poisoning).

तर्पणं नेत्ररोगघ्नं दाहनुत्पयसो घृतम् ॥ १४ ॥

Ghee prepared of milk

The ghee prepared of milk is refreshing. It cures eye diseases and *dāha* (burning syndrome).

14
सर्पिः पुराणं तिमिरं पीनसश्वासकासजित् ।

मूर्च्छाकुष्ठविषोन्माददाहापस्मारनाशनम् ॥ १५ ॥

15
योनिकर्णाक्षिशिरसां शूलं शोथगरज्वरान् ।

हन्ति दोषत्रयं भेदि व्रणशोधनरोपणम् ॥ १६ ॥

[माधवद्रव्यगुणः घृतवर्ग ६ : ८-१३]

Preserved ghee

The ghee which is kept preserved for a long time (*purāṇa*) cures *timira* (cataract), *pīnasa* (chronic cold), *śvāsa* (asthma), *kāsa* (bronchitis), *mūrchā* (fainting), *kuṣṭha* (obstinate skin diseases including leprosy), *viṣa* (poisoning), *unmāda* (insanity), *dāha* (burning syndrome), *apasmāra* (epilepsy), colic pain in *yoni* (female genital tract), ear, eye and head, *śoṭha* (oedema), *gara* (a type of poisoning) and fever. It alleviates all the three *doṣas*. It is purgative. It cleanses and heals ulcers.

घृतमण्डो घृतस्योर्ध्वभागः स्यात्सुश्रुतस्य यः ।

‘तद्वच्च घृतमण्डोऽपि रूक्षस्तीक्ष्णस्तनुस्तु सः ॥ १७ ॥’

[माधवद्रव्यगुणः घृतवर्ग १८ : १३]

Ghṛta maṇḍa

The upper portion of the ghee is called *ghṛta maṇḍa* according to *Suśruta*. It is un-unctuous, sharp and thin.

¹⁶
यो गो दोहाद्भव सर्पिर्भवेद्वैयङ्गवीनकम् ।

हैयङ्गवीन चक्षुष्यं दीपन रोचन परम् ॥ १८ ॥’

[भावप्रकाशः घृतवर्ग १८ . १५]

Hayamṅgavīna

The ghee that is taken out from the cream produced at the time of milking the cow is called *hayamṅgavīna*. It promotes eyesight and the power of digestion. It is digestive stimulant and appetiser par excellence.

बल्यं वृष्यं निगदितं विशेषाज्ज्वरनाशनम् ।

सर्पिः पुराणं विज्ञेयं दशवर्षस्थितं तु यत् ॥ १९ ॥

Preservation

The ghee which is preserved for ten years is strength promoting and aphrodisiac. It specifically cures fever.

दशसम्बत्सराद्दूर्ध्वमाज्यमुक्तं रसायनम् ।

The ghee which is preserved for more than ten years is called *ājya*. It is rejuvenating.

शतवर्षस्थितं यत्तु कुम्भसर्पिस्तदुच्यते ॥ २० ॥

रक्षोघ्नं कुम्भसर्पिः स्यात्तत्परस्तु महाघृतम् ।

पेयं महाघृतं भूतैः सर्वतोऽपि गुणाधिकम् ॥ २१ ॥

The ghee which is preserved for one hundred years is

called *kumbha sarpi*. It cures the afflictions by *rakṣas* (evil spirits). The ghee which is preserved for more than one hundred years is called *mahāghṛta*. It is the best among all the ghees.

यथा यथा जरा याति गुणवत्स्यान्नथा तथा ।

Depending upon the duration of preservation, the ghee becomes progressively more and more useful.

राजयक्ष्मणि बाले च वृद्धे श्लेष्माश्रये गदे ॥ २२ ॥

रोगे सामे विसूच्या च विबन्धे च मदात्यये ।

ज्वरे च शमिते बह्वौ न सर्पिर्वहुमन्यते ॥ २३ ॥

Contra-indication

Ghee is not very useful in *rāja yakṣmā* (tuberculosis), young age, old age, in diseases caused by *kapha*, in the *āma* stage of diseases, *visūcikā* (cholera), constipation, *madātyaya* (alcoholism), fever and in the suppression of the power of digestion.

॥ इति घृतवर्गः ॥

Thus ends the group dealing with various type of ghee;

NOTES AND REFERENCES

1. क्षयाशीर्षदिकासहृत् इति आकरे पाठः ।
क्षयाशीर्षदितकासजित् इति आदर्शपुस्तकेषु पाठः ।
2. वातश्लेष्महरं इति षष्ठपुस्तके पाठः ।
3. दुग्धोत्थं नवनीतं तु चक्षुष्यं रक्तपित्तनुत् इति आकरे पाठः ।
4. वृष्यं बल्यमतिस्निग्धं मधुरं ग्राहि शीतलम् इति आकरे पाठः ।
5. सक्षारकटुलाम्लत्वाच्छर्शःकुष्ठकारकम् इति आकरे पाठः ।

6. लक्ष्मीज्वरापहम् इति आकरे पाठः ।
7. बृंहणं इति आकरे पाठः ।
8. सुश्रुतं इति आदर्शपुस्तिकासु पाठः ।
9. शोफे इति आकरे पाठः ।
10. तु इति आकरे पाठः ।
11. लघु इति षष्ठपुस्तके पाठः ।
12. चक्षुष्यमग्न्यं इति आदर्शपुस्तिकासु पाठः ।
13. देहास्य लघु पाकि इति षष्ठपुस्तके पाठः ।
14. तिमिरप्रतिश्याश्वासकासनुत् इति आकरे पाठः ।
15. शूलघ्नं शोकजित् परम् इति आकरे पाठः ।
16. हयो इति षष्ठपुस्तके पाठः ।

CHAPTER 10

‘कषायानुरसं स्वादु सूक्ष्ममुष्णं व्यवायि च ।

पित्तलं बद्धविण्मूत्रं न च श्लेष्मविवर्धनम् ॥ १ ॥’

[माघवद्रव्यगुणः तैलवर्ग १० : १]

‘तैलं संयोगसंस्कारात्सर्व^१रोगहरं सरम् ।

Oil

Oil is astringent in *anurasa* (subsidiary taste), sweet, subtle, hot and *vyavāyi* (which pervades all over the body before digestion). It aggravates *pitta*. It obstructs the proper elimination of stool and urine. It does not aggravate *kapha*. By combination and processing it cures all diseases. It is laxative.

छिन्नभिन्नच्युतोत्पिष्टमथितक्षतपिच्छिते ॥ २ ॥

भग्नस्फुटितविद्धाग्निदग्धश्लिष्टविदारिते ॥ १ ॥

तथाभिहतनिर्भु^३ग्नमृगभ्यालादिभक्षिते ॥ ३ ॥

सेकाभ्यंगावगाहेषु तिलतैलं प्रशस्यते ।

4

तथा वस्तिषु पानेषु नस्ये कर्णाक्षिपूरणे ॥ ४ ॥
 अन्नपानविधौ चापि प्रयोज्यं वातशान्तये ।

Tila taila (Gingili oil)

Til oil is useful in excised, incised, dislocated, macerated, lacerated, ulcerated, pressed, fractured, broken, perforated, burnt, separated and scraped wounds and injury and eating away by wild animals. It is used in the form of *seka* (sprinkling), *abhyāṅga* (massage), *avagāha* (bath), *vasti* (enema), *pāna* (drinking through mouth), *nasya* (inhalation), *karnāpūraṇa* (ear drop) and *akṣipūraṇa* (pouring over eyes). It is used in food and drinks for the alleviation of *vāyu*.

वातघ्नं मधुरं तेषु क्षौम तैलं बलावहम् ॥ ५ ॥
 कटुपाकमचक्षुष्यं स्निग्धोष्णं कटुपित्तलम् ।

Kṣauma taila (Linseed oil)

The oil of *kṣauma* alleviates *vāyu*. It is sweet and a promoter of strength. It is pungent in *vipāka*. It is not useful for eyes. It is unctuous, hot and pungent. - It aggravates *pitta*.

कृमिघ्नं सार्षपं तैलं कङ्कुकुष्ठापहं लघु ॥ ६ ॥
 कफमेदोऽनिलहरं लेखनं कटुं दीपनम् ।

Sārsapa taila (Mustard oil)

The oil of *sārsapa* cures *kṛmi* (parasitic infection), *kaṇḍū* (itching) and *kuṣṭha* (obstinate skin diseases including leprosy). It is light and reduces *kapha*, *medas* (fat) and *vāyu*. It is *lekhana* (depleting), pungent and a digestive stimulant.

5

हृद्वस्तिपारश्वजानूरुक्कटिपृष्ठास्थिशूलिनाम् ॥ ७ ॥
 6 7
 आनाहाष्ठीलवातासृक्प्लीहोदावर्त्तशूलिनाम् ।
 8
 हितं वातामयश्वासग्रन्थिहिष्मविकारिणाम् ॥ ८ ॥

तैलमेरण्डजं बल्यं गुरुष्णं मधुरं सरम् ।

Eranda taila (Castor oil)

The oil of *eranda* is useful in the pain of the heart, bladder, sides of the chest, knee joint, thigh, waist, back and bone. It is also useful in *ānāha* (flatulence), *aṣṭhīlā* (hard tumour in the abdomen), *vātāsyk* (gout), *plīhan* (splenic disorder) *udāvarta* (tymphanitis), *sūla* (colic pain), diseases caused by *vāyu*, *śvāsa* (asthma), *granthi* (adenitis) and *hidhmā* (hic cup). It is strength promoting, heavy, hot, sweet and laxative.

9
तीक्ष्णोष्णं पित्तलं विस्रं रक्तैरण्डोद्भव भृशम् ॥ ९ ॥

The oil of the red variety of *eranda* is exceedingly sharp and hot. It strongly aggravates *pitta* and is extremely putrid.

कुसुम्भतैलमुष्णं च विपाके कटुकं गुरु ।
10 11
विदाही तु विशेषेण सर्वदोषप्रकोपणम् ॥ १० ॥

Kusumbha taila

The oil of *kusumbha* is hot, pungent in *vipāka*, heavy and *vidāhī* (producing burning sensation). It specifically aggravates all the *doṣas*.

सरं कोशाम्रजं तैलं कुमिकुठन्नणापहम् ।

Kośāmra taila

The oil of *kośāmra* is laxative. It cures *krmi* (parasitic infection), *kuṣṭha* (obstinate skin diseases including leprosy) and *vraṇa* (ulcer).

दन्तीमूलकरक्षोघ्नकरञ्जारिष्टशिग्रुजम् ॥ ११ ॥

12
सुवर्चलेङ्गुदीपीलुशंखिनीनीपसंभवम् ।

सरलागुरुदेवाह्वशिशपासारजन्म च ॥ १२ ॥

13
तुवरारुष्करोत्थं च तीक्ष्णं कट्वम्लपित्तजित् ।

अर्शः कुण्डकृमिश्लेष्मशुक्रमेदोऽनिलापहम् ॥ १३ ॥

Taila of Danti etc.,

The oils of *danti*, *mūlaka*, *raksoghna*, *karañja*, *ariṣṭa*, *sigru*, *suvarcalā*, *īngudī*, *pīlu*, *śamkhiñī*, *nīpa*, heart wood of *sarala*, *aguru*, *devāhva* and *śimśapā*, *tuvara* and *āruṣkara* are sharp, pungent and sour. They alleviate *pitta* and cure *arśas* (piles), *kuṣṭha* (obstinate skin diseases including leprosy) and *kṛmi* (parasitic infection). They reduce *kapha*, semen, fat and *vāyu*.

करंजारिष्टज्जे ¹⁴ तिक्ते नात्युष्णे तत्र निर्दिशेत् ।

कषायतिक्तकटुकं ¹⁵ सरल व्रणशोधनम् ॥ १४ ॥

Of these, the oils of *karañja* and *ariṣṭa* are bitter and they are not very hot. The oil of *sarala* is astringent, bitter and pungent and it cleanses ulcer.

भृशोष्णतीक्ष्णकटुके ¹⁶ तुवरारुष्करोद्भवे ।

विशेषात्कृमिकुष्ठघ्ने तथोर्ध्वाधोविरत्नने' ॥ १५ ॥

[माधवद्रव्यगुणः तैलवर्ग १० : १-१६]

Oils of *tuvara* and *āruṣkara* are exceedingly hot, sharp and pungent. They specifically cure *kṛmi* (parasitic infection) and *kuṣṭha* (obstinate skin diseases including leprosy). They are emetic and purgative.

सर ज्योतिष्मतीतैलं वातश्लेष्मशिरोतिनुत् ।

Jyotismatī taila

The oil of *jyotismatī* is laxative. It alleviates *vāta*, *kapha* and headache.

अक्षातिमुक्तकाक्षोटनालिकेलमधूकजम् ¹⁷ ॥ १६ ॥

त्रपुसैर्वारि — कुष्माण्डश्लेष्मातकपियालजं ।¹⁸

वातपित्तहरं केश्यं श्लेष्मलं गुरु शीतलम् ॥ १७ ॥

Taila of Akṣa etc.

The oil of *akṣa*, *atimukta*, *akṣoṭa*, *nālikela*, *madhūka*, *trapusa*, *ervāru*, *kuṣmāṇḍa*, *śleṣmātaka* and *piyāla* alleviates *vāyu* and *pitta*. It promotes good hair and aggravates *kapha*. It is heavy and cooling.

पित्तश्लेष्मप्रशमनं श्रीपर्णकिंशुकोद्भवम् ।¹⁹

दोषघ्नं दीपनं मेघ्यं किञ्चित्तिक्तं रसायनम् ॥ १८ ॥

[माधवद्रव्यगुणः तैलवर्ग १० : १६-१८]

Taila of Śrīparṇa & Kimśuka

The oil of *śrīparṇa* and *kimśuka* alleviates *pitta* and *kapha*. It is *doṣaghna* (correcting morbid factors) and digestive stimulant. It promotes intellect. It is slightly bitter and rejuvenating.

श्लेष्मातकाक्षपिचुमं दककाकिनीनां,

काश्मर्यकस्य यदि वापि हरीतकीनाम् ॥ १९ ॥

तैलं निहन्ति पनितान्युपयुज्य नम्ये ।

गोध्नीरभोज्यनिरतस्य सदैव पुंसः ॥ २० ॥

Taila of Śleṣmātaka etc.

The oil of *śleṣmātaka*, *akṣa*, *picumandaka*, *kākini*, *kāśmaryaka* and *haritakī* cures premature graying of hair when used for inhalation. For this purpose, patients should constantly use cow's milk as their food.

‘यवतिक्ताभवं तैलं स्वादुपाकं विलेखनम् ।²⁰

कफवातहर रूक्षं कषाय नातिपित्तकृत् ॥ २१ ॥

Taila of Yavatiktā

The oil of *yavatiktā* is sweet in *vipāka* and depleting. It alleviates *kapha* and *vāta*. It is ununctuous and astringent. It does not aggravate *pitta* in excess.

21

सहकारभवं तैलं तिक्त सुरभिरोचनम् ।

Taila of Sahakāra

The oil of *sahakāra* is bitter, fragrant and an appetiser.

22

फलोद्भवानि तैलानि यान्युक्तानीह कानिचित् ।

23

गुणान्कर्म च दिजाय फलाना च विनिर्दिशेत् ॥ २२ ॥

[माधवद्रव्यगुणः तैलवर्ग १०:१६-२१]

Taila of other fruits

The oil extracted from other fruits which are described elsewhere in this text shares the properties of fruits from which it is extracted.

तैलं सर्जरसोद्भूतं विस्फोटव्रणनाशनम् ।

कुष्ठपामाकृमिहरं वातश्लेष्मामयापहम् ॥ २३ ॥

Taila prepared of Śarjaraśa

The oil prepared of *sarjaraśa* cures *visphoṭa* (pustular eruptions), *vraṇa* (ulcer), *kuṣṭha* (obstinate skin diseases including leprosy), *pāmā* (itching), *kṛmi* (parasitic infection) and diseases caused by *vāyu* and *kapha*.

तैलं स्वयोनिवत्सर्वं कीर्तितं वाग्भटेन यत् ।

ततः शेषस्य बौद्धव्या योनिरेव गुणा जनैः ॥ २४ ॥

‘यावन्तः स्थावराः स्नेहाः समासात्परिकीर्तिताः ।

सर्वे तैलगुणा ज्ञेया सर्वेप्यनिलनाशनाः ॥ २५ ॥

[माघवद्रव्यगुणः तैलवर्ग १०:२१-२२]

Miscellaneous

Vāgbhaṭa has stated that the oil shares the properties of the source plant from which it is extracted. Following this principle, the properties of the remaining types of oil should be determined.

वसा मज्जा च वातघ्नौ बलपित्तकफप्रदौ ।

मासानुगस्वरूपौ च विद्यान्मेदोऽपि ताविव ॥ २६ ॥

Muscle fat and Bone marrow

Vasā (muscle fat) and *majjā* (bone marrow) alleviate *vāta* and increase strength, *pitta* as well as *kapha*. They share the properties of the meat of the respective animals. *Medas* (fat) has also similar properties.

श्रौतलूकी सौकरी वा च हंसजा कुक्कुटोद्भवा ।

वसा श्रेष्ठा स्ववर्गेषु कुंभीरमहिषोद्भवा ॥ २७ ॥

काकमृगवसा तद्वत्कारण्डो था च निन्दिता ।

The *vasā* (muscle fat) of *ulluka*, *sukara*, *hansa*, *kukkuṭa*, *kumbhira*, *mahiṣa*, *kāka* and *mṛga* is the best among their respective groups. The *vasā* (muscle fat) of *kāraṇḍa* is not useful.

सुम्बादु मेदश्छाग तु हास्तिक तु वराद्वरम् ॥ २८ ॥

The *medas* (fat) of goat is delicious and that of the elephant is exceedingly useful.

मधुनै बृहणौ वृष्यौ बल्यौ मज्जा तथा वसा ।

यथा सन्वं तु शैत्योर्णैर्वमामज्जा विनिदिशेत् ॥ २९ ॥

Property

Both *vasā* (muscle fat) and *majjā* (bone marrow) are

sweet, nourishing, aphrodisiac and strength promoting. The potency, viz., hot and cold of *vasā* and *majjā* should be determined on the basis of the nature of the animal from which they are collected.

25
‘घृतमब्दात्परं पक्वं हीनवीर्यं प्रजायते ।

तैलं पक्वमपक्वं वा चिरस्थायि गुणाधिकम् ॥ ३० ॥’

[माधवद्रव्यगुणः तैलवर्गं २३]

Miscellaneous

Boiled ghee loses its potency after one year. But oil whether boiled or not maintains its potency for ever and therefore it is better.

॥ इति तैलवर्गः ॥

Thus ends the group dealing with various types of oils etc.

NOTES AND REFERENCES

1. संयोगसंस्कारात्सर्वरोगापहं मतम् इति आकरे पाठः ।
2. भग्नस्फुटितविद्धाग्निदग्धविलिष्टदारिते इति आकरे पाठः ।
3. तथाभिहतनिर्भुग्ने मृगव्यालादिभक्षिते इति आकरे पाठः ।
4. तद्बस्तिषु च इति आकरे पाठः ।
5. हृद्बस्तिपार्श्वजानूरुत्रिकपृष्ठास्थिशूलिनाम् इति आकरे पाठः ।
6. अनाप्तष्ठीलपित्तासृक् इति आकरे पाठः ।
7. प्लीहोदावर्त्तशूलिनाम् इति आकरे पाठः ।
8. वातामयश्वासग्रन्थिवर्त्मविकारिणाम् इति आकरे पाठः ।
9. पिच्छिलं इति आकरे पाठः ।
10. च इति आकरे पाठः ।

11. सर्वरोगप्रकोपणम् इति आकरे पाठः ।
सर्वरोगहरं परं इति षष्ठपुस्तके पाठः ।
12. सौवर्चलेङ्गुदीपीलु इति आकरे पाठः ।
13. कड्वस्त्रपित्तकृत् इति आकरे पाठः ।
14. तापोष्णे इति द्वितीयपुस्तके पाठः ।
15. सारलं इति आकरे पाठः ।
16. भृशोष्णे कटुतीक्ष्णे च इति पाठः ।
17. अक्षातिमुक्तकाक्षोडनालिकेरमघृकजम् इति आकरे पाठः ।
18. पियज्जलम् इति द्वितीयपुस्तके पाठः ।
19. श्रीपर्णीकिशुकोद्भवम् इति आकरे पाठः ।
20. स्वादु पाके विरेचनम् इति आकरे पाठः ।
21. सतिक्तं सहकारस्य तैलं सुरभि रोचनम् इति आकरे पाठः ।
22. तानि च इति आकरे पाठः ।
23. फलानीव विनिर्दिशेत् इति आकरे पाठः ।
24. सर्वे चानिलनाशनाः इति आकरे पाठः ।
25. घृतमद्वाद्वात्परं इति द्वितीयषष्ठपुस्तकयोः पाठः ।

CHAPTER 11

‘दीपनं रोचनं मद्यं तीक्ष्णोष्णं तुष्टिपुष्टिदम् ।
सुस्वादुतिक्तकटुकमम्लपाकरसं सरम् ॥ १ ॥
सकषायं स्वरारोग्यप्रतिभावर्यकृल्लघु ।
नष्टनिद्रातिनिद्रेभ्यो हितं पित्तास्रदूषणम् ॥ २ ॥
कृशस्थूलहितं रूक्षं सूक्ष्मं स्रोतोविशोधनम् ।
वातश्लेष्महरं युक्त्या पीतं विषवदन्यथा ॥ ३ ॥

[माधवद्रव्यगुणः मद्यवर्ग १२:१-३]

Madya (Alcoholic drinks)

Alcoholic drink (*madya*) is a digestive stimulant, appetiser, sharp, *uṣṇa*, refreshing, nourishing, sweet, *tikta*, pungent, sour in *vipāka* and taste, laxative and astringent. It promotes good voice, health, intuition (*pratibhā*) and complexion. It is light. It is useful for persons who do not get sleep and also for persons who get sleep in excess. It vitiates *pitta* and blood. It is useful for both emaciated and corpulent persons. It is un-unctuous and subtle. It cleanses the channels

of circulation. It alleviates *vāyu* and *kapha*. All the above mentioned properties are manifested when alcohol is taken only in appropriate dose. Otherwise it works like a poison.

यदपक्वौषधाम्बुभ्यां सिद्धं मद्यं स आसवः ।

अरिष्टः क्वाथसाध्यः स्यात्तयोर्मानं पलोन्मितम् ॥४॥

Āsava & Ariṣṭa

The alcoholic drink prepared of unboiled drugs and water is called *āsava*. *Ariṣṭa* is prepared of decoctions and the dose of both the *āsava* and *ariṣṭa* is one *pala* (48 ml approx.).

आसवादधिकोऽरिष्टो गुणैः पाकेन लाघवात् ।

बीजद्रव्येण विज्ञेया आसवारिष्टयोर्गुणाः ॥ ५ ॥

Ariṣṭa is better than *āsava* because the former is light because of boiling. Their properties are determined on the basis of the property of drugs used in their preparation.

‘शालिषष्टिकपिष्टादिकृतं मद्यं सुरा मता ।

Surā

The alcoholic drink prepared of the paste of *śāli* and *ṣaṣṭika* types of rice is called *surā*.

सुरा गुर्वी बलस्तम्भपुष्टिमेदःकफप्रदा ॥ 6 ॥’

ग्राहिणी शोफगुल्माग्नौग्रहणीमूत्रकृच्छ्रनुत् ।

Surā is heavy. It promotes strength, power of retention (*stambha*), plumpness, *medas* (fat) and *kapha*. It is constipative. It cures *śopha* (oedema), *gulma* (phantom tumour), *arśas* (piles), *grahaṇī* (sprue syndrome) and *mūtrakṛcchra* (dysuria).

पुनर्नवाशालिपिष्टैर्विहिता वारुणी मता ॥ ७ ॥

यत्तालखर्जूररसैः सहिता सापि वारुणी ।

Vāruṇī

The alcoholic drink prepared of the paste of *punarnavā* and *śāli* is called *vāruṇī*. It is also prepared of the juice of *tāla* and *kharjūra*.

सुरावद्धारुणी लघ्वी पीनसाध्मानशूलनुत् ॥ ८ ॥'

[भावप्रकाशः सन्धानवर्ग ११ : २३-२४]

Vāruṇī shares the properties of *surā*. However, it is light and it cures *pīnasa* (chronic cold), *ādhmāna* (flatulence) and *śūla* (colic pain).

प्रसन्ना स्यात्सुरामण्डस्ततः कादम्बरी घना ।

जगलस्तदधः प्रोक्तो मेदको जगलादधः ॥ ९ ॥

Different parts

The upper portion of *surā* (which is very thin) is called *prasannā*. The portion below that which is more dense is called *kādambarī*. The portion below that is called *jagala*. The *surā* which is at the bottom of the container is called *medaka*.

सद्यो गृहीत सारो यः कल्को ज्ञेयः स वक्कसः ।

किण्वं स्यान्मदिरात्रीजमसंजातं मधूलकम् ॥ १० ॥

The fermenting material from where alcohol has been taken out is called *vakkasa*. The material that is used for initiating fermentation of alcoholic drinks is called *kiṇvā*. If *kiṇvā* is not matured then it is called *madhūlaka*.

प्रसन्नानाहगुल्मार्शः — छर्द्यरोचकवातनुत् ।

Prasannā

Prasannā cures *ānāha* (flatulence), *gulma* (phantom tumour), *arśas* (piles), *chardi* (vomiting), *arocaka* (anorexia) and aggravated *vāyu*.

दीपन्याध्मानहृत्कुक्षितोदशूलप्रणाशिनी ॥ ११ ॥

कादंबरी गुरुर्वृष्या दीपनी वातहृत्सरा ।

Kādambarī

Kādambarī type of alcoholic drink is a digestive stimulant. It cures *ānāha* (flatulence), pain in the heart and pelvic region and colic pain. It is heavy, aphrodisiac, alleviator of *vāyu* and laxative.

जसालः कफनुद्ग्राही शोफार्शोग्रहणीहरः ॥ १२ ॥

रूक्षोष्णः पाचनी बल्यः क्षुत्तृष्णारुचिनाशनः ।

Jagala

Jagala alleviates *kapha*. It is constipative. It cures *śopha* (oedema), *arśas* (piles) and *grahaṇī* (sprue syndrome). It is ununctuous, hot, carminative and strength promoting. It cures *ksut* (morbid hunger), *trṣṇā* (morbid thirst) and *aruci* (anorexia).

मेढको मधुरोबल्यः स्तम्भनः शीतलो गुरुः ॥ १३ ॥

Medaka

Medaka is sweet, strength promoting, *stambhana* (which increases the power of retention), cooling and heavy.

⁸ 'बक्को हृतसारत्वाद् विष्टंभी वातकोपनः ।

[माधवद्रव्यगुणः मद्यवर्ग १२:६]

Vakkasa

Vakkasa from which alcohol is taken out is constipative and it aggravates *vāyu*.

किण्वकं वातशममनहृद्यं दुर्जरं गुरुः ॥ १४ ॥

Kiṇvaka

Kiṇvaka alleviates *vāyu*. It is not good for heart. It is difficult of digestion and heavy.

मधूलकं कफकरं स्निग्धं विष्टम्भिदुर्जरम् ।

Madhūlaka

Madhūlaka aggravates *kapha*. It is unctuous, constipative and difficult of digestion.

मृद्धीकाभिः कृतं मद्यं मार्द्विकं कापिशं च तत् ॥ १५ ॥

कापिश मदिरा श्रेष्ठं स्निग्धं स्वादुसरं लघु ।

रोचन पाचनं हृद्य बृंहण बलवीर्यदम् ॥ १६ ॥

अल्पपित्तानिलकरमविदाहि कफापहम् ।

पाण्डुताक्षयमेहाग्नौ विषमज्वरनाशनम् ॥ १७ ॥

Mārdvika

The alcoholic drink prepared of grapes is called *mārdvika* or *kāpiśa*. It is the best among the alcoholic drinks. It is unctuous, sweet, laxative, light, appetiser, carminative, cardiac tonic and nourishing. It promotes strength and semen. It causes *amlapitta* (acidity in stomach) and aggravation of *vāyu*. It does not cause burning sensation and it alleviates *kapha*. It cures *pāṇḍu* (anemia), *kṣaya* (consumption), *meha* (obstinate urinary disorders including diabetes), *arśas* (piles) and *viṣama jvara* (irregular fever).

“तस्मादल्पान्तरगुणं खार्जूरं वातलं गुरु ।

हृद्य कषायमधुरं सुगन्धेन्द्रियबोधनम् ॥ १८ ॥”

[माधवद्रव्यगुणः मद्यवर्ग १२ : ११]

Khārjūra madya

The alcoholic drink prepared of *kharjūra* is slightly inferior in quality in comparison to the *mārdvika* type of alcoholic drink. It aggravates *vāyu* and is heavy. It is a cardiac tonic, astringent, sweet and fragrant. It activates the senses (*indriya bodhana*).

¹¹
 धातक्चम्बुगुडं¹¹गोडो भिषग्भिः परिकीर्तितः ।
¹²
 गोडोऽग्निवर्धनो वर्णबलकृत्तर्पणः कटुः ॥ १६ ॥
 तिक्तको बृंहणः स्वादुः सृष्टविण्मूत्रमारुतः ।

Gauḍa madya

The alcoholic drink prepared of *dhātakī*, water and *gūḍa* is called by physicians “*gauḍa*”. It promotes the power of digestion, complexion and strength. It is refreshing, pungent, bitter, nourishing and sweet. It promotes the elimination of stool, urine and flatus.

मधूककुसुमैर्मद्यं माधूकमिति कथ्यते ॥ २० ॥
 वातपित्तकरं रुक्षं माधूकं परिकीर्तितम् ।

Mādhūka madya

The alcoholic drink prepared of the flower of *madhūka* is called *mādhūka*. It aggravates *vāyu* and *pitta*. It is ununctuous.

¹³ ‘इक्षोः पक्वैरसैः सिद्धः ¹⁴ सीधुः पक्वरसश्च सः ॥ २१ ॥
¹⁵ आमैस्तैरेव ¹⁶ विहितः स च शीतरसो भवेत् ।

Sidhu

The alcoholic drink prepared of boiled sugar cane juice is called *pakvarasa sidhu*. If unboiled sugar cane juice is used in the preparation, then it is called *śīta rasa*.

सीधुः पक्वरसः श्रेष्ठः स्वराग्निबलवर्णकृत् ॥ २२ ॥
¹⁷ वातपित्तकरो ¹⁸ हृद्यः स्नेहनो रोचनो जयेत् ।
¹⁹ विबन्धमेदो — शोफार्शः — ²⁰ श्वासोदरकफामयान् ।

Pakvarasa type of *sidhu* is the better of the two. It promotes good voice, digestive power, strength and complex-

ion. It aggravates *vāyu* and *pitta*. It is a cardiac tonic, unctuous and an appetiser. It cures *vibandha* (constipation), *medas* (adiposity), *śopha* (oedema), *arśas* (piles), *śvāsa* (asthma), *udara* (obstinate abdominal diseases including ascitis) and diseases caused by *kapha*.

तस्मादल्पगुणः शीतरसः सलेखनः स्मृतः ॥ २३ ॥

[भावप्रकाशः सन्धानवर्ग २१ : २५-२७]

Śītarasa type of *sidhu* is slightly inferior in quality. It is known for its depleting action.

‘शार्करो मधुरो हृद्यो दीपनो बस्तिशोधनः ।

वातघ्नो मधुरः पाके रुच्य इन्द्रियबोधनः ॥ २४ ॥’

[माधवद्रव्यगणः मद्यवर्ग १२ : १३]

Śārkara

Śārkara type of alcoholic drink is sweet, cardiac tonic and digestive stimulant. It cleanses the urinary bladder and alleviates *vāyu*. It is sweet in *vipāka*, appetiser and stimulant of senses (*indriya bodhana*).

‘छेदी मध्वासवस्तीक्ष्णो मेहपीनसकासजित् ।’

[माधवद्रव्यगुणः मद्यवर्ग १२ : १६]

Madhvāsava

Madhvāsava in *chedi* (which takes away tissues by cutting) and sharp. It cures *meha* (obstinate urinary disorders including diabetes), *pīnasa* (chronic rhinitis) and *kāsa* (bronchitis).

21

आक्षिकः पाण्डुरोगघ्नो बल्यः संग्राहिको लघु ॥ २५ ॥

22

कषायो मधुरः शीतः पित्तघ्नोऽसृक्प्रसादनः ।

Ākṣika

Ākṣika type of alcoholic drink, cures *pāṇḍu* (anemia). It

is a promoter of strength, constipative, light, astringent, sweet and cooling. It alleviates *pitta* and promotes blood formation.

जाम्बवो ²³ बद्धनिष्यंदो तौवरो वातकोपनः ।

तीक्ष्णः कषायो मदकृत् दुर्नामिकफगुल्मनुत् ॥ २६ ॥'

[माधवद्रव्यगुणः मद्यवर्ग १२ : १७-१८]

Jāmbava & Tauvara

Jāmbava type of alcoholic drink helps in the prevention of excretion (*baddha niṣyanda*).

Tauvara aggravates *vāyu*. It is sharp, astringent and intoxicating. It cures *durnūma* (piles), aggravated *kapha* and *gulma* (phantom tumour).

‘निर्दिशेद् द्रव्यतश्चान्यान् कंदमूलफलासवान् ।’

[माधवद्रव्यगुणः मद्यवर्ग १२ : २१]

‘अरिष्टासवसीधूनां गुणान् कर्माणि चादिशेत् ।

²⁴ वुद्ध्यथास्वमंस्कारमवेक्ष्य कुचलो भिषक् ॥ २७ ॥’

[माधवद्रव्यगुणः मद्यवर्ग १२ : २३-२४]

Miscellaneous

Many other types of alcoholic drinks viz., *āsavas*, *ariṣṭas* and *sīdhus* are prepared from rhizomes, roots and fruits of different plants. Their properties should be determined by an expert physician on the basis of the properties of their ingredients and the pharmaceutical processes followed in their preparation.

पिप्पल्यादि कृतो गुल्मकफगोगहरो भवेत् ।

The alcoholic drink prepared from *pippalī* etc., cures *gulma* (phantom tumour) and diseases caused by *kapha*.

चिकित्सितेषु वक्ष्यन्तेऽरिष्टा रोगहराः पृथक् ॥ २८ ॥

In a separate section on the “treatment of diseases”

ariṣṭas which cure different ailments will be described.

नवं मद्यमभिष्यन्दि त्रिदोषशमनं सरम् ।
 25
 अहृद्यं विरसं दाही दुर्गन्धं विशदं गुरु ॥ २६ ॥

Fresh and Preserved wines

Freshly prepared alcoholic drinks are *abhiṣyandi* (which obstructs channels of circulation). It alleviates all the three *doṣas* and is a laxative. It is not a cardiac tonic and is not tasteful (*virasa*). It causes burning sensation and produces putrid smell. It is *viśada* (non-slimy) and heavy.

‘जीर्णं तदेव रोचिष्णुः क्रिमिश्लेष्मानिलापहम् ।
 हृद्यं सुगन्धिगुणबल्लघु स्रोतोविशोधनम् ॥ ३० ॥’

[भावप्रकाशः सन्धानवर्ग २१ : ३१]

The same alcoholic drink, when preserved for a long time and used, is relishing. It cures *kṛmi* (parasitic infection) and aggravation of *kapha* as well as *vāyu*. It is cardiac tonic, fragrant, endowed with good qualities and light. It cleanses the channels of circulation.

व्यक्तं पञ्चरसं शुद्धं गन्धयुक्तं गुणावहम् ।

Good and bad quality

The alcoholic drink in which five tastes are manifested, which is pure and which is endowed with good smell is of a good quality.

त्याज्यं विदाहि दुर्गन्धि विरसं क्रिमिलं धनम् ॥ ३१ ॥

The alcoholic drink which causes burning sensation, which is putrid in smell, which is of bad taste, which contains *kṛmis* (maggots) and which is thick should be rejected.

‘सात्त्विके गीतहास्यादि राजसे साहसादिकम् ।

26

तामसे निन्द्यकर्माणि निद्रां च कुरुते मदः ॥ ३२ ॥

Action on different types of individuals

Alcoholic drink makes a person of *sāttvika* type to sing and laugh. In a *rājasika* type of person it promotes strength. In *tāmasika* type of persons it produces despicable acts and they get sleep after taking alcoholic drinks.

विधिना मात्रया काले हितैरन्नेर्यथाबलम् ।

27

प्रहृष्टो यः पिवेन्मद्यं तस्य स्यादमृतोपमम् ॥ ३३ ॥

Proper method of drinking

An alcoholic drink, taken according to the prescribed procedure, in proper doses, at the proper time, along with wholesome food, according to the capacity of the individual and in an exhilarating mood produces effects like ambrosia.

किन्तु मद्यं स्वाभावेन यथैवान्नं तथा स्मृतम् ।

अयुक्तियुक्तं रोगाय युक्तियुक्तं यथाऽमृतम् ॥ ३४ ॥

[भावप्रकाशः सन्धानवर्ग २१ : ३२-३८]

By nature, an alcoholic drink is like a food. When used inappropriately, it causes diseases and in appropriate circumstances it works like ambrosia.

प्राणाः प्राणभृतामन्नं तदयुक्त्या निहन्यसून् ।

विषं प्राणहरं तच्च युक्तियुक्तं रमायनम् ॥ ३५ ॥

Food, when taken appropriately, gives life and it takes away life when used inappropriately. A poison normally kills a person but when taken appropriately it works as a rejuvenating drug.

॥ इति मद्यवर्गः ॥

Thus ends the group dealing with alcoholic drinks.

1. पग्म् इति आदर्शपुस्तिकासु पाठः ।
2. स्मृता इति आकरे पाठः ।
3. गुर्वो बलस्तन्यपुष्टिमेदः कफप्रदा इति आकरे पाठः ।
4. शोथगुल्मार्शोग्रहणीमूत्रकृच्छ्रनुत् इति आकरे पाठः ।
5. पुनर्नवाशालिषिष्टविहिता वारुणी स्मृता इति आकरे पाठः ।
6. सहितैरतालखर्जूररसैर्या साऽपि वारुणी इति आकरे पाठः ।
7. बीज समं जातं इति आकरे पाठः ।
8. वक्वसो इति द्वितीयपुस्तके पाठः ।
9. वातवर्धनः इति द्वितीयपुस्तके पाठः ।
10. विष्टम्भिभ्र्वादुर्जग्म् इति पष्ठपुस्तके पाठः ।
11. धानक्वन्नगुडैर्गौडो इति पष्ठपुस्तके पाठः ।
12. गौडोनिषेवितो इति षष्ठपुस्तके पाठः ।
13. रसो इति पष्ठपुस्तके पाठः ।
14. पक्वः इति आदर्शपुस्तिकासु पाठः ।
15. यः सीधुः इति आकरे पाठः ।
16. शीतरसः स्मृतः इति आकरे पाठः ।
17. वातपित्तकरः सद्यः स्नेहनो रोचनो हरेत् इति आकरे पाठः ।
18. स्नेहनो रेचने जयेत् इति पष्ठपुस्तके पाठः ।
19. विबन्दमेदः इति आकरे पाठः ।
20. शोफोदरकफामयान् इति आकरे पाठः ।
21. आक्षकः इति आकरे पाठः ।
22. पित्तघ्नोऽसूकप्रसादनः इति आकरे पाठः ।
23. बद्धनिस्यन्दस्तुवरो इति आकरे पाठः ।
24. यथास्व सस्कारमवेक्ष्य इति आकरे पाठः ।
25. दाहि इति पष्ठपुस्तके पाठः ।
26. मदिराऽऽचरेत् इति आकरे पाठः ।
27. नस्य स्यादमृतं यथा इति आकरे पाठः ।

CHAPTER 12

कदमूलफलादीनि सस्नेहलवणानि च ।
यत्र द्रवेषभिधीयन्ते तच्छुक्तमभिधीयते ॥ १ ॥

Śukta (Vinegar)

The potion prepared by adding rhizomes, roots and fruits along with fat and salt in water (lit. liquid) is called *śukta*.

‘रक्तपित्तकरं शुक्तं छेदि भुक्तविपाचनम् ।
भेदनं लेखनं पाण्डुरोगकृमिहरं लघुं ॥ २ ॥
तीक्ष्णोष्णं मूत्रलं हृद्यं कफघ्नं कटुपाकि च ।

It produces *raktapitta* (a disease characterised by bleeding from different parts of the body). It causes *chedana* (which takes away tissues by cutting). It helps in the digestion of food. It is purgative and depleting. It cures *pāṇḍu* (anemia) and *kṛmi* (parasitic infection). It is light, sharp, hot, diuretic, cardiac tonic, alleviator of *kapha* and pungent in *vipāka*.

तद्वत्तदासुतं सर्वं राचनं च विशेषतः ॥ ३ ॥’

[माधवद्रव्यगुणः काञ्जिकवर्ग १३ : १-२]

When prepared by the process of fermentation (*āsuta*), it also produces the same effect. It, however, becomes a good appetiser.

“संघितं धान्यमण्डादि प्रोच्यते काञ्जिकं जनैः ।⁵

Kāñjika

The potion prepared by fermenting *dhānya manda* etc., is called *kāñjika*.

काञ्जिकं भेदितीक्ष्णोष्ण रोचन पाचनं लघु ॥ ४ ॥

‘दाहज्वरहरं स्पर्शात् पानाद्वातकफापहम् ।’

[माधवद्रव्यगुणः काञ्जिकवर्ग १३ : ७]

[भावप्रकाशः सन्धानवर्ग २१ · १-२]

It is purgative, sharp, hot, appetiser, carminative and light. When applied externally, it cures *dāha* (burning syndrome) and fever. When taken internally, it alleviates *vāyu* and *kapha*.

‘तुषोदकं यवैर्गन्धैः मत्तुपै गकलीकृतं ॥ ५ ॥’⁶

[भावप्रकाशः सन्धानवर्ग २१ : ८६]

Tuṣodaka

Tuṣodaka is prepared by the coarse powder of *yava* along with its husk and some other drugs.

‘तुषांबु दीपनं हृद्य पाण्डु⁷क्रिमिगदापहम् ।’

[माधवद्रव्यगुणः काञ्जिकवर्ग १३ · ६]

तीक्ष्णोष्णं पाचनं पित्तरक्तकृद्धस्तिशूलजित् ॥ ८ ॥

It is a digestive stimulant and a cardiac tonic. It cures *pāṇḍu* (anemia) and *kṛmi* (parasitic infection). It is sharp, hot and carminative. It vitiates *pitta* and blood and cures pain in the urinary bladder,

सौवीरं तु यवैरामैः पक्वैर्वा तिस्तुपैः कृतम् ।
 गोधूमैरपि सौवीरमिति क्वचन कीर्तितम् ॥ ७ ॥

Sauvīra

Sauvīra is prepared of dehusked *yava*—either unboiled or boiled. In some places *sauvīra* is also prepared of *godhūma*.

सौवीरकं¹⁰ ग्रहण्यशःकफघ्नं भेदि दीपनम् ।
 [उ]दावर्त्ताङ्गमर्दास्थिशूलानाहेषु शस्यते ॥ ८ ॥

Sauvīraka cures *grahaṇī* (sprue syndrome), *ārśas* (piles) and aggravation of *kapha*. It is purgative and digestive. It is useful in *udāvarta* (flatulence), *aṅga marda* (malaise), *asthi śūla* (pain in bones) and *ānāha* (tymphanitis).

आरनालं तु गोधूमैस्तत्सौवीरगुणं मतम् ।

Āranāla

Āranāla is prepared of *godhūma* and it shares all the properties of *sauvīraka*.

धान्याम्लं शालिचूर्णादि कोद्रवादिकृतं मतम् ।

अरुचौ वातरोगेषु सर्वेष्व्वास्थापने हितम् ॥ ९ ॥

[भावप्रकाशः मन्धानवर्ग २१ . ८-११]

समृद्धमाश्रितानां च जनानां मान्द्यमुच्यते ।

Dhānyāmla

Dhānyāmla is prepared of the powder of *śāli*, *koḍrava* etc. It is useful in anorexia and diseases caused by *vāyu*. It is useful in *āsthāpana* type of enema for all patients. It is *sātmya* (wholesome) for persons residing on the sea coast.

मूलकच्छदस्थानं शाण्डाकी रोचनी मता ॥ १० ॥

मुद्गादिवटकैर्यातु क्रियते सा गुणोत्तमा ॥ ११ ॥

सा तु वातहरी लघ्वी रोचनी पाचनी परम् ।

शूलाजीर्णविबन्धामनाशिनी बस्तिशोधनी ॥ १२ ॥

Sāṇḍākī

The potion prepared by the fermentation of the leaves of *mūlaka* is called *sāṇḍākī*. It is purgative. The *sāṇḍākī* prepared of the *vaṭaka* of *mudga* etc., is superior in quality. It alleviates *vāyu*. It is light, appetiser and carminative par excellence. It cures *sūla* (colic pain), *ajīrṇa* (indigestion), *vibandha* (constipation) and *āma*. It cleanses the urinary bladder.

¹⁵का[ञ्जि]कार्द्रं सलवणं पाचनं दीपनं लघु ।

¹⁶वातश्लेष्महरं रुच्यं विशेषादामवातनत् ॥ १३ ॥'

[माधवद्रव्यगुणः काञ्जिकवर्ग १३ : ११]

Special preparation of *Kāñjika*

The potion prepared of *kāñjika* mixed with *ārdraka* and salt is carminative, digestive stimulant and light. It alleviates *vāyu* and *kapha*. It is an appetiser. It specifically alleviates *āma* (rheumatism).

॥ इति शक्तवर्गः ॥

Thus ends the group dealing with various types of vinegar.

NOTES AND REFERENCES

1. जरणं इति आकरे पाठः ।
2. श्लेष्मपाण्डुकृमिहरं इति आकरे पाठः ।

3. कफजं इति आकरे पाठः ।
4. सुविशेषतः इति द्वितीयपुस्तके पाठः ।
तु विशेषतः इति आकरे पाठः ।
5. काञ्जिकं कथ्यते इति आकरे पाठः ।
6. यवैरामैः इति आकरे पाठः ।
7. हृत्पाण्डुक्रिमिरोगनुत् इति आकरे पाठः
8. सौवीरमाचार्या. इति आकरे पाठः ।
9. केचिदूचिरे इति आकरे पाठः ।
10. सौवीरं इति आकरे पाठः ।
11. गोधूमैरामैः स्यान्नस्तुपीकृतं इति आकरे पाठः ।
12. च इति आकरे अधिकं पाठः ।
13. भवेत् इति आकरे पाठः ।
14. मूलकच्छदसंधाने इति षष्ठपुस्तके पाठः ।
15. काञ्चिकाद्रं इति द्वितीयपुस्तके पाठः ।
16. वातपित्तहरं इति षष्ठपुस्तके पाठः

CHAPTER 13

‘मूत्रं गोऽजाविमहिषीगजाश्वोष्ट्रखरोद्भवम् ।

Mūtra (Urine)

Variety

The urine of cow, goat, sheep, buffalo, elephant, horse, camel and donkey is commonly used in medicine.

पित्तलं तीक्ष्णरूक्षोष्णं लवणानुरसं कटु ॥ १ ॥

कृमिशोफोदरानाहशूलपाण्डुकफानिलान् ।

गुल्मारुचिर्विषशिवत्रकुष्ठाशंसि जयेत्लघु ॥ २ ॥

General Property

Urine aggravates *pitta*. It is sharp, un-unctuous, hot, saline in *anurasa* (subsidiary taste) and pungent. It cures *kṛmi* (parasitic infection), *śopha* (oedema), *udara* (obstinate abdominal diseases including ascitis), *ānāha* (flatulence), *śūla* (colic pain), aggravation of *kapha* as well as *vāyu*, *gulma* (phantom tumour), *aruci* (anorexia), *viṣa* (poisoning), *śvitra* (leucoderma) and *kuṣṭha* (obstinate skin diseases including leprosy). It is light.

गोमूत्रं लघु² तीक्ष्णोष्णं सक्षारत्वान्न वातलम् ।
लघ्वग्निदीपनं मेघ्यं पित्तलं कफवातजित् ॥ ३ ॥

Cow's urine

Cow's urine is light, sharp, hot and alkaline. Therefore, it does not aggravate *vāyu*. It is light, digestive stimulant, promoter of intellect, aggravator of *pitta* and alleviator of *kapha* as well as *vāyu*.

शूलगुल्मोदरानाह्विरेकास्थापनादिषु³ ।
मूत्रप्रयोगसाध्येषु⁴ गव्यं मूत्रं प्रयोजयेत् ॥ ४ ॥

In diseases which are amenable to urine like *sūla* (colic pain), *gulma* (phantom tumour), *udara* (obstinate abdominal diseases including ascitis) and *ānāha* (flatulence) and for the purpose of purgation therapy and *āsthāpana* therapy cow's urine should be used.

कासश्वासापहं⁵ शोफकामलापाण्डुरोगनुत् ।
छागं⁶ रूक्षोष्णकटुकं नाडीव्रणविषापहम् ॥ ५ ॥

Goat's urine

The urine of goat cures *kāsa* (bronchitis), *śvāsa* (asthma), *śopha* (oedema), *kāmālā* (jaundice) and *pāṇḍu* (anemia). It is ununctuous, hot and pungent. It also cures *nāḍīvraṇa* (sinus) and *viṣa* (poisoning).

प्लीहोदरश्वासकासशोफवर्चोग्रहे⁷ हितम् ।
सक्षारं तिक्तकटुकमुष्ण वातघ्नमाविकम् ।

Sheep's urine

The urine of sheep cures *plīhan* (splenic disorder), *udara* (obstinate abdominal disorders including ascitis), *śvāsa*

(asthma), *kāsa* (bronchitis), *śopha* (oedema) and *varcograha* (retention of stool). It is alkaline, bitter, pungent and hot. It alleviates *vāyu*.

दुर्नामोदरशूलेषु कुष्ठमेही⁸ विशुद्धिषु ॥ ६ ॥
 आनाहशोथगुल्मेषु पाण्डुरोगेषु⁹ माहिषम् ।

Buffalo's urine

The urine of buffalo is useful in *durnāma* (piles), *udara* (obstinate abdominal diseases including ascitis), *śūla* (colic pain), *kuṣṭha* (obstinate skin diseases including leprosy), *meha* (obstinate urinary disorders including diabetes), *viśuddhi* (elimination therapy), *ānāha* (tymphanitis), *śoṭha* (oedema), *gulma* (phantom tumour) and *pāṇḍu* (anemia).

सतिक्तलवणं भेदि वातघ्नं पित्तकोपनम् ॥ ७ ॥

तीक्ष्ण क्षारं किलासे च नागमूत्रं प्रयोजयैत् ।

Elephant's urine

The urine of elephant is bitter, saline and purgative. It alleviates *vāyu* and aggravates *pitta*. It is sharp and alkaline. It is useful in *kilāsa* (a type of leucoderma).

दीपनं कटु तीक्ष्णोष्णं वातचेतोविकारनुत्¹⁰ ॥ ८ ॥

आइवं¹¹ कफहरं¹² मूत्रं¹³ कृमिदद्भुविनाशनम् ।

Urine of Horse

The urine of horse is a digestive stimulant, pungent, sharp and hot. It cures diseases caused by aggravation of *vāyu* and of the mind. It alleviates *kapha* and cures *krmi* (parasitic infection) and *dadru* (ring worm).

श्रौष्टं कुष्ठोदरोन्मादशोफार्शकृमिवातनुत् ॥ ९ ॥

Camel's urine

The urine of camel cures *kuṣṭha* obstinate skin

diseases including leprosy), *udara* (obstinate abdominal diseases including ascitis), *unmāda* (insanity), *arśas* (piles) and *kṛmi* (parasitic infection). It alleviates *vāyu*.

गरचेतोविकारघ्नं तीक्ष्णं जठररोगनुत् ।
 14
 दीपनं गर्दभं मूत्रं कृमिवातकफापहम् ॥ १० ॥

Urine of donkey

The urine of donkey cures *gara* (poisoning) and *cetovikāra* (mental disease). It is sharp. It cures *jaṭhara* (obstinate abdominal diseases including ascitis). It is a digestive stimulant. It also cures *kṛmi* (parasitic infection). It alleviates *vāyu* and *kapha*.

कषायतित्तमेतेषां ¹⁵ हिककाश्वासहरं ¹⁶ शकृत् ।

पित्तरक्तकृमिहरं रोचनं कफवातजित् ॥ ११ ॥'

[माधवद्रव्यगुणः मूत्रवर्ग १४ : १-१२]

Stool

The stool of these animals is astringent and bitter. It alleviates *hikkā* (hiccup), *śvāsa* (asthma), vitiation of *pitta* and blood and *kṛmi* (parasitic infection). It is appetiser and it alleviates *kapha* and *vāyu*.

'नरमूत्रं गरं हन्ति सेवितं तद्रसायनम् ।

रक्तपामाहरं तीक्ष्णं सक्षारलवणं स्मृतम् ॥ १२ ॥

Human urine

The urine of human beings cures *gara* (poisoning). It is rejuvenating. It alleviates vitiation of blood and *pāmā* (itching). It is sharp, alkaline and saline.

¹⁷
 गोजाविमहिषीणा तु स्त्रीणा मूत्रं प्रशस्यते ।

¹⁸
 खरोष्ट्रेभनराश्वानां पुंसां मूत्रं हितं मतम् ॥ १३ ॥'

[भावप्रकाशः मूत्रवर्ग १६ : ७-८]

Male and Female urine

The urine of females of cattle, goat, sheep and buffalo is more useful. On the other hand, the urine of the males of donkey, camel, elephant, human being and horse is known to be useful.

स्त्रीपुंसयोरनियमश्चरकादौ यतो मतः ।

तस्मादन्यतमं शास्त्रं विशेषान्स्त्रीसमुद्भवम् ॥ १४ ॥

In classics like *Caraka*, this distinction between male and female urine has not been made. Therefore, in actual practice urine of either the male or female animal can be used. However, the urine of female animal is more useful.

Thus ends the group dealing with various types of urine.

NOTES AND REFERENCES

1. गोजाविमहिषीगजाश्वौष्ट्रखरोद्भवम् इति आकरे पाठः ।
2. कटु इति आकरे पाठः ।
3. शूलगुल्मोदरानाह्विलेपास्थापनादिषु इति आकरे पाठः ।
4. मूत्रप्रयोगे सर्वेषु इति आकरे पाठः ।
5. (क) शोथकामलापाण्डुरोगनुत् इति आकरे पाठः ।
(ख) शोफकामलापाण्डुदाहनुत् इति षष्ठपुस्तके पाठः ।
6. नाडीविषगरापहम् इति आकरे पाठः ।
7. प्लीहोदरश्वासकासशोथवर्चोग्रहे इति आकरे पाठः ।
8. कुष्ठमेहविशुद्धिषु इति आकरे पाठः ।
9. पाण्डुरोगे च इति आकरे पाठः ।
10. वातरोगविकारनुत् इति आकरे पाठः ।
11. कासहरं इति आकरे पाठः ।

12. रुक्षं इति आकरे पाठः ।
13. कृमिकण्डुविनाशनम् इति षष्ठपुस्तके पाठः ।
14. कृमिवानविषापहम् इति आकरे पाठः ।
15. हिध्माश्वासहरं इति आकरे पाठः ।
16. सकृत् इति द्वितीयपुस्तके पाठः ।
17. गोऽजाऽविमहिषीणां इति आकरे पाठः ।
18. स्मृतम् इति आकरे पाठः ।

CHAPTER 14

सामान्यतो जलगुणा :

‘पानीयं’ श्रमनाशनं क्लमहरं मूर्च्छापिपासाहरम् ।
तन्द्रास्वप्नविनाशनं बलकरं स्याज्जीवनं तर्पणम् ॥१॥
हृद्यं गुप्तरसं ह्यजीर्णशमनं चैकान्तपथ्यं परम् ।
शीतं लघ्वमृतोपमं रसगणानां कारणं छर्दिहृत् ॥ २ ॥

Water

General properties

Water removes physical and mental fatigue, *mūrchā* (fainting), thirst, *tandrā* (drowsiness) and *svapna* (sleep). It promotes strength. It is life giving, refreshing and caradiac tonic. It has unmanifested tastes. It cures indigestion. It is wholesome par excellence. It is cooling, light and like ambrosia. It helps in the manifestation of all tastes. It cures *chardī* (vomiting).

अथ तद्भेदा :

पानीयं प्रथमं प्रोक्तं दिव्यं भौममिति द्विधा ।

Varieties

Water is first classified into two categories viz., *divya* (which falls from the sky) and *bhauma* (which is available on the earth).

दिव्यं न्वनिर्देश्यरसं जीवनं तर्पणं लघु ॥ ३ ॥

रसायनं तृषामूर्च्छातन्द्रादाहकलमापहम् ।

मोघ्यं च पाचनं बल्यं मदनिद्रा त्रिदोषनुत् ॥ ४ ॥

आश्वासजननं ह्लादि श्रमघ्नमतिबुद्धिकृत् ।

The former type of water has no manifested taste. It is life-giving, refreshing, light and rejuvenating. It cures *trṣā* (morbid thirst), *mūrchā* (fainting), *tandrā* (drowsiness), *dāha* (burning syndrome) and *klama* (mental fatigue). It is *saumya* (cooling) and carminative. It promotes strength and cures *mada* (intoxication), *nidrā* (excessive sleep) and vitiation of all the three *doṣas*. It gives consolation and happiness. It removes physical fatigue and promotes intellect.

धारजं करकाजालं तोषारं हैममेव च ॥ ५ ॥

चतुर्धा² सलिलं दिव्यं तेषु धारं गुणाधिकम् ।

Classification of *divya* type of water

Divya type of water is of four types viz., *dhārāja*, *karakājāta*, *tauṣāra* and *haima*. Of them, *dhārāja* is the best.

पतितं यत्तु गगनात्तद्धारमिति कीर्तितम् ॥ ६ ॥

तत्तु धौतशिलाहर्म्यपटादिभ्यो विनिःसृतम् ।

हेमाद्रिपात्रगं पेयं यावन्न विकृतं भवेत् ॥ ७ ॥

तत्तु तावद्भवेद्विव्यं यावत्प³[त]⁴ति [न]⁴मुवि ।

धारं नीरं मरुत्पित्तं कफान्सहरते लघु ॥ ८ ॥

Dhārāja water

The water that falls from the sky is called *dhārāja*. It should be collected on a clean roof made of stones or through a piece of cloth and collected in vessels of gold and stone. It should be used before it gets spoiled. The rain water which is collected before it falls on the earth is called *divya*. *Dhāra* type of *divya* water alleviates *vāyu*, *pitta* and *kapha* and it is light.

धारं वारि द्विधा ज्ञेयं गंगसामुद्रभेदतः ।

Variety

The *dhāra* type of water is of two type viz., *gāṅga* (which is derived from the river (?) Ganges and *sāmudra* (which is derived from the sea).

‘आकाशगंगा ⁵संभूतं जलमादाय दिग्गजाः ॥ ९ ॥

मेघैरन्तरिता वृष्टिं कुर्वन्तीति वचः सताम् ।

According to the saints, *diggajas* (elephant guiding different directions as described in the epic) collect water from *ākāśa gaṅgā* (the *gaṅgā* river in the sky as described in the epic) and release it on the earth in the form of rain through the cloud.

गंगामाश्वयुजे मासि यत्प्रवर्षति तोयदः ॥ १० ॥

⁷सर्वदा ⁸तज्जलं पेयं तथा च चरके वचः ।

The *gaṅgā* water which rains from the clouds in the month of *āsvina* (September-October) is always useful for drinking. This is described in *Caraka saṁhitā*.

⁹स्थापितं हेमजे पात्रे राजते मृण्मयेऽपि वा ॥ ११ ॥

शाल्यन्नं येन संसिक्तं भवेदक्लेदि वर्णवत् ।

तद्गंगं सर्वदोषघ्नं ज्ञेयं सामुद्रमन्यथा ॥ १२ ॥’

[भावप्रकाशः वारिवर्ग १३ : १०-१३]

If this *gāṅga* type of water is collected in a vessel of gold, silver or stone and *śāli* rice is kept in it soaked then this rice does not deteriorate (*akledī*) and it retains its colour for a long time. This is the characteristic feature of *gāṅga* type of water. In *sāmudra* type of water this *śāli* rice deteriorates.

‘आश्विने मासि सामुद्रं गुणैर्गागवदादिशेत् ¹⁰ ।’

The *sāmudra* type of water which rains in the month of *aśvina* (September-October) shares all the properties of the *gāṅga* type of water.

‘फूत्कारविषवातेन नागानां व्योमचारिणाम् ॥ १३ ॥
¹¹
 वर्षासु सविषं तोयं दिव्यमप्याश्विनादृते ।
 अनार्त्तवं प्रमुञ्चन्ति वारि वारिघरास्तु यत् ॥ १४ ॥
 तन्त्रिदोषाय सर्वेषां देहिना परिकीर्तितम् ।’

Poisonous Water

The *nāgas* (snakes as described in the epic) moving in the sky emit (*phutkāra*) poisonous air which impregnates the rain water and such rain falls take place from clouds unseasonally i.e. during months other than *aśvina* (September and October). This type of water aggravates all the three *doṣas* in living creatures.

¹²
 दिव्यं वाय्वग्निसंयोगात्मंहताः स्वात्पतन्ति याः ॥१५॥

¹³
 शिलागकलवच्चापस्ता कारक्योऽमृतोपमाः ।

Karakājāta (Water from hail stone)

The *divya* type of water gets condensed because of the impact of wind and heat (*agni*) and falls from the sky in the form of pieces of stone. This is called *karakājāta* water which is like ambrosia.

14
 कारकयोत्थं जलं रूक्षं विशदं गुरु च स्थिरम् ॥ १६ ॥
 15
 दारणं शीतलं सान्द्रं पित्तहृत्कफवातकृत् ।

This type of water is un-unctuous, non slimy (*viśada*), heavy and *sthīra* (stable). It is penetrating (*dāraṇa*), cooling and dense. It alleviates *pitta* and aggravates *kapha* as well as *vāta*.

16
 अपितात् याः समुद्रान्ते वह्ने 17 राप [श्च] तद्भवा ॥ १७ ॥
 18
 19 20
 धूमावयवनिर्मुक्तास्तुषाराख्यास्तु ता मताः ।
 अपथ्याः प्राणिनां प्रायो भूरुहाणा तु ता हिताः ॥ १८ ॥

Tauṣāra (Water from dew & frost)

The water on the sea coast gets impregnated with heat (*vahni*). It is free from portions of smoke and is called *tuṣāra*. It is generally unwholesome for living creatures but it is useful for plants.

21
 तौषारं वातलं शीतं रूक्षं सान्द्रमपित्तलम् ।
 22
 कफोरुस्तम्भकुष्ठान्निमेदोगण्डादिरोगनुत् ॥ १९ ॥

Tauṣāra types of water aggravates *vāyu*. It is cooling, un-unctuous and dense. It does not aggravate *pitta*. It cures ailments like aggravation of *kapha*, *urustambha* (a disease characterised by immobility of thigh), *kuṣṭha* (obstinate skin diseases including leprosy), *agni* (digestive power), *medas* (adiposity) and *gaṇḍa* (goitre).

हिमवच्छिखरादिभ्यो द्रवीभूयाभिवर्षति ।
 यत्तदेव हिमं हैमं जलमाहुर्मनीषिणः ।

Haima (Water from snow)

When the snow (*hima*) collected on the top of hills melts and this water comes through rain fall, it is called *haima* water,

²³
हैमं गुरुतरं शीतं पित्तनुद्वातवर्धनम् ॥ २० ॥

This water is heavier and cooling. It alleviates *pitta* and aggravates *vāyu*.

अन्ये तु :

²⁴
जलमनलधूमेरितमन्तःसमुद्रस्य यद्घनीभूतम् ।
²⁵
पवनानीतमुदीच्यां नद्धिममिति कीर्त्यते मुनिभिः ॥ २१ ॥

[भावप्रकाशः वारिवर्ग १३ : १६-२३]

Another view

The sea water being impelled by heat (*anala*) and smoke gets condensed (solidified). It is carried by the wind to the north which is called *hima* (snow) by sages.

‘हिमन्तु शीतलं रूक्षं दारुणं मूक्षमेव च ।
²⁶
कफं न तद्दूषयति न पित्तं न च मारुतम्’ ॥ २२ ॥

This snow (*hima*) water is cooling, ununctuous, *dāraṇa* (which causes excision) and subtle. It does not vitiate either *kapha* or *pitta* or *vāyu*.

एतेन हिमस्य द्वैविध्यमा²⁷[ख्या]तम् ।

Thus, there are two types of *haima* water.

²⁸
अथ भौमं जलं वक्ष्ये यथा देशगुणान्वितम् ॥ २३ ॥
भौममम्भं प्रथमतश्चिद्विधं मुनिभिर्मतम् ।
आनय जाङ्गलं चैव तथा साधारणं क्रमात् ॥ २४ ॥

Bhauma (Water on earth)

Depending upon the attributes of the land, the *bhauma*

type of water is first classified into three types viz., *ānūpa*, *jāngala* and *sādhāraṇa*.

देशः प्रचुरपानीयो बहुवृक्षसमाकुलं ।

बहुवातकफव्याधिरानूप इति कीर्तितः ॥ २५ ॥

अल्पोदकः स्वल्पवृक्षः प्रायः पित्तासृगामयः ।

विज्ञेयो जाङ्गलो देशस्ताभ्यां साधारणः परः ॥ २६ ॥

The area which contains a lot of water, which is surrounded by many trees and where many diseases caused by *vāyu* and *kapha* are manifested is called *ānūpa* (marshy land). The land which has less of water and fewer trees and where diseases of *pitta* and blood occur is called *jāngala* (arid land). The land which is in between these two categories is called *sādhāraṇa* (moderate land).

आनूपोद्भवमानूपं जांगलं जङ्गलोद्भवम् ।

साधारणस्थलोत्थं च जल साधारणं मतम् ॥ २७ ॥

The water found in marshy areas is called *ānūpa*, that of arid areas is called *jāngala* and that of the moderate type of land is called *sādhāraṇa*.

‘आनूपं वार्यभिष्यन्दि स्वादुस्निग्धं ²⁹ तथा गुरु ।

वह्निहृत्कफकृन्निद्यं ³⁰ विकारान्कुरुते बहून् ॥ २८ ॥

[भावप्रकाशः वारिवर्ग १३ : ३०]

ज्ञेयं जांगलमानूप विपरीतगुणान्वितम् ।

‘साधारणं तु मधुरं दीपनं शीतलं लघु ।

³¹ तर्पणं प्रीतिजनकं तृष्णाघ्नं दाहदोषनुत् ॥ २९ ॥’

[भावप्रकाशः वारिवर्ग १३ : ३१]

Attributes

The *ānūpa* type of water reduces the power of digestion

and aggravates *kapha*. It is despicable. It causes many diseases. The *jāṅgala* type of water has properties which are just opposite to *ānūpa* type. The *sādhāraṇa* type of water is sweet, digestive stimulant, cooling, light and refreshing. It produces the feeling of comfort and cures *tr̥ṣṇā* (morbid thirst) and *dāha* (burning syndrome).

भौमस्य पयसोऽन्येऽपि भेदाः सन्ति वदामि तान् ।

नादेय प्रभृतिस्तेषां लक्षणानि गुणानपि ॥ ३० ॥

Another Classification

The *bhauma* type of water is also classified in a different way like *nādeya* (which is derived from *nadī* or river) etc. Their characteristics and properties will now be described.

‘नद्या नदस्य वा नीर’ नादेयमिति कीर्तितम् ।

River Water

The water of a *nadī* (small river) or *nada* (big river) is called *nādeya*.

नादेयमुदकं हृक्षं वातल लघु दीपनम् ।

अनभिष्यन्दि विशदं कटुक कफपित्तजित् ॥ ३१ ॥

This is ununctuous, aggravator of *vāyu*, light, digestive stimulant, *anabhiṣyandī* (which does not obstruct the channels of circulation), *viśada* (non-slimy) and pungent. It alleviates *kapha* and *pitta*.

नद्यः शीघ्रप्रवाहाश्च सर्वा याश्चामलोदकाः ।

गुर्व्यः शैवालसच्छन्ना मंदगाः कलुषाश्च याः ॥ ३२ ॥

[भावप्रकाशः वारिवर्ग १३: ३३-३४]

All rivers which have a strong flow carry pure water. The water of the river which flows very slowly, is heavy. It is covered with moss etc. and its water is not pure.

‘नदीसरस्तडागस्थे कूपप्रस्रवणादिजे ।

उदके देशभेदेन गुणान् दोषांश्च लक्षयेत् ॥ ३३ ॥

Other Varieties

The good and bad qualities of the water of rivers, lakes, ponds, wells and springs should be determined on the basis of the attributes of the land in which they are situated.

विदार्यभूमिं निम्नां यन्महत्या धारया स्रवेत् ।

33

तत्रोयमौद्भिद नाम भिषजः प्राक्तना जगुः ॥ ३४ ॥

Audbhida (Water coming out from earth)

The water which comes out in a strong current by penetrating the low lying land is called *audbhida* by ancient physicians.

श्रौद्भिदं वारि पित्तधनमविदाह्यतिशीतलम् ।

प्रीणनं मधुर बल्य ईषद्वातकर लघु ॥ ३५ ॥

The *audbhida* type of water alleviates *pitta*. It does not produce burning sensation. It is exceedingly cold, refreshing, sweet and strength promoting. It is a mild aggravator of *vāyu* and is light.

शैलसानुस्रवद्वारिप्रवाहो निर्भरो मतः ।

34

35

सानु प्रस्रवणं चापि तज्जलं निर्भरं भवेत् ॥ ३६ ॥

Nirjhara (Water from Spring)

The water that flows from the peak of the mountain is called *nirjhara*. The water of the spring that is found in the peak is also called *nirjhara*.

निर्भरं सच्चिकृन्नीरं कफघ्नं दीपनं लघु ।

36

मधुरं कटुपाकं च वातलं चातिपित्तकृत् ॥ ३७ ॥

The water of *nirjhara* is appetiser, alleviator of *kapha*, digestive stimulant, light, sweet in taste and pungent in *vipāka*.

It aggravates *vāyu* and excessively aggravates *pitta*.

नद्याः शैलवराच्चापि म्रुतमेकत्र संस्थितम् ।

कुमुदांभोजसंछन्न वारि मारसमुच्यते ॥ ३८ ॥

Sārasa (Water of pond)

The water that flows down from the big mountain and gets accumulated in the valley is called *sārasa*. It is covered with *kumuda* and *padma*.

सारसं सलिलं बल्यं तृष्णाघ्नं मधुरं लघु ।

37

तुवरं रोचनं रुक्षं बद्धमूत्रमलं शुचिः ॥ ३९ ॥

The *sārasa* type of water is strength promoting, alleviator of *tr̥ṣṇā* (morbid thirst), sweet, light, astringent, appetiser and un-unctuous. It causes retention of urine and stool. It is pure.

अल्पं सरः पल्वलं स्याद्यत्र दक्षिणगे रवौ ।

न तिष्ठति जलं किञ्चित्तत्रत्य वारि पाल्वलम् ॥४०॥

Pālvala (Water of small pond)

A small pond is called *pālvala*. During the southern solstice when the sun moves towards a southernly direction, these small ponds get dried. The water of these small ponds is called *pālvala*.

पाल्वल वार्यभिष्यन्दि गुरु म्वादु त्रिदोषकत् ।

This water is *abhiṣyandi* (which obstructs the channels of circulation), heavy and sweet. It aggravates all the three *doṣas*.

प्रशस्तभूमिभागस्थ नैकसवत्सरोषितम् ।

मुनिभिः किल तत्तोयं ताडागमिति कीर्तितम् ॥ ४१ ॥

Tādāga (Water from lake)

The water that gets accumulated for many years in a plain land is called *tādāga* by the sages.

39

ताडागमुदकं स्वादुः कषायं कटुपाकि च ।
वातलं बद्धविण्मूत्रमसृक्पित्तकफापहम् ॥ ४२ ॥

The water of *tādāga* is sweet and astringent in taste and pungent in *vipāka*. It aggravates *vāyu*. It causes retention of stool and urine. It alleviates vitiation of blood, *pitta* and *kapha*.

शिलादिभिरबद्धो यः सतीर्था वापिकाकृति ।
सगर्तः कथितश्चण्डस्तज्जलं चौण्डमुच्यते ॥ ४३ ॥

Caunḍa water

The receptacle of water dug in the earth of the size of a *vāpi* (big well) which has no boundary wall of stone and which has a staircase to go down is called *caunḍa*. Its water is called *caunḍa*.

40

चौण्ड्यं नीरं वह्निकरं रूक्षं कफहरं लघु ।
मधुरं पित्तनुद्रुच्यं पाचनं विशदं मतम् ॥ ४४ ॥

This water stimulates digestion. It is ununctuous, alleviator of *kapha*, light, sweet, alleviator of *pitta*, appetiser, carminative and *viśada* (non slimy).

“पाषाणैरिष्टिकाभिर्बद्धास्याद्या तु कूपवत् ।
वापी सा खलु विज्ञेया कृतसोपानपङ्क्तिका ॥४५॥

Vāpī water

The water reservoir which is like a well, which has a boundary wall of stone or brick and which has a staircase to go down, is called *vāpī*.

वाप्यं क्षारं जलं पित्तकरं वातकफापहम्

तदेव यदि मिष्टं म्यात्तदा पित्तानिलापहम् ॥ ४६ ॥

The water of the *vāpī* is alkaline. It aggravates *pitta* and alleviates *vāyu* as well as *kapha*. If this water is sweet in taste then it alleviates *pitta* and *vāyu*.

भूमौ खातोऽल्पविस्तारो गाम्भीयणाधिकोभृशम् ।

इष्टिकादिनिबद्धश्च स कूप इति कीर्तितः ॥ ४७ ॥”⁴¹

* *Kūpa water*

The water reservoir prepared by digging earth which has no wide opening but which is very deep and which has a boundary wall of bricks is called *kūpa* (well).

‘कौपं पयो यदि स्वादु त्रिदोषघ्नं हितं लघु ।

तत्क्षारं कफवातघ्नं दीपनं पित्तकृत्परम्’ ॥ ४८ ॥

[भावप्रकाशः वारिवर्ग १३ : ४६]

If the water of this well is sweet in taste, then it alleviates all the three *doṣas*. It is wholesome and light. If the taste of this water is alkaline, then it alleviates *kapha* and *vāyu*. It is a digestive stimulant and it aggravates *pitta*.

‘नद्यादिनिकटे भूमिर्या भवेद्वालुकामयी ।

उद्भाव्यते ततो यत्तु तज्जलं विकिरं विदुः ॥ ४९ ॥

Vikira water

The water that is taken out by digging small hole in the sandy river bed is called *vikira*.

विकिरं शीतलं स्वच्छ निर्दोषं लघु च स्मृतम् ।

तुवरं स्वादु पित्तघ्नं क्षारं तत्पित्तलं मनाक् ॥ ५० ॥

This water is cooling, pure, free from defects and light.

If it is either astringent or sweet then it alleviates *pitta*. If it is alkaline then it slightly aggravates *pitta*.

⁴² केदार क्षेत्रमुद्दिष्टं कैदारं तज्जलं ⁴³ भवेत् ।

Kedāra water

Kedāra means a field. The water of the field is called *kaidāra*.

कैदारं वार्यभिष्यन्दि मधुर गुरु दोषकृत् ॥ ५१ ॥

This water is *abhiṣyandī* (which obstructs the channels of circulation), sweet and heavy. It aggravates *doṣas*.

वार्षिक तदहवृष्टं ⁴⁴ भूमिष्ठमहित जलम् ।
त्रिरात्रमुषितं तत्तु प्रसन्नममृतोपमम् ॥ ५२ ॥

Rain water

The rain water which is collected from the ground on the same day is unwholesome. If it remains on the ground for three nights then it becomes clear and acts like ambrosia.

हेमन्ते ⁴⁵ सारसं नीरं ⁴⁶ ताडाय वा गुणावहम् ।
⁴⁷ शिशिरेऽपि हितं तोय सारस वा तडागजम् ॥ ५३ ॥
⁴⁸ वसन्तग्रीष्मयोः कौप्यं वाप्य वा नैर्भरं जलम् ।
नादेयं वारि नादेयं वसन्तग्रीष्मयोर्बुधैः ॥ ५४ ॥

[भावप्रकाशः वारिवर्गं १३ : ५५-६०]

⁴⁹ विषवत्पत्रपुष्पादिदुष्टनिर्भरयोगतः
⁵⁰ औद्भिदं वान्तरिक्षं वा वारि वर्षासु शस्यते ॥ ५५ ॥
शस्तं शरदि नादेयं नीरमंशूदकं परम् ।

Water in different seasons

In the *hemanta* (early winter) and *śiśira* (later part of winter) seasons the water of *saras* (big pond) and *taḍāga* (small pond) is useful. In spring and summer the water of a well, *vāpī* (big well) and *nirjhara* (spring) is useful. In the spring and summer seasons, river water should not be used because it gets polluted by poisonous leaves, flowers etc., and also by the polluted springs. During the rainy season, *audbhida* type of water (that comes out by piercing the earth) and the water that is collected directly from the sky (*āntarikṣa*) is useful. During autumn, river water and *amśūdaka* (described below) are useful.

51

दिवा रविकरैर्पुष्टं निशि शीतकरांशुभिः ।

ज्ञेयमंशूदकं नाम स्निग्धं दोषत्रयापहम् ॥ ५६ ॥

अनभिष्यंदिनिर्दोषमांतरिक्षजलोपमम् ।

बल्यं रसायनं मेघ्यं शीतं लघु सुघासमम् ॥ ५७ ॥

Amśūdaka

The water which is exposed to the sun's rays during the day time and the moon's rays during the night time is called *amśūdaka*.

It is unctuous. It alleviates all the *doṣas*. It is *anabhiṣyandi* (which does not obstruct the channels of circulation) and free from defects. It is like *āntarikṣa jala* (water collected directly from the sky). It is strength promoting, rejuvenating, intellect promoting, cold and light. It is like ambrosia.

अन्यच्च :

52

शरदि स्वच्छमुदक[म]गस्त्यस्याखिलं हितम् ।

Another view

The clean water of autumn which is impregnated with the rays of *agastyu* (star canopus) is always useful.

अथ वृद्धसुश्रुतमतम् :

पौषे वारि सरोजातं माघे तत्तु तडागजम् ।
 53 54
 फाल्गुने कूपसंभृतं चैत्रे चौण्ड्य हितं मतम् ॥ ५८ ॥
 वैशाखं नैर्भरं नीरं ज्येष्ठे शस्तं तदौद्भिदम् ।
 55
 आषाढे शस्यते कौपं श्रावणे दिव्यमेव च ॥ ५९ ॥
 56
 भाद्रे कौपं पयः शस्तमाश्विने चौण्ड्यमेव च ।
 57
 कार्तिके मार्गशीर्षे च पयोमात्रं प्रशस्यते ॥ ६० ॥

Water in different months according to *Vṛddha Susruta*

In the month of *pausa* (December-January) the water of *saras* (big pond) is useful. In the month of *māgha* (January-February) the water of *taḍāga* (small pond) is useful. In *phālguna* (February—March) well water is useful. In *catra* (March—April) the water of *cauṇḍya* (a big well without a boundary wall) is useful. In *vaiśākha* (April—May) spring water is useful. In *jyeṣṭha* (May—June) *audbhida* (the water that comes out penetrating the earth) is useful. Well-water is useful in *āṣāḍha* (June—July) and the water collected directly from the sky (*divya*) is useful in *śrāvaṇa* (July—August). In *bhādrapada* (August—September) well-water is useful and in *aśvina* (September—October) the water of *cunḍa* (big well without any border wall) is useful. In *kārtika* (October—November) and *mārgaśīrṣa* (November—December) all types of water are useful.

अथ जलोद्धरणकालः :

भौमानामम्भसां प्रायो ग्रहणं प्रातरिष्यते ।
 58 59
 शीतलं निर्मलत्वं च यतस्तेषां परो गुणाः ॥ ६१ ॥

Time of Collection

All types of water available on the ground should be collected in the early morning because during this time they are extremely cold and clean.

60

अत्यम्बुपानान्नविपच्यतेऽन्नमनम्बुपानाच्च स एव दोषः ।

61

तस्मान्नगे वल्लिविवर्द्धनाय मुहुर्मुहुर्वारि पिबेदभूरि ॥६२॥'

[भावप्रकाशः वारिवर्ग १३ : ६१-६६]

Mode of intake

Taking water in excess or not taking any water—both affect the process of digestion of food. Therefore, with a view to promoting the power of digestion, a person should take water in small quantities very frequently.

चन्द्रकान्तोद्भव रुक्षं विषपित्तज्वरापहम् ।

[माघवद्रव्यगुणः तोयवर्ग १५ : ११]

Candrakānta water

The water collected by moon stone (*candrakānta*) is ununctuous. It cures *viṣa* (poisoning), aggravation of *pitta* and *jvara* (fever).

सामुद्रमुदकं विस्त्रं लवणं सर्वदोषकृत् ॥ ६३ ॥

Sea-water

The water of the sea is *visra* (foul smelling) and saline. It aggravates all the *doṣas*.

62

नद्यः पाषाणविच्छिन्नक्षुभिताभिहतोदकाः ।

63

मलयप्रभवां याश्च तामामम्भोऽमृतोपमम् ॥ ६४ ॥

River water

The rivers which pass in a strong current through stones and those whose source is in the Malaya mountain—their water is like ambrosia.

पश्चिमाभिमुखा याश्च पथ्यास्ता निर्मलोदकाः ।

64

प्रायो मृदुवहा गुर्व्यो याश्च पूर्वसमुद्रगाः ॥ ६५ ॥

65

पारिजात्रभवा याश्च विन्ध्यसह्यभवाश्च याः ।

शिरोहृद्भोगकुष्ठानां हेतवः श्लीपदस्य च ॥ ६६ ॥

The rivers which flow towards the west generally carry clean water. Those flowing towards the sea of the east are generally of slow current and their water is heavy. Rivers originating from *Parijātra*, *Vindhya* and *Sahya* mountains carry water which causes *śīraroga* (diseases of head), *hṛdroga* (diseases of heart), *kuṣṭha* (obstinate skin diseases including leprosy) and *ślīpada* (filariasis).

66

चन्द्रार्ककरसस्पृष्ट वायुना स्फालित च यत् ।

पर्वतोपरि यद्वारि सम पौरंदरेण तत् ॥ ६७ ॥

67

[माधवद्रव्यगुण. तोयवर्ग १५ १८-२३]

The water at the top of a mountain which is exposed to the rays of the sun and the moon, and strong currents of wind is like ambrosia (lit. suitable for Indra).

कीटमूत्रपुरीषाण्डशावकादिप्रदूषितम् ।

तृणपर्णोत्करैर्युक्तं क्लुषं विषदूषितम् ॥ ६८ ॥

योऽवगाहेत वर्षासु पिवेद्वापि नव जलम् ।

वाह्याम्यन्तरतोरोगान् लभतेऽसौ न संशयः ॥ ६९ ॥

Polluted water

The water which is mixed with the urine, stool, egg or embryo of insects, grass, leaves and poisons, and which is freshly collected on the ground should not be used either for a bath or for drinking. By doing so, the person falls a victim to a number of diseases—both external and internal. There is no doubt about it.

68

‘मूर्च्छापित्तोष्मदाहेषु विषे रक्ते मदात्यये ।

भ्रमे भ्रमे विदग्धेऽन्ने तमके वमयोः तथा ।

ऊर्ध्वगे रक्तपित्ते च शीतमम्भः प्रशम्यते ॥ ७० ॥

Cold water

Cold water is useful in *mūrchā* (fainting), vitiation of *pitta*, *usmā* (excessive hot feeling), *dāha* (burning syndrome), *viṣa* (poisoning), vitiation of blood, *madūtyaya* (alcoholism), *bhrama* (giddiness), *śrama* (physical fatigue), after digestion of food, in *tamaka* (asthma), *vami* (vomiting) and in *urdhvaga rakta pitta* (bleeding through various orifices in the head).

अथ तन्निषेधः

पार्श्वशूले प्रतिश्याये वातरोगे ⁶⁹ गलग्रहे ।

आध्मानं स्तिमिते कोष्ठे सद्यःशुद्धौ नवज्वरे ॥ ७१ ॥

अरुचिग्रहणीगुल्मश्वामकासेपु ⁷⁰ विद्रवौ ।

⁷¹ हिक्काया स्नेहपीने च शीताम्बु परिवर्जयेत् ॥ ७२ ॥

Prohibition

Cold water should not be used in *pārsva śūla* (pain in the sides of the chest), *pratiśyāya* (cold), diseases of *vāyu*, *gala graha* (obstruction in the throat), *ādhmāna* (flatulence), *stimita koṣṭha* (absence of peristaltic movement in the intestine), *sadya śuddhi* (immediately after the purification therapy), *nava jvara* (beginning stage of fever), *aruci* (anorexia), *grahanī* (sprue syndrome), *gulma* (phantom tumour), *śvāsa* (asthma), *kāsa* (bronchitis), *vidradhi* (abscess), *hikkā* (hiccup) and *snehapāna* (immediately after oleation therapy).

आरोचके प्रतिश्याये प्रसेके श्वयथौ क्षये । ⁷²

⁷³ मंदाग्नावुदरे कुष्ठे ज्वरे नेत्रामये तथा ॥ ७३ ॥

⁷⁴ व्रणे च मधुमेहे च पानीयं मन्दमाचरेत् ।

In *arocaka* (anorexia), *pratiśyāya* (cold), *praseka* (saliva-

tion), *śvayathu* (oedema), *kṣaya* (consumption), *agnimāndya* (indigestion), *udara* (obstinate abdominal diseases including ascitis), *kuṣṭha* (obstinate skin diseases including leprosy), *jvara* (fever), *netrāmaya* (eye disease), *vraṇa* (ulcer) and *madhumeha* (diabetes mellitus) one should take less quantity of water.

जीवनं जीविनां जीवो जगत्सर्वं तु तन्मयम् ।

⁷⁵ ⁷⁶
अतोऽत्यन्तं नृपायां ज्ञानं क्वचिद्वारि वार्यते' ॥ ७४ ॥

[भावप्रकाशः वारिवर्गं १३ : ७०-७४]

‘तृषितो मोहमायाति मोहात्प्राणान्विमुञ्चति ।

⁷⁷ ⁷⁸
अतः सर्वास्ववस्थासु न क्वचिद्वारि वार्यते ॥ ७५ ॥’

[भावप्रकाशः वारिवर्गं १३ : ७६]

Water is the life of all living creatures and the entire world is pervaded by water. Therefore, when a person is extremely thirsty then giving water is not prohibited. If water is not given, then the thirsty person becomes unconscious and succumbs to death. Therefore in all circumstances water is never prohibited.

⁷⁹ ⁸⁰
‘यत्क्वाध्यमानो निर्वेगं निःफेनं निर्मलं भवेत् ।’

[साधवद्रव्यगुणः तोयवर्गं १५ : ४१]

तत्तोयं दोषहृत्सर्वं दीपनं पाचनं लघु ।

Boiled water

The water which is boiled and when the boiling is over and the foam subsides, it is cleaned, then it alleviates all the *doṣas*. It is digestive stimulant, carminative and light.

⁸¹
तत्पादहीनं वातघ्नमर्द्धहीनं तु पित्तनुत् ॥ ७६ ॥

[साधवद्रव्यगुणः तोयवर्गं १५ : ४२]

त्रिपादहीनं श्लेष्मघ्नं संग्राह्यग्निप्रदं लघु ।

When it is reduced to three-fourth after boiling, it alleviates *vāyu*. When it is reduced to half by boiling, it alleviates *pitta*. When it is reduced to one-fourth after boiling, it alleviates *kapha* and it becomes constipative, digestive stimulant and light.

82

‘अर्द्धविशिष्टं यत्तोयं तदुष्णोदकमुच्यते ॥’ ७७ ॥

[माधवद्रव्यगुणः तोयवर्ग १५ : ४१]

उष्णोदकं सदा पथ्यं श्वासकामज्वरानिजित् ।

कफवातामदोपघ्नं पित्तघ्नं वस्तिशोधनम् ॥ ७८ ॥

‘भिनत्ति श्लेष्मसंघातं मारुतं चापकर्षति’ ।

83

अजीर्णं जरयत्याशु पीतमुष्णोदकं निशि’ ॥ ७९ ॥

Hot water

The water which is reduced to half after boiling and which is hot is called *uṣṇodaka*. This hot water is always wholesome and it cures *śvāsa* (asthma), *kāsa* (bronchitis), *jvara* (fever), aggravation of *kapha* and *vāyu*, *āma* and aggravation of *pitta*. It cleanses the urinary bladder and gets detached the adhered *kapha*. It helps in the elimination of *vāyu*. When hot water is taken at night, it removes indigestion.

पादशेषं तु तत्तोयं आरोग्याम्बु तदुच्यते ।

आरोग्यम्बु सदा पथ्यं श्वासकासकफापहम् ॥ ८० ॥

सद्यो ज्वरहरं भेदी दीपनं पाचनं लघु ।

84

अनाहपांडुशूलार्शो—गुल्मशोथोदरापहम् ॥ ८१ ॥

Ārogyāmbu

When the water is boiled and reduced to one-fourth, it is called *ārogyāmbu* (healthy water). It is always wholesome. It cures *śvāsa* (asthma), *kāsa* (bronchitis) and aggravation of *kapha*. It instantaneously reduces fever. It is purgative, digestive

stimulant, carminative and light. It cures *ānāha* (flatulence), *pāṇḍu* (anemia), *śūla* (colic pain), *arśas* (piles), *gulma* (phantom tumour), *śoṭha* (oedema) and *udara* (obstinate abdominal diseases including ascitis).

उष्णं तदग्निजननं ⁸⁵ लघ्वलं वस्तिशोधनम् ।
 पार्श्वरुक् पीतं साध्मानं हिक्कानिलकफापहम् ॥८२॥
 शस्तं तृष्णामशूलेषु तदशुद्धौ नवज्वरे ।

When the *ārogyāmbu* is hot, it stimulates digestive power. It is extremely light. It cleanses the urinary bladder. It cures *parśvaruk* (pain in the sides of the chest), *adhmana* (flatulence), *hikkā* (hiccup) and aggravation of *vāyu* and *kapha*. It is useful in *trṣā* (morbid thirst), *āma*, *śūla* (colic pain), *aśuddhi* (when the purificatory therapy has not acted properly) and *nava jvara* (beginning stage of fever).

दाहातीसारपित्तासृक्—मूर्च्छामद्यविषातिषु ॥ ८३ ॥
 कफजे वातजे रोगे तृष्णाच्छदिभ्रमादिषु ।
 'मद्यपानसमुद्भूते रोगे ⁸⁶ पित्तोच्छिन्ते तथा ।
 सन्निपातसमुत्थे च ⁸⁷ शृतं शीतं प्रशस्यते ॥' ८४ ॥

[माधवद्रव्यगुणः तोयवर्ग १५ : ३३-३४]

When the *ārogyāmbu* becomes cold, it is called *śrta śīta*. This cold water is useful in *dāha* (burning syndrome), *atisāra* (diarrhoea), vitiation of *pitta* and blood, *mūrccchā* (fainting), *madya* (alcoholism), *visa* (poisoning), diseases caused by *kapha* and *vāyu*, *trṣṇā* (morbid thirst), *chardi* (vomiting), *bhrama* (giddiness), diseases caused by excessive intake of alcohol, excessive vitiation of *pitta* and *sannipāta* (when all the three *doṣas* are vitiated simultaneously).

श्रुताम्बु नत् त्रिदोषघ्नं ⁸⁸ यदन्तर्वाष्पशीतलम् ।
 अरूक्षमनभिष्यन्दि कृमितृट्ज्वरहृल्लघु ।

The boiled water which is cooled along with its steam alleviates all the three *doṣas*. It is not un-unctuous and it does not obstruct the channels of circulation. It cures *kṛmi* (parasitic infection), *tr̥ṣ* (morbid thirst) and *jvara* (fever). It is light.

‘धागशीतेन विष्टम्भी दुर्जरं पवनाहनम् ॥’ ८५ ॥

[माधवद्रव्यगुणः तोयवर्ग १५ : ४३]

When the boiled water is cooled by pouring over another container, it becomes constipative and difficult of digestion because during this process the water comes in contact with a lot of air.

‘दिवाशृतं तु यत्तोयं रात्रौ तद् गुरुतां ब्रजेत् ।

89

रात्रौ शृतं दिवा तद्गुरुत्वमधिगच्छति ॥’ ८६ ॥

[माधवद्रव्यगुणः तोयवर्ग १५ : ४४]

If the water is boiled during the day time and kept overnight, it becomes heavy. Similarly, if water is boiled at night and kept till the day time, then it becomes heavy.

पानीयं न तु पानीय पानीयेज्यप्रदेशजे ।

अजीर्णे क्वथितं चामे पक्वे जीर्णे च नेतरत् ॥ ८७ ॥

Water of another place should not be taken when there is indigestion and formation of *āma*. It should be taken only when it is properly boiled and not otherwise.

‘स्निग्धं स्वादु हिम हृद्यं द्रीपनं वस्तिशोधनम् ।

90

रक्तपित्तपिपामाघ्नं नालिकेरोदकं गरु ।

Coconut water

The water of tender coconuts is unctuous, delicious, cooling, cardiac tonic and digestive stimulant. It cleanses the urinary bladder and cures *raktapitta* (a disease characterised by bleeding from different parts of the body) and *pipāsā*

(morbid thirst). It is heavy.

तदेव जीर्णं विष्टम्भि गुरु पित्तकरं स्मृतम् ॥ ८८ ॥

[माधवद्रव्यगुणः तोयवर्ग १५ : ४६-५०]

The water of the matured coconut causes wind formation in stomach. It is heavy and it aggravates *pitta*.

भक्तादौ सलिलं पीतं कासमन्दाग्निदोषकृत् ।

मध्ये तु दीपनं श्रेष्ठमन्ते स्थौल्यकरं परम् ॥ ८९ ॥

Time of taking water

Water taken before eating food causes *kāsa* (bronchitis) and *agnimāndya* (suppression of the power of digestion). When it is taken during the process of eating, it stimulates the power of digestion. If, however, it is taken after the completion of the process of eating, then it causes *sthaulya* (adiposity).

अजीर्णं भेषजं वारि जीर्णेऽन्ने च बलप्रदम् ।

अमृतं भोजनाद्धं तु भोजनोपरि तद्विषम् ॥ ९० ॥

If there is indigestion water works as a medicine. When there is proper digestion, intake of water promotes strength. When taken in the middle of a meal it works like ambrosia and when taken after a meal, water works like a poison.

“अत्यम्बुपानान्नं विपच्यतेऽन्नमन्म्बुपानाच्च स एव दोषः ।

तस्मान्नरो वह्निविवर्धनाय मुहुर्मुहुर्वारि पिवेदभूरि ॥९१॥”

[माधवद्रव्यगुणः तोयवर्ग १५ : ५३]

If water is taken in excess or if water is not taken at all, then it hampers the process of digestion. Therefore with a view to promoting the power of digestion, a person should take small quantities of water very frequently.

यत्तु व्यापन्नं [तत्] न ग्राह्यम् ॥ ९२ ॥

Water pollution

Polluted water should not be used.

तस्य लक्षणानि—

‘यत्पकशैवालतृणपद्मपत्रप्रभृतिभिरवच्छन्नं रविशशि-

किरणानिलैर्नाभिजुष्टं गन्धवर्णरसोपसृष्टं तद् व्यापन्नम्’ ॥६३॥

[सुश्रुतःसूत्र ४५ : ११]

The signs and symptoms of polluted water are as below :

The water which is mixed with mud, moss, grass, lotus leaf etc., which is not exposed to the rays of the sun and the moon and wind and which has manifested smell, colour and taste, is called polluted.

अनात्तिवं वार्षिकमपि प्रथमं तच्च भूमिगम् ।

व्याप-मिति जानीयात्सर्वदोषप्रकोपणम् ॥ ६४ ॥

The water collected of unseasonal rain or the water collected from the ground immediately after rain is also polluted. It aggravates all the *doṣas*.

‘तस्य स्पर्शरूपरसगन्धवीर्यविपाकदोषा. संभवन्ति ।

तत्र खरता पैच्छिल्यमौष्ण्य दन्तग्राहिता च स्पर्शदोषाः ।

पकसिकताशैवालवहुवर्णता रूपदोषाः ।

Polluted water has defects of touch, colour, taste, smell, *vīrya* (potency) and *vipāka* (taste after digestion).

Roughness, sliminess, heat and sticking to teeth—these are the defects in touch. The appearance of mud, sand and moss, and variegated colour are the defects in colour.

व्यक्तरसता रसदोषः । अग्निष्टगन्धता गन्धदोषः । यदुप-

युक्तं चिराद्विपच्यते तृष्णागौरवशूलकफप्रसेकानापाद-

यति सवीर्यदोषः । यदुपयुक्तं चिराद्विपच्यते विष्टं भयति

वाशनं [स विपाकदोष इति] । यस्तु व्यापन्नं पिबति

स नानाविकारानाप्नोति ॥ ६५ ॥

Manifestation of taste is the defect in taste.

The presence of a foul smell is the defect in smell.

When water is taken, if it gets digested after a long time and if it produces thirst, heaviness, colic pain and salivation, then these are the defects in potency.

If water gets digested very late and causes fermentation of the food, then it should be determined that the water has the defect of *vipāka*.

A person who takes defective water succumbs to many diseases.

सप्त कलुषस्य प्रसादनानि भवन्ति — कतकगोमेदविसग्र-

न्थिशैवालमूलवस्त्राणि मुक्तामणिश्चेति ॥

शीतलीकरणानि प्रवातस्थापनमुदकप्रक्षेपणं यष्टिका-

भ्रामणम् वीजनं वस्त्रोद्धरणं च वालुकाप्रक्षेपणम्

शिक्यावलम्बनं⁹⁶ चेति ॥ ६६ ॥

[सुश्रुतः सूत्र ४५ : ११, १७, १६]

Water pollution can be corrected by seven items, viz., (1) *kataka*, (2) *gomeda*, (3) *visa granthi*, (4) *śaivāla mūla*, (5) *vastra* (cloth), (6) *muktā* (pearl) and (7) *maṇi* (jewel).

For cooling the water, the container should be kept in an airy place, water should be cooled over the container, the water should be stirred with the help of a stick, it should be fanned, the container should be covered with a piece of cloth, sand should be poured over water and the container should be kept hanging on a *sikya*.

पादावशेषं सलिलं ग्रीष्मे शरदि शम्यते ।'

हिमेर्द्धशेषं शिशिरे तथा वर्षावमन्तयो ॥ ६७ ॥

Boiling in different seasons

During summer and autumn seasons, water which is boiled and reduced to one-fourth is useful. During the remaining seasons, viz., *hemanta* (early winter), *śiśira* (later part of winter), rainy season and spring season, water boiled and reduced to half is useful.

कश्चित् :

वसुगन्धेषु वाणेषु वेदेषु त्रिषु पक्षयोः ।

एकभागावशेष स्यादम्बु वर्षादिषु क्रमात् ॥ ६८ ॥

Another view

During the rainy season, autumn, *hemanta* (early winter), *śiśira* (later part of winter), spring and summer, water to be used should be boiled and reduced to 6/8 (*vasu*), 5/8 (*vāṇa*), 4/8 (*veda*), 3/8 (*tri*), 2/8 (*pakṣa*) and 1/8 (*ekabhāga*) respectively.

अत्र यथा दोषाणां हीनता प्रौढता तथा व्यवस्था कल्पनीया ॥ ६९ ॥

In this context, however; the exact nature of processing should be determined on the basis of the diminution and aggravation of the *doṣas*.

अथ निर्दोषीकरणानि :

व्याघ्रमपि पानीयं क्वथितं सूर्यतापितम् ।

सुवर्णं रजतं लोहं पाषाणं सिकता मृदम् ॥ १०० ॥

भृशं संताप्य निर्वाप्य सप्तधा साधितं तथा ।

कूर्परजातीपुन्नागपाटलादिषु वासितम् ॥ १०१ ॥

सूचि सान्द्रपटे स्राव्यं क्षुद्रजन्तुभिरक्षितम् ।

स्वच्छं कतकमुक्ताद्यैः शुद्धं दोषापहं भवेत् ॥ १०२ ॥

Removal of pollution

For the removal of pollution, the boiled water should be exposed to the sun's rays and in this water hot pieces of gold, silver, iron, stone, sand or clod of earth should be immersed seven times. To this water fragrant things like *karpūra*, *jātī*, *punnāga*, *pāṭalā* etc. should be added. This should then be filtered with the help of a clean and compact piece of cloth. It should be protected from small insects. In the vessel containing this clean water, *kataka*, pearl etc. should be added. This process corrects pollution.

आमं जलं जीर्यति याममात्रं तदद्धमात्रं शृतशीतलं च ।

तदर्धमात्रं तु शृतं कदुष्णं पयः प्रपाके त्रय एव कालाः ॥१०३॥

Time taken for digestion

Unboiled water gets digested in one *yāma* (three hours). The water which is boiled and cooled takes one and a half hours for digestion. The water which is boiled and warm gets digested in forty five minutes. These are the three different times for digestion of water.

॥ इति वारिवर्गः ॥

Thus end the groups dealing with different types of water.

NOTES AND REFERENCES

1. द्रष्टव्यम् भावप्रकाशः वारिवर्ग 13 : 2 ।
2. चतुर्धा इति द्वितीयपुस्तके पाठः ।
3. यावत्पति इति द्वितीयपुस्तके पाठः ।
4. नो इति द्वितीय पुस्तके पाठः ।
5. आकाशगङ्गासम्बन्धि इति आकरे पाठः ।

6. प्रायो वर्षति वारिदः इति आकरे पाठः ।
7. सर्वथा इति आकरे पाठः ।
8. तथैव इति आकरे पाठः ।
9. स्थापिते इति आकरे पाठः ।
10. द्रष्टव्यम् भावप्रकाशः वारिवर्ग 13 : 14 ।
11. दिव्यमण्याञ्चिनं विना इति आकरे पाठः ।
12. दिव्यवाय्वग्निमंयोगात्मंहताः इति आकरे पाठः ।
13. पाषाणखण्डवच्चापस्ताः इति आकरे पाठः ।
14. करकाजं इति आकरे पाठः ।
15. दारुणं इति आकरे पाठः ।
16. अपि नद्याः इति आकरे पाठः ।
17. वह्निरापस्तदुद्भवाः इति आकरे पाठः ।
18. रापश्चतद्भवाः इति द्वितीय पुस्तके पाठः ।
19. ताः इति आकरे पाठः ।
20. स्मृताः इति आकरे पाठः ।
21. तुपाराम्बु हिमं रूक्षं स्यादुवातलपित्तलम् इति आकरे पाठः ।
22. कफोरुस्तम्भकण्ठाग्निमेहगण्डादिरोगनुत् इति आकरे पाठः ।
23. हिमाम्बु शीतं पित्तघ्नं गुरु वातविवर्द्धनम् इति आकरे पाठः ।
24. और्वानिलधूमेरितमम्बु इति आकरे पाठः ।
25. कथ्यते सद्भिः इति आकरे पाठः ।
26. द्रष्टव्यम् भावप्रकाशः वारिवर्ग 13 : 24 ।
27. द्वैविध्यमायातम् इति द्वितीयपुस्तके पाठः ।
28. दोषगुणान्वितम् इति आकरे पाठः ।
29. घनं इति आकरे पाठः ।
30. वह्निहृत्कफकृद्दह्य इति आकरे पाठः ।
31. रोचनं तृष्णादाहदोषत्रयप्रणुत् इति आकरे आकरे पाठः ।
32. कफपित्तनुत् इति आकरे पाठः ।
33. वदन्तीति महर्षयः इति आकरे पाठः ।
34. ऋरः इति आकरे पाठः ।

35. स तु प्रस्रवणश्चापि तत्रत्यं नैर्भरं जलम् इति आकरे पाठः ।
36. स्यादपित्तलम् इति आकरे पाठः ।
च न पित्तकृत् इति षष्ठपुस्तके पाठः ।
37. बद्धमूत्रबलं इति षष्ठपुस्तके पाठः ।
38. स्याद्यच्चन्द्रर्क्षगेरवौ इति द्वितीयपुस्तके पाठः ।
39. स्वादुपाकि इति षष्ठपुस्तके पाठः ।
40. कफकरं इति षष्ठपुस्तके पाठः ।
41. द्रष्टव्यम् भावप्रकाश वारिवर्गं १३ : ४६-४८ ।
42. केदारः इति आकरे पाठः ।
43. स्मृतम् इति आकरे पाठः ।
44. भूमिस्थमहितं इति आकरे पाठः ।
44. तोयं इति आकरे पाठः ।
46. वाहित स्मृतम् इति आकरे पाठः ।
47. हेमन्ते विहितं तोयं शिशिरेऽपि प्रशस्यते इति आकरे पाठः ।
48. कौप इति आकरे पाठः ।
49. विषवद्वनवृक्षाणां पत्राद्यैर्दूषित यतः इति आकरे पाठः ।
50. औद्भिदं वाऽऽन्तरीक्षं वा कौपं वा प्रावृषि स्मृतम् इति आकरे पाठः ।
51. रविकरैर्जुष्टं इति आकरे पाठः ।
52. स्वच्छमुदयादगस्त्यस्याखिलं इति आकरे पाठः ।
53. फाल्गुणे इति द्वितीयपुस्तके पाठः ।
54. चौञ्ज्यं इति आकरे पाठः ।
55. तथोद्भिदम् इति आकरे पाठः ।
56. चौञ्ज्यमेव इति आकरे पाठः ।
57. जलमात्रं इति आकरे पाठः ।
58. शीतत्वं इति आकरे पाठः ।
59. मतोगुणः इति आकरे पाठः ।
60. अत्यम्बुपानान्नविपच्यतेऽन्नं निरम्बुपानाच्च इति आकरे पाठः ।
61. वह्निविवर्धनाय इति द्वितीयपुस्तके पाठः ।
62. पाषाणविच्छिन्ना क्षुभिताभिहतोदकाः इति आकरे पाठः ।

63. मलयप्रभवाः याश्च इति आकरे पाठः ।
64. मृदुरवहा इति षष्ठपुस्तके पाठः ।
65. पारियात्रभवा इति आकरे च षष्ठपुस्तकयोः पाठः ।
66. चन्द्रार्ककरसंपृष्टं इति आकरे पाठः ।
67. मुहुः इति आकरे पाठः ।
68. मूर्च्छापित्तोष्णदाहेषु इति आकरे पाठः ।
69. लघु ग्रहे इति आदर्शपुस्तिकासु पाठः ।
70. अरुचिभ्रूणीगुल्मश्वासकासे च इति षष्ठपुस्तके पाठः ।
71. स्नेहपाने च इति आकरे पाठः ।
72. मन्देऽनौ जठरे इति आकरे पाठः ।
73. मुखप्रसेके जठरे कुष्ठे नेत्रामये ज्वरे इति आकरे पाठः ।
74. पिवेत्पानीयमल्पकम् इति आकरे पाठः ।
75. नातोऽत्यन्तनिषेधे न कदाचिद्वाग्निं वार्यते इति आकरे पाठः ।
76. मुधामु इति आदर्शपुस्तकेषु पाठः । तथा इति द्वितीयपुस्तके पाठः ।
77. तृपितो.....वार्यते पाठोऽयं षष्ठपुस्तके नोपलभ्यते ।
78. वाग्नेत् इति आकरे पाठः ।
79. तत्त्ववाध्यमानं इति आदर्शपुस्तिकासु पाठः ।
80. च यत् इति आकरे पाठः ।
81. वातघ्नमर्धहीनं इति द्वितीयपुस्तके पाठः ।
वातघ्नमर्धहीनं च पित्तजित इति आकरे पाठः ।
82. भवति इति आकरे पाठः ।
83. द्रष्टव्यम् माधवद्रव्यगुणः तोयवर्ग १५ : ३२-३३ ।
84. आनाहपाडुशोफाशो इति षष्ठपुस्तके पाठः ।
85. लघवं इति षष्ठपुस्तके पाठः ।
86. पित्तोत्थिते इति षष्ठपुस्तके पाठः ।
87. हितं पयः इति आकरे पाठः ।
88. श्रुतशीतं त्रिदोषघ्नं बाष्पान्तर्भाविशीतलम् इति आकरे पाठः ।
89. तु दिवसे गुरुत्वमधिगच्छति इति आकरे पाठः ।
90. वृत्तं पित्तपिपासघ्नं इति द्वितीयपुस्तके पाठः ।
वृष्यं पित्तपिपासघ्नं इति आकरे पाठः ।

91. द्रष्टव्यम्—श्लोक-६२ ।
92. हठ इति आकरे अधिकं पाठः ।
93. षट् इति आकरे अधिकं पाठः ।
94. स्पर्शदोषः इति आकरे पाठः ।
95. पाठोऽयं सुश्रुते नोपलभ्यते ।
96. वसुप्यङ्गेषु इति द्वितीयपुस्तके पाठः ।
97. क्षुद्रजन्तुन्निवर्जितं इति षष्ठपुस्तके पाठः ।
98. कनकमुद्गाद्यैः इति षष्ठपुस्तके पाठः ।
99. दोषापगं इति द्वितीयपुस्तके पाठः ।

CHAPTER 15

रक्तशालिस्त्रिदोषघ्नश्चक्षुष्यः शुक्रमूत्रलं ।

तृष्णौत्रोबलकृत्स्वर्यो हृद्यस्तदनु चापरम् ॥ १ ॥

Rakta śāli (Oriza sativa Linn.)

The red variety of *śāli* rice alleviates all the three *doṣas*. It promotes eyesight and semen. It is diuretic. It causes thirst and promotes *ojas*, strength and voice. It is a cardiac tonic.

शीतो लघुस्त्रिदोषघ्नो मधुरो गौरवष्टिकः ।

Gaura śaṣṭika (a variety of Oriza sativa Linn.)

The white variety of *śaṣṭika* rice is cooling and light. It alleviates all the three *doṣas* and it is sweet.¹

¹
किञ्चिद्दीनो गुरुस्तस्मादपरो रसपाकतः ॥ २ ॥

There is another variety of it which is slightly inferior in taste and *vipāka* and which is heavier than the former.

²
महाशालिः परं वृष्यः कलमः श्लेष्मपित्तहा ।

Mahā śāli and Kalama

Mahā śāli type of rice is exceedingly aphrodisiac. *Kalama* variety of rice alleviates *kapha* and *pitta*.

मधुरश्चाम्लपाकश्च व्रीहिः पित्तकरो गुरुः ॥ ३ ॥

Vrihi (a variety of *Oryza sativa* Linn.)

The *vrihi* type of rice is sweet. It produces acidity during digestion. It aggravates *pitta* and is heavy.

अत्युष्णो बह्वभिष्यन्दि पाटलस्तु त्रिदोषकृत् ।

Pāṭala

The *pāṭala* type of rice is very hot and is exceedingly *abhiṣyandi* (which obstructs the channels of circulation). It aggravates all the three *doṣas*.

वापितं गुरु तद्धान्यं किञ्चिद्धीनमवापितम् ।

रोपितं तु नवं वृष्यं पुराणं च लघु स्मृतम् ॥ ४ ॥

Sowing and transplantation

The rice which is cultivated by sowing is heavy; otherwise it is slightly inferior in quality. The rice which is cultivated by transplantation is aphrodisiac when freshly harvested. When preserved for a long time, it becomes light.

³
दग्धीयामवन्तौ जाताः शालयो लघुपाकिनः ।

⁴ ⁵
कषाया बद्धविण्मूत्राः रूक्षा श्लेष्मापकर्षणः ॥ ५ ॥

Cultivation

The *śāli* rice which is cultivated in a forest land after setting fire to the vegetation is light for digestion. It is astringent. It causes retention of stool and urine. It is un-unctuous and alleviator of *kapha*.

स्थलजाः कफपित्तघ्नाः कषायाः कटुकान्विताः ।
⁶

किञ्चित्सत्तित्तमधुग ⁷ पवनानलवर्द्धनाः ॥ ६ ॥

The *sāli* rice which is cultivated on plain ground alleviates *kapha* and *pitta*. It is astringent, pungent, slightly bitter and sweet. It aggravates *vāyu* and stimulates the power of digestion.

केदारा मधुग वृष्या बल्याः पित्तनिवर्द्धनाः ।

⁸ ईषत्कषायाल्पमला गुरवः कफशुक्रलाः ॥ ७ ॥

The rice which is cultivated in the rice field is sweet, aphrodisiac, strength promoting and alleviator of *pitta*. It is slightly astringent and it produces less excreta. It is heavy. It produces more of *kapha* and semen.

रोप्यातिरोप्या लघवः धीघ्नपाका गुणोत्तराः ।

⁹ अदाहिनो दोषहरा बल्या मूत्रविवर्धनाः ॥ ८ ॥

The rice which is cultivated by repeated transplantation is light. It gets digested easily and is superior in quality. It does not cause burning sensation. It alleviates *doṣas*. It promotes strength. It is diuretic.

शालयः छिन्नरूढा ये रूक्षास्ते बद्धवर्चसः ।

तित्ताः कषायाः पित्तघ्नाः लघुपाकाः कफापहाः ॥ ९ ॥

[माधवद्रव्यगुणः शालिवर्ग १६ : १६]

The rice which is grown after cutting the plant, is ununctuous. It causes retention of stool. It is bitter and astringent. It alleviates *pitta*. It is light for digestion. It also alleviates *kapha*.

॥ इति शालयः ॥

Thus ends the group dealing with various types of rice.

NOTES AND REFERENCES

1. रसस्तस्मादपरो इति षष्ठपुस्तके पाठः ।
2. कमलः इति द्वितीयपुस्तके पाठः ।
3. दग्धायामवनौ इति आकरे द्वितीयपुस्तके च पाठः ।
4. बद्धविण्मूत्रा इति आकरे पाठः ।
5. रूक्षाः इति आकरे पाठः ।
6. कटुकाश्रयाः इति आकरे पाठः ।
7. पवनानलवर्धना इति द्वितीयपुस्तके पाठः ।
8. ईषत्कषायाल्पवला इति षष्ठपुस्तके पाठः ।
9. विदाहिनो इति आकरे पाठः ।

CHAPTER 16

श्यामाकः शोषणो रूक्षो वातलः श्लेष्मपित्तहा ।

Śyāmāka (*Echinochloa frumentacea* Linn.)

Śyāmāka is *śoṣaṇa* (drying) and un-unctuous. It aggravates *vāta* and alleviates *kapha* and *pitta*.

¹
तद्वन् प्रियंगुनीवारकोरदृषाः प्रकीर्तिता ॥ १ ॥

Priyaṅgu (*Setaria italica* Beauv.), *Nivāra* (a type of paddy)
& *Koradūṣā* (*Paspalum scorbiculatum* Linn.)

Priyaṅgu, *nivāra* and *koradūṣa* share the properties of *śyāmāka*.

रूक्षः शीतो गुरुः स्वादुः मरो विड्वातकृद्यवः ।

वृष्यः स्थैर्यकरो मूत्रमेदःपित्तकफान् जयेत् ॥ २ ॥

²
पीनमश्वासकासोरुस्तम्भकंठासृगामयान् ।

Yava (*Hordeum vulgare* Linn.)

Yava is un-unctuous, cooling, heavy, sweet, laxative, producer of more of stool and flatus and aphrodisiac. It

produces *sthairya* (steadiness) and reduces urine, fat, *pitta* and *kapha*. It cures *pīnasa* (chronic rhinitis), *śvāsa* (asthma), *kāsa* (bronchitis), *urustambha* (which produces immobility of thigh) and diseases of the throat and blood.

न्यूनो यवादन्यवो रूक्षोष्णो वंशजो यवः ॥ ३ ॥

Anuyava & Vanśaja yava

The *anuyava* is slightly inferior in quality in comparison to *yava*. The *yava* (fruit) of *vanśa* (bamboo) is un-unctuous and hot.

वृष्यशीतो गुरुः स्निग्धो जीवतो वातपित्तहा ।

संधानकारी मधुरो गोधूमः स्थैर्यैकृत्सरः ॥ ४ ॥

[माधवद्रव्यगुणः कुधान्यवर्ग १७ : २-५]

Godhūma (*Triticum aestivum* Linn.)

Godhūma (wheat) is aphrodisiac, cooling, heavy, unctuous and life giver. It alleviates *vāta* and *pitta*, and helps in the union of broken tissues. It is sweet. It produces steadiness. It is also a laxative.

गोधूम उक्तो मधुरो गुरुश्च बल्यः स्थिरः शुक्ररुचिप्रदश्च ।

स्निग्धो [शीतश्चा] निलपित्तहारी सवातकृत् [?] श्लेष्मकर. सरश्च ॥५॥

Another view

Godhūma is sweet, heavy, promoter of strength, steadiness and semen, appetiser, unctuous and cold. It alleviates *vāyu* and *pitta* and produces flatus (*vāta* ?) and *kapha*. It is laxative.

ईषत्कषायो मधुरः सतिक्तः सग्राहकः पित्तकरस्तथोष्णः ।

तिलो विपाके मधुरो बलिष्ठ स्निग्धो ब्रणालेपन पथ्य उक्तः ॥ ६ ॥

दग््नोऽग्निमेधाजननोजल्पमूत्रस्त्वच्योऽथ केश्योऽनिलहा गुरुश्च ।

Tila (Sesamum indicum Linn.)

Tila is slightly astringent, sweet, bitter, constipative, aggravator of *pitta*, hot, sweet in *vipāka*, promoter of strength and unctuous. It is useful for application over ulcers and for teeth. It is a promoter of digestive power and intellect. It reduces the quantity of urine. It is useful for the skin and the hair. It alleviates *vāyu* and is heavy.

तिलेषु सर्वेष्वसितः प्रधानो मध्य. सितो हीनतरास्तथान्ये ॥ ७ ॥

[माधवद्रव्यगुणः कुधान्यवर्ग १३ : २-३], [सुश्रुतः सूत्र ४६ : ३६-४०]

Among the different types of *tila*, the black variety is the best, the white variety is middling and other varieties are inferior in quality.

कृष्णमुद्गा महामुद्गा गौरा हरितपीतकाः ।

श्वेता रक्ताश्च निर्दिष्टा लघवः पूर्वपूर्वतः ॥ ८ ॥

Mudga (Phaseolus radiatus Linn.)

Variety

Kṛṣṇa mudga, *mahā mudga*, white, green, yellow, white and red—these are the different varieties of *mudga*. The former ones are lighter than the latter ones.

सुश्रुतेन पुनः प्रोक्ता प्रधाना हरिता गुणैः ।

According to *Suśruta*, the green variety is the best among the *mudgas*.

कफपित्तान्त्रिजिन्मुद्गः कपायो मधुरो लघु ।

ग्राही शीतः कटुः पाके चक्षुष्यो नातिवातल ॥ ९ ॥

Property

Mudga alleviates *kapha*, *pitta* and blood. It is astringent, sweet, light, constipative, cooling and pungent in *vipāka*. It promotes eye sight and does not aggravate *vāyu* in excess.

12
प्रवानाचरिनास्तद्वद्वन्ममुद्गाः समाः स्मृतः ।

Vanya mudga

Different varieties of *vanya* (wild variety) *mudga* share all the properties of cultivated varieties of *mudga*.

13 14
मसूरो मधुरो रुच्यः संग्राही कफपित्तहा ॥ १० ॥

Masūra (Lens culinaris Medic.)

Masūra is sweet, appetiser and constipative. It alleviates *kapha* and *pitta*.

15
रक्तपित्तज्वरोन्माथि शीतो ग्राही मकुष्ठकः ।

Makuṣṭha (Phaseolus aconitifolius Jacq.)

Makuṣṭhaka alleviates *rakta pitta* (a disease characterised by bleeding from different parts of the body) and *jvara* (fever). It is constipative.

कफासृक् पित्तपुस्त्वधनाश्चणका वातला हिमाः ॥११॥

[मानवद्रव्यगुणः शिम्बिधान्यवर्ग १६-१-५]

Caṇaka (Cicer arietinum Linn)

Caṇaka alleviates *kapha*, blood and *pitta*. It causes impotency and aggravates *vāyu*. It is cooling.

हरेणवः सतीनाश्च विज्ञेया बद्धवर्चसः ।

[सुश्रुतः सूत्र ४६ : ३३]

Hareṇu & Satīna

(*Pisum arvens Linn. & Pisum sativum Linn.*)

Hareṇu and *satīna* cause constipation.

16 17
आढक्य कफपित्तघ्न्यः कषायाश्चातिवातलाः ॥ १२ ॥
ता एव घृतसंयुक्तास्त्रिदोषशमनाः मता ।

Āḍhakī (*Cajanus cajan* Millsp.)

Āḍhakī alleviates *kapha* and *pitta*. It is astringent. It aggravates *vāyu* in excess. When added with ghee, it alleviates all the three *doṣas*.

उष्णः सुलत्यो रमत. कषायः कटुविपाके कफमारुतघ्नः ॥१३॥

Kulattha (*Dolichos biflorus* Linn.)

Kulattha is hot, astringent in taste, pungent in *vipāka* and alleviator of *kapha* as well as *vāyu*.

18

शुक्राश्मरीगुल्मनिपूदनश्च संग्राहकः पीनसकासहन्ता ।

19

भ्रानाहमेदोगुदकीर्णहृक्कारवासापहः शोणितपित्तकृच्च ॥१४॥

It cures *śukrāśmarī* (stone in the seminal tract) and *gulma* (phantom tumour). It is constipative. It also cures *pīnasa* (chronic rhinitis), *kāsa* (bronchitis), *ānāha* (flatulence), *medasa* (adiposity), *guda kīla* (piles), *hikkā* (hiccup) and *śvāsa* (asthma). It vitiates blood and *pitta*.

20

बलासहन्ता पवनामयघ्नो विणेषतो वन्यकुलत्यकम्तु ।

Vanya Kulattha

The wild variety of *kulattha* specifically alleviates *kapha* and cures diseases caused by *vāyu*.

स्निग्धोष्णो मधुरो वृष्यो मेदोमासकफप्रदः ।

वातनुद् बृंहणो बल्यो माषो बहुमलो गुरु. ॥' १५ ॥

[माध्वद्रव्यगुणः शिम्बिधान्यवर्ग १८ : १-६]

Māṣa (*Phaseolus mungo* Linn.)

Māṣa is unctuous, hot, sweet and aphrodisiac. It produces more of fat, flesh and *kapha*. It alleviates *vāyu*, promotes nourishment and strength and produces more of stool. It is heavy.

21

‘माषो गुर्भिल्लपुरीषमूत्रः स्निग्धो वृषण्यो मधुरोऽनिलघ्नः ।

22

संतर्पणः स्तन्यकरो विशेषाद्वलप्रदः पित्तकफावहृश्च ॥ १६ ॥

Another view

Māṣa is heavy, laxative, diuretic, unctuous, aphrodisiac, sweet, alleviator of *vāyu*, refreshing and promoter of lactation. It has the specific property of promoting strength and aggravating *pitta* as well as *kapha*.

माषैः समानं फलमात्मगुप्तमुक्तं च काकाण्डफलं तथैव च ।

The fruits of *ātmaguptā* and *kākāṇḍa* have properties similar to those of *māṣa*.

23

अरण्यामाषा गुणतः प्रदिष्टा रूक्षाः कषायाश्च विदाहिनश्च' ॥१७॥

[सुश्रुतः सूत्र ४६ : ३४, ३६]

Aranya māṣa

The wild variety of *māṣa* is un-unctuous and astringent. It causes burning sensation.

‘राजमाषः सरो रुच्यः कफशुक्राम्लपित्तनुत् ।

सुस्वादुर्वातलो रूक्षः कषायो विशदो गुरुः ॥ १८ ॥

Rāja māṣa (Vigna cylindrica Skeels)

Rāja māṣa is laxative and appetiser. It reduces *kapha* and semen, and cures *amla pitta* (hyper acidity in stomach). It is delicious, aggravator of *vāyu*, un-unctuous, astringent, *visāda* (non-slimy) and heavy.

गुरुष्ण स्निग्धमधुरं काकाण्डं चात्मगुप्तजम् ।

फलं वृष्यं च बल्यं च बृहणं वातजित्परम् ॥ १९ ॥

Kākāṇḍa (?) & Ātmaguptā (Mucuna pruriens DC.)

The fruits of *kākāṇḍa* and *ātma guptā* are heavy, hot,

unctuous, sweet, aphrodisiac, strength promoting and nourishing. They are excellent alleviators of *vāyu*.

24 25
स्निग्धातसी स्वादुतिक्ता कफपित्तकरा गुरुः ।

दृक्शुकहृत्कटु. पाके तद्वद्वीजं कुसुम्भजम् ॥ २० ॥

Atasī & Kusumbha

(*Linum usitatissimum* Linn. & *Carthamus tinctorius* Linn.)

Atasī is unctuous, sweet, bitter, aggravator of *kapha* as well as *pitta* and heavy. It reduces eye sight and semen. It is pungent in *vipāka*.

Seed of *kusumbha* shares properties of *atasī*.

वातपित्तकरा रूक्षा निष्पावाः श्लेष्मशोषणाः ।

Niṣpāva (*Dolichos lablab* Linn.)

Different types of *niṣpāva* are aggravaters of *vāyu* and *pitta* and un-unctuous. They dry up *kapha*.

26
बलघ्नाः कफनाशिन्यो विरूक्षा. स्वादु शीतलाः ।

विगटस्मिन्योऽग्निशमना निर्दिष्टा शिबिजातयः ॥२१॥

[माधवद्रव्यगुणः शिम्बिधान्यवर्गं १८ : १०-१३]

Simbi (a type of *Dolichos lablab* Linn.)

Different types of *simbi* reduce strength and alleviate *kapha*. They are exceedingly un-unctuous, sweet, cooling and constipative. They reduce the power of digestion.

27
रूक्षः कपायो बलकृद्धिदाही बलासदृष्टिक्षयकृत्कपायः ।

28
कटुविपाके मधुरश्च शिबः प्रभिल्लविण्मारुतपित्तलश्च ॥२२॥

Simba (a type of *Dolichos lablab* Linn.)

Simba is un-unctuous, astringent and promoter of

strength. It causes burning sensation and reduces *kapha* and eye sight. It is pungent in *vipāka* and sweet. It eliminates stool as well as *vāyu* and aggravates *pitta*.

सितासिताः पीतकरक्तवर्णाः भवन्ति येनकरसाश्च शिवाः ।

यथोदितास्तद्गुणतः प्रधाना ज्ञेयाः कटूष्णा रसपाकतश्च ॥२३॥'

[सुश्रुतः सूत्रस्थान ४६ : ४४-४६]

It has several varieties viz., white, black, yellow and red. They have different tastes but all of them share the properties described above. They are predominantly pungent in taste as well as *vipāka* and hot.

विदाहवन्त्यश्च भृशं च रूक्षा विष्टभ्यवीर्यमनिलप्रदाश्च ।

सुदुर्जराश्चैवरुचिप्रदाश्च सर्वे स्मृता वैदलिकाश्च शिवाः ॥२४॥

[सुश्रुतः सूत्रस्थान ४६ : ४७-४८]

अनलश्लेष्मपित्तघ्नो बद्धविष्णुमूत्रवातलः ।

Vaidalikas & Siribas

Pulses having dicotyledons and different type of *simba*— all produce burning sensation. They are exceedingly ununctuous and constipative. They aggravate *vāyu* and are extremely difficult of digestion and are appetisers.

They reduce the power of digestion, alleviate *kapha* as well as *pitta* and cause retention of stool, urine and flatus.

‘कफवातहरस्तीक्ष्णः सिद्धार्थो रक्तपित्तकृत् ॥ २५ ॥

स्निग्धोष्णः कृमिकुष्ठघ्नः कटुको रसपाकतः ।

Siddhārtha

Siddhārtha alleviates *kapha* and *vāta*. It is sharp. It causes *raktapitta* (a disease characterised by bleeding from different parts of the body). It is ununctuous and hot. It cures *kṛmi*

(parasitic infection) and *kuṣṭha* (obstinate skin diseases including leprosy). It is pungent both in taste and *vipāka*.

तद्गुणा राजिका रुच्या तद्गुणोऽन्योऽपि सर्वयः ॥२६॥

Rājikā & Sarṣapa (Brassica campestris Linn.)

Rājikā and *sarṣapa* share the properties of *siddhārtha*. In addition *rājikā* is an appetiser.

37

शूकधान्यं शिम्बिधान्यं परिसंवत्सरोषितम् ।

लघुपथ्यतमं प्रोक्तं गुर्वपथ्यतमं नवम् ।

यद्यदागच्छति क्षिप्रं तत्तल्लघुतरं स्मृतम् ॥ २७ ॥

Property in preservation

Sūka dhānya and *śimbi dhānya* which are preserved for one year before use, are the lightest and most wholesome. Freshly harvested ones are heavy and extremely unwholesome. The earlier they ripen, the lighter they are.

यवगोधूममाषाश्च तिलश्चापि नवा हिताः ।

38

पुराणा विरसा रूक्षा न तथा बलकारिणः ॥' २८ ॥

[माधवद्रव्यगुणः शिम्बिधान्यवर्ग १८ : १४-१७]

Yava, *godhūma*, *māṣa* and *tila* are useful when they are freshly harvested. When preserved for a long time, they become tasteless and un-unctuous. They do not promote strength to the same extent as the fresh ones do.

विदाहिं गुरुं विष्टम्भिं विरूढं दृष्टिदूषणम् ।

[माधवद्रव्यगुणः शिम्बिधान्यवर्ग १८ : १९]

Other defects

The germinated corns cause burning sensation. They are heavy and constipative. They cause impairment of eye sight.

अनात्तवं व्याधिकरमपर्यागतमेव च ॥ २६ ॥

अभूमिजं नवं वापि न धान्यं गुणवत्स्मृतम् ।

नवं धान्यमभिष्यन्दि लघु संवत्सरोषितम् ॥ ३० ॥

[माघवद्रव्यगुणः शिम्बिधान्यवर्गं १८ : १८-१९]

Unseasonal and immature corns cause many diseases. Those which are not grown on the ground and which are freshly harvested do not possess the prescribed properties. Freshly harvested corns are *abhişyandi* (which obstruct the channels of circulation) and they become light after preservation for one year.

॥ इति धान्यवर्गः ॥

Thus ends the group dealing with different type of corns.

NOTES AND REFERENCES

1. तद्वच्च कगुनीवारकोरदूषाः इति आकरे पाठः ।
2. पीनसश्वासकासोरुस्तम्भकण्ठत्वगामयान् इति आकरे पाठः ।
3. यवादपयवो इति आकरे पाठः ।
4. रुक्षोऽम्लो इति आकरे पाठः ।
5. वृष्यः शीतो इति आकरे पाठः ।
6. संधानो बृंहणो बलयो गोधूमः स्थैर्यकृत्परम् इति आकरे पाठः
7. तित्तो इति आकरे पाठः ।
8. एव पथ्यः इति आकरे पाठः ।
9. दन्योऽग्निमेधा इति द्वितीयपुस्तके पाठः ।
बलाऽग्निमेधा० इति आकरे पाठः ।
10. हीनतरास्तथाऽन्ये इति आकरे पाठः ।
11. द्रष्टव्यम्—सुश्रुतः सूत्र ४६ : २६ ।
12. प्रबानाहरिता मुद्गा वन्या मुद्गास्तु मुद्गवत् इति आकरे पाठः ।

13. मधुरः इति आकरे पाठः ।
14. शीतः इति आकरे पाठः ।
15. रक्तपित्तज्वरोन्माद शीतो इति आदर्शपुस्तिकासु पाठः ।
16. आढकी कफपित्तघ्नी कलायास्त्वतिवातलाः इति आकरे पाठः ।
17. कफवातघ्न्यः इति द्वितीयपुस्तके पाठः ।
18. शुक्राश्मरीगुल्मनिमूदनश्च इति आकरे पाठः ।
19. शोणितपित्तकर्त्ता इति आकरे पाठः ।
20. कफस्य हन्ता नयनामयघ्नो विशेषतो वन्यकुलत्थ उक्तः इति आकरे पाठः ।
21. स्निग्धोष्णवृष्यो इति आकरे पाठः ।
22. शुक्रकफात्रहश्च इति आकरे पाठः ।
23. कषाया अविदाहिनश्च इति आकरे पाठः ।
24. स्निग्धोमा इति आकरे पाठः ।
25. स्वादुतिक्तोष्णा इति आकरे पाठः ।
26. वातघ्नाः कफशुक्रघ्नाः इति आकरे पाठः ।
27. रूक्षः कषायो विषशोषशुक्रबलासदृष्टिक्षयकृद्विदाही इति आकरे पाठः ।
28. मधुरस्तु इति आकरे पाठः ।
29. पीतकरक्तवर्णा इति आकरे पाठः ।
30. येऽनेकविधास्तु इति आकरे पाठः ।
31. यथादितस्ते गुणतः इति आकरे पाठः ।
32. रसपाकयोश्च इति आकरे पाठः ।
33. विरूक्षा इति आकरे पाठः ।
34. विष्टभ्य जीर्यन्त्यनिलप्रदाश्च इति आकरे पाठः ।
35. वैदलिकास्तु इति आकरे पाठः ।
36. जोनलः श्लेष्मपित्तघ्नो इति द्वितीयपुस्तके पाठः ।
37. समातीत प्रशस्यते इति आकरे पाठः ।
38. तथाऽर्थकराः स्मृताः इति आकरे पाठः ।

CHAPTER 17

सर्ववातहरं मांसं वृष्यं वल्यतमं गुह्र ।

तद्रसस्तर्पणो बल्यः स्निग्धः प्राणप्रदो लघुः ।

Meat

All types of meat alleviate *vāyu*. They are aphrodisiac, exceedingly strength promoting and heavy. Meat soup is refreshing, strength promoting, unctuous, life giver (*prāṇa prada*) and light.

मांसवर्गो द्विधाज्ञेयो जांगलानूपभेदतः ॥ १ ॥

There are two groups of *māṁsa* (meat) viz., meat of *jāngala* animals and the meat of *ānūpa* animals.

तत्र जांगललक्षणगुराः

¹जङ्घालं मांसवर्गेऽत्र ²[बि]लस्थाश्च गुहाशयाः ।

तथा पर्णभृता ज्ञेया विष्किराः प्रतुदा अपि ॥ २ ॥

³[प्रसङ्गाऽप्यथ च] प्राभ्या अष्टौ जाङ्गलजातयः ।

Jāngala (Meat of animals dwelling in dry land forests)

Jāngala is of eight categories viz., (1) *janṅhāla*, (2) *vilastha*, (3) *guhāśaya*, (4) *parṇa mṛga*, (5) *viṣkīra*, (6) *pratuda*, (7) *prasaha* and (8) *grāmya*.

जांगला मधुरा रुक्षास्तुवरा लघवन्तथा ॥ ३ ॥

बल्या वृष्या बृंहणाश्च दीपना दोषहारिणः ।

मूकता मिन्मिनत्व च गद्गदत्वादिते तथा ॥ ४ ॥

वाधिर्यमशुचि च्छर्दि प्रमेहं मुखजान्गदान् ।

गलगण्डं श्लीपदं च नाशयत्यनिलामयान् ॥ ५ ॥

Meat of this variety is sweet, un-unctuous, astringent, light, strength promoting, aphrodisiac, nourishing and digestive stimulant. It alleviates *doṣas* and cures *mūkatā* (dumbness), *minminatva* (stammering), *gadgadātva* (lulling speech), *ardita* (facial paralysis), *vādhīrya* (deafness), *aśuci* (sense of impurity), *chardi* (vomiting), *prameha* (obstinate urinary disorders including diabetes), *mukharoga* (diseases of the oral cavity), *gala gaṇḍa* (goitre), *ślīpada* (filariasis) and diseases caused by *vāyu*.

⁴ कूलेचराः ⁵ प्लवाश्चापि कोशस्थाः पादिनस्तथा ।

मस्त्या एतत्ते विख्याताः पञ्चधानूपजातयः ॥ ६ ॥

Ānūpa (Meat of animals inhabiting marshy land)

Ānūpa is of five categories viz., (1) *kūlecara*, (2) *plava*, (3) *kośastha*, (4) *pādin* and (5) *matsya*.

आनूपाः मधुराः स्निग्धाः गुरवो बह्विसादनाः ।

श्लेष्मलाः पिच्छिलाश्चैव मांसवृद्धिप्रदाः परम् ।

प्रायोऽभिष्यन्दिनस्ते हि प्रायोऽप्यतमाः मताः ॥७॥

Meat of this variety is sweet, unctuous, heavy, suppresser of the power of digestion, alleviator of *kapha* and slimy. It increases muscle tissue considerably. It is generally *abhiṣyandin* (which obstructs the channels of circulation) and unwholesome.

अथ जांगललक्षणम्, विशिष्टगुणा :

हरिरौणकुरंगाक्षवातायुमृगमातृकाः ।

6

राजीवः पृषतश्चापि श्वदंष्ट्रः शरभादयः ॥ ८ ॥

जङ्घालसंज्ञिताः एते तेषां चित्त्वं पृथक् शृणु ।

हरिरास्ताम्र उद्दिष्टः एणः कृष्णतनुर्मतः ॥ ९ ॥

कुरंगस्ताम्रवर्णः स्याद्धरिणाकृतिको महान् ।

ऋष्यो नीलांडुको लोके सरोरु इति भण्यते ॥ १० ॥

वातायुस्तु किशोराभो मृगः स्वल्पः प्रकीर्तितः ।

7

स्वल्पः पृथूदरो ज्ञेयः शशाभो मृगमातृकः ॥ ११ ॥

कस्तूरीहरिणं चैके वदन्ति मृगमातृकम् ।

राजीवस्तु मृगो ज्ञेयो राजीभिः परितो वृतः ॥ १२ ॥

पृषतश्चन्द्रविन्दुः स्याद्धरिणात्किञ्चिदल्पकः ।

श्वदंष्ट्रः सम्मतो यस्तु काश्मीरे कर्कटाभिधः ॥ १३ ॥

काश्मीरदेशे शरभोऽष्टपात्स्यादुत्साहयुक्तश्चतुरूध्वपादः ।

उष्ट्रप्रमाणः समहाविषाणः ख्यातो नवस्थः स महामृगाख्यः ॥ १४ ॥

Different types of Jāngala meat

Harīṇa, *eṇa*, *kuraṅga*, *ṛkṣa*, *vātāyu*, *mṛga mātrkā*, *rājīva*, *prṣat*, *śvadamṣṭra*, *śarabha*—these animals are called *jaṅghāla*. Their characteristic features are given below :

Harīṇa is of coppery colour. *Eṇa* has a black body.

Kuraṅga is of coppery colour. It looks like *hariṅa* but it is bigger in size. *Rṣya* (*rḥṣa*) is commonly called *nilāṅḍuka* or *saroru*. *Vātāyu* is like a deer calf and it is small in size. *Mṛga māṭṛka* is like a rabbit. It is small in size and it has a bulging abdomen. Some people, however, take musk deer as *mṛga māṭṛka*. *Rājīva* has a spotted body. *Prṣat* is dotted like the moon in its body and it looks like a *hariṅa* of small size. *Śvadamṣṭra* is called *karkaṭa* in Kashmir. *Śarabha* is found in Kashmir. It has eight legs, four of which are upwards. It is like a camel in size and it has big horns. This animal, which is also known as *mahā mṛga* is locally called *navastha* (?).

8

‘कृतमालो वप्रचुरः विश्रुतो विन्दुचित्रकः ।’

9 10 11

‘जागलाः प्रायशः सर्वे पित्तश्लेष्महरा मताः ॥ १५ ॥

12

किञ्चिद्वातकरा ज्ञेया लघवो बलवर्धनाः ।

Kṛtamāla, *vapracura*, *viśruta* and *vinḍu citraka*—these animals also come under the *jaṅghāla* category.

The meat of all these animals generally alleviates *pitta* and *kapha*. It slightly aggravates *vāyu*. It is light and promoter of strength,

13

गोधाशशभुजंगाखुशल्लक्याद्या विलेशयाः ॥ १६ ॥

Vileśaya (Meat of animals which live in burrows in the earth)

Godhā, *śaśa*, *bhujāṅga*, *ākhu*, *śallaki* etc., are called *vileśaya* animals.

विलेशया वातहरा मधुरा रसपाकयोः ।

14

बृहणा बद्धविण्मूत्राः वीर्योष्णाश्च प्रकीर्तिताः ॥ १७ ॥

The meat of these animals alleviates *vāyu*. It is sweet both in taste and *vipāka*. It is nourishing and it causes retention of stool and urine. It is hot in potency.

15 16
सिंहव्याघ्रवृकाक्षर्क्षतरक्षुद्वीपिनस्तथा ।

बभ्रुजम्बुकमार्जारा इत्याद्या स्युर्गुहाशयाः ॥ १८ ॥'

[भावप्रकाशः मांसवर्ग ११ : १४-१६]

Guhāśaya (Meat of animals that dwell in caves)

Siṃha, *vyāghra*, *vrka*, *akṣa*, *ṛkṣa*, *tarakṣu*, *dvīpin*, *babhru*, *jambuka*, *mārjāra* etc., are called *guhāśaya* animals.

तरक्षुः हडहा इति लोके । द्वीपिः चित्रः व्याघ्रः ।

स्थुलपुच्छो रक्तनेत्रो बभ्रुभेदः स नकुलः ॥ १९ ॥

Tarakṣu is commonly known as *hadahā*. *Dvīpin* is the tiger with a spotted body. A variety of *babhru* which has a thick tail and red eyes is called *nakula*.

'गुहाशया वातहरा गुरुष्णा मधुराश्च ते ।

स्तिग्धा बल्या हिता नित्यं नेत्रगुहाविकारिणाम् ।

The meat of these animals alleviates *vāyu*. It is heavy, hot, sweet, unctuous and promoter of strength. It is always wholesome for patients suffering from the diseases of the eye and the anus.

17
वनौका वृक्षमार्जारवृक्षमर्कटिकाऽऽदयः ॥ २० ॥'

[भावप्रकाशः मांसवर्ग ११ : १७-१८]

'स्मृताः परामृगा वृष्याश्चक्षुष्याः शोणिते हिताः ।

श्वासाशंकासशमनाः सृष्टमूत्रपुरीषकाः ॥ २१ ॥'

[भावप्रकाशः मांसवर्ग ११ : १९]

Paṇa mṛga

Vanaukā, *vrkṣa mārjāra*, *vrkṣa markatikā* etc., are called *paṇa mṛga* animals.

The meat of these animals is aphrodisiac, promoter of eye sight and useful in the correction of the vitiation of blood. It cures *śvāsa* (asthma), *arśas* (piles) and *lāsa* (bronchitis). It helps in the elimination of urine and stool.

18
वर्तिकालावविकिरर्कपिजलकतित्तिराः ।

19
चकोरऋकराद्याश्च विष्किराः समुदाहृताः ॥ २२ ॥

Viškira (Meat of gallinacious birds)

Vartikā, lāva, vikira, kapiñjalaka tittira, cakora, krakara, etc., are called *viškira* animals.

विकीर्यं भक्षयन्त्येते यस्मात्तस्माद्धि विष्किराः ।

They eat by tearing (*vikīrya*) the food because of which they are called *viškira*.

20
कपिजल इति ख्यातो लोके कपित्तिरः ।

[भावप्रकाश' मासवर्ग ११ : २०-२१]

चकोरः प्रसिद्धः । ऋकरः कथर इति लोके ॥ २३ ॥

The gray coloured *tittira* (*kapiśa tittira*) is called *kapiñjala*. *Cakora* is a well known bird. *Krakara* is locally called *kathara*.

'विष्किरा मधुराः शीता कषाया. कटुपाकिनः ।

21
बल्या वृष्यास्त्रिदोषघ्नाः पथ्याश्च लघवो मताः ॥२४॥'

[भावप्रकाशः मांसवर्ग ११ : २२]

The meat of these animals is sweet, cooling, astringent in taste, pungent in *vipāka*, strength promoting and aphrodisiac. It alleviates all the three *doṣas*. It is wholesome and light.

'कालकंठकहारीतकपोतशतपत्रकाः

22
सारिका खंजरीटश्च पिकाद्या प्रतुदा मताः

Pratuda (Meat of packer birds)

Kālakaṅṭhaka, hārīta, kapota, śatapatra, sārīkā, khañjariṭa, pika etc., are called *pratuda* animals.

23

प्रत्यूद्य भक्षयन्त्येते तुण्डेन प्रतुदास्ततः ॥ २५ ॥'

[भावप्रकाशः मांसवर्ग ११ : २३]

They eat by picking (*pratudya*) the food because of which they are called *pratuda*.

कालकंठकगौडादौ गौरै अडागके इति प्रसिद्धः ॥२६॥

In the country of *gauḍa*, *kālakaṅṭhaka* is popularly called *gaurai* and *aḍāgake*.

हारीता हारिला इति लोके ॥ २७ ॥

Hārītā is called *hārīlā* in the local vernacular.

कपोतो धवलः पाण्डु शतपत्रो बृहच्छुकः ।

Kapota is white and yellowish (*pāṇḍu*). *Śatapatra* is the bigger variety of *śuka*.

‘प्रतुदा मधुराः पित्तकफघ्नास्तुवरा हिमा ।

24

लघवो वद्धवर्चस्का किञ्चिद्वातप्रकोपनाः ॥ २८ ॥

The meat of these animals is sweet. It alleviates *pitta* and *kapha*. It is astringent, cooling and light. It causes retention of stool and it slightly aggravates *vāyu*.

25

काको गृध्र उत्तूकाश्च चिल्लुश्च शशघातिनः ।

26

चाषो भासश्च कुरुर इत्याद्याः प्रसहाः स्मृताः ॥२९॥'

[भावप्रकाशः मांसवर्ग ११ : २३-२५]

Prasaha (Meat of animals & birds who eat by snatching)

Kāka, grdhra, ulūka, cillu, śaśaghātin, cāṣa, bhāsa, kurara

etc., are called *prasaha* animals.

27
'प्रसहाः कीर्तिता एते प्रसह्यान्नाद्यभक्षणाः ।

These animals eat by snatching (*prasahya*) their food because of which they are called *prasaha*.

28
वीर्योष्णाः प्रसहाः सर्वे तन्मांसं चाहरन्ति ये ॥ ३० ॥'

[भावप्रकाशः मांसवर्ग ११ : २६-२७]

29
ते शोषभस्मकोन्मादरेतक्षीणा भवन्ति हि ।

The meat of all these animals is hot in potency. Persons who eat their meat suffer from *śoṣa* (consumption), *bhasmaka* (gluttonous appetite), *unmāda* (insanity) and reduction in semen.

30
छागमेषवृषाश्वाद्या ग्राम्याः प्रोक्ता महर्षिभिः ॥३१॥

Grāmya (Meat of domesticated animals)

Chāga, meṣa, vṛṣa, aśva etc., are called *grāmya* animals by the great sages.

31
ग्राम्या वातहराः सर्वे दीपनाः कफपित्तलाः ।

मधुरा रसपाकाम्यां वृंहणा बलवर्धनाः ॥३२॥

The meat of all these animals alleviates *vāyu*, stimulates digestion and aggravates *kapha* and *pitta*. It is sweet both in taste and *vipāka*, nourishing and strength promoting.

लुलायगण्डवाराहचमरीवारणादयः ।

32
एते कूलेचराः प्रोक्ता यस्मात् कूले चरन्त्यपाम् ॥३३॥

Kūlecara (Meat of animals who live near water)

Lulāya, gaṇḍa, vārāha, camarī, vāraṇa, etc., are called *kūlecara* animals.

These animals graze (reside) by the side of water (*kūla*) because of which they are called *kūlecara*.

लुलायो महिपः । गण्डः खड्गः । चमरी चमरपुच्छो गौः ॥३४॥

Lulāya is *mahiṣa* (buffalo), *gaṇḍa* is *Khaḍga* (rhinoceros) and *camarī* is a type of cow having a chowrie tail.

कुलेचरा मरुत्पित्तहरा वृष्या बलावहाः ।

मधुराः शीतलाः स्निग्धाः मूत्रलाः श्लेष्मवर्धनाः ॥३५॥

The meat of *kūlecara* animals like *lalāya*, *mahiṣa*, *gaṇḍa*, *khadga*, *camarī*, *camara puccha* and *go* alleviate *vāyu* and *pitta*. It is aphrodisiac, promoter of strength, sweet, cooling, unctuous and diuretic. It aggravates *kapha*.

³³
हससारसकाचाक्षबकक्रौञ्चससारिकाः ।

नंदीमुखी सकादम्ब बलाकाद्याः प्लवा मताः ।

³⁵
प्लवन्ते सलिले यस्मादेते तस्मात्प्लवाः स्मृता ॥३६॥

Plava (Meat of animals who swim in water)

Haṃsa, *sārasa*, *kācākṣa*, *baka*, *krauñca*, *sasārikā*, *nandī mukhī*, *kādamba*, *balākā* etc., are called *plava* animals.

³⁶ काचाक्षः ³⁷ कर्दिकाक्षो ³⁸ वृहद्बकः । ³⁹ क्रौञ्चः शरद्विहङ्ग स्यात् टैक

इति लोके । ⁴⁰ ससरिका ⁴¹ सिधु इति लोके ॥ ३७ ॥

Kācākṣa is also known as *karditākṣa* or *bṛhadbaka*. *Krauñca* is also called *śarad vihaṅga* and in folk language it is called *teñka*. *Sasārikā* is called *sindhu* in folk language.

स्थूला कठोरा वृत्ता च यस्याश्चञ्चूपरिस्थिता ।

⁴² गुटिका ⁴³ जम्बु सदृशी ज्ञेया नन्दीमुखीति सा ॥ ३८ ॥

⁴⁴ कादंब ⁴⁵ कयवा इति लोके । बलाका लघुवकः बगुली इति लोके ॥३९॥

Nandī mukhī has, above its bill, a projection which is big in size, hard to touch and round in shape. *Kādambā* is called

Kayambā in folk lore. *Balākā* is the small variety of *vaka*, which in folk lore is called *bagulī*.

प्लवाः पित्तहराः स्निग्धाः मधुरा गुरबो हिमाः ।

46

वातश्लेष्मप्रदाश्चैव बलशुक्रकराः सराः ॥ ४० ॥

The meat of these animals alleviates *pitta*. It is unctuous, sweet, heavy and cooling. It aggravates *vāyu* and *kapha* and promotes strength as well as semen. It is laxative.

47

शशकविणकश्चैव शुक्तिशंबूकभल्लुकाः ।

48

जीवाश्चैवंविधाः सर्वे कोशस्थाः परिकीर्तिताः ॥ ४१ ॥

Kośastha (Meat of animals that dwell in shells)

Śasaka, *vinaka*, *śukti*, *śambūka*, *bhalhuka* etc., are called *kośastha* animals.

कोशस्थाः मधुराः स्निग्धा पित्तवातहरा हिमाः ।

49

बृंहणाश्च तथा वृष्याः वर्चस्याः कफवर्धनाः ॥ ४२ ॥

The meat of these animals is sweet, unctuous, alleviator of *pitta* as well as *vāyu*, cooling, nourishing and aphrodisiac. It increases the quantity of stool and *kapha*.

50

कुम्भीरकूर्मनक्राश्च कर्कटः कृष्णकर्कटः ।

51

घण्टिका शिशुमारश्चेत्यादयः पादिनः स्मृताः ॥ ४३ ॥

Pādin

Kumbhīra, *kūrma*, *nakra*, *karkaṭa*, *kṛṣṇa karkaṭa*, *ghaṅṭikā*, *śiśumāra* etc., are called *pādin* animals.

52

कुम्भीरो जलजन्तु विशेषः । कूर्म कच्छप इति लोके ।

53

54

नक्रः नाक इति लोके शरंघादि नद्यां बहुलः ॥ ४४ ॥

55

‘कर्कटः केंकहा इति लोके । कृष्णकर्कटस्तद्भेदः । घंटिका

56

घडियाल इति लोके । शिशुमारः सूसि इति लोके ॥ ४५ ॥

Kumbhira is a type of aquatic animal. *Kūrma* is known as *kacchapa* in folk lore. *Nakra* is called *nāka* in folk lore; they are found in large numbers in rivers like *Saranghā*. *Karkaṭa* is known as *kemkaḍā* in the folk language. *Kṛṣṇa karkaṭa* is a variety of *karkata*. *Śiṣumāra* is called *sūsi* in the folk lore.

पादिनोऽपि च ये ते तु कोशस्थानां गुणैः समाः ।’

[भावप्रकाशः मांसवर्ग ११ : २७-३७]

The meat of these animals shares the properties of the meat of *kośastha* animals.

‘रोहिताद्यास्तु ये जीवास्ते मत्स्याः परिकीर्त्तिताः ।

Matsya (fish)

Living creatures like *rohita* etc., are called *matsya* (fish).

मत्स्याः स्निग्धोष्णमधुरा गुरवः कफपित्तलाः ॥४६॥

[भावप्रकाशः मांसवर्ग ११ : ३६]

बल्याभिष्यन्दिनो वृष्याः बृंहणाः पवनापहाः ।

व्यवायाध्वरतानां च दीप्ताग्नीनां च पूजिताः ॥४७॥

Fish is unctuous, hot, sweet and heavy. It aggravates *kapha* and *pitta* and promotes strength. It is *abhiṣyandi* (which obstructs the channels of circulation), aphrodisiac, nourishing and alleviator of *vāyu*. It is useful for those indulging in sex and walking and for those who have a strong power of digestion.

अथ जांगलादीनां कतिपयानां विशिष्टानां गुणा :

‘हरिणः शीतलो वद्धविष्मूत्रो दीपनो लघुः ।

57

रसेपाके च मधुरः सुगन्धि सन्निपातहा ॥ ४८ ॥

Property of the meat of individual animals

***Hariṇa* (Red deer)**

The meat of *hariṇa* is cooling. It causes retention of the stool and urine. It is digestive stimulant and light. In taste and *vipāka* it is sweet. It has a good smell and it alleviates all the three *doṣas*.

⁵⁸
कषायो मधुरो हृद्यः पित्तासृक्कफवातजित् ।

संग्राही रोचनो ⁵⁹“बल्यस्तेषामेणो ज्वरापहः ॥ ४६ ॥”

[भावप्रकाशः मांसवर्ग ११ : ४१-४२]

***Eṇa* (Black buck)**

The meat of *eṇa* is astringent, sweet and a cardiac tonic. It alleviates *pitta*, blood, *kapha* and *vāta*. It is constipative and appetiser. It cures fever.

मधुरो मधुरः पाके दोषघ्नोऽनलदीपनः ।

⁶⁰
‘पृषतस्तु भवेत्स्वादु ग्राहकः शीतलो लघुः ।

दीपनो रोचनः” ⁶¹श्वासज्वरदोषत्रयास्रजित् ॥ ५० ॥’

[भावप्रकाशः मांसवर्ग ११ : ४५]

***Prṣat* (Spotted deer)**

The meat of *prṣat* is sweet both in taste and *vipāka*. It alleviates *doṣas* and is digestive stimulant. It is delicious, constipative, cooling and light. It is an appetiser. It cures *śvāsa* (asthma) and *jvara* (fever). It alleviates all the three *doṣas* as well as the vitiated blood.

‘मुण्डिनी ज्वरकामास्रक्षयश्वासापहा हिमा ।’

Muṇḍinī

The meat of *muṇḍinī* cures *jvara* (fever), *kāsa* (bronchitis), vitiation of blood, *kṣaya* (consumption) and *śvāsa* (asthma). It is cooling.

‘न्यङ्कुः स्वादुर्लघुर्बल्यो वृष्यो दोषत्रयापहः ॥५१॥’

[भावप्रकाशः मांसवर्ग ११ : ४६]

Nyañku (Antelope)

The meat of *nyañku* is sweet, light, strength promoting and aphrodisiac. It alleviates all three *doṣas*.

ऋष्यस्तु मधुरो वृष्यः स्निग्धोष्णः कफपित्तलः ।

Rṣya

The meat of *rṣya* is sweet, aphrodisiac, unctuous and hot. It aggravates *kapha* and *pitta*.

‘शशः शीतो लघुर्ग्रीही रूक्षः स्वादु सदा हितः ॥५२॥

वह्निक्लृत्कफपित्तघ्नो वातसाधारणः स्मृतः ।

ज्वरातिसारशोषास्रश्वसनाशोहरश्च सः ।

Śaśa (Hare)

The meat of *śaśa* is light, constipative, un-unctuous, sweet and always wholesome. It stimulates digestion and alleviates *kapha* as well as *pitta*. It is neutral for *vāyu*. It cures *jvara* (fever), *atisāra* (diarrhoea), *śoṣa* (consumption), vitiation of blood, *śvasana* (asthma) and *arśas* (piles).

शल्यकः श्वासकासाल्मशोषदोषत्रयापहः ॥’ ५३ ॥

[भावप्रकाशः मांसवर्ग ११ : ५०-५१]

॥ गुहाशयाः ॥

Śalyaka

The meat of *śalyaka* cures *śvāsa* (asthma), *kāsa* (bronchitis), vitiation of blood and *śoṣa* (consumption). It alleviates all the three *doṣas*.

‘लावा विष्किरवर्गो स्युस्ते चतुर्धा मता बुधैः ।

65 66
पांसुलो गौरकाश्चापि पौण्ड्रको दर्भरस्तथा ॥' ५४ ॥

[भावप्रकाशः मांसवर्ग ११ : ५४-५५]

Lāva (Common quail)

Lāva, which is included in the *viṣkīra* group, is of four types viz., (1) *pāmsūla*, (2) *gauraka*, (3) *paunḍraka* and (4) *darbhara*.

67
'लावा हृद्या हिमा स्निग्धा ग्राहिणो वह्निदीपनाः' ।

The meat of *lāva* in general is a cardiac tonic, cooling, unctuous, constipative and digestive stimulant.

68
पांसुलः श्लेष्मलस्तेषा वीर्योष्णानिलनाशनः ॥ ५५ ॥

The meat of the *pāmsūla* type of *lāva* aggravates *kapha*. It is hot in potency. It alleviates *vāta*.

गौरो लघुतरो रूक्षो वह्निकारी त्रिदोषजित् ।

The meat of the *gaura* type of *lāva* is lighter, un-unctuous and stimulant of digestion. It alleviates all the three *doṣas*.

पौण्ड्रकः पित्तकृत्किञ्चिल्लघुवतिकफापहः ॥ ५६ ॥

The meat of *paunḍraka* type of *lāva* aggravates *pitta*. It is slightly light. It alleviates *vāyu* and *kapha*.

दर्भरो रक्तपित्तघ्नो हृदामयहरो हिमः ।

The meat of *darbhara* type of *lāva* cures *rakta pitta* (a disease characterised by bleeding from different parts of the body) and *hrdāmaya* (heart disease). It is cooling.

69 70
वर्त्तको मधुरः शीतो रूक्षश्च कफपित्तनुत् ॥ ५७ ॥

[भावप्रकाशः मांसवर्ग ११ : ५६-५७, ५८]

Vartika (Gray partridge)

The meat of *vartika* is sweet, cooling and un-unctuous. It alleviates *kapha* and *pitta*.

71

‘चटकः शीतलः स्निग्धो स्वादुः शुक्रकफप्रदः ।

Caṭaka (Tree sparrow)

The meat of *caṭaka* is cooling, unctuous and sweet. It increases semen and *kapha*.

सन्निपातहरो वेश्मचटकस्त्वतिशुक्रलः ॥ ५८ ॥’

[भावप्रकाशः मांसवर्ग ११ : ६१]

Veśma caṭaka (House sparrow)

The meat of *veśma caṭaka* alleviates *sannipāta* (a condition caused by the vitiation of all the three *doṣas*). It increases semen in excess.

वर्तकोऽग्निधमः [?] शीतो ज्वरदोषत्रयापहः ।

72

सुरुच्यः शुक्रदो बल्यो वर्तिकाल्पगुणा ततः ॥ ५९ ॥

**Vartaka and Vartikā
(Male bustard and female bustard)**

The meat of *vartaka* is cooling. It cures *jvara* and alleviates all three *doṣas*. It is delicious and promoter of semen as well as strength.

The meat of *vartikā* is slightly inferior in quality.

73

‘तिस्रिर्विणंदो ग्राही हिक्कादोषत्रयापहः ।

74

श्वासकासहरः पथ्यस्तमाद्गौरोऽधिको गुणैः ॥’ ६० ॥

[भावप्रकाशः मांसवर्ग ११ : ५९]

Tittiri (Partridge) & Gaura

The meat of *tittiri* promotes complexion. It is constipative. It cures *hikkā* (hiccup). It alleviates all the three *doṣas*. It cures *śvāsa* (asthma) and *kāsa* (bronchitis). It is wholesome.

The meat of *gaura* is better in quality.

75

‘कुक्कुटो बृंहणः स्निग्धो वीर्योष्णोऽनिलजिद्गुरुः ।

76

चक्षुष्यः शुक्रकफकृत् बल्यो वृष्यः कषायकः ॥ ६१ ॥

Kukkuṭa (Cock)

The meat of *kukkuṭa* is nourishing, unctuous, hot in potency, alleviator of *vāyu* and heavy. It promotes eyesight. It increases semen and *kapha*. It is strength promoting, aphrodisiac and astringent.

77

पानीयकुक्कुटः स्निग्धो बृंहणः श्लेष्मलो गुरुः ।

78

वातपित्तक्षयकृमीविषमज्वरनाशनः ॥ ६२ ॥

Pāṇīya Kukkuṭa (Water cock)

The meat of *pāṇīya kukkuṭa* is unctuous, nourishing, aggravator of *kapha*, heavy and alleviator of *vāyu* and *pitta*. It cures *kṣaya* (consumption), *kṛmi* (parasitic infection) and *viṣama jvara* (irregular fever).

अथ प्रतुवाः

79

हारीतः उष्णो रूक्षश्च रक्तपित्तकफापहः ।

80

स्वेदस्वरकरः प्रोक्त ईषद्वातकरश्च सः ॥ ६३ ॥’

[भावप्रकाशः मांसवर्ग ११ : ६३-६५]

Hārīta

The meat of *hārīta* is hot and un-unctuous. It alleviates

vitiation of blood, *pitta* and *kapha*. It promotes sweating and good voice. It slightly aggravates *vāyu*.

पाण्डुकः कफवातघ्नो ग्रहणीदोषनाशनः ।

रक्तपित्तहरः शीतो मधुरो रसपाकयोः ॥ ६४ ॥

Pāṇḍuka

The meat of *pāṇḍuka* alleviates *kapha* and *vāyu*. It cures *grahaṇī doṣa* (sprue syndrome), *rakta pitta* (a disease characterised by bleeding from different parts of the body). It is cooling and sweet both in taste and *vipāka*.

संग्राही वातशमनः कपोतः परिकीर्तितः ।

कपोत इति विज्ञेयो लोके धवलपाण्डुकः ।

Kapota (Dove)

The meat of *kapota* is constipative and alleviator of *vāyu*. This bird is white and yellowish in colour.

‘पारावतो गुरु स्निग्धो रक्तपित्तानिलापहः ॥’ ६५ ॥

[भावप्रकाशः मांसवर्ग ११ : ७१]

संग्राही शुक्लः शीतः कपोतोऽपि समोऽमुना ।

Pārāvata (Pigeon)

The meat of *pārāvata* is heavy and unctuous. It cures *rakta pitta* (a disease characterised by bleeding from different parts of the body) and vitiation of *vāyu*. It is constipative, promoter of semen and cooling. It shares the properties of *kapota*.

‘नातिस्निग्धानि बृष्याणि स्वादुपाकरसानि च ।’

81

वातघ्नान्यतिशुक्र्याणि गुरुष्यण्डानि पक्षिणाम्’ ॥६६॥

[भावप्रकाशः मांसवर्ग ११ : ७२]

Egg

Eggs of birds are not very unctuous. They are aphrodisiac, sweet in *vipāka* and taste, alleviator of *vāyu*, promoter of semen in excess and heavy.

अथ प्राम्याः

‘छागमांसं लघु स्निग्धं स्वादुपाकं त्रिदोषजित् ।
⁸²
 नातिशीतमदाहित्वात् स्वादु पीनसनाशनम् ॥ ६७ ॥
⁸³
 परं बलकरं रुच्यं बृंहणं भातुवर्द्धनम् ।
⁸⁴

Chāga (Goat)

The meat of the goat is light, unctuous, sweet in *vipāka* and alleviator of all the three *doṣas*. It is not very cold and it does not cause burning sensation. It is sweet. It cures *pīnasa* (chronic rhinitis). It is an excellent promoter of strength. It is appetiser and nourishing. It promotes tissue elements.

अजायास्तु प्रसूताया मांसं पीनसनाशनम् ॥ ६८ ॥
⁸⁵
 शुष्ककासेऽरुचौ शोथे हितमग्नेश्च दीपनम् ।
⁸⁶

The meat of a recently delivered she-goat cures *pīnasa* (chronic rhinitis). It is useful in *śuṣka kāsa* (dry cough), *aruci* (anorexia) and *śoṭha* (oedema). It stimulates the power of digestion.

अजासुतस्य बालस्य मांसं लघुतरं भवेत् ॥ ६९ ॥
⁸⁷
 हृद्यं ज्वरहरं श्रेष्ठं सुस्वादु बलदं भृशम् ।
⁸⁸ ⁸⁹

The meat of a male calf of the goat is lighter. It is cardiac tonic. It is an excellent curative of *jvara* (fever). It is exceedingly delicious and promoter of strength.

90

मांसं निष्कासिताण्डस्य छागस्य कफकृद्गुह ॥ ७० ॥

स्रोतःशुद्धिकरं बल्यं मांसदं वातपित्तनुत् ।

The meat of the castrated goat aggravates *kapha*. It is heavy. It cleanses the channels of circulation. It promotes strength and muscle tissue. It alleviates *vāyu* and *pitta*.

91

वृद्धस्य वानलं रूक्षं व्याधितस्य मृतस्य च ।

The meat of an old-goat aggravates *vāyu*. It is ununctuous. The meat of diseased and dead goat shares these properties also.

ऊर्ध्वजत्रुविकारघ्नं छागमुंडं रुचिप्रदम् ॥ ७१ ॥

[भावप्रकाशः मासवर्ग ११ : ७४-७६]

The meat from the head of the goat cures diseases of head and neck and is delicious.

92

मेघस्य बृहण मास पित्तश्लेष्मकरं गुरु ।

Meṣa (Sheep)

The meat of the sheep is nourishing. It aggravates *pitta* and *kapha*. It is heavy.

93

ततो वृषणहीनस्य मास किञ्चिल्लघु स्मृतम् ॥ ७२ ॥

The meat of a castrated sheep is slightly lighter.

मेदः [?] पुच्छोद्भवं मांसं हृद्यं वृष्यं श्रमापहम् ।

पित्तश्लेष्मकरं किञ्चिद्वातव्याधिविनाशनम् ॥ ७३ ॥

[भावप्रकाशः मांसवर्ग ११ : ८१, ८३]

The fat and the meat of the tail of the sheep are cardiac tonic, aphrodisiac and alleviator of fatigue. They aggravate *pitta* and *kapha* and alleviate to some extent diseases caused by *vāyu*.

⁹⁴
गोमांसं गुर्वपथ्यं च पित्तश्लेष्मविवर्धनम् ।

स्निग्धं वातहरं बल्यं बृहणं पीनसं प्रणुत् ॥ ७४ ॥

Go (Cow)

Beef is heavy and unwholesome. It aggravates *pitta* and *kapha*. It is unctuous, alleviator of *vāyu*, strength promoting and nourishing. It cures *pīnasa* (chronic rhinitis).

⁹⁵
‘अश्वमांसं सलवणं वह्निश्लेष्मकफपित्तलम् ।

वातहृद्बृहणं बल्यं चक्षुष्यं मधुरं लघु ॥ ७५ ॥’

[भावप्रकाशः मांसवर्ग ११ : ८७]

Aśva (Horse)

The meat of the horse is saline and stimulant of the power of digestion. It aggravates *kapha* and *pitta*. It alleviates *vāyu*. It is nourishing, promoter of strength as well as eye sight, sweet and light.

अथ कुलेचराः

माहिषं मधुरं मांसं स्निग्धोष्णं वातनाशनम् ।

निद्रारेतोबलस्तन्यतनुदीर्घकरं लघु (?) ॥ ७६ ॥

Mahiṣa (Buffalo)

The meat of the buffalo is sweet, unctuous, hot and alleviator of *vāyu*. It increases sleep, semen, strength, lactation and size of the body. It is light (?).

अथ प्लवाः

⁹⁶
काबन्धकं चक्राणं च मांसं स्निग्धं हिमं गुरु ।

‘वृष्यं च सृष्टविष्मूत्रं वातपित्तास्रनाशनम् ॥ ७७ ॥’

[भावप्रकाशः मांसवर्ग ११ : ९०]

Kadambaka and Cakrānga

The meat of *kadambaka* and *cakrānga* is unctuous, cooling, heavy and aphrodisiac. It helps in the elimination of stool and urine. It alleviates *vāyu*, *pitta* and vitiation of blood.

अथ कोशस्थाः

97

‘कच्छपो बलदो वातपित्तजित्पुंस्त्वकारकः ।’

[भावप्रकाशः मांसवर्ग ११ : ६२]

Kacchapa (Tortise)

The meat of *kacchapa* is promoter of strength. It alleviates *vāyu* and *pitta* and promotes potency.

विरूक्षणो लेखनश्च वीर्यौजःपित्तदूषणः ॥ ७८ ॥

स्वाद्वम्ललवणस्तेषा गजश्लेष्मानिलापहः ।

Gaja (Elephant)

The meat of *gaja* is un-unctuous and depleting. It vitiates semen, *ojas* and *pitta*. It is sweet, sour and saline. It alleviates *kapha* and *vāyu*.

98

‘स्नेहनं बृंहणं वृष्यं “श्रमघ्नमनिलापहम् ।’

99

वाराहं पिशित बल्यं रोचन स्वादद गुरु ॥ ७९ ॥’

[माधवद्रव्यगुणः मांसवर्ग १६ : ११-१२]

Varāha (Hog)

The meat of *varāha* is unctuous, nourishing, aphrodisiac, alleviator of fatigue and *vāyu*, promoter of strength, appetiser, delicious and heavy.

स्निग्धं समधुरं वृष्यं” गुर्वभिष्यन्दि शीतलम् ।

वातपित्तहरं हृद्यं सौकरं चर्मचित्रितम् ॥ ८० ॥

Carmacitrīta sukāra

The meat of *sukāra* who has a spotted skin is unctuous, sweet, aphrodisiac, heavy, *abhiṣyandi* (which obstructs the channels of circulation), cooling, alleviator of *vāyu* as well as *pitta* and cardiac tonic.

‘कफघ्नं सङ्घिपिशितं कषायमनिनापहम् ।

पित्र्यं पवित्रमायुष्यं वद्धमूत्रं विरूक्षणम् ॥ ८१ ॥’

[माधवद्रव्यगुणः मांसवर्ग १६ : १२-१३]

Khāḍga (Rhinoceros)

The meat of *khāḍga* alleviates *kapha*. It is astringent and alleviator of *vāyu*. It is *pitrya* (liked by *pitrs* or dead ancestors), sacred and promoter of longevity. It causes retention of urine and is un-unctuous.

100

‘बर्ही हिनतमो बल्यो वानघ्नो मांसशुक्रदः ।’

[माधवद्रव्यगुणः मांसवर्ग १६ : १७]

Barhī (Peacock)

The meat of *barhī* is most wholesome. It promotes strength, alleviates *vāyu* and increases muscle tissue as well as semen.

101

‘कषायमधुराः शीता रक्तपित्तनिबर्हणाः ॥ ८२ ॥

102

विपाके मधुराश्चैव कपोताः गृहवासिनः ।

Kapota (Dove ?)

The meat of various types of *kapota* residing in houses is astringent and sweet in taste and cooling. It cures *rakta pitta* (a disease characterised by bleeding from different parts of the body). It is sweet in *vīpāka*.

तेभ्यो लघुतराः किञ्चित् कपोताः वनवासिनः ॥ ८३ ॥

शीताः संग्राहिणश्चैव स्वल्पमूत्रकराश्च ते ।

The meat of those residing in forests is slightly lighter. It is cooling and constipative. It produces less of urine.

किञ्चिल्लघुतरा रूक्षा ग्राहिणः श्लेष्मपित्तलाः ।

हितास्ते पाण्डु चित्रांगा हारीता वनवासिनः ॥८४॥'

[माधवद्रव्यगुणः मासवर्ग १९ : १९-२२]

The meat of *kapotas* which are yellowish, spotted or green in colour and which reside in the forests, is slightly lighter, un-unctuous and constipative. It aggravates *kapha* and *pitta*, and it is wholesome.

103

चक्षुष्या मधुराः पाके सर्पा मेधकराः स्मृताः ।

Sarpa (Snake)

The meat of *sarpa* is promoter of eye sight, sweet in *vipāka* and promoter of intellect.

दर्वीकरा दीप्यकाश्च तेपक्ता कटुपाकिनः ॥ ८५ ॥

मधुरात्यर्थचक्षुष्याः मृष्टविष्मूत्रमारुताः ।

Of them, *darvīkara* and *dīpyaka* are pungent in *vipāka*. They are sweet in taste and excellent promoter of eye sight. They help in the elimination of stool, urine and flatus.

104

शंखकूर्मादियः स्वादुरसपाका बलावहा. ॥ ८६ ॥

105

106

शीताः स्निग्धा हिताः पित्ते चक्षुष्याः शुक्रवर्द्धनाः ।

Śaṅkha, Kūrma etc., (Conch shell, tortoise etc..)

The meat of *śaṅkha, kūrma* etc., is sweet both in taste and in *vipāka*. It is strength promoting, cooling, unctuous, useful for *pitta* and promoter of eye sight as well as semen.

कृष्णकर्कटकस्तेषा बल्यः कोष्णोऽनिलापहः ।

107

शुक्रसधानकृत्सृष्टविण्मूत्रोऽनिलपित्ता ॥ ८७ ॥

[माधवद्रव्यगुणः मामवर्ग १६ : २७-३०]

Kṛṣṇa Karkaṭa (Block crab)

The meat of the black variety of *karkaṭa* is strength promoting and slightly hot. It alleviates *vāyu*. It promotes semen and healing. It helps in the elimination of stool and urine. It alleviates *vāyu* and *pitta*.

‘हंसो वातहरो वृष्यो म्वर्यो मामवन्नप्रदः ।

Hansa (Swan)

The meat of *hansa* alleviates *vāyu*. It is aphrodisiac. It is promoter of good voice, muscle tissue and strength.

108

चक्रवाकस्तथाठेकश्चटको वातनाशनः ॥ ८८ ॥

Cakravāka, Theṅka and Caṭaka

The meat of *cakravāka*, *theṅka* and *caṭaka* alleviates *vāyu*.

109

सारिकाबककादम्बलावका पवनापहा ।

स्निग्धाः सृष्टमला वृष्या रक्तपित्तहरा हिमा ॥ ८९ ॥

Sārikā, Baka, Kadamba and Lāvaka (Shama thrush, Common crane, Whistling teal & Common quail)

The meat of *sārikā*, *baka*, *kadamba* and *lāva* alleviates *vāyu*. It is unctuous. It helps in the elimination of stool. It is aphrodisiac. It cures *rakta pitta* (a disease characterised by bleeding from different parts of the body). It is cooling.

कामश्रवामक्षयहरी गोधा मधुरशीतला ।

Godhā (Inguana)

The meat of *godhā* cures *kāsa* (bronchitis), *śvāsa* (asthma) and *kṣaya* (consumption). It is sweet and cooling.

110

मूषको मधुरः स्निग्धो कफशुक्रविवर्द्धनः ।

दुर्नामानिलदोषघ्नः कृमिदूषीविषापहः ॥ ६० ॥'

[माधवद्रव्यगुणः मांसवर्ग १६ : २४-२७]

Mūṣaka (Mouse)

The meat of *mūṣaka* is sweet and unctuous. It increases *kapha* and semen. It cures *durnāman* (piles), aggravation of *vāyu*, *kṛmi* (parasitic infection) and *dūṣī viṣa* (artificial poisoning).

रोचनं बृंहणं चारुकरीरैः सह जांगलम् ।

रक्तपित्तविसर्पे च कुष्ठे मेहे विषे हितम् ॥ ६१ ॥

Combinations

Along with *cāru karira*, the meat of *jāngala* type of animals is appetiser and nourishing. It cures *raktapitta* (a disease characterised by bleeding from different parts of the body), *visarpa* (erysipelas), *kuṣṭha* (obstinate skin diseases including leprosy), *meha* (obstinate urinary disorders including diabetes) and *viṣa* (poisoning).

रोचनं दीपनं हृद्य घंटोलैः सह जांगलम् ।

Along with *ghaṇṭola*, the meat of *jāngala* type of animals works as appetiser, digestive stimulant and cardiac tonic.

111

'वातश्लेष्मविकारघ्न दीपनं चानुलोमनं ॥ ६२ ॥

ह्लादनीयं विशेषेण वीताग्नेः सह जांगलं ।'

Along with *vītāgni*, the meat of *jāngala* type of animals cures diseases caused by *vāyu* and *kapha*. It is digestive stimulant and laxative. It is very delicious.

शुष्कमूलकसंसिद्धं मांसं यक्ष्महरं नृणाम् ॥ ६३ ॥

The meat prepared with dry radish cures *yakṣmā* (tuberculosis).

स्नेह्नं दीपनं हृद्यं मांसं दधिकमुच्यते ।

The meat prepared with curd is unctuous, digestive stimulant and cardiac tonic.

बल्य स्वयं च चक्षुष्यं ताडोगैः सह साधितम् ॥६४॥

The meat prepared with *tāḍoga* promotes strength, good voice and eyesight.

112
'दूरे जलान्तनिलया दूरे पानीयगोचराः ।

113
ये मृगाश्च विहंगाश्च तेषु पाभिष्यन्दिनो मताः ॥६५॥

114
अतीव ते बलीयांसः समीपोदकगोचराः ।

ये मृगाश्च विहंगाश्च महाभिष्यन्दिनो मताः ॥६६॥

Habitat

The meat of animals and birds residing and grazing far away from water is less *abhiṣyandi* (which obstructs the channels of circulation). The meat of animals which graze near water is an excellent promoter of strength. Such animals and birds are extremely *abhiṣyandi* (which obstructs the channels of circulation).

॥ इति मांसवर्गः ॥

Thus ends the group dealing with various types of meat.

NOTES AND REFERENCES

1. जंगला इति षष्ठपुस्तके पाठः ।
2. चिलस्थाश्च इति द्वितीयपुस्तके पाठः ।

3. प्रमहा अस्पथ इति षष्ठपुस्तके पाठः ।
सहा अथ च इति द्वितीयपुस्तके पाठः ।
4. अथानूपाः इति षष्ठपुस्तके अधिको पाठः ।
5. पल्वाद्यश्च इति षष्ठपुस्तके पाठः ।
6. राजीवतृषतश्चापि इति द्वितीयपुस्तके पाठः ।
7. शषामो इति द्वितीयपुस्तके पाठः ।
8. “कृत्न.....चित्रकः” पाठोऽप्य द्वितीयपुस्तके नोपलभ्यते ।
9. जाङ्गलाः इति आकरे पाठः ।
10. सत्वपित्तश्लेष्महरा इति षष्ठपुस्तके पाठः ।
11. स्मृताः इति आकरे पाठः ।
12. किञ्चिद्वाकराश्चापि इति आकरे पाठः ।
13. गोधाशशभुङ्गाखुसल्लक्याद्या इति आकरे पाठः ।
14. बद्धविष्मूत्रा इति आकरे पाठः ।
15. सिहव्याघ्रवृका ऋक्षतरक्षुद्वीपिनस्तथा इति आकरे पाठः ।
16. द्विपिनस्तथा इति षष्ठपुस्तके पाठः ।
17. “वनौको वृक्षमार्जारो वृक्षमर्कटिका रुखी इति लोके” इति आदर्श-
पुस्तके पाठः ।
18. वर्त्तका लाववर्त्तीरकपिञ्जलकतित्तिराः इति आकरे पाठः ।
19. कुलिङ्गकुक्कुटाद्याश्च इति आकरे पाठः ।
20. प्राज्ञैः कथितो गौरतित्तिरिः इति आकरे पाठः ।
21. पथ्यास्ते लचव. स्मृताः इति आकरे पाठः ।
22. पागवतः खञ्जरीटः पिकाद्याः प्रतुदाः स्मृताः इति आकरे पाठः ।
23. प्रतुद्य इति आकरे पाठः ।
24. किञ्चिद्वातकराः स्मृताः इति आकरे पाठः ।
25. चिल्लश्च इति आकरे पाठः ।
26. शशघातकः इति आकरे पाठः ।
27. प्रसह्याच्छिद्य भक्षणात् इति ति आकरे पाठः ।
28. प्रसहाः खलु वीर्योष्णास्तन्मांसं भक्षयन्ति ते इति आकरे पाठः ।
29. शोषभस्मकोत्साद इति आदर्शपुस्तकेषु पाठः ।
30. छागमेषबृषाद्याश्वाः इति द्वितीयपुस्तके पाठः ।
31. ग्राम्यासु वातला इति षष्ठपुस्तके पाठः ।

32. यतः इति आकरे पाठः ।
33. हंसमारमकारण्डबकक्रौञ्चशरारिकाः आकरे पाठः ।
34. स्मृताः इति आकरे पाठः ।
35. प्लवन्ति इति आकरे पाठः ।
36. कारण्ड इति आकरे पाठः ।
37. कपदिकाम्यो इति आकरे पाठः ।
38. बृहद्वंसभेदः इति आकरे पाठः ।
39. धारवि इति पष्ठपुस्तके पाठः ।
40. शरारिका इति आकरे पाठः ।
41. सिन्धू इति आकरे पाठः ।
42. चञ्चुसदृशी इति आदर्शपुस्तकेषु पाठः ।
43. प्रोक्त इति आकरे पाठः ।
44. करवा इति आकरे पाठः ।
45. पाठोज्यं आकरे नोपलभ्यते ।
46. वानश्लेष्मप्रदाश्चापि इति आकरे पाठः ।
47. शङ्खानखश्चापि शुक्तिशम्बूककर्कटाः इति आकरे पाठः ।
48. जीवा एव विधाश्चान्ये कोशम्याः परिकीर्त्तिता इति आकरे पाठः ।
49. बृंहणा बहुवर्चस्का वृष्याश्च बलवर्द्धनाः इति आकरे पाठः ।
50. गोधामकरशङ्कवः इति आकरे पाठः ।
51. घण्टिकः इति आकरे पाठः ।
52. मारको जलजन्तुः इति आकरे पाठः ।
53. कामव इति आदर्शपुस्तकेषु पाठः ।
54. नरयवादिनदीषु इति आकरे पाठः ।
55. "कर्कटः.....स्तद्भेदः" पाठोज्य आकरे नोपलभ्यते ।
56. मृम इति आकरे पाठः ।
57. सुगन्धिः इति आकरे पाठः ।
58. एण कषायो मधुरः रिनामृक्कफवानहृत् इति आकरे पाठः ।
59. बन्धो ज्वरप्रशमनः स्मृतः इति आकरे पाठः ।
60. भवेत्स्वादुर्ग्राहकः इति आकरे पाठः ।
61. "बल्य.....रोचकः" पाठोज्य षष्ठपुस्तके नोपलभ्यते ।
62. वातसाधारणैः इति आकरे पाठः ।

63. ज्वरातीसारशोषास्रस्वासामयहरश्च सः इति आकरे पाठः ।
64. विष्किरवर्गेषु ते इति आकरे पाठः ।
65. पांशुलो इति आकरे वा षष्ठपुस्तकयोः पाठः ।
66. गौरकोऽन्यस्तु इति आकरे पाठः ।
67. लावा वह्निकराः स्निग्धागरघ्ना ग्राहका हिताः इति आकरे पाठः ।
68. श्लेष्मलस्तेषु वीर्योष्णोऽनिलनाशनः इति आकरे पाठः ।
69. लावका इति षष्ठपुस्तके पाठः ।
70. कफपित्तकृत् इति आकरे पाठः ।
71. कुलिङ्गः इति आकरे पाठः ।
72. मतः इति षष्ठपुस्तके पाठः ।
73. तित्तिरोर्वर्णदो इति षष्ठपुस्तके पाठः ।
तित्तिरिर्बलदो इति आकरे पाठः ।
74. स्वासकासज्वरहरस्तस्माद्गौरोऽधिको गुणैः इति आकरे पाठः ।
75. वीर्योष्णोऽनिलहृद्गुरुः इति आकरे पाठः ।
76. रूक्षः इति आदर्शपुस्तकेषु पाठः ।
77. आरण्यकुक्कुटः इति आकरे पाठः ।
पानीयकुक्कुटः स्निग्धो वीर्योष्णोऽनिलजित् इति षष्ठपुस्तके पाठः ।
78. वातपित्तक्षयवमिविषमज्वरनाशनः इति आकरे पाठः ।
79. हारीतो रूक्ष उष्णश्च इति आकरे पाठः ।
80. स्वेदः स्वरकरः इति आदर्शपुस्तकेषु पाठः ।
81. शुक्राणि इति आकरे पाठः ।
82. त्रिदोषनुत् इति आकरे पाठः ।
83. अदाहिस्यात्स्वादु इति आकरे पाठः ।
महाहिस्यात्स्वादु इति द्वितीयपुस्तके पाठः ।
84. वीर्यबर्द्धनम् इति आकरे पाठः ।
85. अजायाम्त्वप्रसूताया इति आकरे पाठः ।
86. शोषे इति आकरे पाठः ।
87. स्मृतम् इति आकरे पाठः ।
88. लघुतर इति आदर्शपुस्तकेषु पाठः ।
89. सुखदं बलदं इति आकरे पाठः ।
90. निष्काशिताण्डस्य इति आदर्शपुस्तकेषु पाठः ।

91. तथा व्याधिमुतस्य च इति आकरे पाठः ।
92. मासं पुष्टौ म्थात्पित्तश्लेष्मकरं गुरु इति आकरे पाठः ।
93. तस्यैवाण्डविहीनस्य इति आकरे पाठः ।
94. गुणपथं इति षष्ठपुस्तके पाठः ।
95. अश्वमांसन्तु तुवर इति आकरे पाठः ।
96. कदंबक चाक्रारि मास इति आकरे पाठः ।
97. वातपित्तनुत्पुंस्त्वकारकः इति आकरे पाठः ।
98. श्रमघ्नमनिनापहम्.....दृष्यं पाठोज्यं द्वितीयपुस्तके नोपलभ्यते ।
99. स्वेदनं रोचनं गुरु इति आकरे पाठः ।
100. वल्लेः इति षष्ठपुस्तके पाठः ।
वही इति द्वितीयपुस्तके पाठः ।
101. कषाया मधुराः शीताः इति आकरे पाठः ।
102. कपोता इति आकरे पाठः ।
103. सर्पाः मेघाग्निवर्द्धनाः इति आकरे पाठः ।
104. शंखाः कूर्मादयः इति आकरे पाठः ।
105. हिता इति आकरे पाठः ।
106. शुक्रवर्धना इति आकरे च द्वितीयपुस्तके पाठः ।
107. शुक्र्यः संधानकृत् इति आकरे पाठः ।
108. “चक्रवातनाशनः” पाठोज्यं आकरे नोपलभ्यते ।
109. सारिकाकाककादम्बबलाकाः इति आकरे पाठः ।
110. व्यवायी शुक्रवर्धनः इति आकरे पाठः ।
कफशुक्रविवर्धनः इति द्वितीयपुस्तके पाठः ।
111. “वातश्लेष्मविकारघ्नं.....सहजागलं” पाठोज्यं द्वितीयपुस्तके नोपलभ्यते ।
112. जनान्तनिलयाद् दूरे इति आकरे पाठः ।
113. बलाभिष्यंदिनो इति आकरे पाठः ।
114. अतीवासन्ननिलयाः इति आकरे पाठः ।

CHAPTER 18

¹
स्निग्धोष्णाः स्वादुगुरवः सृष्टविण्मूत्रमारुताः ।
²
महाभिष्यन्दिनो वृष्याः बल्या वातहराः परम् ॥ १ ॥

Matsya (Fish)

Fish is unctuous, hot, sweet and heavy. It helps in the elimination of stool, urine and flatus. It is aphrodisiac. It promotes strength and alleviates *vāyu*.

³ कफपित्तकरा ⁴ मत्स्याः ⁵ बलोपचयवर्द्धनाः ।

व्यायामाध्वरतानां च दीप्ताग्नीनां च पूजिताः ॥२॥

It aggravates *kapha* and *pitta* and promotes strength as well as plumpness. It is exceedingly useful for persons who indulge in exercise and walk in excess and also for those who have a strong power of digestion.

कषायानुरसः स्वादुवतिघ्नो नातिपित्तकृत् ।

⁶
रोहितः सर्वमत्स्यानां वरो वृष्योदितार्तिजित् ॥ ३ ॥

Rohita

Rohita fish is astringent in *anurasa* (subsidiary taste) and sweet. It alleviates *vāyu* and does not aggravate *pitta* in excess. It is the best among all the types of fish. It is aphrodisiac and it cures *ardita* (facial paralysis).

कषायमधुरो रुक्षो विशदो रोचनो लघुः ।

ग्राही तु नन्दिकावर्त्तस्तस्यानु शकुल. स्मृतः ॥ ४ ॥

[माधवद्रव्यगुणः मत्स्यवर्ग २० : १-४]

Nandikāvarta and Śakula

Nandikāvarta fish is astringent, sweet, un-unctuous, *viśada* (non-slimy), appetiser, light and constipative.

The *śakula* type of fish is slightly inferior.

‘पाठीन. श्लेष्मलो वृष्यो निद्रालु पिशिताग्निः ।

⁹
दूषयेद्रक्तपित्तं च कुष्ठरोगं करोत्यसौ ॥ ५ ॥’

[भावप्रकाशः मत्स्या. मासवर्ग ११ : १०६]

Pāṭhīna

The *pāṭhīna* fish aggravates *kapha* and is aphrodisiac. It resorts to sleep in excess and eats the meat of other animals. It causes *raktapitta* (a disease characterised by bleeding from different parts of the body) and *kuṣṭha* (obstinate skin diseases including leprosy).

¹⁰
‘शृंगी समुद्गरः शंकु गोमत्स्यालित्रिकण्टकाः ।

कटकैः सविषा ज्ञेया मक्ष्यमाणास्तु निविषा ॥ ६ ॥

Śṛṅgī etc.

Śṛṅgī, madgura, śaṅku, gomatsya, āli and *trikaṅṭaka*—all these type of fish have spikes. These spikes are poisonous. But the fish when eaten is non-poisonous.

शृङ्गी तु वातशमनी स्निग्धा श्लेष्मप्रकोपिणी ।

11

कषायाः तिक्तभावाच्च तेभ्यो लघुतरास्मृताः ॥ ७ ॥

Śṛṅgī

Śṛṅgī fish alleviates *vāyu*. It is unctuous, aggravator of *kapha*, astringent and bitter. Therefore, it is lighter than others in this group.

विष्णुके मधुरो वृष्यो वातघ्नो मद्गुरो गुरुः ।

Madgura

The *madgura* fish is sweet in *vipāka*. It is aphrodisiac, alleviator of *vāyu* and heavy.

कृष्णमत्स्यो गुरुः स्निग्धो वातजित् श्लेष्मकोपनः ॥८॥'

[माधवद्रव्यगुणः मत्स्यवर्ग २० : ५-७]

Kṛṣṇa matsya

Kṛṣṇa matsya is heavy and un-unctuous. It alleviates *vāyu* and aggravates *kapha*.

12

'अलिर्मत्स्यो गुरुः स्निग्धो कटुको रूक्ष [?] एव च ।

Ali

The *ali* fish is heavy, unctuous and pungent.

13

पूयुर्मत्स्यो गुरुस्निग्धश्लेष्मलो वातनाशनः ॥ ९ ॥

Pryu

The *pryu* type of fish is heavy and unctuous. It aggravates *kapha* and alleviates *vāyu*.

14

इल्लिशो मधुरः स्निग्धः पित्तकृत् श्लेष्मकोपनः ।

15

नृणां व्यवायनित्यानां हितोज्जेरतिवर्धनः ।

Illīśa

The *illīśa* type of fish is sweet and unctuous. It aggravates *pitta* as well as *kapha*. It is useful for persons who indulge in sex in excess. It excessively stimulates the power of digestion.

16

बलंग स्निग्धमधुरो विष्टभी लघु जीतनः ॥ १० ॥

[माधवद्रव्यगुण मत्स्यवर्ग २० ८-१०]

Balaṅga

The *balāṅga* type of fish is unctuous, sweet, wind forming, light and cooling.

प्रोष्टिका मधुरा वृष्या महती धाननाशिनी ।

Proṣṭikā

The *proṣṭikā* type of fish is sweet and aphrodisiac. It is an excellent alleviator of *vāyu*.

17

नदीवर्तो गुरुः स्निग्धो वार्ताजित्श्लेष्मवर्द्धनः ॥ ११ ॥

कषायमधुरः प्रोक्तस्तद्गुणो दीर्घतुण्डकः ।

Nandivarta and Dīrgha tuṇḍaka

The *nandivarta* type of fish is heavy and unctuous. It alleviates *vāyu* and aggravates *kapha*. It is astringent and sweet.

The *dīrgha tuṇḍaka* type of fish shares the properties of *nandivarta*.

भास्करो मधुरो रूक्षो मास्यस्य प्रकोपनः ॥ १२ ॥

Bhāskara

The *bhāskara* type of fish is sweet and un-unctuous. It aggravates *vāyu*.

शकुलो गुरु रूक्षोऽथ मारुतस्य प्रकोपनः ।

Sakula

The *sakula* type of fish is heavy and un-unctuous. It aggravates *vāyu*.

शैलीन्धुः श्लेष्मलो वृष्यो विपाके मधुरो गुरुः ॥१३॥

Sailīndhu

The *sailīndhu* type of fish is aggravator of *kapha*, aphrodisiac, sweet in *vipāka* and heavy.

गर्गभो मधुर मिनश्चो वाताज्जत् श्लेष्मकोपनः ।

Gargabha

The *gargabha* type of fish is sweet and unctuous. It alleviates *vāyu* and aggravates *kapha*.

इंवाकस्त्वनभिष्यन्दि देवा पीनसनाशनः ॥ १४ ॥

Invāka

The *invāka* type of fish does not obstruct the channels of circulation and it cures *pīnasa* (chronic rhinitis).

अनभिष्यन्दि मधुरा इंविका रसवर्धिनी ।

Imbikā

The *imbikā* type of fish does not obstruct the channels of circulation. It is sweet and it increases plasma.

लघवः क्षुद्रमत्स्यास्तु ग्राहिणो ग्रहणीहिताः ॥ १५ ॥

Small fish

Different types of small fish are light and constipative. They are useful in *grahaṇī* (sprue syndrome).

मत्स्यकूर्मखगाण्डानि स्वादु बाजीकराणि च ।

Eggs

The eggs of fish, tortoise and birds are sweet and aphrodisiac.

ममत्स्यगर्भं. खगाण्डः स्निग्ध स्थौल्यकरो गुरुः ।

‘कफमेदःप्रदो बल्यो ग्लानिकृन्मेहनाशनः ॥ १६ ॥’

[भावप्रकाशः मासवर्ग ११ : १२५]

If the egg of birds is prepared along with egg of fish, then it becomes unctuous, promoter of corpulence and heavy. It increases *kapha* and fat, promotes strength, produces fatigue and cures *meha* (obstinate urinary disorders including diabetes).

विष्टभिन्नः शुष्कमत्स्या अवल्या दुर्जरामताः ।

Dry fish

The dry fish produces wind in the colon. It does not promote strength and it is difficult of digestion.

पूतिमत्स्या अभक्षा स्यु मर्ददोषप्रकोपणाः ।

Putrified fish

The fish which is putrified should not be eaten. It aggravates all the *doṣas*.

‘दग्धमत्स्यो गुणैः श्रेष्ठः पुष्टिकृद्बलवर्द्धनः ॥ १७ ॥’

[भावप्रकाशः मासवर्ग ११ : १२७]

Burnt fish

The burnt fish is excellent in property. It is nourishing and strength promoting.

‘नादेया मधुरा मत्स्या गुरवो मास्तापहाः ।

रक्तपित्तहरा सोप्या वृष्या स्निग्धाल्पवर्चसः ।

कषायानुग्मस्नेपां शष्पशैवालभोजनः ॥ १८ ॥'

[सुश्रुतः सूत्रस्थान ४६ : ११४-११५]

River fish

The fish collected from river is sweet and heavy. It alleviates *vāyu* and cures *rakta pitta* (a disease characterised by bleeding from different parts of the body). It is hot, aphrodisiac and unctuous. It produces less of stool. It is astringent in *anurasa* (subsidiary taste). The river fish feed on grass and moss.

'सरस्तडागसंभृताः स्निग्धा स्वादुरमा. स्मृता ।'

[सुश्रुतः सूत्रस्थान ४६ : ११७]

Pond fish

The fish collected from big and small ponds is unctuous and sweet in taste.

सामुद्राः गृरवः स्निग्धा मधुरा नातिपित्तला ॥ १९ ॥

उष्णा वातहरा वृष्या. वर्चम्या. शुक्रवर्धनाः ।

बलावहा विशेषेण मासाशित्वात्समुद्रजा. ॥ २० ॥

Sea fish

The fish collected from sea is heavy, unctuous and sweet. It does not aggravate *pitta* in excess. It is hot, alleviator of *vāyu* and aphrodisiac. It increases stool and semen. It is an excellent promoter of strength because the sea fish feed on the meat of other animals.

समुद्रजेभ्यो नादेया बृंहणास्तद्गुणोत्तराः ।

In comparison to sea fish, the river fish is more nourishing and better in quality.

तेभ्योऽतीवानिलघ्नत्वाच्चौण्ड्यकौष्यौ गुणोत्तरौ ।

स्निग्धत्वात्स्वादुपाकत्रानयोर्वीप्या गुणोत्तरा ॥२१॥

[सुश्रुत सूत्र ५६ : ११६-१२१]

Well fish

The fish of *cunḍa* (a big well without boundary wall) and well is better than the sea fish and river fish because the former is a strong alleviator of *vāyu*. The fish of *vāpi* (a big well with a boundary wall and a stair case) is better than the fish of *cunḍa* and *kūpa* because the former is unctuous and sweet in *vipāka*.

‘हेमन्ते कूपजा मत्स्या शिशिरे मारुताः द्विताः ।’

[भावप्रकाशः मांसवर्गं ११ : १२६]

मघौ नदीभवाः श्रेष्ठाः श्रीष्णे हृदसमुद्भवाः ।

नडागजाना वर्षासु पथ्याः शरदि नैर्भराः ॥ २२ ॥

Fish in different seasons

In *hemanta* (early winter), fish from a well is useful and in *śiśira* (later part of winter) fish from big ponds is useful. In the spring season, river fish is most useful and in summer season, fish collected from lake is useful. In rainy season, fish collected from small ponds is wholesome and in autumn, fish from springs is useful.

नादेया गुर्वो मध्ये यस्मात्पृच्छाम्य चारिणः ।

मरुत्नडागजाना नृ विशेषेण दिवो गर ॥ २३ ॥

Different parts of fish

The river fish is heavy in the middle of its body because it moves with the help of the tail and the mouth. In the case of fish from the big and small ponds, the head is heavy.

अद्दुर्गोत्तराभस्थान्नेभ्यो दीपवहा स्मृताः ।

किञ्चिन्मुक्त्वा शिरोदेशमन्यर्थं गुर्वन्तु ते ॥ २४ ॥

The fish which does not travel long distances inside the

water is harmful. Leaving a small portion behind the head, this fish is very heavy.

22

अधस्ताद्गुरवो ज्ञेया मत्स्या. सरसि संभवा. ।
 23
 उरोविचरणं तेषां पूर्वमग लघु स्मृतम् ॥ २५ ॥

[सुश्रुतः सूत्रस्थान ४६ : १२२-१२४]

The lower part of the pond fish is heavy. Because it moves through the help of its chest, its front portion is light.

24

‘महाप्रमाणगुरवः. क्रियावद्भ्योऽल्पचेष्टिनः ।
 25 26
 युवभ्यः स्थविरा ये स्युः स्त्रीभ्यश्च पुरुषाश्च ये ॥२६॥
 27 28
 मृदुभ्यः स्थिरगत्राश्च खेचरेभ्यश्च भूचराः ।
 29
 गुरुरूक्षा बहुभुजो ये चोपचितमेदसः ॥ २७ ॥’

[माधवद्रव्यगुणः मत्स्यवर्ग २० : १२-१३]

Heaviness

The fish of a big size is generally heavy. In comparison to the fish which is very active, the one with a sluggish movement is heavy. In comparison to the young ones, the old fish is heavier. The male fish is heavier than the female. In comparison to the fish having a soft body, the one having a compact body is heavier. In comparison to the birds which move in the sky, the animals which move on the ground are heavier. Those which feed on heavy and on un-unctuous articles in large quantities and those having accumulated fat are heavier.

विहङ्गेषु पुमान् श्रोतः स्त्रीः चतुःपदजातिषु ।
 परार्धं लघु पुंसः स्यात्स्त्रीणां पूर्वाद्धिमादिशेत् ॥ २८ ॥
 देहमध्यं गुरु प्रायः सर्वेषां प्राणिनां मतम् ।
 30
 पक्षोत्क्षेपाद्विहगानां तदेव वरमुच्यते ॥ २९ ॥

Male and female animals

Among birds the males are the best. Among quadrupeds the females are the best. The hind portion of the body of the males is light. The front portion of the body of female animals is light. The middle portion of the body of animals is generally heavy. In the case of birds, their middle portion is better because the feathers attached to it help in its movement.

‘मर्बोपा च शिरस्कन्धप्लीत्र्चर्मयकृद्गुदम् ।

31

पादमस्तिष्कपुच्छात्रमुष्कक्रोडा समीरणा ।

32

घातवः शोणिताद्याश्च ग्रवः स्युर्यथोत्तरम् ॥ ३० ॥’

[माघवद्रव्यगुणः मत्स्यवर्ग २० : १४-१५]

Different parts

In all animals the head, neck, spleen, skin, liver, anus, feet, brain, tail, colon, testicles, pelvic region (*kroda*), airy portion (*samīrana*) and tissue elements like blood are progressively heavier.

33

त्वक् वातश्च मांसं मगना धन्वर्गिणाम् ।

मन्ध्राजिना पित्तकर वातघ्नं सूरं कीर्तिकम् ॥ ३१ ॥

जलाशिना ह्येणमहर लघुं कृतमुदीरितम् ।

बृहणं गरं वातघ्नं विषामेव पलाशिताम् ॥ ३२ ॥

Habitat

The meat of birds inhabiting deserts is light and alleviator of *vāyu*. The meat of birds which feed on fish aggravates *pitta* and alleviates *vāyu*. It is heavy. The meat of birds which live on water is alleviator of *kapha*, light and ununctuous. The meat of birds which eat the meat of other animals is nourishing, heavy and alleviator of *vāyu*.

॥ इति मत्स्यवर्गं ॥

Thus ends the group dealing with various types of meat and fish.

NOTES AND REFERENCES

1. निग्धोष्णाः इति आकरे पाठः ।
2. वृष्या इति आकरे पाठः ।
3. कफपित्तहृरा इति षष्ठपुस्तके पाठः ।
4. मत्स्या इति आकरे पाठः ।
5. कालोपचयवर्धमाः इति षष्ठपुस्तके पाठः ।
6. वृष्योऽदितात्तिषु इति आकरे पाठः ।
7. पानीनः इति षष्ठपुस्तके पाठः ।
8. बन्धा इति आकरे पाठः ।
9. दूष्येद्रधिरं पित्तं कुष्ठरोगं करोति च इति आकरे पाठः ।
10. मद्गुरुशंका च इति आकरे पाठः ।
11. कपया.....लघ्नरामृता. पाठोऽयं आकरे नोपलभ्यते ।
12. अलिमत्स्यो गुरुः स्निग्धः कपायो रूक्ष एव च इति आकरे पाठः ।
13. गुरुमत्स्यो गुरुः स्निग्धः श्लेष्मलो वातनाशनः इति आकरे पाठः ।
14. इलिसो मधुरः स्निग्धः पित्तहृत् श्लेष्मकोपन इति आकरे पाठः ।
15. वद्विविधं इति आकरे पाठः ।
16. चङ्गा स्निग्धमधुरो गुर्विद्विधीतः इति आकरे पाठः ।
17. नंदा इति षष्ठपुस्तके पाठः ।
18. पृष्टिऋद्धलवर्धनः इति द्वितीयपुस्तके पाठः ।
19. नादेया वृहणा मत्स्या गुरवोऽनिलनाशनाः ।
रक्तपित्तकरा वृष्याः स्निग्धोष्णाः स्वल्पवर्धसः इति भावप्रकाशे पाठः ।
20. श्लेष्मवर्धना. इति आकरे पाठः ।
21. अदूरगोचरा यस्मान्ममादुत्सोदपानजाः इति आकरे पाठः ।
अदूरगोचरा. मत्स्या स्नेह्यो इति षष्ठपुस्तके पाठः ।

22. सागरसंभवः इति आकरे पाठः ।
23. उरो विचरणात् तेषां इति आकरे पाठः ।
24. महाप्रमाणाः गुरवः क्रियावन्तोऽल्पचेष्टिताः इति आकरे पाठः ।
25. युवत्यः इति आकरे पाठः ।
26. स्त्रियश्च इति आकरे पाठः ।
27. कठिनेभ्यो मृदुभ्यश्च स्थिरगात्राश्च भूचरा इति षष्ठे पुस्तके पाठः ।
28. स्त्रियेभ्योऽपि इति आकरे पाठः ।
29. गुरुरूक्षाः इति आकरे पाठः ।
30. बलमुच्यते इति आकरे पाठः ।
31. समीरिणाः इति आकरे पाठः ।
32. गुरवस्तून्गोत्तराः इति आकरे पाठः ।
33. वातचारिणाम् इति षष्ठे पुस्तके पाठः ।

CHAPTER 19

¹
‘अम्लं कषाय मधुर वानघ्नं ग्रहि दीपनम् ।
स्निग्धोष्ण दाडिमं हृद्य कफपित्ताविरोधि च ॥ १ ॥

Dāḍima (Pomegranate)

Dāḍima is sour, astringent, sweet, alleviator of *vāyu*, constipative, stimulant of digestion, unctuous, hot and cardiac tonic. It does not aggravate *kapha* and *pitta*.

द्विविधं तन्, विज्ञेयं मधुरं चाम्लमेव च ।
त्रिदोषघ्नं तु मधुरमम्लं वानकफाणहम् ॥ २ ॥’

[माधवद्रव्यगुण. फलवर्ग २१ · १-२]

It is of two types viz., sweet and sour. The sweet variety alleviates all the three *doṣas* and the sour variety alleviates *vāyu* as well as *kapha*.

²
‘नीपं सवालुकं पीलु तृणशन्यं विकंकतम् ।
³
प्राचीनामलकं चैव दोषघ्नं गरहारि च ॥ ३ ॥

Nīpa etc.,

Nīpa, vāhukā, pīlu, tṛṇasūnya, vikāṅkata and *prācīnāmālaka* alleviate *doṣas* and cure *viṣa* (poisoning).

कर्कन्धुकोलबदरमम्ल वानकफापहम् ।

Karkandhu, Kola & Badara (Jujuba fruit)

Karkandhu, kola and *badara* are sour and they alleviate *vāyu* as well as *kapha*.

पक्वं पित्तानिलहरं स्निग्धं समधुरं सरम् ॥ ४ ॥

Ripe fruits alleviate *pitta* and *vāyu*. They are unctuous, sweet and laxative.

पुराणं तृप्प्रशमनं श्रमघ्नं लघु दीपनम् ।

Dry fruits (*purāṇa*) alleviate *tṛṣṇā* (morbid thirst) and *śrama* (physical fatigue). They are light and digestive stimulant.

रक्तानिलकरं वायु पित्तकृद्वृद्धक सरम् ॥ ५ ॥

Tender fruits cause *rakta pitta* (a disease characterised by bleeding from different parts of the body). They vitiate *pitta*. The matured fruits are laxative

हृद्यं वर्णहरं ⁵ रच्यमान्मृकवत्प्रदम् ।

पित्तत्रिरोधि वानप्लव तत्रमास्र सरगुम् ॥ ६ ॥

[माधवद्रव्यगुण फलवर्ग २१ : १०-१३]

'कपायानुरसं वृद्धिस्त्वेषमशुक्रविवर्द्धनम् ।

Āmra (Mango)

Āmra is cardiac tonic. It promotes complexion, appetite, semen and strength. It does not aggravate *pitta* and alleviates *vāyu*.

The ripe *āmra* is laxative and heavy. It is astringent in

amrasa (subsidiary taste). It increases digestive power, *kapha* and semen.

6
तदेव वृक्षके पक्वं गुरु वातहरं परम् ॥ ७ ॥
मधुगम्लं सरं किञ्चिद्भवेत्पित्तप्रकोपणम् ।

Āmra which has become ripe in the tree itself is heavy and it is an excellent alleviator of *vāyu*. It is sweet, sour and slightly laxative. It slightly aggravates *pitta*.

7 8
आम्रं कृत्रिमपक्वं यत्तद्भवेत्पित्तनाशनम् ॥ ८ ॥'

[भावप्रकाशः आम्रादिफलवर्ग ७ : ५-७]

Āmra which is ripened by artificial means alleviates *pitta*.

'शुष्काम्रं सकषायाम्लं भेदनं कफवातकृत् ।'

[माधवद्रव्यगुणः फलवर्ग २१ : १५]

Dry mango is astringent, sour and purgative. It aggravates *kapha* and *vāyu*.

9
'चूपितं तल्परं रुच्यं बलवीर्यकरं लघुम् ।

शीतलं शीघ्रपाकि म्याद्वातपित्तहरं सरम् ॥ ९ ॥

If ripe *āmra* is taken by sucking (*coṣaṇa*), then it is appetiser, promoter of strength and energy, light and cooling. It gets digested early. It alleviates *vāyu* and *pitta*. It is laxative.

तद्रसो गालितो ब्रह्मो गुरुवृत्तिहरः सरः ।

अहृद्यम्यर्पणोऽजीव वृंहणः कफवर्द्धनः ॥ १० ॥

The juice extracted out of it is a promoter of strength, heavy, alleviator of *vāyu*, laxative, *ahr̥dya* (which is not cardiac tonic), exceedingly *tarpaṇa* (refreshing), nourishing and aggravator of *kapha*.

तत्सखण्डं गुरुपरं रोचनं चिरपाकि च ।

मधुरं बृहणं वन्यं शीतलं वातनाशनम् ॥ ११ ॥

Along with sugar, the mango juice becomes very heavy. It is an appetiser. It gets digested very late. It is sweet, nourishing, strength promoting, cooling and alleviator of *vāyu*.

‘वातपित्तहरं रुच्यं बृहणं फलवर्द्धनम् ।

वृष्यं वर्णकरं स्वादुं दुग्धाम्नं गुरुं शीतलम् ॥ १२ ॥’

[माधवद्वय्यगुणः फलवर्गं २१ १४]

Along with milk, the mango juice alleviates *vāyu* and *pitta*. It is appetiser, nourishing, strength promoting, aphrodisiac, promoter of complexion, delicious, heavy and cooling.

11

सन्दानलत्रं विषमज्वरं च रक्तामयं बद्धगुदोदरं च ।

आम्नातियोगो नयनामयं वा करोति नस्मादति तानि नाद्यात् ॥ १३ ॥

12

एतदम्नाम्रविषयं मधुराग्नपरं न तु ।

13

मधुरस्य परं नेत्रहितत्वाद्या गुणा यतः ॥ १४ ॥’

[भावप्रकाशः आम्रादिफलवर्गं ७ : ८-१३]

Mango used in large quantities causes *mandānala* (suppression of the power of digestion), *viṣama jvara* (irregular fever), *raśtāmaya* (diseases of blood) *baddhagudodara* (obstinate type of abdominal disease caused by obstruction in the rectum) and eye diseases. Therefore, one should not consume mango in excess. This description relates to sour variety of mango and does not apply to sweet variety of mango because the latter is exceedingly useful for eyes and in similar other conditions.

14

‘अतोदुग्धानुपानं स्यादाम्नाणामतिभक्षणे ।

जीरक वा प्रयोक्तव्यं सहसौवर्चलेन च ॥ १५ ॥

If mango is to be used in excess then milk should be used after it as *anupāna*. It can also be taken with *jīraka* or *sauvarcala* type of salt.

पक्वम्य सहकारम्य कटे ¹⁵ विस्तारितो रसः ।

घर्मशुको मुहुर्दन्त आम्रावर्त इतिस्मृतः ॥ १६ ॥

Āmrāvarta

If the juice of ripe mango is spread over a thick piece of cloth and made to dry in sun by repeatedly adding additional quantity of juice, then this is called *āmrāvarta*.

आम्रावर्तस्तृपाच्छर्दिवातपित्तहर. सरः ।

रुच्यः सूर्याशुभि. पाकी लघुश्च परिकीर्तितः ॥ १७ ॥

It alleviates *tṛṣṇā* (morbid thirst), *chardī* (vomiting), *vāyu* and *pitta*. It is laxative and appetiser. If it is dried in the sun's rays, then it becomes light.

आम्रबीजं कषाय स्याच्छर्दतीसारनाशनम् ।

ईषदम्लं च मधुरं तथा हृदयदाहनुत् ॥ १८ ॥'

[भावप्रकाशः आम्रादिफलवर्गं ७ : १४-१७]

Āmra bīja

The seed of mango is astringent. It cures *chardī* (vomiting) and *atisāra* (diarrhoea). It is slightly sour and sweet. It cures *hṛdaya dāha* (burning sensation in the chest).

'आम्रातमम्लं वातघ्नं गुरूष्णं रुचिकृत्सरम् ।

Āmrātaka (Hog plum)

Āmrāta is sour, alleviator of *vāyu*, heavy, hot, appetiser and laxative.

19

20

पक्वं तु तुवर स्वादुरसपाक हिंसं मतम् ॥ १९ ॥

21

नर्पण [श्लेष्मल] स्निग्ध वृष्य विष्टम्भि बृहणम् ।

गुरु बल्य मरुत्पित्तक्षतदाहक्षयाञ्जित् ॥ २० ॥'

[भावप्रकाशः आम्रादिफलवर्गं ७ : १९-२०]

The ripe fruit is astringent, sweet in taste and *vipāka*, cooling, refreshing, aggravator of *īapha*, unctuous, aphrodisiac, constipative, nourishing, heavy and strength promoting. It alleviates *vāyu* and *pitta*. It cures *kṣata* (phthisis), *dāha* (burning syndrome), *kṣayu* (consumption) and vitiation of blood.

22

गुरु विष्टम्भि लकुच दोषल शुक्रदूषणम् ।

Lakuca (Monkey fruit)

Lakuca is heavy, wind forming in the stomach and aggravator of *doṣas*. It vitiates semen.

23

अम्ल नृणादर रुच्य विनक्तृकरमर्दकम् ॥ २१ ॥

[माघवद्रव्यगुणः फलवर्गं २१ : १९]

Karamardaka (*Carissa carandus* Lim.)

Karamardaka is sour and it cures *trṣā* (morbid thirst). It is appetiser and it aggravates *pitta*.

अम्लवेतसमन्यम्लं नाक्षण स्निग्ध च दीपनम् ।

[माघवद्रव्यगुणः फलवर्गं २१ : प्रक्षिप्तपाठः]

Amlavetasa (*Garcinia pedunculata* Roxb.)

Amlavetasa is exceedingly sour. It is sharp, unctuous and digestive stimulant.

वातापहं तिन्तिडीकं आमपित्तबलासकृत् ॥ २२ ॥

Tintiḍīka (Rhus parviflora Roxb.)

Tintiḍīka alleviates *vāyu* and produces *āma*, *pitta* as well as *kapha*.

ग्राह्युष्ण दीपनं हृद्यं मृपक्वं कफवातनुत् ।
24

Fully matured fruit of it is constipative, hot, digestive stimulant, cardiac tonic and alleviator of *kapha* as well as *vāyu*.

अम्लिकायाः फलं पक्वं तद्वद्भेदि तु केवलम् ।

तस्मादल्पान्तरगुणं कोशाभ्रफलमुच्यते ॥ २३ ॥'

[माधवद्रव्यगुणः फलवर्ग २१ : २०-२१]

Amlikā and *Kosāmra* (*Tamarindus indica* Linn. & *Schleichera oleosa* Merr.)

The ripe fruit of *amlikā* has all the properties of *tintiḍīka*. In addition, it is a purgative.

Kosāmra is slightly inferior in quality.

‘ऐरावतं दंतशठमम्लं शोणितपित्तकृत् ।

Airāvata and *Dantaśaṭha*

Airāvata and *dantaśaṭha* are sour and they cause *soṇita pitta* (a disease characterised by bleeding from different parts of the body).

मृगन्धि मधुरं चाम्ल विशद भक्तरोचनम् ।

दुर्जरं वातशमन नारंगस्यफलं गुह्य ॥ २४ ॥'

[माधवद्रव्यगुणः फलवर्ग २१ : २३-२४]

Nāraṅga (Orange)

The fruit of *nāraṅga* is fragrant, sweet, sour, *viśada* (non-slimy), appetiser, difficult of digestion, alleviator of *vāyu* and heavy.

निंबूकमम्ल वानघ्न पाचन दीपनं लघु ।

Nimbūka (Lime fruit)

Nimbūka is sour, alleviator of *vāyu*, carminative, digestive stimulant and light.

राजनिंबूफलं स्वादु गुरु पित्तममार्गजन् ।

25

तृणाशूकफोत्कलेशछर्दिश्वामनिवारणम् ॥ २५ ॥

Rāja nimbū

The fruit of *rājanimbū* is sweet and heavy. It alleviates *pitta* and *vāyu*. It cures *tṛṣṇā* (morbid thirst), *śūla* (colic pain), *kaphotkleśa* (salivation), *chardi* (vomiting) and *śvāsa* (asthma).

वानश्लेष्मविवन्धघ्न जंबीरं गुरु पित्तकृन् ।'

[माधवद्रव्यगुणः फलवर्ग २१ : ३२-३३]

Jambīra (Citrus limon Linn. Burm. f.)

Jambīra alleviates *vāyu* and *kapha* and relieves constipation. It is heavy and it aggravates *pitta*.

करुणं कफवातामदोषघ्न पित्तकोपनम् ॥ २६ ॥

[माधवद्रव्यगुणः फलवर्ग २१ : ३७]

Karuṇa

Karuṇa alleviates *kapha*, *vāyu* and *āmadoṣa*. It aggravates *pitta*.

कामश्वासारुचिहरं तृष्णाहृन्कण्ठशोधनम् ।

लघ्वम्लदीपनं हृद्य मातुलुंगमुदाहृतम् ॥ २७ ॥

Mātuluṅga (Citron)

Mātuluṅga cures *kāsa* (bronchitis), *śvāsa* (asthma), *aruci* (anorexia) and *tṛṣṇā* (morbid thirst). It cleanses the throat. It is light, sour, digestive stimulant and cardiac tonic.

त्वक्त्तिका दुजरा अस्य वानकृमिविपापहा ।

स्वादु शीतं गुरु हिममाम मारुतपित्तजित् ॥ २८ ॥

Tvaktikā

Tvaktikā is difficult to digest. It alleviates *vāyu* and cures *lrymi* (parasitic infection) as well as *viṣa* (poisoning). It is sweet, cooling and heavy.

The unripe fruit of it is cooling and it alleviates *vāyu* and *pitta*.

मेध्य शूलानिलछदिकफारोचकनाशनम् ।

दीपनं लघु संप्राहि गुल्मार्शोघ्नं तु केशरम् ॥ २९ ॥

Keśara

Keśara promotes intellect. It cures *sūla* (colic pain), vitiation of *vāyu*, *chardi* (vomiting) vitiation of *kapha* and *arocaka* (anorexia). It is digestive stimulant, light and constipative. It cures *gulma* (phantom tumour) and *arśas* (piles).

एवं प्रकारा विज्ञेया वृध्या च मधुकर्कटी ।

शूलार्शोणविवन्धेषु मन्देऽर्शौ कफमारुते ॥ ३० ॥

Madhu karkaṭī (Sweet lime)

Madhu karkaṭī shares the properties of *kesara*. In addition, it is aphrodisiac. It cures *sūla* (colic pain), *ajirna* (indigestion) and *vibandha* (constipation). It is useful in suppression of the power of digestion and in vitiation of *kapha* as well as *vāyu*.

अरुचिश्वासकासेषु रसस्तस्योपदिश्यते ।

Its juice is indicated in *aruci* (anorexia), *śvāśa* (asthma) and *kāsa* (bronchitis).

‘कषायं मधुरं पाके श्लेष्मलं गुरु शीतलम् ॥३१॥

26

कपित्थमामं कण्ठघ्नं विशदं ग्राहि वातलम् ।

27

मधुगन्धकपायन्वात्मौगन्ध्याच्च क्वचिप्रदम् ॥ ३० ॥

Kapittha (Wood apple)

The unripe fruit of *kapittha* is astringent, sweet in *vipāka*, aggravator of *kapha*, heavy and cooling. It causes impairment of the throat. It is *viśā la* (non-slimy), constipative and aggravator of *vāyu*. In view of its sweet, sour and astringent tastes and fragrance, it is an appetiser.

नदेव पक्व दोषान् विशदं ग्राहि गुर्वपि ।'

[माधवद्रव्यगुणः फलवर्ग २१ : ४०-४२]

The ripe fruit of *kapittha* alleviates *doṣas*. It is *viśada* (non-slimy), constipative and heavy.

जांबवं वानल रूक्ष ग्राहि पित्तकफावहम् ॥ ३३ ॥

Jambu (Jamun fruit)

Jambu aggravates *vāyu*. It is un-unctuous and constipative. It alleviates *pitta* and *kapha*.

28

कपाय तिन्दुकं स्वादु गुरु पित्तकफावहम् ।

Tinduka (Diospyros tomentosa Roxb.)

Tinduka is astringent, sweet and heavy. It aggravates *pitta* and *kapha*.

वानपित्तहरं वृष्य प्रियालं गुरु शीतलम् ॥ ३४ ॥

Priyāla (Buchanania lanzan Spreng.)

Priyāla alleviates *vāyu* and *pitta*. It is aphrodisiac, heavy and cooling.

29

'कपायमधुरं साम्लं नातिमारुतकोपनम् ।'

वातलं [?] कफपित्तघ्नं विद्यात्पर्पटिकं फलम् ॥३५॥'

Parpaṭika (Physalis minima Linn.)

The fruit of *parpaṭika* is astringent, sweet and sour. It aggravates *vāyu* but not in excess. It also aggravates *kapha* and *piita*.

³⁰
'क्षिरीवृक्षफल नेपा गुरु त्रिष्टम्भ रीतिलम् ।

कषायमधुर माम्ल नानिमाक्तकोपनम् ॥ ३६ ॥'

[सुश्रुतः सूत्र ४६ : १६५]

Kṣirī

The fruit of *kṣirī* tree is heavy, wind forming in stomach and cooling. It is astringent, sweet and sour. It does not aggravate *vāyu* in excess.

³¹
'विष्टभि मधुर ग्लिग्ध फल्गु संतर्पण गुरु ।'

[सुश्रुतः सूत्र ४६ : १७१]

Phalgu (Ficus hispida Linn. f.)

Phalgu is wind forming, sweet, unctuous, refreshing and heavy.

बिंबीफलं च पित्तासृक्कासश्वासक्षयापहम् ॥ ३७ ॥

Bimbī (Coccinia indica W. & A.)

The fruit of *bimbī* alleviates *pitta* as well as blood and cures *kāsa* (bronchitis), *śvāsa* (asthma) and *kṣaya* (consumption).

शमीफलं गुरु स्वादु ऋक्षोष्ण केशनाशनम् ।

Śamī (Prosopis spicigera Linn.)

The fruit of *śamī* is heavy, delicious, un-unctuous and hot. It causes the hair to fall.

'मूढीका मधुरा स्निग्धा शीता वृष्यानुलोमनी ॥३८॥

रक्तपित्तज्वरश्वासतृष्णादाहक्षयापहा ।

Mṛdvīkā (Vitis vinifera Linn.)

Mṛdvīkā is sweet, unctuous, cooling, aphrodisiac and laxative. It cures *rakta pitta* (a disease characterised by bleeding from different parts of the body), *jvara* (fever), *ś.āsa* (asthma), *tṛṣṇā* (morbid thirst), *dūha* (burning syndrome) and *kṣaya* (consumption).

32

द्राक्षा गोस्तनिका तद्रद्गुर्वी वृष्या कफापहा ॥३६॥

[माधवद्रव्यगण फलवर्ग २१ : ३५-३६]

The *gostani* type of *drākṣā* shares all the above mentioned properties. In addition, it is heavy, aphrodisiac and alleviator of *kapha*.

निर्वीजान्या स्वल्पतरा गोस्तनी मदशीगुणैः ।

It has another variety which is without seeds. This is smaller in size. It shares all the properties of *gostani* type of *drākṣā*.

33

द्राक्षा पर्वतजा तपत्री साम्ना श्लेष्मास्त्रयिभक्तु ॥३७॥

Drākṣā which grows on hills is light and sour. It produces *kapha* and causes *amla pitta* (hyperacidity in stomach).

4

35

'ग्रामास्तु सर्वा द्राक्षा स्युः पित्तज्वरमद्रकोपणाः ।

All green *drākṣās* aggravate *pitta* and *kapha*.

36

द्राक्षाकरीरकर्कन्धुबदराण्याकानि च ॥३९॥

37

परुषकानि चास्त्यानि हृदयित्तकराणि च ।

स्वादूपाकानि यान्येषा तानि पित्तकराणि च ॥४०॥'

[माधवद्रव्यगण फलवर्ग २१ : ३७, ३८-३९]

Drākṣā, Karīra etc.,

The sour variety of *drākṣā*, *karīra*, *karkandhu*, *badara*, *āruka* and *paruṣaka* aggravate *kapha* and *pitta*. The sweet variety among them alleviates *pitta*.

कदल्या मधुरं शीतं विष्टंभि कफकृद्गुरु ।

स्निग्धं पित्तास्रतृदाहक्षतक्षयसमीरजित् ॥ ४३ ॥

[माधवद्रव्यगुणः फलवर्ग २१ : ५२]

Kadalī (Musa paradisiaca Linn.)

Kadalī is sweet, cooling and wind forming. It aggravates *kapha*. It is unctuous. It alleviates *pitta* and blood. It cures *dāha* (burning syndrome), *kṣata* (phthisis) and *kṣaya* (consumption). It alleviates *vāyu*.

रूक्षं गुरु हिमं पक्व स्वादुपित्तानिलापहम् ।

The unripe *kadalī* is un-unctuous, heavy and cooling. The ripe *kadalī* is sweet and it alleviates *pitta* and *vāyu*.

38

“हृद्यं सूत्रविबन्धघ्न पित्तामृगवातनाशनम् ।

केश्यं रसायनं मेध्यं काश्मर्यफलमुच्यते ॥ ४४ ॥”

[माधवद्रव्यगुणः फलवर्ग २१ : ५५-५६]

Kāśmārya (Gmelina arborea Linn)

The fruit of *kāśmārya* is cardiac tonic. It relieves retention of urine. It alleviates *pitta*, blood and *vāyu*. It is promoter of good hair, rejuvenating and promoter of intellect.

39

‘क्षतक्षयापहं हृद्यं बृहणं तर्पणं गुरु ।”

[सुश्रुतः सूत्र ४६ : १८४-१८५]

40

41

स्निग्ध वृष्य च मधुर खर्जूरं रक्तपित्तजित् ॥ ४५ ॥”

[माधवद्रव्यगुणः फलवर्ग २१ : ४५]

Kharjūna (Phoenix Sylvestris Roxb.)

Kharjūna cures *ksata* (phthisis) and *ksaya* (consumption). It is cardiac tonic, nourishing, refreshing heavy, unctuous, aphrodisiac and sweet. It cures *rakta pitta* (a disease characterised by bleeding from different parts of the body).

खर्जूरी गो-तनाकारा ⁴² पागवाग्निद्विगतता ।

[भावप्रकाश आम्नादिकवर्ग ७ . ११६]

⁴³ 'साखरीकेतिविख्याता देणे भवति पश्चिमे ॥ ४६ ॥

Kharjūrī (Phoenix dactylifer Linn.)

Kharjūrī is like the *udder* of a cow. It has come to this country from other islands. In the western part of this country it is called *sākharikā*.

⁴⁴ पिंडखर्जूरीका ⁴⁵ त्वन्या सापि तत्रैव जायते ।'

तनीत्यथा भवेत्स्वभावात् सा तु सर्वा जायते ॥ ४७ ॥

Another variety of it is called *punda kharjūrīkā* and it grows in that country also. The third variety is very small in size and it grows everywhere.

'खर्जूरीद्वितय शीत मधुर रसपाकयो ।

स्निग्ध शक्तकर हृद्य क्षतक्षयकर गुरु ॥ ४८ ॥

वर्ण ⁴⁶ - कर्णिक न ⁴⁷ पुरिर्द्विधाः सशुक्रदम ।

कोटिभान्तरश्च ⁴⁸ महावातकतापहम् ॥ ४९ ॥

ज्वराभिधानशुनाणा ⁴⁹ कामश्वासनिवारणम् ।

मदसुकर्द्विगर्भितमदान्यगदान्जित् ॥ ५० ॥

All these three varieties of *kharjūrī* are cooling and sweet both in taste and *vipāka*. They are unctuous, appetiser and cardiac tonic. They cure *ksata* (phthisis) and *ksaya* (consumption). They are heavy and nourishing. They cure *rakta pitta*

(a disease characterised by bleeding from different parts of the body). They cause corpulence and wind formation in the stomach. They produce more of semen, wind in the colon and strength. They alleviate external *vāyu* and *kapha*. They cure *jvara* (fever), *abhigāta* (injury), *ksut* (morbid hunger), *trṣṇā* (morbid thirst), *kāsa* (bronchitis), *śvāsa* (asthma) *mada* (intoxication), *mūrchā* (fainting), vitiation of *vāyu* as well as *pitta*, *madātyaya* (alcoholism) and vitiation of blood.

51

ताभ्यामल्पगुण ज्ञेयमल्पखर्जूरिकाफलम् ।

The fruit of *kharjūrīkā* which is smaller in size is inferior in quality in comparison with others.

52

खर्जूरिकावृक्षतोय मदपित्तकरं 53 मतम् ।

वातश्लेष्महरं रुच्यं दीपनं बलशुक्रकृत् ॥ ५१ ॥

[भावप्रकाशः आम्रादिफलवर्ग ७ · ११७-१२१]

The juice of the tree of *kharjūrīkā* causes *mada* (intoxication) and aggravation of *pitta*. It alleviates *vāyu* and *kapha*. It is appetiser, digestive stimulant and promoter of strength and semen.

तन्मज्जामूध्वजःशीतो वृष्यः पित्तास्रदाहजित् ।

The pith (*majjā*) of this tree from the top of the trunk is cooling, aphrodisiac and alleviator of *pitta* as well as blood. It cures *dāha* (burning syndrome).

‘मधूकपुष्पं मधुर शीतल गुरु बृहणम् ।

54

बलशुक्रकर प्रोक्तं पित्तमास्रनाशनम् ॥ ५२ ॥

Madhūka (*Madhuca indica* J.F. Gmel.)

The flower of *madhūka* is sweet, cooling, heavy and nourishing. It promotes strength and semen and alleviates *pitta* as well as *vāyu*.

फलं शीतं गुरु स्वादुः शुक्रलं वातपित्तजित् ।
55

अहृद्यं हन्ति तृपाम्बदाहश्वासक्षतक्षयान् ॥ ५३ ॥
56

[भावप्रकाशः आम्रादिफलवर्गं ७ : ६६-६७]

Its fruit is cooling, heavy and sweet. It increases semen and alleviates *vāyu* as well as *pitta*. It is not good for the heart. It cures *tṛṣā* (morbid thirst), vitiation of blood, *dāha* (burning syndrome), *śvāsa* (asthma), *kṣata* (phthisis) and *kṣaya* (consumption).

‘अत्यम्लमीषन्मधुरं कषायानुरसं लघु ।

वातघ्नं पित्तजननमामं विद्यात्परूषकम् ॥ ५४ ॥

Parūṣaka (*Grewia asiatica* Linn.)

The unripe *parūṣaka* is extremely sour, slightly sweet, astringent in *anurasa* (subsidiary taste) and light. It alleviates *vāyu* and aggravates *pitta*.

तदेवपक्वं मधुर वातपित्तनिवर्हणम् ।

[सुश्रुतः सूत्र ४६ : १७१-१७२]

The ripe *parūṣaka* is sweet and it alleviates *vāyu* as well as *pitta*.

वातहा पित्तहा वृष्यः कृमिहा कुष्ठनाशनः ।

रक्तपित्तहरः स्वादुस्तालः सप्तगुणः स्मृतः ।

Tāla (*Borassus flabellifer* Linn.)

Tāla alleviates *vāyu* and *pitta*. It is aphrodisiac. It cures *kṛmi* (parasitic infection), *kusṭha* (obstinate skin diseases including leprosy) and *rakta pitta* (a disease characterised by bleeding from different parts of the body). It is sweet. These are its seven attributes.

‘तद्वीजं स्वादुपाकं च मूत्रलं वातपित्तजित् ॥ ५५ ॥’

[सुश्रुतः सूत्र ४६ : १७६]

The seed of *tāla* is sweet in *vipāka*. It is diuretic and it alleviates *vāyu* and *pitta*.

‘पक्वं तालफलं पित्तरक्तश्लेष्मविवर्द्धनम् ।
दुर्जरं बहुमूत्रं च तन्द्राभिष्यन्दशुक्रदम् ॥ ५६ ॥’

The ripe *tāla* fruit aggravates *pitta*, blood and *kapha*. It is difficult of digestion and is exceedingly diuretic. It causes *tandrā* (drowsiness) and *abhiṣyanda* (obstruction to the channels of circulation). It produces more of semen.

‘तालमज्जा तु तरुणः किञ्चिन्मदकरो लघुः ।
श्लेष्मलो वातपित्तघ्नः सस्नेहो मधुरः सरः ॥ ५७ ॥’

The pulp of tender *tāla* is slightly intoxicating and light. It aggravates *kapha* and alleviates *vāyu* and *pitta*. It is unctuous, sweet and laxative.

‘तालजं तरुणं तोयमतीव मदकृन्मतम् ।
अम्लीभूतं यदा तत्स्यात्पित्तकृद्वातदोषनुत् ॥ ५८ ॥’

[भावप्रकाशः आम्नादिफलवर्गं ७ : ५३-५५]

The water of the tender *tāla* is exceedingly intoxicating. When it becomes sour, then it aggravates *pitta* and alleviates *vāyu*.

‘तालस्य मस्तकं स्वादुः वस्तिशुद्धिकरं परम् ।

The head of the trunk of this tree is sweet and it cleanses the urinary bladder.

‘नालिकेरफलं शीतं दुर्जरं वस्तिशोधनम् ।

62

विष्टम्भिर्बृंहणं बल्यं वातपित्तास्रदाहजित् ॥ ५६ ॥'

[भावप्रकाश आम्नादिफलवर्ग ७ : ३६]

Nārikela (Coconut)

The fruit of *nārikela* is cooling and difficult of digestion. It cleanses the urinary bladder and causes wind formation in the stomach. It is nourishing and strength promoting. It alleviates *vāyu*, *pitta* and blood. It cures *dāha* (burning syndrome).

बालस्य नालिकेरस्य जलं प्रायो विरेचनम् ।

नालिकेराम्बु तरुणं तृष्णाघ्नं पित्तनाशनम् ॥६०॥

The water of the tender coconut is generally purgative. It cures *tr̥ṣṇā* (morbid thirst) and alleviates *pitta*.

‘पनसं शीतलं पक्वं स्निग्धं पित्तानिलापहम् ।

तर्पणं बृंहणं स्वादु मासलं श्लेष्मलं भृशम् ।

63

बल्यं शुक्रप्रदं हन्ति रक्तपित्तक्षतक्षयान् ॥ ६१ ॥

Panasa (Jack fruit)

The ripe fruit of *panasa* is cooling and unctuous. It alleviates *pitta* and *vāyu*. It is refreshing, nourishing, delicious and promoter of muscle tissue. It aggravates *kapha* in excess. It promotes strength and semen and cures *raḥta pitta* (a disease characterised by bleeding from different parts of the body), *kṣta* (phthisis) and *l̥ṣaya* (consumption)

आम तदेव विष्टम्भि वातञ्च तुवरं गुरु ।

64

65

दाहकृन्मधुरं बल्यं कफमेदोविवर्द्धनम् ॥ ६२ ॥

The unripe fruit of *panasa* is wind forming, aggravator of *vāyu*, astringent and heavy. It causes burning sensation. It is sweet and strength promoting. It increases *kapha* and fat.

66

पनसोत्थानि बीजानि वृष्याणि मधुराणि च ।

67

गुरूणि वद्धवर्चासि सृष्टमूत्रानिलानि च ॥ ६३ ॥'

[भावप्रकाशः ग्राम्नादिफलवर्ग ७ : २५-२८]

The seeds of *panasa* are aphrodisiac, sweet and heavy. It causes retention of stool and helps in the elimination of urine and flatus.

‘मज्जा तस्यापि पित्तघ्नो वृष्यः श्लेष्मानिलापहः ।

68

विशेषात्पनस वज्यं गुल्मिभिः दुर्बलाग्निभिः ॥ ६४ ॥’

Its pulp alleviates *pitta*. It is aphrodisiac. It also alleviates *kapha* and *vāyu*. Persons who are suffering from *gulma* (phantom tumour) and those having poor power of digestion should specifically avoid *panasa*.

‘मोचं स्वादुरसं प्रोक्तं कषायं नातिशीतलम् ।

रक्तपित्तहर वृष्य रुच्य श्लेष्मकरं गुरु ॥ ६५ ॥’

[माधवद्रव्यगुणः फलवर्ग २१ : ५१]

Moca (*Musa paradisiaca* Linn. Var. *sapientum* Kuntze)

Moca is sweet in taste and astringent. It is not cooling in excess. It cures *rakta pitta* (a disease characterised by bleeding from different parts of the body). It is aphrodisiac, appetiser, aggravator of *kapha* and heavy.

69

‘श्लेष्मल मधुर शीत श्लेष्मातकफलं गुरु ।’

[माधवद्रव्यगुणः फलवर्ग २१ : ५३]

Śleṣmātaka (*Cordia myxa* Roxb.)

The fruit of *śleṣmātaka* is aggravator of *kapha*, sweet, cooling and heavy.

70
‘पौष्करं स्वादु विष्टम्भि बल्यं कफकरं गुरु ।’

[माधवद्रव्यगुणः फलवर्गं २१ : ५५]

Puškara (Lotus fruit)

The fruit of *puškara* is sweet, wind forming, strength promoting, aggravator of *kapha* and heavy.

71
उदुम्बरफलं ग्राहि वातपित्तनिवर्हणम् ॥ ६६ ॥

[माधवद्रव्यगुणः फलवर्गं २१ : ५८]

Udumbara (*Ficus racemosa* Linn.)

The fruit of *udumbara* is constipative and it alleviates *vāyu* as well as *pitta*.

‘मधुरं च कषायं च स्निग्धं सग्राहिं बालुकम् ।

‘स्थिरीकरं च दन्तानां विशदं फलमुच्यते ॥ ६७ ॥’

[सुश्रुतः सूत्र ४६ : १६६]

विपाके मधुरं वृष्यं रक्तपित्तप्रसादनम् ।’

[माधवद्रव्यगुणः फलवर्गं २१ : ५४]

Vāluka

Vāluka is sweet, astringent, unctuous and constipative. It produces sturdiness of teeth and it is *viśada* (non-slimy). It is sweet in *vipāka* and aphrodisiac. It cures *rakta pitta* (a disease characterised by bleeding from different parts of the body).

कषायं तिन्दुकं स्वादु गुरु पित्तकफापहम् ॥ ६८ ॥

Tinduka (*Diospyros tomentosa* Roxb.)

Tinduka is astringent, delicious and heavy. It alleviates *pitta* and *kapha*.

72
‘प्रियालमज्जा मधुरो वृष्यः पित्तानिलापहः ।

Priyāla (Buchanania lanzan Spreng.)

The pulp of *priyāla* is sweet and aphrodisiac. It alleviates *pitta* and *vāyu*.

⁷³
विभीतको मदकरः कफमारुतनाशनः ॥ ६९ ॥

Vibhītaka (Terminalia belerica Roxb.)

The pulp of the seed of *vibhītaka* produces intoxicating effect and it alleviates *kapha* as well as *vāyu*.

कषायमधुरो मज्जा कोलानां पित्तनाशनः ।

Kola (Zizyphus jujuba Lam.)

The pulp of the seed of different types of *kola* is astringent and sweet. It alleviates *pitta*.

⁷⁴
नृष्णाच्छर्दर्यनिवध्नश्च तद्वदामलकस्य च ॥ ७० ॥

Āmalaka (Embllica officinalis Gaertn.)

The pulp of the seed of *āmalaka* cures *tr̥ṣṇā* (morbid thirst), *chardī* (vomiting) and vitiation of *vāyu*.

बीजपूरकशम्पाकमज्जा कोशास्रसंभवः ।

स्वादुः पाकेऽग्निबलदः स्निग्धः पित्तानिलापहः ॥७१॥'

[माधवद्रव्यगुणः फलवर्ग २१ : ५८-६१]

Bijapūraka, Śaṁpāka and Kośāmra

The pulp of the seed of *bijapūraka*, *śaṁpāka* and *kośāmra* is sweet in *vipāka*. It produces digestive power and strength. It is unctuous and it alleviates *pitta* and *vāyu*.

⁷⁵
'वादाममुष्णं सुस्निग्ध वातघ्नं गुरुशुक्रकृत् ।

Vādāma (Almond)

Vādāma is hot, exceedingly unctuous, alleviator of *vāyu*

and heavy. It promotes semen formation.

वादासमज्जा मधुरो वृष्यः पित्तानिलापहः ॥ ७२ ॥'

76

स्निग्धोष्णः कफकुन्नेष्टो रक्तपित्तविकारिणाम् ।

वृहणो गुरुदृष्टः सुस्निग्धो रुचिवर्धनः ॥ ७३ ॥

The pulp of the seed of *vādāma* is sweet, aphrodisiac, alleviator of *pitta* and *vāyu*, unctuous, hot and aggravator of *kapha*. It should not be given to patients suffering from *rakta pitta* (a disease characterised by bleeding from different parts of the body). It is nourishing, heavy and appetiser.

77

'यस्य यस्य फलस्येह वीर्यो भवति यादृशम् ।

तस्य तस्यैव वीर्येण मज्जानमपि निर्दिशेत् ॥ ७४ ॥

Pulp in general

The pulp of the seeds generally follow the properties of their respective fruits.

78

व्याधित कृमियुष्ट च पाकातीतमकालजम् ।

79

वर्जनीय फलं सर्वमपर्यागतमेव च ॥ ७५ ॥'

[माधवद्रव्यगुणः फलवर्ग २१ : ६५, ६५]

[सुश्रुतः सूत्र ४६ : २०८-२१०]

Bad fruits

Fruits afflicted with diseases and *kṛmi* (parasitic infection), fruits which are over ripened and which are unseasonal and fruits which are not fully matured should be rejected.

॥ इति फलवर्ग ॥

Thus ends the group dealing with different types of fruits.

NOTES AND REFERENCES

1. कषामधुरं इति आकरे पाठः ।
2. शतालुकं इति आकरे पाठः ।
3. गरघाति इति आकरे पाठः ।
4. पित्तमारुतकृद्बालं पित्तल लघु दीपनम् इति आकरे पाठः ।
5. रुच्यं मांसशुक्रबलप्रदम् इति आकरे पाठः ।
6. वृक्षसम्पक्वं इति षष्ठपुस्तके पाठः ।
7. (क) कृत्रिमपक्वञ्च इति आकरे पाठः ।
(ख) भक्षितं पक्वं इति षष्ठपुस्तके पाठः ।
8. पदभवेत्पित्तनाशनम् इति आकरे पाठः ।
9. उपित इति आकरे पाठः ।
10. कफवर्धनः इति द्वितीयपुस्तके पाठः ।
11. मन्दानिलत्वं इति आदर्शपुस्तके पाठः ।
12. मधुराम्लपर इति आकरे पाठः ।
13. नेत्रहितं त्वाद्या इति आकरे पाठः ।
14. शुष्कम्भसोऽनुपान इति आकरे पाठः ।
15. पटे इति आकरे पाठः ।
16. आम्नावर्तस्तृषाच्छर्दिवातपित्तहरः इति आकरे पाठः ।
17. पाकाल्लघुश्च इति आकरे पाठः ।
18. स हि कीर्तितः इति आकरे पाठः ।
19. रसे पाके इति आकरे पाठः ।
20. स्मृतम् इति आकरे पाठः ।
21. श्लेष्मल इति द्वितीयपुस्तके पाठः ।
22. त्रिदोषं इति आकरे पाठः ।
23. तृष्णापह इति आकरे पाठः ।
24. रूक्षं इति आकरे पाठः ।
25. तृष्णाशूलकफोत्क्लेशच्छर्दिश्वासनिवारणम् इति आकरे पाठः ।
26. विषदं इति द्वितीयपुस्तके पाठः ।
27. मधुराम्लकषायञ्च सौगन्ध्याच्च इति आकरे पाठः ।
28. पित्तकफापहम् इति षष्ठपुस्तके पाठः ।

29. 'कषायं.....कोपनम्' पाठोऽयं द्वितीयपुस्तके नोपलभ्यते ।
30. क्षीरवृक्षफलं इति द्वितीयपुस्तके पाठः ।
31. फल्गुजं इति आकरे पाठः ।
32. वृष्यतमा मता इति आकरे पाठः ।
33. श्लेष्माम्लपित्तनुत् इति षष्ठपुस्तके पाठः ।
34. सर्वाः इति आकरे पाठः ।
35. पित्तश्लेष्मप्रकोपणाः इति आकरे पाठः ।
36. द्राक्षाकरीरककन्धुबदराण्यारुकाणि इति आकरे पाठः ।
37. परूषकाणि इति आकरे पाठः ।
38. मूत्रविबन्धजं इति माधवद्रव्यगुणे पाठः ।
39. शीतलं इति आकरे पाठः ।
40. समधुरं इति आकरे पाठः ।
41. खार्जूरं इति आकरे पाठः ।
42. परद्वीपादिहागता इति आकरे पाठः ।
43. साखरिकेति इति षष्ठपुस्तके पाठः ।
44. पिंडखजूरिका इति द्वितीयपुस्तके पाठः ।
45. द्रष्टव्यम् — भावप्रकाशः आम्रादिफलवर्गं ७ : ११६ ।
46. कोष्ठमासतहृद्बल्यं इति आकरे पाठः ।
47. वान्तिवातकफापहम् इति आकरे पाठः ।
48. ज्वरातिसारक्षुत्तृष्णा इति आकरे पाठः ।
49. कासश्वासनिवारकम् इति आकरे पाठः ।
50. मदमूर्च्छामरुतिपल्लमद्याद्भूतगदान्तकृत् इति आकरे पाठः ।
51. महतीभ्यां गुणैरल्पा स्वल्पखार्जूरिका स्मृता इति आकरे पाठः ।
52. खार्जूरीतरुतीयं इति आकरे पाठः ।
53. भवेत् इति आकरे पाठः ।
54. वातपित्तविनाशनम् इति आकरे पाठः ।
55. वातपित्तनुत् इति आकरे पाठः ।
56. तृष्णाञ्जदाहश्वासक्षतक्षयान् इति आकरे पाठः ।
57. तु इति आकरे पाठः ।
58. पित्तश्लेष्मपित्तवबद्धनम् इति आदर्शपुस्तके पाठः ।
59. तन्द्राऽभिष्यन्दशुक्रदम् इति आकरे पाठः ।

60. किञ्चमदकरो इति आकरे पाठः ।
61. तदा तु स्यात्पित्तकृद्वातदोषहृत् इति आकरे पाठः ।
62. विष्टम्भिर्दुर्जर इति आदर्शपुस्तकेषु पाठः ।
63. रक्तपित्तक्षतब्रणान् इति आकरे पाठः ।
64. दाहहृन्मधुर इति आदर्शपुस्तके पाठः ।
65. विवर्धनम् इति द्वितीयपुस्तके पाठः ।
66. पनसोद्भृतबीजानि इति आकरे पाठः ।
67. बद्धबिट्कानि इति आकरे पाठः ।
68. द्रष्टव्यम्—भावप्रकाशः आम्नादिफलवर्ग ७ : २६ ।
69. वृष्यं इति आकरे पाठः ।
70. कफहर फलम् इति आकरे पाठः ।
71. औदुम्बर फल ग्राहि इति आकरे पाठः ।
72. पियालमज्जा इति आकरे षष्ठपुस्तके च पाठः ।
73. वैभीतको इति आकरे पाठः ।
74. तृष्णाच्छर्द्यं निलघ्नश्च इति आकरे पाठः ।
75. 'वादाममुष्णं.....पित्तानिलापहः' पाठोऽयं षष्ठपुस्तके नोपलभ्यते ।
76. 'कफकृन्नेष्टो.....रुचिवर्धनः' पाठोऽयं षष्ठपुस्तके नोपलभ्यते ।
77. वीर्यं भवति इति आकरे पाठः ।
78. क्रिमिजुष्ट इति आकरे पाठः ।
79. प्रतिनीलमकालजम् इति आदर्शपुस्तके पाठः ।
80. सर्वमपर्यागतमेव इति आकरे पाठः ।

CHAPTER 20

‘पत्रं पुष्पं फलं नालं कंदं सस्वेदजं तथा ।
शाकं षड्विधमुद्दिष्टं गुरु विद्याद्यथोत्तरम् ॥ १ ॥

Śāka (Vegetables)

Śāka is of seven types, viz., leaf, flower, fruit, stalk, rhizome and *samsvedaja* (those produced by moist heat). These are progressively heavy.

प्रायः सर्वाणि शाकानि विष्टम्भीनि गुरूणि च ।

रूक्षाणि बहुवर्चांसि सृष्टविण्माहतानि च ॥ २ ॥

Generally all types of *śāka* are wind forming, heavy and un-unctuous. They produce more of stool and help in the elimination of stool and flatus.

चक्षुष्या सर्वदोषघ्नी जीवन्ती मधुरा हिमा ।

Jīvantī (*Leptadenia reticulata* W. & A.)

Jīvantī promotes eyesight and alleviates all *doṣas*. It is sweet in taste and cooling.

3
स्वादुपाकमभिष्यन्दि विषघ्न तण्डुलीयकम् ॥ ३ ॥

Tanḍulīyaka (*Amaranthus spinosus* Linn.)

Tanḍulīyaka is sweet in *vipāka* and *abhiṣyandi* (which obstructs the channels of circulation). It cures *viṣa* (poisoning).

4
'लघुविपाके कृमिहा मेधाग्निबलवर्द्धन ।

सक्षारः सर्वदोषघ्नो वास्तुको रोचनः सरः ॥ ४ ॥

Vāstuka (*Chenopodium murale* Linn.)

Vāstuka is light for digestion. It cures *kṛmi* (parasitic infection). It promotes intellect, power of digestion and strength. It is alkaline. It alleviates all *doṣas* and it is appetiser and laxative.

5
त्रिलिर्वास्तुकवज्जेयाः पालक्या तण्डुलीयवत् ।

6
वातकृद्भ्रविण्मूत्रा रूक्षा पित्तकफे हिता ॥ ५ ॥

[सुश्रुतः सूत्र ४६ : २६०-२६१]

Cili and Pālankya (*Chenopodium album* Linn. and *Spinacea oleracea* Linn.)

Cili shares the properties of *Vāstuka*. *Pālankya* shares the properties of *tanḍulīyaka*. In addition it aggravates *vāyu* and causes retention of stool and urine. It is un-unctuous and is useful in the aggravation of *pitta* and *kapha*.

7
'मधुरः कफवातघ्नः पाचनः कण्ठशोधनः ।

विशेषतः पित्तहरः सतिक्तः कासमर्दकः ॥ ६ ॥'

[माधवद्रव्यगुणः शाकवर्ग २२ : १-६]

Kāsamardaka (*Cassia occidentalis* Linn.)

Kāsamardaka is sweet, alleviator of *kapha* and *vāta* and

carminative. It cleanses the throat. It specially alleviates *pitta* and it is bitter in taste.

‘काकजंघा विष हन्ति रक्तपित्तभ्रमज्वरान् ।

Kākajaṅghā (*Peristrophe bicalyculata* Nees.)

Kākajaṅghā cures *viṣa* (poisoning), *rakta pitta* (a disease characterised by bleeding from different parts of the body), *bhrama* (giddiness) and *jvara* (fever).

पथ्या सरा त्रिदोषघ्नी मेथिका वातनाशिनी ॥ ७ ॥’

[माधवद्रव्यगुणः शाकवर्ग २२ : ८-९]

Methikā (*Trigonella foecum-graecum* Linn.)

Methikā is wholesome, laxative and alleviator of all the three *doṣas*. It specifically alleviates *vāyu*.

‘त्रिदोषशमनी वृज्या काकमाची रसायनी ।’

[माधवद्रव्यगुणः शाकवर्ग २२ : ७]

‘नात्युष्णा शीतवीर्या च भेदिनी कुष्ठनाशिनी ॥८॥’

[माधवद्रव्यगुणः शाकवर्ग २२ : ८]

Kākamācī (*Solanum nigrum* Linn.)

Kākamācī alleviates all the three *doṣas*. It is aphrodisiac and rejuvenating. It is not very hot and is cold in potency. It is purgative and it cures *kuṣṭha* (obstinate skin diseases including leprosy).

‘ईषत्तिकं त्रिदोषघ्नं शाकं कटुं सतीनजम् ।

Satīna (*Pisum sativum* Linn.)

The *sāka* of *satīna* is slightly bitter. It alleviates all the three *doṣas* and it is pungent.

स्वादुपाकरसं शाक दुर्जरं हरिमन्थजम् ॥ ६ ॥

Harimantha

The *śāka* of *harimantha* is sweet in *vipāka* as well as in taste. It is difficult of digestion.

भेदनं रुक्षमधुरं कालायमतिवातलम् ।

Kalāya (*Lathyrus sativus* Linn.)

Kalāya is purgative, un-unctuous and sweet. It aggravates *vāyu* in excess.

राजक्षवकशाक तु त्रिदोषशमनं लघु ॥ १० ॥

ग्राहि शस्तं विशेषेण ग्रहण्यशोविकारिणाम् ।

Rājakṣavaka

The *śāka* of *rājakṣavaka* alleviates all the three *doṣas*. It is light and constipative. It is specifically useful for patients suffering from *grahanī* (sprue syndrome) and *arśas* (piles).

10

कषायवहिता पित्ते स्वादुतिक्तरसा हिमा ॥ ११ ॥

लघ्वी मण्डूकपर्णी च तद्वृद्धगोजिह्वका मता ।

Maṇḍūkaparni and *Gojihvakā* (*Centella asiatica* Urban
and *Launaea asplenifolia* Hook. f.)

Maṇḍūkaparni is astringent and useful in *pitta*. It is delicious, bitter in taste, cooling and light.

Gojihvakā has similar properties.

अविदाही त्रिदोषघ्नः संग्राही सुनिषण्णकः ॥ १२ ॥

Suniṣaṇṇaka (*Marsilia minuta* Linn.)

Suniṣaṇṇaka does not produce burning sensation and it alleviates all the three *doṣas*. It is constipative,

11

ग्रहण्यर्शोविकारघ्नी साम्ला वातकफे हिता ।
उष्णा कषायमधुरा चांगेरी चाग्निदीपनी ॥ १३ ॥

Cāṅgerī (Oxalis corniculata Linn.)

Cāṅgerī cures *grahaṇī* (sprue syndrome) and *arśas* (piles). It is sour and useful in the aggravation of *vāyu* as well as *kapha*. It is hot, astringent, sweet and digestive stimulant.

रक्तपित्तानिलहरं सतिक्तं कंचटं मतम् ।

Kamcaṭa

Kamcaṭa alleviates vitiation of blood, *pitta* and *vāyu*. It is bitter.

12

13

कफवातहर ग्राहि मौदकं तत्प्रकीर्तितम् ॥ १४ ॥

Modaka

Modaka alleviates *kapha* and *vāyu* and it is constipative.

कफापह शाकमुक्तं वरुणप्रपुन्नाटयोः ।

रूक्षं लघु च शीतं च वातपित्तप्रकोपणम् ॥ १५ ॥

Varuṇa and Prapunnāṭa (Crataeva nurvala Buch.—Ham. and Cassia tora Linn.)

The *śāka* of *varuṇa* and *prapunnāṭa* alleviates *kapha*. It is un-unctuous, light, cooling and aggravator of *vāyu* as well as *pitta*.

वत्सादनी बिल्वपत्रं श्रेयसी तिलपर्णपि ।

गण्डीरश्चित्रकश्चेति शस्यते कफमारुते ॥ १६ ॥

Vatsādanī etc.

The *śāka* of *vatsādanī*, leaf of *bilva*, *śreyasī*, *tilaparnī*,

gaṇḍīra and *ciṭṛaka* is useful in the aggravation of *kapha* and *vāyu*.

कालशाकं गरश्लेष्मशोथघ्नं दीपनं कटु ।

Kālaśāka (*Corchorus capsularis* Linn.)

Kālaśāka cures *gara* (a type of poisoning), aggravation of *kapha* and *śoṭha* (oedema). It is digestive stimulant and pungent.

¹⁴ वषाभौ कफवातघ्नौ ¹⁵ हितौ शोथोदरार्शसि ॥ १७ ॥

Varsābhū (*Trianthema portulacastrum* Linn.)

Both the type of *varsābhū* alleviate *kapha* and *vāyu* and they are useful in *śoṭha* (oedema), *udara* (obstinate abdominal diseases including ascitis) and *arśas* (piles).

दीपनाः ¹⁶ कफवातघ्नाश्चिरबिल्वांकुरासनाः ।

Cirabilva, Aṅkura and Asana

The *sāka* of *cirabilva*, *aṅkura* and *asana* is digestive stimulant and it alleviates *kapha* as well as *vāyu*.

वातपित्तकरा ¹⁷ रूक्षा कटुका रसपाकतः ॥ १८ ॥

वेणोः ¹⁸ करीरा श्लेष्मघ्नाः ¹⁹ कषायाश्च विदाहिनः ।

Veṇu Karīra (*Bambusa arundinacea* Willd.)

The *karīra* of *veṇu* aggravates *vāyu* and *pitta*. It is ununctuous and pungent both in taste and *vipāka*. It alleviates *kapha*. It is astringent and it produces burning sensation.

तथा नव्यांकुराश्चापि श्लेष्मपित्तहराः स्मृताः ॥१९॥

Freshly sprouted *karīra* is known to alleviate *kapha* and *pitta*.

आटरुषकवेत्राग्रगुडूचीनिम्बपर्पटाः ।

²¹ किराततिक्तसहिता ²² रक्तपित्तकफापहाः ॥ २० ॥'

[माधवद्रव्यगुणः शाकवर्ग २२ : ६-२१]

Āṭarūṣaka etc.

Āṭarūṣaka, vetrāgra, guḍūcī, nimba, parpaṭa and *kirātatikta* alleviate the vitiation of blood, *pitta* and *kapha*.

‘वार्ताकं कटु तीक्ष्णोष्णं मधुरं कफवातजित् ।

सक्षारमग्निजननं हृद्यं रुच्यमपित्तलम् ॥ २१ ॥

Vārtāka (Solanum melongena Linn.)

Vārtāka is pungent, sharp, hot, sweet, alleviator of *kapha* as well as *vāyu*, alkaline, digestive stimulant, cardiac tonic and appetiser. It does not aggravate *pitta*.

तद्दालं कफपित्तघ्नं पक्वं सक्षारपित्तलम् ।

²³ ²⁴ तद्दृद्धं गुरु संशुष्कं कफवातामयापहम् ॥ २२ ॥

The tender *vārtāka* alleviates *kapha* and *pitta*. The matured *vārtāka* is alkaline and aggravator of *pitta*. When over matured (*brddha*) it is heavy. The dried *vārtāka* cures the diseases caused by *kapha* and *vāyu*.

²⁵ कफमेदोऽनिलहरमत्यल्प लघु दीपनम् ।

वार्ताकं पित्तलं किञ्चिदगारपरिपाचितम् ।

²⁶ तदेवं तु गुरु स्निग्धं सतैललवणान्वितम् ॥ २३ ॥

Vārtāka burnt over charcoal reduces *kapha*, fat and *vāyu*. It is very slightly light and digestive stimulant. It aggravates *pitta*. When mixed with oil and salt it becomes heavy and unctuous.

अग्निप्रदा ²⁷ मारुतनाशिनी च शुक्रप्रदा शोणितवर्द्धिनी च ।
 बलासकासक्षयनाशिनी च ²⁸ वार्ता²⁹कुरेषा गुणसम्प्रयुक्ता ॥ २४ ॥

Vārtāku

Vārtāku stimulates digestion, alleviates *vāyu*, promotes semen and blood and cures aggravation of *kapha*, *kāsa* (bronchitis) and *kṣaya* (consumption).

कडूकुष्ठकृमिघ्नानि कफपित्तहराणि च ।
³⁰ फलानि बृहतीनां च कटुतिक्तलघूनि च ॥ २५ ॥

Brhatī (Solanum indicum Linn.)

The fruit of *brhatī* cures *kaṇḍū* (itching), *kuṣṭha* (obstinate skin diseases including leprosy) and *kṛmī* (parasitic infection). It alleviates *kapha* and *pitta*. It is pungent, bitter and light.

पटोलपत्रं पित्तघ्नं नालं तस्य कफापहम् ।
³¹ फलं तस्य त्रिदोषघ्नं मूलं तस्य विरेचनम् ॥ २६ ॥

Paṭola (Trichosanthes dioica Roxb.)

The leaf of *paṭola* alleviates *pitta*. Its stem alleviates *kapha*. Its fruit alleviates all the three *doṣas* and its root is purgative.

रोचनं कफपित्तघ्नमवृष्यं कारवेल्लकम् ।

Kāravellaka (Momordica charantia Linn.)

Kāravellaka is an appetiser. It alleviates *kapha* and *pitta*. It reduces virility.

³² कारवेल्लकवज्ज्ञेयं फलं कर्कोटिकस्य च ॥ २७ ॥
³³ हस्तिकर्कोटिकं तद्वद्गुणैस्तच्च बृहत्फलम् ।

Karkoṭika and Hastikarkoṭika

The fruit of *karkoṭika* shares the properties of *kāravellaka*.

Hasti karkoṭika has similar properties but its fruits are bigger in size.

³⁴
विषघ्न वन्ध्याककोटि केवुकं कफपित्तजित् ॥२८॥'

[माधवद्रव्यगुणः शाकवर्ग २२ : २३-३१]

Vandhyā karkoṭi and Kevuka

Vandhyākarkoṭi and *kevuka* cure *viṣa* (poisoning) and alleviate *kapha* as well as *pitta*.

³⁵
'कूष्माण्डकं च कालिंगककोटिबर्हिडिसम् ।

³⁶
तथा त्रपुसचीनाकं विष्टम्भि कफवातजित् ॥ २९ ॥

भेदि विष्टम्भ्यभिष्यन्दि स्वादुपाकरसं गुरु ।

Kūṣmāṇḍaka etc.

Kūṣmāṇḍaka, *kāliṅga*, *karkoṭi*, *ervāru*, *diṅḍisa*, *trapusa* and *cīnāka* are wind forming, alleviator of *kapha* and *vāyu*, purgative, *abhisyanḍi* (which obstructs the channels of circulation), sweet in *vipāka* and taste and heavy.

पित्तनुत्तेषु कूष्माण्डं बालं मध्यं कफापहम् ॥ ३० ॥'

[माधवद्रव्यगुणः शाकवर्ग २२ : ३५-३६]

पक्व लघूष्ण सक्षारदीपन वस्तिशोधनम् ।

सर्वदोषहर हृद्य पथ्य चेतोविकारिणाम् ॥ ३१ ॥

Kūṣmāṇḍa (Cucurbita pepo F.I.)

The tender *kūṣmāṇḍa* alleviates *pitta*. The mature *kūṣmāṇḍa* alleviates *kapha*. The ripe *kūṣmāṇḍa* is light, hot, alkaline and digestive stimulant. It cleanses the urinary bladder and alleviates all *doṣas*. It is cardiac tonic and wholesome for patients suffering from mental diseases.

³⁷
 'वर्चोभेदीन्यलाबूनि रूक्षशीतगुरुणि च ।

Alābū (Lagenaria siceraria Standl.)

Different types of *alābū* are purgative, un-unctuous, cooling and heavy.

कटुतुंबी हिमा हृद्या पित्तकासविषापहा ॥ ३२ ॥

Kaṭu tumbī

Kaṭu tumbī is cooling and cardiac tonic. It alleviates *pitta* and cures *kāsa* (bronchitis) and *viṣa* (poisoning).

³⁸
 त्रपुसैर्वाहकारु गुरु विष्टम्भि शीतलम् ।

³⁹
 मुख्यं रूक्षं च त्रपुस मूत्रलं त्वतिमारुतम् ॥ ३३ ॥

⁴⁰
 सनीलं त्रपुसं तेषां कफपित्तहर स्मृतम् ।

तत्पाण्डु कफकृज्जीर्णमम्लं वातकफापहम् ॥ ३४ ॥

Trapusa, Ervāru & Kakāru

Trapusa, *ervāru* and *kakāru* are heavy, wind forming, cooling, delicious and un-unctuous.

Trapusa (Cucumis sativus Linn.)

Trapusa is diuretic and it exceedingly aggravates *vāyu*. *Trapusa* when it is green alleviates *kapha* and *pitta*. When it becomes yellowish in colour, it aggravates *kapha*. When overmatured, it becomes sour and it alleviates *vāta* as well as *kapha*.

⁴¹
 एर्वाहकं तु सम्पक्वं दाहतृष्णाश्रमात्तिनुत् ।

सधारपित्तलं तेषु शीर्णवृन्तं कफापहम् ॥ ३५ ॥

⁴²
 भेदनं दीपनं हृद्यमानाहप्लीहनुल्लघ ।

Ervāruka (Cucumis utillissimus Roxb.)

The ripe *ervāruka* cures *dāha* (burning syndrome), *tr̥ṣṇā* (morbid thirst) and *śrama* (physical fatigue). It is alkaline and aggravator of *pitta*.

Ervāruka whose stalk is dried up alleviates *kapha*. It is purgative, digestive stimulant and cardiac tonic. It cures *ānāha* (flatulence) and *plīhan* (splenic disorder). It is light.

43

सक्षारमधुरा रुच्या रूक्षा वातकफापहा ॥ ३६ ॥

44

अश्मरी भेदनी गुर्वी नाडी कूष्माण्डसंभवा ।

Kūṣmāṇḍa nāḍī

The stalk of *kūṣmāṇḍa* is alkaline, sweet, appetiser and un-unctuous. It alleviates *vāta* as well as *kapha* and removes *aśmarī* (stone in the urinary tract). It is heavy.

अलाबुनालिका गुर्वी मधुरा पित्तनाशिनी ।

वातश्लेष्मकरी रूक्षा शीतला मलभेदिनी ॥ ३७ ॥'

[माधवद्रव्यगुणः शाकवर्ग २३ : ३७-४३]

Alābu nālikā

The stalk of *Alābu* is heavy and sweet. It alleviates *pitta* and aggravates *vāyu* as well as *kapha*. It is un-unctuous, cooling and purgative.

45

'विड्भेदि मधुरास्निग्धा प्रायो विष्टंभि वातला ।

कफापहा शीततरारुच्यपहा पटोलिका ॥ ३८ ॥'

Paṭolikā (Trichosanthes cucumerina Roxb.)

Paṭolikā is purgative, sweet, unctuous and mostly wind forming. It aggravates *vāyu* and alleviates *kapha*. It is cooler and it cures *aruci* (anorexia).

‘स्वादुपाकरसा वृष्या रक्तपित्तमदापहा ।

⁴⁶

उपोदिका सरा स्निग्धा बल्या श्लेष्मकरी हिमा ॥३६॥’

[माधवद्रव्यगुणः शाकवर्ग २२ : ४३]

Upodikā (Basella rubra Linn.)

Upodikā is sweet in *vipāka* and taste and aphrodisiac. It cures *rakta pitta* (a disease characterised by bleeding from different parts of the body). It is laxative, strength promoting, aggravator of *kapha* and cooling.

⁴⁷

‘श्रावकस्य च सक्षारं शाकं श्लेष्मकरं गुरु ।’

[माधवद्रव्यगुण शाकवर्ग २२ : ४५]

Āruka (Prunus domestica Linn.)

Āruka is alkaline, aggravator of *kapha* and heavy.

⁴⁸

‘स्वभावात्पिच्छलः शीतो विष्टम्भी वातकोपकः ॥४०॥

⁴⁹

रक्तपित्तहरः स्वादु नीरीचः परिकीर्तितः ।

Nīrīca

Nīrīca is slimy by nature, cooling, wind forming and aggravator of *vāyu*. It cures *rakta pitta* (a disease characterised by bleeding from different parts of the body) and is delicious.

⁵⁰

मारुतो मधुरः शीतो विष्टम्भी गुरु पित्तकृत् ॥४१॥

⁵¹

⁵²

रक्तनीलादयश्चैव तज्जातीयाश्च तद्गुणाः ।

Mārusa

Mārusa is sweet, cooling, wind forming, heavy and aggravator of *pitta*. It has many varieties, viz., red, blue etc. and all of them have the same properties.

⁵³

स्तन्यकृच्छीतगुर्वी च सकषाया कलवुका ॥ ४२ ॥

⁵⁴

Kalāmbuka (Ipomoea reptans Poir.)

Kalāmbuka promotes lactation. It is cooling, heavy and astringent.

भेदिनी कफपित्तघ्नी कुष्ठघ्नी हिलमोचिका ।

Hilamocikā (Enhydra fluctuans Lour.)

Hilamocikā is purgative. It alleviates *kapha* and *pitta* and cures *kuṣṭha* (obstinate skin diseases including leprosy).

कफपित्तहरस्तिको रोचनो ग्रीष्मसुन्दरः ॥ ४३ ॥

Grīṣma sundara

Grīṣma sundara alleviates *kapha* and *pitta*. It is bitter and appetiser.

55

कटुतिक्ततरसा हृद्या रोचनी वह्निदीपनी ।

56

सर्वदोषहरा लघ्वी कंठ्या मूलकपोतिका ॥ ४४ ॥

Mūla kapotikā

Mūla kapotikā is pungent and bitter in taste, cardiac tonic, appetiser, digestive stimulant, alleviator of all *doṣas*, light and promoter of good voice.

मूलकं गुरु विष्टभी तीक्ष्णमामत्रिदोषकृत् ।

57

[स्नेहसिद्ध] तदेव स्याद्दोषत्रयविनाशनम् ।

58

तत्फलं कफपित्तघ्नं तत्पुष्पं कफवातघ्नि ॥ ४५ ॥

[माधवद्रव्यगुणः शाकवर्ग २२ : ५०-५६]

Mūlaka (Raphanus sativus Linn.)

Mūlaka is heavy, wind forming and sharp. It produces *āma* and aggravates all the three *doṣas*. When prepared along with fat, it alleviates all the three *doṣas*. Its fruit alleviates *kanha* and *nitta* and its flower alleviates *kanha* and *vāta*.

विष्टम्भि वातलं शाकं शुष्कमन्यत्तु मूलकात् ।

All types of *sāka*, when dried cause wind formation and aggravate *vāyu*. *Mūlaka*, however, is an exception.

⁵⁹
त्रिदोषघ्नमभिष्यन्दि शाकं सर्षपजं गुरु ॥ ४६ ॥

Sarṣapa (*Brassica compestris* Boiss)

The *sāka* of *sarṣapa* alleviates all the three *doṣas* (?). It is *abhiṣyandi* (which obstructs the channels of circulation) and heavy.

⁶⁰
तथैव राजिका तिक्ता तीक्ष्णा पञ्चांगुलः सरः ।

Rājikā and *Pañcāngula* (*Brassica nigra* Koch. and *Ricinus communis* Linn.)

Rājikā shares the properties of *sarṣapa sāka*. In addition it is bitter and sharp.

The *sāka* of *pañcāngula* is laxative.

सरूक्षमुष्णं कौसुम्भं पित्तकृत्कफवातजित् ॥ ४७ ॥

Kusumbha (*Carthamus tinctorius* Linn.)

Kusumbha is un-unctuous and hot. It aggravates *pitta* and alleviates *kapha* as well as *vāta*.

⁶¹
ईषतिक्त समधुर माषपत्रं तु शुक्रलम् ।

Māṣa (*Phaseolus mungo* Linn.)

The leaves of *māṣa* are slightly bitter, sweet and promoter of semen.

⁶² ⁶³
आहस्तिनी सपत्तूरा मूत्रलाशमरिनाशिनी ॥ ४८ ॥

Āhastinī and *Pattūrā*

Āhastinī and *pattūrā* are diuretics. They cure *āsmari* (stone

in the urinary tract).

न्यग्रोधोदुम्बराश्वत्थप्लक्षपद्मादिपल्लवाः ।

64

कषायाः स्तम्भनाः शीता हिताः पित्तातिसारिणाम् ॥४६॥

Nyagrodha etc.

The leaf of *nyagrodha*, *udumbara*, *aśvattha*, *plakṣa*, *padma* etc. is astringent, constipative and cooling. It is useful for patients suffering from *paittika* type of *atisāra* (diarrhoea).

‘छात्रकास्तु पला⁶⁵लि]क्षुरीषक्षितिवेणुजाः ।

66

सर्वे संस्वेदजाः शीताः कषायाः स्वादुपिच्छिलाः ॥५०॥

Samsvedaja (Mushroom)

Mushrooms which grow on *palāla* (straw), *ikṣu* (sugarcane), *karīṣa* (cow dung), *kṣiti* (ground) and *veṇu* (bamboo) are called *samsvedaja*. All of them are cooling, astringent, delicious and slimy.

गुरवश्छर्चतीसारज्वरश्लेष्मामयप्रदाः ।

67

स्वादुपाकरसा रूक्षा दोषलास्ते पलालयाः ॥ ५१ ॥

Mushrooms which grow on straw are heavy. They produce *chardi* (vomiting), *atisāra* (diarrhoea), *jvara* (fever) and diseases caused by *kapha*. They are sweet in *vipāka* as well as taste and un-unctuous. They aggravate *doṣas*.

श्वेता. शुचिस्थलीकाष्ठवंशगोव्रजसंभवाः ।

70

‘[नातिदोषकरा ज्ञेयाः] शेषास्तेभ्यो विगर्हिताः ॥५२॥

Mushrooms which are white in colour, which grow in clean places or on wood, bamboo and cattle shed are not very injurious. Remaining types of mushrooms should not be used.

तद्विकल्पोऽल्पदोषश्च ⁷¹ स्थलीगोत्रजसंभवः ⁷² ।
 खुखु डक इति ख्यातो वृष्यो बल्योऽथ वृंहणः ।

Another variety of mushroom is called *khukhunda*. It is less injurious and it grows on the ground and in a cattle shed. It is aphrodisiac, strength promoting and nourishing,

विष्टम्भनः स्मृताः सर्वे छत्राका वातकोपनाः ॥५३॥

[माधवद्रव्यगुणः शाकवर्ग २२ : ५७-६४]

All the mushrooms are known to be wind forming and they aggravate *vāyu*.

पिनाकिर्वातला ⁷⁴ सार्द्रा ⁷⁵ रुचिष्यानिलदीपनी ।

Pināki

Pināki aggravates *vāyu*. When it is green it is an appetiser and stimulant of digestion.

विदारि वातपित्तघ्नी वृष्या बल्या रसायनी ॥५४॥

Vidārī (Ipomoea paniculata R. Br.)

Vidārī alleviates *vāyu* and *pitta*. It is aphrodisiac, strength promoting and rejuvenating.

शतावरी ⁷⁶ महाबल्या चक्षुष्या वातपित्तनुत् ।

Śatāvarī (Asparagus racemosus Willd.)

Śatāvarī is an excellent promoter of strength and eyesight. It alleviates *vāyu* and *pitta*.

महती चैव हृद्या च मेधाग्निबलवर्धिनी ॥ ५५ ॥

ग्रहण्यशोविकारघ्नी वृष्या बल्या रसायनी ।

The bigger variety is a cardiac tonic and promoter of

intellect, power of digestion and strength. It cures *grahaṇī* (sprue syndrome) and *arśas* (piles). It is aphrodisiac, strength promoting and rejuvenating.

78
कासपित्तहरास्तिकास्तस्या एवांकुरा मता ॥ ५६ ॥

Its sprouts cure *kāsa* (bronchitis) and alleviate *pitta*. They are bitter.

80
सरुक्षं विसशालूक क्रौञ्चादनं कसेरुकम् ।
शृंगाटकं गलोद्दयं च गुरु विष्टंभि शीतलम् ॥५७॥

Viśāśālūka etc.

Viśāśālūka, *krauñcādana*, *kaseruka*, *śṛṅgāṭaka* and *galodhya* are un-unctuous, heavy, wind forming and cooling.

पोषकर तु भवेद्वीज रक्तपित्तज्वरापहम् ।

Pauṣkara (Lotus seed)

The seed of *puṣkara* cures *rakta pitta* (a disease characterised by bleeding from different parts of the body) and *jvara* (fever).

तथा तालप्रलंबं च उरःक्षतरुजापहम् ॥ ५८ ॥

Tāla pralamba (*Borassus flabellifer* Linn.)

The inflorescence of *tāla* cures *uraḥkṣata* (phthisis).

81
पित्तानिलहरो हृद्यः स्वादुः मुंजातकः स्मृतः ।

Muñjātaka (*Orchis latifolia* Linn.)

Muñjātaka alleviates *pitta* and *vāyu*. It is a cardiac tonic and delicious.

84
शंखहस्तीकरक्तायं मधुपिण्डकशृंगकम् ॥ ५९ ॥

85

शंखाद्यान्यालुकानीह रक्तपित्तहराणि च ।

गुरूणि स्वादुशीतानि स्तन्यशुक्रकराणि च ॥ ६० ॥

Āluka (**Dioscorea Sp.**)

Śaṅkha, hastika, raktāṅga, madhupiṇḍaka and *śuṅgaka*—these are the different types of *āluka*. They cure *rakta pitta* (a disease characterised by bleeding from different parts of the body). They are heavy, delicious and cooling. They promote lactation and semen.

86

पिंडारुकं कफकरं गुरु वातप्रकोपणम् ।

Piṇḍārūka (**Colocasia esculenta Schott**)

Piṇḍārūka aggravates *kapha*. It is heavy. It also aggravates *vāyu*.

87

सुरेन्द्रकन्दः श्लेष्मघ्नो विपाके कटु पित्तकृत् ॥ ६१ ॥

Surendra kanda (**Amorphophalus sylvaticus Kunth**)

Surendra kanda alleviates *kapha*. It is pungent in *vipāka* and it aggravates *pitta*.

88

89

‘बल्यः कदल्याः कंदस्तु वातपित्तहरः सदा ।’

Kadali kanda (**Musa paradisiaca Linn.**)

The rhizome of *kadalī* promotes strength and it alleviates *vāyu* and *pitta*.

90

माणकं स्वादु शीतं च गुरु चापि प्रकीर्तितम् ॥६२॥

Mānaka (**Alocasia indica Schott.**)

Mānaka is sweet, cooling and heavy.

दीपनः सूरणो रुच्यः कफघ्नो विशदो लघुः ।

‘विशेषादर्शासा पथ्यो, भूकन्दस्त्वतिदोषलः ॥ ६३ ॥

Sūraṇa and Bhūkanda

Sūraṇa is digestive stimulant, appetiser, alleviator of *kapha*, *viśada* (non slimy) and light. It is specifically useful for *arśas* (piles).

Bhū kanda is exceedingly harmful.

अम्लिकायाः स्मृतः कन्दो ग्रहण्यर्शीहितो लघुः ।

नात्युष्णः कफवातघ्नो ग्राही शस्तो मदात्यये ॥६४॥

Amlikā kanda

The rhizome of *amlikā* is useful in *grahaṇī* (sprue syndrome) and *arśas* (piles). It is light and not very hot. It alleviates *kapha* and *vāyu*. It is constipative and is useful in *madātyaya* (alcoholism).

कुमुदोत्पलपद्मानां कंदा मारुतकोपनाः ।

कषायाः पित्तशमना विपाके मधुरा हिमाः ॥ ६५ ॥

Kumuda kanda etc.

The rhizome of *kumuda*, *utpala* and *padma* aggravates *vāyu*. It is astringent, alleviator of *pitta*, sweet in *vipāka* and cooling.

मुसली बृहणी वृष्या वीर्योष्णाशीऽनिलापहा ।

Muśalī (Chlorophytum tuberosum Baker)

Muśalī is nourishing, aphrodisiac and hot in potency. It cures *arśas* (piles) and vitiation of *vāyu*.

98

वाराहकन्दः श्लेष्मघ्नः कटुको रसपाकतः ॥ ६६ ॥

99

कुष्ठकृमिहरो वृष्यो बलवर्णविवर्धनः ।

100

Vārāha kanda (Tacca aspera Roxb.)

Vārāha kanda alleviates *kapha*. It is pungent in taste and *vipāka*. It cures *kuṣṭha* (obstinate skin diseases including leprosy) and *kṛmi* (parasitic infection). It is aphrodisiac and it promotes strength as well as complexion.

101

तालस्य नालिकेरस्य खर्जूरस्य शिरांसि च ॥ ६७ ॥

कषायस्निग्धमधुरं बृंहणानि गुरूणि च ।

102

सृष्टमूत्राणि वृष्याणि जीवनीयप्रदानि च ॥ ६८ ॥

103

बलपुस्त्वक्षये कासे रक्तपित्तोऽनिले विषे ।

104 105

प्रशस्तानि सदा पुंसां शीतानि रुचिराणि च ॥ ६९ ॥

Tāla śiras etc.

The top portion of the trunk of *tāla*, *nārikela* and *kharjūra* is astringent, unctuous, sweet, nourishing and heavy. It helps in the elimination of urine. It is aphrodisiac and vitalising. It is always useful for persons who have lost their strength and potency. It cures *kāsa* (bronchitis), *rakta pitta* (a disease characterised by bleeding from different parts of the body), vitiation of *vāyu* and *visa* (poisoning). It is cooling and delicious.

106

बालं ह्यनार्त्विं जीर्णं व्याधितं कृमिभक्षितम् ।

कंदं विवर्जयेत्सर्वं यो वा सम्यक् न रोहति ॥ ७० ॥

Bad quality

All rhizomes which are immature, unseasonal, old, diseased, eaten away by parasites and which are not properly grown should not be used.

धान्येषु मांसेषु फलेषु चैव शाकेषु चानुक्तमिह प्रमोहात् ।

108

आस्वादतो भूतगुणैर्गृहीत्वा तदादिशेद्द्रव्यमनल्पबुद्धिः ॥७१॥

Miscellaneous

The description of the properties of different type of *dhānyas* (corns and cereals), *māmsa* (meat), *phala* (fruits) and *sāka* (vegetables) which is omitted here by mistake should be determined by the Wise by examining the taste and attributes of *mahābhūtas* in them.

॥ इति शाकवर्गः ॥

Thus ends the group dealing with different types of vegetables.

NOTES AND REFERENCES

1. 'श्री गणेशाय नमः' पाठोज्यं चतुर्थपुस्तके उपलभ्यते ।
2. षड्विधं शाकमुद्दिष्टं इति आकरे पाठः ।
3. स्वादुपाकमसृक्पित्तविषनुत् इति आकरे पाठः ।
4. मेधाग्निबलवर्धन इति आकरे द्वितीयपुस्तके च पाठः ।
5. चिल्ली वास्तूकवज्जेया इति आकरे पाठः ।
6. पित्तकफापहा इति आकरे पाठः ।
7. मधूरा इति द्वितीयपुस्तके पाठः ।
8. रक्तपित्तविषज्वरान् इति आदर्शपुस्तकेषु पाठः ।
9. सतीनकम् इति आकरे पाठः ।
10. कषायानु हिता इति आकरे पाठः ।
11. चाम्ला इति आकरे पाठः ।
12. संग्राहकं वातकरं इति आकरे पाठः ।
13. त्वादकं इति चतुर्थपुस्तके पाठः ।
14. वर्षाम्भवौ इति आदर्शपुस्तकेषु पाठः ।

15. हितौ शोथोदरार्शसाम् इति आकरे पाठः ।
16. कफवातघनाश्चरबिल्वांकुराः सराः इति आकरे पाठः ।
17. रूक्षाः इति आकरे पाठः -
18. करीराः इति आकरे पाठ ।
19. सकषाया इति आकरे पाठः ।
20. नालांकुराश्चान्ये इति आकरे पाठः ।
21. किराततिक्तसहिताः इति आकरे पाठः ।
22. सर्वे पित्तकफापहाः इति आकरे पाठः ।
23. तद्वदेव इति आकरे पाठः ।
24. तु इति आकरे पाठः ।
25. कफमेदोनिलहरमत्यर्थ इति आकरे चतुर्थपुस्तके च पाठः ।
26. तदेकं इति आदर्शपुस्तके पाठः ।
27. मारुतनाशनी इति आकरे पाठः ।
28. बलासकासक्षयनाशनी इति आकरे पाठः ।
29. वार्ताकिरेषां इति आकरे पाठः ।
30. फलीनि इति चतुर्थपुस्तके पाठः ।
31. पाठोज्यं आकरे नोपलभ्यते ।
32. कारवेल्लकवद्भेयं इति आकरे पाठः ।
33. तद्वद् गुणैस्तत्तु इति आकरे पाठः ।
34. बंधककोटि केवुक इति आकरे पाठः ।
वन्धिकाकोटि केवु इति द्वितीयपुस्तके पाठः ।
35. कूष्मांडतुम्बकालिगककोटैर्वारुडिडिसम् इति आकरे पाठः ।
36. तथा त्रपुसबीज तु रुचिदं कफवातजित् इति आकरे पाठः ।
तथा त्रपुसवानाकचिर्मिट कफवातकृत् इति चतुर्थपुस्तके पाठः ।
37. वच्योभेदीन्यलावूनि इति चतुर्थपुस्तके पाठः ।
38. त्रपुसैर्वारुक स्वादु इति आकरे पाठः ।
39. मुखप्रियं च रूक्ष च मूत्रल त्रपुस त्वति इति आकरे चतुर्थपुस्तके च पाठः ।
40. बाल सनील त्रपुसं तेषा पित्तहर स्मृतम् इति आकरे पाठः ।
41. दाहतृष्णाक्लमार्त्तिनुत् इति आकरे पाठः ।
42. हृद्यमानाहाष्ठीलनुल्लघु इति आकरे पाठः ।
43. शीर्णवृन्त लघु स्वादु भेद्युक्त वल्लिपित्तकृत् ।

सक्षारमधुरा रुच्या वातपित्तकफापहा ॥ इति आकरे पाठः ।

(माधवद्रव्यगुणः शाकवर्ग २२ : ४१-४२)

44. स्थिराविभेदिनी इति द्वितीयपुस्तके पाठः ।
45. 'विड्भेदमधुरास्निग्धा'... 'पटोलिका' पाठोऽयं चतुर्थपुस्तके अधिकमुपलभ्यते ।
46. उपोदका इति द्वितीयपुस्तके पाठः ।
47. विषमस्य यवक्षारं सार्धश्लेष्मकरं गुरु [?] इति द्वितीयपुस्तके पाठः ।
48. स्वभावपिच्छिलः इति आकरे पाठः ।
49. स्वादुर्नाडीचः इति चतुर्थपुस्तके आकरे च पाठः ।
50. मातुसो इति चतुर्थपुस्तके पाठः ।
51. पित्तनुद् गुरुः इति आकरे पाठः ।
52. रक्तनालादयश्चान्ये इति आकरे पाठः ।
53. स्तन्यवृष्या च गुर्वी च चतुर्थपुस्तके पाठः ।
स्तन्या वृष्या च इति आकरे पाठः ।
54. करबुका इति चतुर्थपुस्तके पाठः ।
55. कटुतिक्ता सरा इति आकरे पाठः ।
कटुतिक्तसहा हृद्या इति द्वितीयपुस्तके पाठः ।
56. सर्वदोपहरी इति आकरे पाठः ।
57. म्निग्धसिद्धिं इति द्वितीयपुस्तके पाठः ।
58. 'तत्कल'... 'कफत्रानजित्' पाठोऽयं द्वितीयपुस्तके नोपलभ्यते ।
59. त्रिदोषं बह्वभिप्यन्दि इति आकरे पाठः ।
60. नीक्षणा तिक्तः इति आकरे पाठः ।
61. मापपर्णन्तु इति आकरे पाठः ।
62. श्रीहस्तिनी इति आकरे चतुर्थपुस्तके च पाठः ।
63. सूत्रलाग्मरीभेदनी इति आकरे चतुर्थपुस्तके च पाठः ।
64. शीता इति आकरे पाठः ।
65. पलाशेक्षुकरीपक्षिनिवेणुजाः इति चतुर्थपुस्तके पाठः ।
66. 'छात्रकास्तु'... 'स्वादुपिच्छिला' पाठोऽयं द्वितीयपुस्तके नोपलभ्यते ।
67. पलालजाः इति आकरे पाठः ।
68. शुद्धस्थली इति आकरे पाठः ।
69. काष्ठवंशग्रोव्रजसभवाः इति आदर्शपुस्तकेषु पाठः ।
70. पाठोऽयं चतुर्थपुस्तके नोपलभ्यते ।
71. तद्विकल्पोऽल्पदोषाश्च इति आकरे पाठः ।

72. 'नातिदोषकरा' स्थलीगोत्रजसंभवः' पाठोऽयं द्वितीयपुस्तके नोपलभ्यते ।
73. छत्रका इति आकरे पाठः ।
74. पिण्याकी वातला इति आकरे पाठः ।
75. सान्द्रा इति आकरे पाठः ।
76. वृष्या शतावरी बल्या इति आकरे पाठः ।
77. सैव इति आकरे पाठः ।
78. कफपित्तहृत्स्तिकास्तस्या इति आकरे पाठः ।
79. स्मृताः इति आकरे पाठः ।
80. तरूढबिसशालूकक्रौंचादनकसेरुकम् इति आकरे पाठः ।
81. पित्तानिलकरो इति द्वितीयपुस्तके पाठः ।
82. वृष्यः इति आकरे चतुर्थपुस्तके च पाठः ।
83. स्वादुर्मुञ्जातकः इति आकरे पाठः ।
84. शंखहृत्स्तिकरक्तांगमधुपिण्डकशृंगकम् इति आकरे पाठः ।
85. षडद्यात्पाण्डुकानाह इति आदर्शपुस्तकेषु पाठः ।
86. पिण्डालुकं इति आकरे पाठः ।
87. कटुः इति आकरे पाठः ।
88. वातपित्तहरश्च इति आकरे पाठः ।
89. 'बल्यः' 'सदा' पाठोऽयं चतुर्थपुस्तके नोपलभ्यते ।
90. पित्तं इति आदर्शपुस्तकेषु पाठः ।
91. लघुः इति आकरे पाठः ।
92. 'विशेषादर्शां' 'लघु' पाठोऽयं चतुर्थपुस्तके नोपलभ्यते ।
93. मारुतकोपनाः इति आकरे पाठः ।
94. मधुराः इति आकरे पाठः ।
95. मुशली इति आकरे चतुर्थपुस्तके च पाठः ।
96. वीर्योष्णाऽर्शोऽनिलापहा इति आकरे पाठः ।
97. अस्य श्लोकस्यानन्तरम् 'नातिश्लेष्मघ्नः पित्तदूषणः ।' पाठोऽयं द्वितीय-
पुस्तके अधिकं उपलभ्यते ।
98. वराहकंदः इति आकरे पाठः ।
99. कुष्ठमेहक्रिमिहरो वृष्योष्णः पित्तवर्द्धनः इति आकरे चतुर्थपुस्तके च पाठः ।
100. अस्य श्लोकस्यानन्तरम् 'कंदो हलिन्याः श्लेष्मघ्नः पित्तलो गर्भपातनः'
पाठोऽयं चतुर्थपुस्तके अधिकमुपलभ्यते ।

101. बालस्य इति द्वितीयपुस्तके पाठः ।
102. जीवन प्रीणनानि च इति आकरे पाठः ।
103. कार्श्ये इति चतुर्थपुस्तके पाठः ।
104. रुचिदानि इति आकरे पाठः ।
105. द्वितीयचतुर्थपुस्तकयोः अत्रैव “इति शाकवर्गः” इति पठितं ।
अस्य श्लोकस्यानन्तरम् “.....परिजीर्णं च कामेजुष्टमदेशजं । वज्जयेत्प-
त्रशाकं च यदकाले प्ररोहि च” पाठोऽयं चतुर्थपुस्तके अधिकं उपलभ्यते ।
106. बालं अनार्त्तवं इति चतुर्थपुस्तके पाठः ।
107. प्रमादात् इति आकरे पाठः ।
108. समादिशेद् द्रव्यमनल्पबुद्धिः इति आकरे पाठः ।

CHAPTER 21

‘षष्टिका यवगोधूमा लोहिता ये च शालयः ।
मुद्गाढकीमसूराश्च धान्येषु प्रवराः स्मृताः ॥ १ ॥

Dhānya (Corns and Cereals)

Among the corns and cereals, *ṣaṣṭika*, *yava*, *godhūma*. red variety of *śāli*, *mudga*, *ādhakī* and *masūra* are the best.

एणः कुरंगो हरिणस्तिरिर्लाव एव च ।
मयूरवर्गिकूर्माश्च श्रेष्ठा मांसगुणेषु च ॥ २ ॥

Māmsa (Meat)

Among different types of meat, the meat of *eṇa*, *kuraṅga*, *hariṇa*, *tittiri*, *lāva*, *mayūra*, *vargi* (?) and *kūrma* are the best.

दाडिमामलक द्राक्षा खर्जूरं सपरूपकम् ।
राजादन मातुलुंगफलवर्गे प्रशस्यते ॥ ३ ॥

Phala (Fruits)

Among different types of fruits *dāḍima*, *āmalaka*, *drākṣā*,

kharjūra, *paruṣaka*, *rājādana* and *mātuhūṅga* are the best.

चंचूसतीनवास्तूकच्चिल्लमूलकपोतिका⁵ ।
मण्डूकपर्णी जीवन्ती शाकवर्गे⁶ प्रशस्यते ॥ ४ ॥

Śāka (Vegetables)

Among vegetables, *cañcū*, *satīna*, *vāstūka*, *cilla*, *mūla-kapotikā*, *mañḍūkaparñī* and *jīvantī* are the best.

गव्यं⁷ क्षीरघृतं श्रेष्ठं सैन्धवं लवणेषु च ।

Kṣīra, *Ghṛta* and *Lavaṇa*

Among milk and ghee, those derived from the cow are the best.

Among salts, rock salt is the best.

धात्री दाडिममस्लेषु⁸ पिप्पलीनागरे कटौ ॥ ५ ॥

Sour and Pungent articles

Among sour things, *dhātrī* and *dāḍīma* are the best.

Among pungent things *pippalī* and *nāgara* are the best.

तिक्ते⁹ पटोलकं श्रेष्ठं मधुरे घृतमुच्यते ।

Bitter and Sweet articles

Among bitter things *paṭola* is the best.

Among sweet things ghee is the best.

क्षौद्रं¹⁰ पूगफलं श्रेष्ठं कषाये सपरूषकम् ॥ ६ ॥

Astringent things

Among astringent things, honey, *pūgaphala* and *parūṣaku* are the best.

11

शर्करेश्चु विकारेषु पानजातो सुरासवौ ।

Sugarcane products and Drinks

Among sugar cane products, *śarkarā* is the best.

Among different types of drinks, *surā* and *āsava* are the best.

परिसंवत्सरं धान्यं मांसं वयसि मध्यमे ॥ ७ ॥

12

अपर्युषितमन्नं तु संस्कृतं मात्रया शुभम् ।

फलं पर्यागतं शाकमशुष्कं तरुणं नवम् ॥ ८ ॥

[माधवद्रव्यगुणः श्रेष्ठवर्ग २३ : १-८]

Miscellaneous

Among different types of *dhānya* (corns and cereals), those preserved for one year are the best. The meat of animals in their middle age is the best. Food which is not stale, which is properly prepared and which is taken in proper quantity is the best. Fruit which is matured is the best. The vegetable which is not dried, which is tender and fresh is the best.

‘रसेषु मधुरः श्रेष्ठः कंदशाकेषु सुरणः ।

जलेषु दिव्यं मत्स्येषु रोहितः प्रवरो मतः ।

13

तैलेषु तिलजं तैलं श्रेष्ठं प्रोक्तं मनीषिभिः ॥ ९ ॥

Among different types of tastes, the sweet taste is the best. Among the rhizomes *sūraṇa* is the best. Among the different types of water, *divya* (which is directly collected from the sky) is the best. Among different types of fish, *rohita* is the best. Among the different types of oil, *til* oil is the best.

॥ इति श्रेष्ठवर्गः ॥

Thus ends the section dealing with different types of best articles.

NOTES AND REFERENCES

1. हरिणः तितिरालाव इति आकरे पाठः ।
2. मयूखमिकूर्माश्च इति आकरे पाठः ।
3. मांसगणेषु इति आकरे पाठः ।
4. मातुलुङ्गं फलवर्गं इति आकरे पाठः ।
5. चंचूसतीनवास्तूक-चिल्लीमूलकपोतिकाः इति आकरे पाठः।
6. शाकवर्गेषु शस्यते इति द्वितीयपुस्तके पाठः ।
7. क्षीरं घृतं इति आकरे पाठः ।
8. नागरं इति आकरे पाठः ।
9. पटोलवार्तिके इति आकरे पाठः ।
10. खजूर इति द्वितीयपुस्तके पाठः ।
11. पानकादी इति चतुर्थपुस्तके पाठः ।
12. अपर्युषितमम्लं इति आदर्शपुस्तकेषु पाठः ।
13. रसेषु.....मनीषिभिः पाठोज्य द्वितीयपुस्तके नोपलभ्यते ।

CHAPTER 22

'चक्षुष्य. प्रीणनो वृष्यो वृंहणो रक्तपित्तजित् ।

रसायनो गुरुः शीतः स्निग्धश्च मधुरो रसः ॥ १ ॥

Sweet Taste

Sweet taste is a promoter of eyesight, pleasing, aphrodisiac and nourishing. It cures *rakta pitta* (a disease characterised by bleeding from different parts of the body). It is rejuvenating, heavy, cooling and unctuous.

¹ [पक्ता] हृद्योऽग्निरुचिकृत्क्लेदनस्तर्पणो ² मृदुः ।
स्निग्धोष्णो [s] ³ म्लो लघु [वर्षि] वातहा रक्तनाशनः ॥२॥
क्लेदी तीक्ष्णः ⁴ सरः शुक्रविबंधानाहदृष्टिहा ।

Sour taste

Sour taste is unctuous, hot, light and alleviator of *vāyu* and vitiation of blood. It produces stickiness. It is sharp and laxative. It reduces semen, constipation and eye sight.

भेदी पक्ताग्निरुचिकृत्स्निग्धोष्णो लवणो गुरुः ॥३॥⁵

Saline taste

Saline taste is purgative, promoter of digestive power, appetiser, unctuous, hot and heavy.

कर्षणो लघुरुक्षोष्णः कृमिशुक्रकफापहा ।

⁶रुच्योऽग्निपित्तकृच्छेदि तीक्ष्णः शोषप्रदः कटुः ॥४॥

Pungent taste

Pungent taste is *karsana* (which eliminates by force), light, un-unctuous and hot. It cures *kṛmi* (parasitic infection) and reduces semen as well as *kapha*. It is an appetiser, stimulant of digestion, aggravator of *pitta. chedi* (which has the power to penetrate by incision), sharp and producer of dryness (*śoṣa*).

⁷कफपित्तविषक्लेदकण्डूकुष्ठज्वरापहः ।

⁸रूक्ष. शीतो लघुस्तिक्तः शोषण कृमिहाऽग्निकृत् ॥५॥

Bitter taste

Bitter taste alleviates *kapha* as well as *pitta*. It cures *viṣa* (poisoning), stickiness (*kleḍa*), *kaṇḍū* (itching), *kuṣṭha* (obstinate skin diseases including leprosy) and *jvara* (fever). It is un-unctuous, cooling, light and drying (*śoṣaṇa*). It cures *kṛmi* (parasitic infection) and stimulates the power of digestion.

⁹कषायः शोषणः स्तम्भी ग्राही रोपणपीडनः ।¹⁰

कफशोणितपित्तघ्नो रूक्षः शीतो गुरुस्तथा ॥ ६ ॥

[माधवद्रव्यगुणः रसवर्गं २४ : १-६]

Astringent taste

Astringent taste is drying, *stambhana* (which causes retention), constipative, healing and *pīdana* (which causes pain). It

alleviates vitiation of *kapha*, blood and *pitta*. It is un-unctuous, cooling and heavy.

॥ इति षड्रसाः ॥

Thus ends the section dealing with the attributes of the six tastes.

NOTES AND REFERENCES

1. पक्त्वा इति द्वितीयपुस्तके पाठः ।
2. परः इति द्वितीयपुस्तके पाठः ।
3. लघुर्व्यापी इति द्वितीयपुस्तके पाठः ।
4. शुक्लः विबन्धानाहदृष्टिहा इति द्वितीयपुस्तके पाठः ।
5. रसः इति आकरे पाठः ।
6. रुच्योऽग्निपित्तकृच्छेत्ता तीक्ष्णः शोषी कटुः कटुः इति आकरे पाठः ।
7. कफपित्तविषक्लेदिकडूकुष्ठज्वरापहः इति आदर्शपुस्तके पाठः ।
8. शीतो लघुस्तित्तः इति आकरे पाठः ।
शीतलघु स्निग्धः इति चतुर्थपुस्तके पाठः ।
9. स्तम्भनः शोषी ग्राही इति आकरे पाठः ।
10. रोपणप्रीणनः इति चतुर्थपुस्तके पाठः ।

CHAPTER 23

‘मंडस्तु त्रिविधो ज्ञेय एकद्वित्रिपरिश्रुत ।

Maṇḍa

Maṇḍa is prepared by filtering once, twice or three times. Thus, it is of three types.

लाजैर्भृष्टैरभृष्टैश्च तण्डुलैः परिसस्कृतैः ॥ १ ॥

चतुस्त्रिद्विगुणाम्भः स्यात् पूर्वः पूर्वो लघुर्हितः ।

Lāja maṇḍa

Lāja maṇḍa is prepared either after frying or without frying the *lājā* (fried paddy). Before preparing *lājā*, the rice should be made clean. Thereafter, for its preparation water is added four, three or two times. The former varieties are lighter than the latter ones.

लाजमण्डो विशुद्धानां पथ्यः पाचनदीपनः ॥ २ ॥

Lāja maṇḍa is wholesome for a person whose body is cleaned by the administration of elimination therapy. It is

carminative and a digestive stimulant.

वातानुलोमनो हृद्यः पिप्पलीनागरैर्युतः ।⁴

When added with *pippalī* and *nāgara* it helps in the elimination of *vāyu* through the downward tract. It is a cardiac tonic.

पाचनो दीपनश्चैव पित्तश्लेष्मानिलापहः ॥ ३ ॥
शूलानाह्विबन्धघ्नो धान्यमण्डः प्रकीर्तितः ।⁵

Dhānya maṇḍa

Dhānya maṇḍa is carminative, digestive stimulant and alleviator of *pitta*, *kapha* and *vāyu*. It cures *śūla* (colic pain), *ānāha* (flatulence) and *vibandha* (constipation).

वाते वा सकफे पित्ते सामे वा तरुणज्वरे ॥ ४ ॥⁶
वाद्यमंडं प्रशसन्ति पटोलमगधान्वितम् ।
[वाय्यमण्डो यवैर्भृष्टैर्लाजमडस्तु शालिभिः]⁷ ॥ ५ ॥

Vāṭya maṇḍa

Vāṭya maṇḍa mixed with *paṭola* and *magadhā* is useful in the aggravation of *vāyu*, *kapha* and *pitta*, in *āma* and in the beginning stage of *jvara* (fever).

Vāṭya maṇḍa is prepared by fried barley and *lāja maṇḍa* is prepared by fried *śāli*.

रक्तशाल्यादिभिर्धान्यैर्मण्डो मधुरशीतलः ।⁸
श्रेष्ठो संतर्पणो बल्यो रक्तपित्तप्रसादनः ॥ ६ ॥⁹¹⁰

Raktaśāli maṇḍa

The *maṇḍa* prepared of red variety of *śāli* etc., is sweet and cooling. It is the most wholesome, refreshing and strength

promoting. It alleviates *rakta pitta* (a disease characterised by bleeding from different parts of the body).

सुतण्डुलानां प्रसृतिर्द्वयं च तदद्धमुद्गाः कटुकत्रयं च ।

11

कुस्तुम्बरीसैन्धवर्हिगुतैलमेभिश्च सर्वैः क्रियते च मण्डः ॥७॥

क्षुद्धोधनो बस्तिविशोधनश्च प्राणप्रदः शोणितवर्धनश्च ।

ज्वरापहारी कफपित्तहंता वायुं जयेदष्टगुणो हि मण्डः ॥८॥

Aṣṭaguṇa maṇḍa

The *maṇḍa* prepared of two *prasṛti* of good quality rice and half in quantity of *mudga* mixed with *kaṭutrāya* (*śuṅṭhī*, *pippalī* and *marica*), *kustambarī*, *saindhava*, *hiṅgu* and oil is called *aṣṭaguṇa maṇḍa*.

It promotes appetite and cleanses the urinary bladder. It promotes vitality and blood formation. It cures *jvara* (fever) and aggravation of *kapha*, *pitta* as well as *vāyu*.

हस्तवस्त्रकृतो मंड. सैन्धवेनावचूणितः ।

12

रक्तपित्तहरो ग्राही ज्वरातीसारनाशनः ॥ ९ ॥

Miscellaneous

The *maṇḍa* prepared with the help of the hands and a piece of cloth and sprinkled with the powder of *saindhava* cures *rakta pitta* (a disease characterised by bleeding from different parts of the body). It is constipative and cures *jvara* (fever) and *atisāra* (diarrhoea).

मडस्तु दीपयन्त्यग्निं वानं चाप्यनुलोमयेत् ।

मृदुकरोति स्रोतांसि स्वेदं संजनयत्यपि ॥ १० ॥

Maṇḍa stimulates the power of digestion and helps in the elimination of *vāyu* through the downward tract. It softens the channels of circulation and produces sweating.

लघितानां विरिक्तानां जीर्णं स्नेहे च तृष्यताम् ।

दीपनत्वान्नुत्वाच्च मंडः स्यात्प्राणधारणः ॥११॥'

[माधवद्रव्यगुण' मण्डवर्ग २५ : १-११]

After fasting, purgation, and digestion of the potion given for oleation therapy, if the patient feels thirsty, then *manḍa* helps in the sustenance of his life because it is a digestive stimulant as well as light.

॥ इति मण्डवर्गः ॥

Thus ends the group dealing with different types of *manḍa*.

NOTES AND REFERENCES

1. एकद्वित्रिपरिस्रुत इति आकरे चतुर्थपुस्तके च पाठः ।
2. परिसंस्कृत. इति आकरे पाठः ।
3. पूर्वपूर्वो इति आकरे पाठः ।
4. पिप्पलीनागरान्वित इति आकरे पाठः ।
5. वाद्यमंडः इति आकरे पाठः ।
6. वातकफे इति आकरे पाठः ।
7. 'वाद्यमण्डो'...शालिभि' पाठोऽयं द्वितीयचतुर्थपुस्तकयोर्नोपलभ्यते ।
8. रक्तशाल्यादिभिर्धान्यैर्मण्डा इति आकरे पाठः ।
9. श्रेष्ठाः संतर्पणा बल्या रक्तपित्तप्रसादनः इति चतुर्थपुस्तके पाठः ।
10. रक्तपित्त प्रसादनाः इति आकरे पाठः ।
11. हि इति आकरे पाठः ।
स इति चतुर्थपुस्तके पाठः ।
12. ज्वरातीसारवारणः इति आकरे चतुर्थपुस्तके च पाठः ।
13. तृष्यती इति आदर्शपुस्तकेषु पाठः ।^{१०}

CHAPTER 24

1
“क्षुत्तृष्णानिलदौर्बल्यकुक्षिरोगविनाशिनी ।
स्वेदाग्निजननी पेया वातवर्चोऽनुलीमनी ॥ १ ॥

Peyā

Peyā cures *kṣut* (morbid hunger), *trṣā* (morbid thirst), vitiation of *vāyu*, weakness and diseases of the pelvic region. It causes sweating, stimulates the power of degestion and helps in the elimination of *vāyu* and stool through the downward tract.

‘विलेपी तर्पणी हृद्या ग्राहिणी बलवर्धिनी ।

पथ्या स्वादुरसा लघ्वी दीपनी क्षुत्तृषापहा ॥ २ ॥’

[सुश्रुतः सूत्र ४६ : ३४२-३४३]

Vilepī

Vilepī is refreshing, a cardiac tonic, constipative, strength promoting, wholesome, sweet in taste, light and a digestive stimulant. It cures *kṣut* (morbid hunger) and *trṣā* (morbid thirst).

तृष्णापनयनी लघ्वी दीपनी बस्तिशोधनी ।

ज्वरे चैवातिसारे च यवागूः सर्वदा हिता ॥ ३ ॥

[माधवद्रव्यगुणः अन्नवर्ग २६ : १-३]

Yavāgū

Yavāgū cures *tr̥ṣṇā* (morbid thirst). It is light and a digestive stimulant. It cleanses the urinary bladder. In *jvara* (fever) and *atisāra* (diarrhoea), *yavāgū* is always useful.

यवागुनामपि भेदः ² [पायस] कृशारादयः ।

क्षैरेयः पायसः क्षीरापरमान्नमुदाहृतम् ॥ ४ ॥

Variety

Pāyasa, *kṛṣārā* etc., are the different varieties of *yavāgū*. *Pāyasa* is also called *kṣaireya*, *ksīrā* and *paramānna*.

“यैरेवौषधगुणैर्यवागूः साधु साधिता ।

तास्तानेवौषधगुणान्पुष्णाति विधियोजिता ॥ ५ ॥

Yavāgū is prepared by adding different drugs and when properly prepared *yavāgū* enhances the properties of these drugs.

विष्टम्भी पायसो बल्यो मेदःकफकरो गुरुः ।

Pāyasa

Pāyasa is wind forming and strength promoting. It increases fat and *kapha*. It is heavy.

कफपित्तकरी बल्या कृशरानिलनाशिनी ॥ ६ ॥

Kṛṣārā

Kṛṣārā aggravates *kapha* and *pitta*. It promotes strength and alleviates *vāyu*.

सौमनस्यं बल पुष्टिमुत्साह तर्पणं मुखम् ।
³
 स्वादु संजनयत्यन्नमस्वादु च विपर्ययम् ॥ ७ ॥

Anna

Delicious variety of *anna* promotes pleasure, strength, corpulence, enthusiasm, refreshment and happiness.

The *anna* which is not delicious acts other wise.

⁴ सुधौततडुलः ⁵ स्वन्नः प्रसृतो विशदो लघुः ।

If the rice is washed well, boiled and after boiling the residual water is removed then it becomes *visāda* (non-slimy) and light.

सोष्णश्चैवोदनः पथ्यो विपरीतस्तु दोषकृत् ॥ ८ ॥

The *odana*, which is hot, is wholesome; otherwise it is harmful.

⁶ भृष्टतण्डुलकश्चैकद्विस्त्रिर्वापि परिश्रुतः ।
⁷ यथोत्तर ⁸ लघुर्वह्निमोदनो दीपयत्यपि ॥ ९ ॥

If the fried rice is washed once twice or thrice, then the *odana* becomes progressively lighter and more stimulant of digestion.

स्नेहैर्मांसैः फलैः कंदैर्विदलाम्लैश्च सस्कृताः ।

गुरुवो बृंहणा वृष्या ये च क्षीरोपसाधिताः ॥ १० ॥

If the *anna* is prepared with fat, meat, fruit, rhizome, pulse, sour thing or milk, then it becomes heavy, nourishing and aphrodisiac.

⁹ अत्युष्णानि ¹⁰ बलं घ्नन्ति शीतं शुष्कं च दुर्जरम् ।

अतिक्लिन्नं ग्लानिकरं दुर्जरं तण्डुलान्वितम् ॥ ११ ॥

Anna, which is exceedingly hot, reduces strength. If it is cold or dry then it becomes difficult of digestion. If it is exceedingly sticky, then it produces *glāni* (tiredness). If it contains unboiled rice then it is difficult of digestion.

शीतलं मधुरं साम्लं अशोष्णं दीपनं परम् ।

श्रमघ्नं तर्पणं हृद्यं घोलभक्त हृदिप्रदम् ॥ १२ ॥

Ghola bhakta

Ghola bhakta (curd mixed rice) is cooling, sweet and sour. It cures *arśas* (piles). It is an excellent stimulant of digestion. It cures *śrama* (physical fatigue). It is refreshing, a cardiac tonic and appetiser.

शीतलं मधुरं रूक्षं श्रमघ्नं तर्पणं परम् ।

11

लघु द्रुतविपाकं च सद्योन्नं वारिभावितम् ॥ १३ ॥

Vāryanna

Freshly prepared rice soaked in water is cooling, sweet, un-unctuous, alleviator of fatigue, refreshing *par excellence*, light and easily digestible.

त्रिदोषकोपनं रूक्षं मलकृन्मूत्रलं परम् ।

12

स्वेदमेदःकफोत्क्लेदि वार्यन्नं निशि सस्थितम् ॥१४॥”

[माधवद्रव्यगुणः अन्नवर्ग २६ : ४-१३]

If this prepared rice is soaked in water and kept over night, then it aggravates all the three *doṣas*. It is un-unctuous. It produces more of stool. It is a diuretic *par excellence*. It increases sweating, fat and *kapha*.

13

॥ इति पेयादिवर्गः ॥

Thus, ends the group dealing with various types of *peyā* and allied preparations.

NOTES AND REFERENCES

1. क्षुत्तृष्णाग्लानिदौर्बल्यकुक्षिरोगविनाशिनी इति आकरे पाठः ।
2. पाककृसरादयः इति द्वितीयपुस्तके पाठः ।
3. संजनयत्यम्लमस्वादु इति आदर्शपुस्तके पाठः ।
4. विशुद्धतंडुल. इति द्वितीयपुस्तके पाठः ।
5. स्निग्धः इति द्वितीयपुस्तके आकरे च पाठः ।
6. भृष्टतण्डुलश्चैव द्वित्रिर्वापि इति आदर्शपुस्तके पाठः ।
7. यथोत्तरलघुवह्निमोदते इति आदर्शपुस्तकेषु पाठः ।
8. लघुर्बह्निमोदनी इति चतुर्थपुस्तके पाठः ।
9. अत्युष्णान्नं इति चतुर्थपुस्तके आकरे च पाठः ।
10. हन्ति इति चतुर्थपुस्तके आकरे च पाठः ।
11. सद्योऽन्नं इति आकरे पाठः ।
12. स्वेदभेदः इति आदर्शपुस्तकेषु पाठः ।
13. मण्डादिः इति द्वितीयपुस्तके पाठः ।
इति अन्नवर्गः इति आकरे पाठः ।

CHAPTER 25

‘सुस्विन्नो निस्तुषो भृष्टः ईषत्सूपो¹ लघुहितः ।

‘स्विन्न निःपीडितं शाकं हितं स्यात्स्नेहसंस्कृतम् ॥१॥’²

[माधवद्रव्यगुणः पानभक्ष्यवर्ग २७-१]

Sūpa

The *sūpa* prepared of corn which is well steamed, dehusked and fried, is light and useful. If it is mixed with the juice extracted from steamed vegetables and with fat then also it is useful.

अस्विन्नस्नेहलवणमपीडितमतोन्यथा

If the *sūpa* is prepared of corn which is not steamed and which is not mixed with fat, salt and juice of vegetables, then it is not useful.

निस्तुषैर्भजितैः सम्यक् यवैः सचणकैः कृताः ।

सक्तवः शर्करासपिःयुक्ता श्रीष्मेतिपूजिता ॥ २ ॥

Yava saktu & Caṇaka saktu

Saktu prepared of fried *yava* or *caṇaka* along with their husk is very useful in summer if taken along with sugar and ghee.

सक्तवः शालिसंभूता वह्निदा लघवो हिमाः ।
 मधु^३[राः] ग्राहिणो हृद्याः कषाया रुचिशुक्रदाः^४ ॥३॥'

Śāli saktu

Saktu prepared of *śāli* is digestive stimulant, light, cooling, sweet, constipative, cardiac tonic, astringent, appetiser and promoter of semen.

मधुराः^५ लघवः शीताः सक्तवः शालिसंभवाः ।
 ग्राहिणो रक्तपित्तघ्नास्तृष्णाच्छर्दिज्वरापहाः^६ ॥ ४ ॥

Another view

Saktu prepared of *śāli* is sweet, light, cooling and constipative. It cures *rakta pitta* (a disease characterised by bleeding from different parts of the body) *tṛṣṇā* (morbid thirst), *chardi* (vomiting) and *jvara* (fever).

छर्द्यतीसारतृट्दाहविषमूर्च्छज्वरापहाः ।
 लाजानां सक्तवः क्षौद्रसितायुक्ता विशेषतः ॥ ५ ॥

Lāja saktu

The *saktu* of *lājā* cures *chardi* (vomiting), *aṭisāra* (diarrhoea), *tṛṣṇā* (morbid thirst), *dāha* (burning syndrome), *viṣa* (poisoning), *mūrchā* (fainting) and *jvara* (fever). It becomes more effective in these conditions when this *saktu* is mixed with honey and sugar.

लेखना दीपना रूक्षा वातला यवसक्तवः ।
 कफामयप्रशमनाः वातवर्चोनुलोमनाः ॥ ६ ॥

Yava saktu

The *saktu* of *yava* is depleting, digestive stimulant and un-unctuous. It aggravates *vāyu* and cures diseases caused by *kapha*. It helps in the elimination of *vāyu* and stool through the downward tract.

पीताः सतर्पणा हृद्याः सद्यो हि बलवर्धनाः ।
7

वातातपाध्वव्यायामकशिताना श्रमापहा ॥ ७ ॥

When used as a drink, *yava saktu* is refreshing and a cardiac tonic. It promotes strength instantaneously. It alleviates the fatigue of persons who are emaciated by exposure to wind, sun, walking and exercise in excess.

गुर्वी पिंडी खरात्यर्थं लघ्वी सैव विपर्ययात् ।

If it is used in the form of a bolus (*piṇḍī*) then it is very heavy and un-unctuous (*khara*); otherwise it is light.

सक्तूनामाशु जीर्येत मृदुत्वादबलेहिका ॥ ८ ॥

Avalehikā

Avalehikā prepared of *saktu* gets digested early because of its softness.

सक्तवः सर्पिषाभ्यक्ता शीतवारिपरित्लुताः ।

8 9
नातिद्रवो नातिसान्द्रो मंथ इत्यभिधीयते ॥ ९ ॥

Mantha

Saktu kneaded with ghee and mixed with water is called *mantha*. It is neither very thick nor very thin.

मंथः सद्योबलकरः पिपासादाहनाशनः ।

10
साम्लस्नेहगुडो मूत्रकृच्छ्रोदावर्तनाशनः ॥ १० ॥

शकरैक्षुमधुद्राक्षायुक्तः पित्तविकारनुत् ।

द्राक्षामधुसमायुक्तः कफरोगहरः स्मृतः ॥ ११ ॥

वर्गत्रयेणोपहितो मलदोषानुलोमनः ।

Mantha promotes strength instantaneously and cures *pipāsā* (morbid thirst) and *dāha* (burning syndrome). Along with sour things, fat and *guḍa*, it cures *mūtra kṛcchra* (dysuria) and *udāvarta* (flatulence). Along with sugar, sugarcane juice, honey and *drākṣā*, it cures diseases caused by *pitta*. Along with *drākṣā* and honey, it cures diseases caused by *kapha*. Along with the three groups of drugs, it helps in the elimination of stool and *doṣas* through the downward tract.

धानोलंबाः सुलघवः कफमेदोविशोषिणः ॥ १२ ॥

Dhānolamba

Dhānolamba is very light and it reduces *kapha* as well as fat.

लाजा तृच्छर्द्यतीसारमेदोमेहकफच्छिदः ।

11

कासपित्तप्रशमना दीपना लघवो हिमाः ॥ १३ ॥

Lājā

Lājā cures *tr̥ṭ* (morbid thirst), *chardī* (vomiting), *atīsāra* (diarrhoea), adiposity, *meha* (obstinate urinary disorders including diabetes) and aggravation of *kapha*. It cures *kāsa* (bronchitis) and alleviates *pitta*. It is a digestive stimulant, light and cooling.

पृथुका गुरवः स्निग्धा बृंहणाः कफवर्धनाः ।

12

बलया सक्षीरभावित्वाद्वातघ्ना भिन्नवर्चसः ॥ १४ ॥

Prthukā

Prthukā is heavy, unctuous and nourishing. It aggravates *kapha* and promotes strength. When impregnated with milk, it alleviates *vāyu* and works as a laxative.

घाना विष्टंभिनी रूक्षा तर्पणी लेखनी गुहः ।

Dhānā

Dhānā is wind forming, un-unctuous, refreshing, depleting and heavy.

विष्टंभी दुर्जरं रूक्ष शीतलं वातकोपनम् ।

वद्धवर्चस्करं चैव भृष्टं निष्पावजं फलम् ॥ १५ ॥

Niṣpāva

The fried fruit of *niṣpāva* is wind forming, difficult of digestion, un-unctuous, cooling, aggravator of *vāyu* and constipative.

संधानकृत्पिष्टमात्र¹³ तंडुलः कृमिमेहकृत् ।

Taṇḍula piṣṭa

All types of pastries prepared of *taṇḍula* cause *sandhāna* (union of tissue elements), *kṛmi* (parasitic infection) and *meha* (obstinate urinary disorders including diabetes).

सुदुर्जरं¹⁴ स्वादुरसो बृंहणस्तण्डुलो नवः ॥ १६ ॥

If freshly harvested *taṇḍula* is used for this purpose, then it is extremely difficult of digestion. It is sweet in taste and nourishing.

[इति सूपादिचर्गः]

Thus ends the group dealing with different types of *sūpa* and allied preparations.

NOTES AND REFERENCES

1. भृष्ट इति आकरे पाठः ।
2. अन्नभि पिष्टितं इति चतुर्थ पुस्तके पाठः ।

3. मधु इति चतुर्थपुस्तके पाठः ।
4. स्वन्नं...रुचि शुक्रदा पाठोऽयं द्वितीयपुस्तके नोपलभ्यते ।
5. मधुरा लघवः इति आदर्शपुस्तके पाठः ।
6. रक्तपित्तघ्नास्तृष्णाच्छर्दिज्वरापहाः इति आकरे पाठः ।
7. सद्योबलविवर्धनाः इति आकरे पाठः ।
8. नातिद्रवा इति आकरे पाठः ।
9. नातिसान्द्रा इति आकरे पाठः ।
10. सान्द्रस्नेहगुडो इति द्वितीयपुस्तके पाठः ।
11. कासपित्तोपशमना इति आकरे पाठः ।
12. बल्याः सक्षीरभावात्ते वातघ्ना इति आकरे पाठः ।
13. संधानकृत्पिष्टमाष इति चतुर्थपुस्तके पाठः ।
संधानकृत्पिष्टमामं इति आकरे पाठः ।
14. स्वादुरच्छो इति आकरे पाठः ।

CHAPTER 26

स्नेहगोरसधान्याम्लफलाम्लकटुकैः सह ।
सिद्धं¹ मांसं हितं बल्यं वृंहणं रोचनं लघु ॥ १ ॥

Māmsa

Meat boiled with fat, milk, *dhānyāmla*, *phalāmla* and *kaṭuka* (spices having pungent taste) is useful, strength promoting, nourishing, appetiser and light.

तदेव² गोरसादानं सुरभिद्रव्यसस्कृतम् ।
विद्यात्पित्तकफोत्क्लेदि बलमांसाग्निवर्धनम् ॥ २ ॥

If meat is prepared with milk and added with fragrant spices, then it reduces (?) *pitta* as well as *kapha* and increases strength, muscle tissue and the power of digestion.

परिशुष्कं³ स्थिरं स्निग्धं तर्पणं प्रीणनं गुरु ।
रोचनं बलमेधाग्निमांसौजःशुक्रवर्धनम् ॥ ३ ॥

Dried meat is *sthira* (which produces stability), unctuous,

refreshing, pleasing, heavy and appetiser. It promotes strength, intellect, digestive power, muscle tissue, *ojas* and semen.

⁴
तदेव लुप्तभृष्टत्वादुलाप्तमिति पावकाः ।
परिशुष्कं गुणैर्युक्तं वल्लोः पथ्यतमं मतम् ॥ ४ ॥

If the meat is burnt on the fire and then fried, then it is called *ulāpta*. It shares all the properties of dried meat. In addition, it is the most wholesome as a promoter of digestion.

तदेव शूलिकं प्रोक्तमगारपरिपाचितम् ।
⁵
ज्ञेयं गुरुतर किञ्चित्प्रदिष्टं गुरुपाकतः ॥ ५ ॥

If the meat is burnt over charcoal then it is called *śūlika*. It is heavier because it gets excessively burnt.

⁶
उत्प्लुष्टं भक्षितं पिष्टं प्रतप्तं कटुपाचितम् ।
परिशुष्कं प्रदिग्धं च शूल्यं यच्चान्यदीदृशम् ॥ ६ ॥
'दीप्ताग्नीनां सदा पथ्यं खानिष्कं तु परं गुरु ।

Different preparations of meat viz., *utpluṣṭa* (burnt), *bharjita* (fried), *piṣṭa* (made to a paste), *pratapta* (heated), *kaṭu-pācita* (boiled with pungent spices), *pariśuṣka* (dried), *pradiḡdha* (excessively burnt), *śūlya* (burnt over charcoal) and similar other preparations are always wholesome for persons having strong digestive power. *Khaniṣka* type of meat preparation is exceedingly heavy.

⁷
मांसं यत्तैलसिद्धं तु वीर्योष्णं पित्तकृद्गुरु ॥ ७ ॥'

Meat prepared in oil is hot in potency, aggravator of *pitta* and heavy.

लघ्वग्निदीपनं हृद्यं रुच्यं दृष्टिप्रसादनम् ।
⁸
अनुष्णवीर्यं पित्तघ्नं मनोज्ञं घृतसाधितम् ॥ ८ ॥

Meat prepared in ghee is light, digestive stimulant, cardiac tonic, appetiser and promoter of eyesight. It is not hot in potency. It alleviates *pitta* and is pleasing to the mind.

प्रीणनः सर्वधातूनां विशेषान्मुखशोषिणाम् ।
 9 10 11
 क्षुत्तृष्णापहरः श्रेष्ठः सौरावः स्वादुशीतलः ॥ ९ ॥

Saurāva type of meat nourishes all the tissue elements. It is specially useful for patients having *mukhasoṣa* (dryness of mouth). It is an excellent curative for *kṣut* (morbid hunger) and *tṛṣṇā* (morbid thirst). It is delicious and cooling.

प्रीणनः प्राणजननः श्वासकासक्षयापहः ।
 12
 वातपित्तश्रमहरो हृद्यो मांसरसो मतः ॥ १० ॥

Māṁsa rasa

Meat soup is refreshing and vitalizing. It cures *śvāsa* (asthma), *kāsa* (bronchitis) and *kṣaya* (consumption). It alleviates *vāyu*, *pitta* and fatigue. It is cardiac tonic.

स्मृत्यौजःस्वरहीनानां ज्वरक्षीणक्षतौजसाम् ।
 भग्नविश्लिष्टसधीना कृशानामल्परेतसाम् ॥ ११ ॥
 आप्यायनः संहननः शुक्रदो बलवर्धनः ।

It is useful for persons having less of memory and *ojas*, imperfect voice, *jvara* (fever), *kṣīṇa* (emaciation), *kṣata* (phthisis) and broken and dislocated joints. It is also useful for thin persons and those having less of semen. It causes nourishment, *sarṅhanana* (joining of tissues) and promotes semen as well as strength.

सदाडिमयुतो वृष्यः संस्कृतो दोषनाशनः ॥ १२ ॥

The meat soup prepared along with *dāḍima* is aphrodisiac and alleviator of *doṣas*.

यन्मांसमुद्धृतस न तत्पुष्टिबलप्रदम् ।

13

विष्टम्भि दुर्जरं रूक्षं विरसं मारुतावहम् ॥ १३ ॥

[माधवद्रव्यगुणः पानभक्ष्यवर्ग २७ : २१-२६]

The meat, from which juice is extracted, does not produce nourishment and strength. It is wind forming, difficult of digestion, ununctuous and aggravater of *yāyu*.

दीप्ताग्नीनां सदा शस्तमामिषं परमं गुरु ।

14

15

Meat is always useful for persons having a strong power of digestion. It is very heavy.

मांसं निरस्थि सुस्विन्नं पुनर्दृषदि चूर्णितम् ॥ १४ ॥

16

17

पिप्पलीमरिचशुण्ठीहिंसुर्षिःसमन्वितम् ।

18

एकधयं साधयेत् सम्यक् तत् सोरावमिति स्मृतत् ॥ १५ ॥

19

20

Sorāva

The meat which is free from bones, which is triturerated in a pastle and mortar after proper boiling and which is prepared by boiling together with *pippalī*, *marica*, *śunṭhī*, *hiṅgu* and ghee is called *sorāva*.

॥ इति मांसादिप्रकारः ॥

Thus ends the group dealing with various types of meat and their different preparations.

NOTES AND REFERENCES

1. स्निग्धं इति आकरे पाठः ।
सिक्तं इति द्वितीयपुस्तके पाठः ।

2. गोरसान्तं तु इति आकरे पाठः ।
3. अस्य श्लोकस्यानन्तरम् 'सुरभिद्रव्यसंस्कृतं विद्यात्पित्तकफोत्क्लेदि बलगुरु' पाठोऽय चतुर्थपुस्तके अधिकं उपलभ्यते ।
4. तदेबोलुप्तपिष्टत्वादुलुप्तमिति इति आकरे पाठः ।
5. किञ्चित् प्रदिग्धं इति आकरे पाठः ।
6. उलुप्तं इति आकरे पाठः ।
7. दीप्ताग्नीनां...पित्तकृद्गुरु पाठोऽय द्वितीयपुस्तके नोपलभ्यते ।
8. अस्य श्लोकस्यानन्तरं 'अथ मांसप्रकाराः—
तलितं भजितं स्वन्नं प्रलेहस्रवितं रसः ।
[पोषितं] च तथा शूल्य पूरणं पुटपाकजं ।
अमीप्रकाराः मांसस्य सक्षेपात्परिकीर्तिताः ।
तलितं मांसं हि बल्यं रुच्यं पूरणं पित्तानिलापहं ।
सुस्वादु मधुरं पाके किञ्चित्कफकरं गुरु ।
भजितं तत्सुधातुल्यं [रुच्यं] वह्निकरं लघु ।
स्वन्नं मांसं बलं वीर्यं विदधाति रुचिमनाक् ।
वातं पित्तं कफं हति प्रदीपयति चानल ।
प्रलेहस्रावितं बल्यं रोचनं दीपनं गुरु ।
मांसाग्निवर्द्धनं पित्तकफोद्देहि विशेषतः ।
पेषितं पाचितं मांसं सुस्वादु लघु दीपनम् ।
बल्यं सुरुचिकृत्प्राणप्रदं दोषत्रयापहं ।
तत्रापि जांगलं श्रेष्ठं तत्रापि पक्षीणाम् ।
उष्णे स्नेहो निशाहिगुलवंगकैला [धान्यक-]
जीराद्रवनागराणि अम्लोषणं सैधवचूर्णं युक्तां ।
उपस्कराः संस्कृता ये फलस्य ।
एलालव्रगकर्पूरमरिचादि विनिर्मितं ।
[वर्णं] मुद्गलनायोक्तं पाचकमविचक्षणैः ।
अस्य वर्णस्य करणे कुंकुम रक्तचन्दनम् ।
चूर्णं च यत्र यद्युक्तं तत्र तत्संप्रयोजयेत् ।
धुयोऽगुरु कृतो यः किंवा रामठशलाकाप्रथितं शुद्धं पल्लं साज्यसैन्धवम् ।
वह्नौ विधूमसे सपक्वं शूल्यमुक्तं मनीषिभिः ।
शूल्यं बल्यं सुधातुल्यं पलं वह्निकरं लघु ।

कफपित्तहरं प्रोक्तं विशेषाद्गुचिकारकं ।
 मासंस्विन्नं सूक्ष्मकृतं पिष्ट्वा सदुपस्करां घत्ते ।
 तपत्तेन्धनभृष्टं पूरणं प्रोच्यते बुधैः ।
 मांसपूरणकं रुच्यं बल्यं पुष्टिकरं परम् ।
 वातपित्तहरं वृष्यं वह्निमाद्यकफप्रणुत् ।
 सूक्ष्मकृतं पलं पत्रैः छादितं वेष्टितं मृदा ।
 पक्वं सोपस्करं यत्र विज्ञेयं पुटपाकजं ।
 पुटपाकेन यत्कृतं तन्मांसं पाचकं परं ।
 सोष्मं तद्गुणवद्वेद्यं शीतं शूष्कं च दुर्जरं ।
 समितानिर्मितं पूर्णं पूरणे तद्घृते पुनः ।
 भृष्टं शृगाटकाकारं तत्स्यात्पूरणपूरितं ।
 चक्षुष्यं बृंहणं वृष्यं वातपित्तहरं गुरुं ।
 अतीव रुचिकृतं बल्यं भवेत्पूरणपूरितं ।
 वहुप्रमादपूर्णः पाठोऽयं चतुर्थपुस्तके अधिकं उपलभ्यते ।

9. क्षुत्तृष्णापहः इति आकरे पाठः ।
10. शान्तः इति द्वितीयपुस्तके पाठः ।
11. शौरावः इति आदर्शपुस्तके पाठः ।
12. अस्य श्लोकस्यानन्तरम् कफघ्नो दीपनो हृद्यः शुद्धानां व्रणनाशनः पाठोऽयं माधवद्रव्यगुणे अधिकमुपलभ्यते ।
13. मारुतापहम् इति आकरे पाठः ।
14. शस्तास्वाणिस्तु इति द्वितीयपुस्तके पाठः ।
15. दीप्ताग्नीनागुरुः पाठोऽयं चतुर्थपुस्तके नोपलभ्यते ।
16. चास्थि च इति द्वितीयपुस्तके पाठः ।
17. सुस्निग्धं इति द्वितीयपुस्तके पाठः ।
18. शुण्ठीहृगुजीरसमन्वितम् इति द्वितीयपुस्तके पाठः ।
 शुण्ठिसंघवेनसमन्वितम् इति चतुर्थपुस्तके पाठः ।
19. एकत्र इति द्वितीयपुस्तके पाठः ।
 एकस्थं इति चतुर्थपुस्तके पाठः ।
20. सौरावमिति इति द्वितीयपुस्तके पाठः ।

CHAPTER 27

‘कफघ्नो दीपनो हृद्यः शुद्धानामपि दोषहृत् ।

उक्तः पथ्यतमश्चापि मुद्गयूषः कृताकृतः ॥ १ ॥

Mudga yūṣa

Mudga yūṣa alleviates *kapha*, stimulates digestion and tones up the heart. It helps in the elimination of *doṣas* even for persons whose bodies are free from *doṣas* by the administration of elimination therapies (?). It is wholesome par excellence. It is of two types viz., *kṛta* (which is fried with ghee etc.) and *akṛta* (which is not fried with ghee etc.).

स तु दाडिममृद्वीकायुक्तः स्याद्वागषाडवः ।

स वृष्यो लघुपाकश्च दोषाणामविरोधकृत् ॥ २ ॥

[माधवद्रव्यगुणः पानभक्ष्यवर्ग २७ : २६-३१]

Rāga śāḍava

If *mudga yūṣa* is added with *dāḍima* and *mṛdvikā* then it is called *rāga śāḍava*. It is aphrodisiac and light for digestion, It does not aggravate *doṣas*,

‘मसूरमुद्गगोधूमकुलत्थलवणैः कृतः ।

कफपित्ताविरोधी स्याद्वातव्याधौ प्रशस्यते ॥ ३ ॥

The *rāga śāḍava* prepared of *masūra*, *mudga*, *godhūma*, *kulattha* and salt does not aggravate *kapha* and *pitta*. It is extremely useful in diseases caused by *vāyu*.

मृद्धीकादाडिमयुतः स चाप्युक्तोऽनिलादितः ।

रोचनो दीपनो हृद्यो लघुपानयुपदिश्यते ॥ ४ ॥

The *rāga śāḍava* prepared of *mṛdvīkā* and *dāḍima* also alleviates *vāyu*. It is appetiser, digestive stimulant, cardiac tonic and *laghu pāki* (which is easy for digestion).

पटोलनिम्ब्यूषौ तु कफमेदोविशघनौ ।

पित्तघ्नो दीपनो हृद्यो क्रिमिकुष्ठज्वरापहौ ॥ ५ ॥

Paṭola yūṣa and Nimbū yūṣa

The *yūṣa* prepared of *paṭola* and *nimbū* cleanses *kapha* and *medas* (fat). It alleviates *pitta*. It is digestive stimulant and cardiac tonic. It cures *krimi* (parasitic infection), *kuṣṭha* (obstinate skin diseases including leprosy) and *jvara* (fever).

श्वासकासप्रतिश्यायप्रसेकारोचकज्वरान् ।

हन्ति मूलकयूषस्तु कफमेदोगलग्रहान् ॥ ६ ॥

Mūlaka yūṣa

The *yūṣa* of *mūlaka* cures *śvāsa* (asthma), *kāsa* (bronchitis), *pratiśyāya* (chronic rhinitis), *praseka* (excessive salivation), *arocaka* (anorexia) and *jvara* (fever). It reduces *kapha* and *medas* (fat). It also cures *gala graha* (obstruction in throat).

कुलत्थयूषोऽनिलहा शर्कराश्मरिनाशनः ।

तूनीप्रतूनीकासार्षोगुल्ममेहकफापहः ॥ ७ ॥

Kulattha yūṣa

The *yūṣa* of *kulattha* alleviates *vāyu*. It cures *śarkarā* (gravels in the urine), *aśmari* (stone in urinary tract), *tūnī* (a disease characterised by acute pain in intestine, anus and phallus), *pratūnī* (a variety of *tūnī* in which pain starts from anus and moves to the intestine), *kāsa* (bronchitis), *arśas* (piles), *gulma* (phantom tumour), *meha* (obstinate urinary disorders including diabetes) and aggravation of *kapha*.

यवकोलकुलत्थानां मुद्गमूलकशुंठयोः ।
⁷
 एकैकमुष्टिमादाय पचेदष्टगुणे जले ॥ ८ ॥
⁸
 पञ्चमुष्टिक इत्येष वातपित्तकफापहः ।
⁹
 शस्यते गुल्मशूले सा कासे श्वासे ज्वरे क्षये ॥ ९ ॥

Pañca muṣṭika yūṣa

Pañca muṣṭika yūṣa is prepared by taking one *muṣṭi* (handful) of each of *yava*, *kola*, *kulattha*, *mudga*, *mūlaka* and *śuṅṭhī* (instead of five, six items are included in the text) and boiling them in eight times of water. It alleviates *vāyu*, *pitta* and *kapha* and is useful in *gulma* (phantom tumour), *śūla* (colic pain), *kāsa* (bronchitis), *śvāsa* (asthma), *jvara* (fever) and *kṣaya* (consumption).

मुद्गामलाभ्यां यवदाडिमाम्यां कर्कन्धुना मूलकशुंठकेन [?] ।
¹⁰
 शुण्ठीकणाभ्यां च कुलत्थकेन यूषो नवांगो कफरोगहन्ता ॥ १० ॥

Navāṅga yūṣa

Navāṅga yūṣa is prepared of *mudga*, *āmalaka*, *yava*, *dāḍīma*, *karkandhu*, *mūlaka*, *śuṅṭhī*, *kaṇā* and *kulattha*. This cures diseases caused by *kapha*.

दाडिमामलकैर्यूषो हृद्यः संशमनो लघुः ।
¹¹
 प्राणाग्निजननो मूच्छभिदोघ्नः पित्तवातजित् ॥ ११ ॥

Other varieties

The *yūṣa* prepared of *dāḍima* and *āmalaka* is cardiac tonic, alleviator of *doṣas*, light, vitalising and digestive stimulant. It cures *mūrcchā* (fainting) and *medas* (adiposity). It specifically alleviates *pitta* and *vāta*.

12
मुद्गामलकयूषश्च भेदी पित्तकफापहः ।

The *yūṣa* prepared of *mudga* and *āmalaka* is purgative and it alleviates *pitta* as well as *kapha*.

पंचकोलकुलस्थानां यूषः कंठ्योऽनिलापहः ॥ १२ ॥

The *yūṣa* prepared of *pañcakola* (*pippalī*, *pippalī mūla*, *cayya*, *citraka* and *nāgara*) and *kulattha* is a promoter of good voice and alleviator of *vāyu*.

यवमंडस्तु कथितो वातपित्तकफापहः ।

13
पाचनो दीपनश्चैव शूलानाहविवन्धनुत् ॥ १३ ॥

Yava maṇḍa

Yava maṇḍa alleviates *vāyu*, *pitta* and *kapha*. It is carminative and digestive stimulant. It cures *śūla* (colic pain), *ānāha* (flatulence) and *vibandha* (constipation).

सर्वधान्यकृतस्तद्वत् बृंहणः प्राणवर्धनः ।

Sarva dhānya maṇḍa

The *maṇḍa* prepared of all the types of *dhānya* is nourishing and vitalising.

14
खडकाम्बलिकौ हृद्यौ छर्दिवातकफे हितौ ॥ १४ ॥

Khaḍa and Kāmbalika

Khaḍa and *kāmbalika* are cardiac tonic. They are useful in *chardi* (vomiting) and aggravation of *vāyu* as well as *kapha*.

दधिमत्स्याम्लसिद्धस्तु यूष. काम्बलिकः स्मृतः ।

The *yūṣa* which is prepared by adding *dadhi*, *matsya* and articles having sour taste is called *kāmbalika*.

15

बल्यः कफानिलौ हन्ति दाडिमाम्लोऽग्निदीपनः ॥१५॥

Dāḍimāmla

Dāḍimāmla promotes strength, alleviates *kapha* and *vāyu* and stimulates digestion.

धान्याम्लो दीपनो हृद्यः पित्तकृद्वातनाशनः ।

Dhānyāmla

Dhānyāmla is digestive stimulant, cardiac tonic, aggravator of *pitta* and alleviator of *vāyu*.

दध्यम्लः श्लेष्मलो बल्यः स्निग्धो वातहरो गुरुः ॥१६॥

Dadhyamla

Dadhyamla aggravates *kapha* and promotes strength. It is unctuous, alleviator of *vāyu* and heavy.

तक्राम्लः पित्तकृत्प्रोक्तो विषरक्तप्रदूषणः ।

Takrāmla

Takrāmla aggravates *pitta* and *viṣa* (poisoning). It vitiates blood.

16

अस्नेहलवणं सर्वमकृतं कटुकैर्बिना ॥ १७ ॥

17

विज्ञेयं कटुकस्नेहलवणैः संस्कृतं कृतम् ।

Kṛta and Akṛta yūṣa

The *yūṣa* which is not mixed with fat, salt and pungent spices is called *akṛta*. *Kṛta yūṣa*, on the other hand, is prepared of pungent spices, fat and salt.

18

अथ गोरसधान्याम्लफलाम्लै रचितं च यत् ॥ १८ ॥

यथोत्तरं लघु हितं संस्कृतासंस्कृतं तथा ।

Other varieties

The *yūṣas* prepared of milk, *dhānyāmla* and the *yūṣa* of sour fruits are progressively lighter. Whether fried or not they are useful.

तिलपिण्याकविकृतिः शुष्कशाकं विरूढकम् ।

19

शंडाकीनि गुरूणि स्युः पित्तश्लेष्मकराणि च ॥१६॥'

[माधवद्रव्यगुणः पानभक्ष्यवर्ग २७ : ३३-४६]

Śaṇḍākī

Śaṇḍākī is prepared of oil cake, dry vegetables and germinated corns and cereals. They are heavy and they aggravate *pitta* as well as *kapha*.

लघवो बृहणा वृष्या हृद्या रोचनदीपनाः ।

भ्रममृत्युतृषाच्छदिश्रमघना रागषण्डवा ॥ २० ॥

Rāga śaṇḍava

Rāga śaṇḍava is light, nourishing, aphrodisiac, cardiac tonic, appetiser and digestive stimulant. It cures *bhrama* (giddiness), *mṛtyu* (apprehension of death ?), *trṣā* (morbid thirst), *chardi* (vomiting) and *śrama* (physical fatigue).

20

'रसाला रोचनी बल्या स्निग्धा वृष्या सुवृहणी ।

Rasālā

Rasālā is an appetiser, strength promoting, unctuous, aphrodisiac and extremely nourishing. It causes oleation of the body.

21

स्नेहनं गुडसंयुक्तं हृद्यं दध्यनिलापहम् ॥ २१ ॥

If prepared by adding *guḍa* and curd, then it is cardiac tonic and alleviator of *vāyu*.

गौडमम्लमनम्लं ²² च पानकं गुरु मूत्रलम् ।

Pānaka

Pānaka of *guḍa* (whether added with sour things or not) is heavy and diuretic.

तदेव खण्डमृद्वीकाशर्करासहितं पुनः ॥ २२ ॥

साम्लं सुतीक्ष्णं ²³ सहिम पानक स्यान्निरत्ययम् ।

Pānaka prepared of *khaṇḍa*, *mṛdvīkā*, *śarkarā* and sour things is extremely sharp and cooling. It is not harmful.

माद्वौक तु श्रमहर मूर्च्छादाहज्वरापहम् ॥ २३ ॥

Pānaka prepared of *mṛdvīkā* alleviates *śrama* (physical fatigue) and cures *mūrchā* (fainting), *dāha* (burning syndrome) and *jvara* (fever).

परूषकाणां कोलानां हृद्य विष्टम्भि पानकम् ।

The *pānaka* prepared of *parūṣaka* and *kola* is cardiac tonic and wind forming.

द्रव्यसयोगसस्कारान् ज्ञात्वा मात्रां च सर्वशः । ²⁴

पानकानां यथायोग्यं गुरुलाघवमादिशेत् ॥ २४ ॥ ²⁵

Depending upon the ingredients and the method of preparation, the heaviness and lightness of a *pānaka* should be ascertained and their dose should be determined accordingly.

भक्ष्याः क्षीरकृता बल्या वृष्या [हृद्याः] सुगन्धिनः । ²⁶

अदाहिनः ²⁷ पुष्टिकरा ²⁸ दीपना ²⁹ वातनाशनाः ॥ २५ ॥

Bhakṣya

Different types of *bhakṣya* prepared of milk is strength promoting, aphrodisiac, cardiac tonic, fragrant, *adāhin* (which

does not produce burning sensation), digestive stimulant and alleviator of *vāyu*.

सद्यःप्राणकराः हृद्याः घृतपूराः कफावहाः ।
30

वातपित्तहरा वृष्या गुरवो रक्तमांसदाः ॥ २६ ॥'
31

[माधवद्रव्यगुणः पानभक्ष्यवर्ग २७ : ५०-५५]

Ghṛta pūra

Ghṛta pūra is instantaneously vitalising and a cardiac tonic. It aggravates *kapha* and alleviates *vāyu* as well as *pitta*. It is aphrodisiac, heavy and promoter of blood as well as muscle tissue.

'वृष्यास्ते गौडिका भक्ष्या गुरवोऽनिलनाशनाः ।
32

विदाहिनः पित्तकरा वृंहणाः कफवर्द्धनाः ॥ २७ ॥
33

Guḍa bhakṣya

The *bhakṣya* prepared of *guḍa* is aphrodisiac, heavy and alleviator of *vāyu*. It causes burning sensation and aggravates *pitta*. It is nourishing and aggravator of *kapha*.

मधुशीर्षकसंयावाः पूपा ह्येते विशेषतः ।
34

गुरवो वृहणाश्चैव मोदकाश्चापि दुर्जराः ॥ २८ ॥
35 36

Madhu śīrṣaka etc.

Madhu śīrṣaka, *saṁyāva* and *pūpa* are specially heavy and nourishing.

Modaka is difficult for digestion.

रोचनो दीपनः स्वर्यः पित्तघ्नः पवनापहः ।
37

गुरुमिष्टतमश्चैव सट्टकः प्राणवर्धनः ॥ २९ ॥

Saṭṭaka

Saṭṭaka is appetiser, digestive stimulant, promoter of good voice, alleviator of *pitta* as well as *vāyu*, heavy, extremely delicious and vitalising.

हृद्यः सुगन्धिर्मधुरः स्निग्धः श्लेष्मकरो गुरुः ।

38

पित्तापहस्तृप्तिकरो बल्योऽभिष्यन्द उच्यते ॥ ३० ॥'

[माधवद्रव्यगुणः पानभक्ष्यवर्ग २७ : ५७-६०]

Abhiṣyanda

Abhiṣyanda is cardiac tonic, fragrant, sweet, unctuous, aggravator of *kapha*, heavy, alleviator of *pitta*, *tīptikara* (which causes satisfaction) and promoter of strength.

39 40 41

‘बृंहणा वातपित्तघ्नाः बल्याः वृष्यास्तु शालिजाः ।

हृद्याः पथ्यतमास्तेषां लघवः फेनकादयः ॥ ३१ ॥’

[सुश्रुतः सूत्र ४६ : ३६८-३६९]

Phenaka

Phenka etc. prepared of *śāli* rice are nourishing, alleviator of *vāyu* as well as *pitta*, strength promoting, aphrodisiac, cardiac tonic, extremely wholesome and light.

‘मुद्गादिवेसवारैस्तु पूर्णा विष्टम्भिनो मताः ।

42

वेसवारैस्तु पिशितैः सम्पूर्णा गुरुबृंहणाः ॥ ३२ ॥’

Phenaka prepared by filling with *vesavāra* of *mudga* etc. is wind forming. If it is filled with the *vesavāra* of meat, then it is heavy and nourishing,

वेसवारो गुरु स्निग्धो बलोपचयवर्धनः ।

43 44

Vesavāra

Vesavāra is heavy, unctuous and promoter of strength as

well as plumpness.

45

पललाः श्लेष्मजनना शङ्कुलयः कफपित्तलाः ॥ ३३ ॥

Palala and Śaṅkulī

Palala aggravates *kapha*. *Śaṅkulī* aggravates *kapha* as well as *pitta*.

46

पर्पटा लघवो रुच्या लघिष्ठाः क्षीरपर्पटी ।

Parpaṭa and Kṣīra parpaṭī

Parpaṭa is light and appetiser. *Kṣīra parpaṭī* is light par excellence.

47

वीर्योष्णा. पैष्टिका भक्ष्याः कषाया मृष्टमारुताः ॥ ३४ ॥

[माधवद्रव्यगुणः पानभक्ष्यवर्ग २७ : ६३-६६]

‘विष्टम्भिन. पित्तकराः श्लेष्मघ्ना भिन्नवर्चसः ।

Paiṣṭika bhakṣya

The *bhakṣya* prepared of pastes is hot in potency and astringent. It produces more of wind and causes flatulence. It aggravates *pitta* and alleviates *kapha*. It is laxative.

48

विरूढककृता भक्ष्या गुरवोऽनिलपित्तलाः ॥ ३५ ॥

49

50

विदाहोत्क्लेदजनना रूक्षा दृष्टिप्रदूषणाः ।

Virūdhaka bhakṣya

The *bhakṣya* prepared of germinated grains is heavy. It aggravates *vāyu* as well as *pitta* and produces a burning sensation as well as stickiness in the body. It is ununctuous and it vitiates eyesight.

51

फलमांसवसाशाकपललक्षौद्रसंयुताः

॥ ३६ ॥

52 भक्ष्या हृद्याश्च बल्याश्च गुरवो बृंहणात्मकाः ।

Another variety

The *bhakṣya* prepared of fruit, meat, *vasā* (muscle fat), vegetables, oil cake and honey is a cardiac tonic, strength promoting, heavy and nourishing.

54 गुरवस्तर्पणा हृद्याः 55 क्षीरेक्षुरसपूपकाः ॥ ३७ ॥

Pūpaka

Pūpaka prepared of milk and sugar cane juice is heavy, refreshing and cardiac tonic.

56 सगुडाः सतिलाश्चैव 57 सक्षीरक्षौद्रशर्कराः ।
58 भक्ष्या बल्याश्च वृष्याश्च परं तु गुरवः स्मृताः ॥ ३८ ॥

Other varieties of *bhakṣya*

The *bhakṣya* prepared of *guḍa*, *tila*, milk, honey and sugar is strength promoting, aphrodisiac and extremely heavy.

59 हृद्याः सुगन्धिनो वृष्या लघवो घृतपाचिताः ।
वातपित्तहरा बल्या वर्णदृष्टिप्रसादनाः ॥ ३९ ॥

The *bhakṣya* prepared by frying with ghee is cardiac tonic, fragrant, aphrodisiac, light, alleviator of *vāyu* as well as *pitta* and promoter of strength, complexion as well as eyesight.

विदाहिनस्तैलकृताः गुरवः कटुपाकिनः ।
60 ऊष्णा मारुतदृष्टिघ्नाः 61 पित्तरक्तप्रदूषणाः ॥ ४० ॥

The *bhakṣya* prepared by frying with oil produces burning sensation. It is heavy, pungent in *vipāka* and hot. It reduces *vāyu* and eyesight and vitiates *pitta* as well as *rakta*.

62 फलमांसेक्षुविकृतितिलमाषेण सस्कृताः ।

भक्ष्या बल्यास्तु गुरवो बृंहणा हृदयप्रियाः ॥ ४१ ॥

The *bhakṣya* prepared by adding fruit, meat, sugarcane products, *tila* and *māṣa* is strength promoting, heavy, nourishing and pleasing to the heart.

⁶³
स्पर्शंगारपक्वास्तु लघवो वातकोपनाः ।

The *bhakṣya* prepared by frying on a piece of earthen pot over charcoal is light and aggravator of *vāyu*.

⁶⁴ ⁶⁵
सकिलाटादयो भक्ष्या गुरवः कफवर्धनाः ॥ ४२ ॥

The *bhakṣya* prepared of *kilāṭa* (a milk product) is heavy and aggravator of *kapha*.

⁶⁶ ⁶⁷
कुलमाषा वातला रूक्षाः गुरवो भिन्नवर्चसः ।

Kulmāṣa

Kulmāṣa aggravates *vāyu*. It is ununctuous, heavy and laxative.

⁶⁸ ⁶⁹
द्रव्येण यद्गुणेनेह यद्वीर्येणेह साधिताः ।

⁷⁰
तद्वीर्यास्तद्गुणाश्चैव भक्ष्याः ज्ञेयाः चिकित्सकैः ॥४३॥'

[माधवद्रव्यगुणः पानभक्ष्यवर्ग २७ : ६७-७६]

Miscellaneous

A physician should know that the attributes and the potency of a type of *bhakṣya* is based on the attributes and potency of the ingredients by which it is prepared.

⁷¹
॥ इति यूषादिकः ॥

Thus ends the group dealing with various types of *yūṣa* and allied food preparations.

NOTES AND REFERENCES

1. शुष्कानामपि इति द्वितीयपुस्तके पाठः ।
शुद्धानां व्रणिनामपि इति आकरे पाठः ।
2. अस्य श्लोकस्यानन्तरम् 'प्रीणनः प्राणजननः श्वासकासक्षयापह्' पाठोऽयं
माधवद्रव्यगुणे अधिकमुपलभ्यते ।
3. रुचिष्यो इति आकरे पाठः ।
4. दोषाणामपि रोधकृद् इति आदर्शपुस्तकेषु पाठः ।
5. मसूरमुद्गगोधूमकुलत्थचणकैः इति आकरे पाठः ।
6. चाप्युक्तोऽनिलादिते इति आकरे पाठः ।
7. एकैकां इति आकरे पाठः ।
8. वातपित्तकफे हितः इति आकरे पाठः ।
9. गुल्मशूलेषु इति आकरे पाठः ।
10. नवागः इति आकरे पाठः ।
11. कफवातजित् इति आकरे पाठः ।
12. मुद्गामलकयूषस्तु इति आकरे पाठः ।
13. शूलाध्मानविबन्धनुत् इति चतुर्थपुस्तके पाठः ।
14. खलकाम्बलिकौ आकरे चतुर्थपुस्तके च पाठः ।
15. कफानलौ इति आकरे पाठः ।
16. सस्नेहलवणं इति आदर्शपुस्तकेषु पाठः ।
17. संयुतं इति आकरे पाठः ।
18. रधितं इति आकरे पाठः ।
19. संडकिनी इति चतुर्थपुस्तके पाठः ।
20. च बृंहणी इति आकरे चतुर्थपुस्तके च पाठः ।
21. स्नेहं इति आकरे पाठः ।
22. वा इति आकरे पाठः ।
23. सुहिमं इति आकरे पाठः ।
24. द्रव्यसंयोगसंस्कारात् इति आकरे पाठः ।
25. यथायोगं इति आकरे पाठः ।
26. वृष्यावल्याः इति द्वितीयपुस्तके पाठः ।
27. पुष्टिकराः इति आकरे पाठः ।

28. दीपनाः इति आकरे पाठः ।
29. पित्तनाशना इति आकरे पाठः ।
30. कफावहा इति आदर्शपुस्तकेषु पाठः ।
31. रक्तमासला इति आकरे चतुर्थपुस्तके च पाठः ।
32. बृहणा गौडिकाः भक्ष्याः गुरवोऽनिलनाशनाः इति आकरे पाठः ।
33. पित्तवहा इति आकरे पाठः ।
34. मधुशीर्षकसंयाव इति आकरे पाठः ।
35. मोदकास्तु इति आकरे पाठः ।
36. सुदुर्जराः इति आकरे पाठः ।
37. कफघ्नः इति द्वितीयपुस्तके पाठः ।
38. पित्तप्लीहातृप्तिकरो इति द्वितीयपुस्तके पाठः ।
39. भक्ष्यास्तु इति आकरे पाठः ।
40. सामिताः इति आकरे चतुर्थपुस्तके च पाठः ।
41. बृहणा वातपित्तघ्ना भक्ष्या बल्यास्तु सामिता इति आकरे पाठः ।
42. 'मुद्गादिवेशवारैस्तुगुरुबृहणाः' पाठोऽयं द्वितीयपुस्तके नोपलभ्यते ।
43. बलोपचयबृहणः इति आदर्शपुस्तकेषु पाठः ।
44. अस्य श्लोकस्यानन्तरम् 'मांसनिरस्थिसुस्विन्नं पुनर्दूषदिचूणितं ।
पिप्पलीमरिचशुण्ठीगुडसर्पिः समन्वितं ।
एवं त्रिपाचयेत्सम्यक् त्रैसवार इति स्मृतः ।' पाठोऽयं चतुर्थपुस्तके अधिक-
मुपलभ्यते ।
45. श्लेष्मजननाः इति आकरे पाठः ।
46. रुच्या विशेषाः शालिसंभवाः इति आकरे पाठः ।
47. पौष्टिका भक्ष्याः कफपित्तप्रकोपणा इति आकरे पाठः ।
48. विरूढककृताः इति आकरे पाठः ।
49. विष्टम्भिनःगुरवोऽनिलपित्तला पाठोऽयं चतुर्थपुस्तके नोपलभ्यते ।
50. रूक्षाः इति आकरे पाठः ।
51. फलमासवसाशाकपटोलक्षौद्रसंयुताः इति आदर्शपुस्तकेषु पाठः ।
52. भक्ष्याः इति आकरे पाठः ।
53. बृहणास्तथा इति आकरे पाठः ।
बृहणात्मता इति चतुर्थपुस्तके पाठः ।

54. गुरवस्तर्पणाः इति आकरे पाठः ।
 55. क्षीरेक्षुरसपयसा इति चतुर्थपुस्तके पाठः ।
 56. खलिलाश्चैव इति द्वितीयपुस्तके पाठः ।
 57. सक्षारक्षौद्रशर्कराः इति आकरे पाठः ।
 58. गुरवो मताः इति आकरे पाठः ।
 59. वृष्याः इति आकरे पाठः ।
 60. उष्णाः इति आकरे पाठः ।
 61. पित्तलासृक्प्रदूषणाः इति माधवद्रव्यगुणे पाठः ।
 62. मासेक्षुवसाचैव तिलमाषेणसंस्कृताः इति द्वितीयपुस्तके पाठः, फलमांसेक्षु-
 विकृतितिलमाषोपसंस्कृताः इति आकरे पाठः ।
 63. कर्पराङ्गारपक्तास्तु इति द्वितीयपुस्तके पाठः ।
 64. सकिन्नाटादयो इति आकरे पाठः ।
 65. भक्ष्याः इति आकरे पाठः ।
 66. रूक्षाः इति आकरे पाठः ।
 67. अस्यश्लोकस्यानन्तरम् 'लोहचक्रेषु प्रतप्रेयाचिताचक्रचतुर्ला ।
 भूयाः संस्वेदितांगारे गोधूमान्योनिका भवेत् ।
 पोलिका कफकृद्वल्यापित्तला वातनुद्गुरुः ।
 सात्युष्णारुचिकृत्पथ्या शीता सुगुरुरुच्यते ।
 समिता निर्मितः ख्यातो मंडको विस्तृतस्तनुः ।
 हस्तलालनयासिद्धः खर्परे मृदुबह्विना ।
 मंडका शुक्रलो ग्राही लघुर्दोषत्रयापहः ।
 शुद्धगोधूमचूर्णस्य स्थूला जलविनिर्मिता ।
 एतद् धूमानले पक्वा विज्ञेयांगारकवर्कटी ।
 अगारकवर्कटी बल्या बृंहणी शुक्रला लघुः ।
 दीपनी कफहृद्रोगपीनसश्वासकासजित् ।
 माषादी पिष्टिका मध्या पोलिका वेष्टनी मता ।
 वेष्टनिका वृष्या स्वादुः स्निग्धा [पित्ता] निलापहः ।
 'उष्णा संतर्पणी बल्या शुक्रला बृंहणी परम् ।
 भिन्नमूत्रमलास्तन्यमेदःपित्तकफप्रदाः ।
 गुदकीलार्दितश्वासयकृच्छूलविनाशिनी ।'

चमसीनवितापोली कथिता बलमद्रिका ।
 किञ्चिद् हीनगुणा प्रोक्ता वेष्टनी गूणतो बुधैः ।
 धूमसी रचिता सैव ख्याता कर्करिका बुधैः ।
 कर्करीकातु पित्तघ्नी किञ्चिद्वातहरी मता ।
 पूरिका तैलसंपक्ता रुच्या बलकरी गुरु ।
 चक्षुस्तेजोहरा चोष्णा वातहृत् पित्तरक्तकृत् ।
 घृतपक्वाऽपि तद्वत्स्यात् चक्षुष्या रक्तपित्तहृत् ।
 प्रोक्ता मुहुवटी रुच्या बलकृद्वे गिणे हिता ।
 मुद्गसूपगुणाः ये तु तष्टवात्राधिका मताः ।
 माषस्य वटिका हृद्या बल्या पुष्टिप्रदायिनी ।
 वातहृत् शुक्रला मोक्ता तलितापि प्रलेहिता ।
 वटी कुष्मांडसंयुक्तमाषपिष्टिकया कृता ।
 अम्लपित्तकरी ज्ञेया यकृद्वातविनाशिनी ।
 चणकस्यापि वटिका व्यंजनेषु वरा भवेत् ।
 रुच्या विष्टम्भजननी बल्या पुष्टिविबद्धिनी ।
 तक्रादिक्वाथसंसिद्धा क्वथिका कथिता बुधैः ।
 क्वथिका पाचनी हृद्या रुच्या वह्निप्रदा लघु ।
 कफानिल विबन्धनी किञ्चित्पित्तप्रकोपिणी ।
 जीरैर्हिं गु इवेणोषणालवणयुतै राईकैः ।
 पूर्णगर्भश्चक्राकारः सुपुष्टः प्रचुरपरिमल कोमलः ।
 कुकुमाभः प्राप्ते दंतान्तरालं मुरुमुरुः खणः स्वच्छा ।
 तैले सुपक्वो घन्यानामास्यदेश प्रविशति ।
 चठको भीमभोगायसिद्धाः ।
 वटः शुष्को वातहरो बल्यो विष्टम्भपित्तकृत् ।
 आह्लादजनकः प्रोक्तो दाहकरी तृषाकरः ।
 सष्टवद्योलमग्रश्वेद्रुच्यः शुक्रकरो गुरुः ।
 बल्यो विष्टंभकारी च विदाही पवनापहः ।
 कांजिके वटको रुच्यो वातजित्कफकारकः ।
 पित्तरक्तकरश्चोक्तो न हितो नेत्ररोगिणा ।
 सामेतावत्तिर्काः कृत्वा सुसूक्ष्मा यवसनिभाः ।
 शुष्का पायसवत्साध्या भोज्याः खड्घृतान्विताः ।

सेविका तृप्ति जननी रुचिपित्तानिलापहा ।
 सधानकृद्ग्राहिणी च सा सेव्या स्तोकमात्रया ।
 शुभ्रेऽर्धसाधिते दुग्धे घृतास्नानाद्गुलान्क्षिपेत् ।
 सुसिद्धा खंडसंयुक्तां चद्राभा क्षीरिका भवेत् ।
 क्षीरिकादुर्ज्जरा बलया धातुपुष्टिप्रदा गुरुः ।
 विष्टम्भिनी हरेत्पित्त रक्तपित्ताग्निमारुतान् ।
 गोसिका गुरवो भक्षया वातघ्ना कफशुक्रलाः ।
 पोलिका घृतसंपक्वः सूक्ष्मा सोर्हालिका मता ।
 सौहाली शुक्रला रुच्या वातपित्तहरा गुरुः ।
 पुटैरनेकैः सयुक्ता सोमाली फेनिका भवेत् ।
 फेनिकं मधुरा शीता वृष्या गुर्वी मनोहरा ।
 वातपित्तहरी बलया किञ्चित्कफकरी सरा ।
 चक्राकाराः सुपुष्टाश्चर्मसर्पिसम्मिता कृताः ।
 घृते सिद्धाः पक्वखण्डमडिता मधुशीर्षकाः ।
 समितां सर्पिषा भृष्टा सितामरिचमिश्रिता ।
 एलालवगकर्पूचूर्णादि परिसंस्कृता ।
 क्षिप्ताऽन्यसंमिता तपुटे सर्पिषि सपचेत् ।
 तरुः खडेलिपक्वेन सयावोऽयमुदाहृत ।
 सयावमत्रि जानीयान्मधुशीर्षकवद्गुणै ।
 समिता सेविकाः कृत्वा वर्त्तिवत्पाचिता घृतै ।
 मिश्रिताः पक्वखण्डेन ताभिर्भवति मोदकः ।
 सेविका लडुका बलया गुरवो मधुरा हिमाः ।
 वातपित्तहराः स्निग्धा शुक्रला श्लेष्मकारिणः ।
 कृताकर्करपात्रेण पिष्टिका विद्वो घृते मदिना ।
 पक्वखण्डेन राडुर्कविधायने ।
 मोदको मुद्गसिद्धः प्रणिनो वातपित्तहृत् ।
 रुचिकृद्वलकृतसद्यः किञ्चित्कफकरो हिम ।
 स चेच्चणकससिद्धो विशेषाद्वातलो मनः ।
 समिता सधिता क्षिप्ता सच्छिद्रेभाजनातरे ।
 परिभ्राम्यपरिभ्राम्य पतिता तप्तसर्पिषि ।
 द्विशः वृत्या त्रिगवृत्या विहिता ककणा कृतिः ।

सिताद्रवे मज्जिता च रसगर्भेति सोच्यते ।
 रसगर्भा परं रुच्या पुष्टिकाऽतिबलप्रदा ।
 धातुवृद्धिकरी गुर्वी तर्पणी वातपित्तहृत् ।
 आममाम्रफलं खंड इव पक्व घृतान्वित ।
 एलामरिचसंयुक्तं ज्ञातव्यं स च खाडवः ।
 खंडाम्रखाडवः स्निग्धो मधुरोऽष्णो गुरुस्तथा ।
 परं रुचिकरो बल्यस्तुष्टिपुष्टिप्रदो मतः ।
 समिता सर्पिषा भृष्टा शुभ्रशर्करया युता ।
 युता क्षीरेण संपक्वा लप्सिका मरिचान्विता ।
 लप्सिका वृहणी वृष्या वातपित्तहरा गुरुः ।
 मेहः कफकरी स्निग्धा रुच्या तृप्तिप्रदायिनी ।
 एलालंबगकर्पूरमरिचैः सहशर्करा ।
 अम्लीका फलसंभूतं पानकं वातनाशन ।
 कफपित्तकरं किञ्चित्सुरुच्यं वह्निबोधन ।
 अपक्वाम्लफलोद्भूतं पानकं वातनाशनं ।
 कफपित्तकरं चाम्लं रुच्यं पक्वाम्रसंभवं ।
 तत्तु स्वाद्रष्टं च गुरुपित्तहृत् ।
 विदंश्लेष्मलबल्यं चूर्णं वृष्यवमे नाशयेत् ।
 निंबूजं पानपाचनं वातनाशनं ।
 धान्यकल्कसिताजातं पानकं शशिवासितम् ।
 शीतं परं पित्तहरं मूत्रकृच्छ्रविनाशनं ।
 अपक्वभृष्टो गोधूमो बुधैरुवीति कथ्यते ।
 उंदी कफप्रदा बल्या लघ्वी पित्तानिलापहा ।
 शिबीधान्यैर्वृद्धपक्वैसु भृष्टैर्होलाको मतः ।
 होलाको वातलो मेदकफदोषश्रमापहः । बहुप्रमादपर्णः पाठोऽयं
 चतुर्थपुस्तके अधिकमुपलभ्यते ।

68. यद्गुणेनेह इति आकरे पाठः ।
69. यद्वीर्येण च इति आकरे पाठः ।
70. भक्ष्याश्चिकित्सकै इति आकरे पाठः ।
71. इति पानभक्ष्यवर्गः इति आकरे पाठः ।
 इति यूपान्दिक्रमः इति चतुर्थपुस्तके पाठः ।

CHAPTER 28

‘शीतोष्णतोयासवमद्यूषफलाम्लधान्याम्लपयोरसानाम् ।
यस्यानुपानं तु हित भवेद्यत्तस्मै प्रदेय तु हि मात्रया वै ॥१॥
व्याधि काल च विभाव्य धीरैर्द्रव्याणि योज्यानि च तानि तानि ।

Anupāna

Cold water, hot water, *āsava*, alcohols, *yūṣa*, *phalāmla*, *dhānyāmla*, milk and juice—these are generally used as *anupāna* and these should be used in proper quantity after ascertaining their utility, the nature of the disease and its stage of manifestation.

सर्वानुपानेषु वर वदन्ति मेध्यं यदम्भः शुचिभाजनस्थम् ॥ २ ॥’

[माधवद्रव्यगुणः अनुपानविधि २८:१-२]

Among all the *anupānas* the water which is kept in a clean pot is the best. It promotes intellect.

‘स्निग्धोष्ण मारुते शस्तं पित्ते मधुरशीतलम् ।

कफेऽनुपान रूक्षोष्ण क्षये मांसरसः परम् ॥ ३ ॥

उष्णोदकानुपानं तु स्नेहानामथ शस्यते ।

ऋते भल्लातकस्नेहात्तत्र ⁷ तोयं सुशीतलम् ॥ ४ ॥

If there is aggravation of *vāyu*, *anupānas* which are unctuous and hot are useful; in *pitta* sweet and cooling *anupānas* are useful and in *kapha* ununctuous and hot *anupānas* are useful. If there is *kṣaya* (consumption) meat soup is the best *anupāna*.

After taking oil, ghee etc. hot water should be used as *anupāna*. The oil of *bhallātaka* is an exception to this rule and cold water should be used after this oil.

अनुपानं च ⁸ दातव्यं ⁹ तैलयूषाम्लकांजिकम् ।

शीतोदकं माक्षिकस्य पिष्टान्नस्य च सर्वशः ॥ ५ ॥

¹⁰ दधिपायसमद्यत्तिविषयुष्टेस्तथैव ये ।

After honey and pastries (*piṣṭāna*) the *anupāna* should invariably be oil, *yūṣa*, *amla kāñjika* or cold water. Similar types of *anupāna* are useful after the intake of *dadhi*, *pāyasa* and alcohol and in *viṣa* (poisoning).

¹¹ केचित्पिष्टमये प्राहुरनुपानं सुखोदकम् ॥ ६ ॥

According to some scholars ordinary water should be used as *anupāna* after taking pastries (*piṣṭa*).

पयो ¹² मासरसो वापि ¹³ शालिमुद्गादिभोजिनाम् ।

Milk and meat soup should be used as *anupāna* for persons taking *śāli*, *mudga* etc.

मापादेरनुपानं तु धान्याम्ल दधिमस्तु वा ॥ ७ ॥

Dhānyāmla or *dadhi mastu* is useful as *anupāna* for persons taking *māṣa* etc.

अल्पाग्नीनामनिद्राणां ¹⁴ तन्द्राशोषभ्रमक्लमे ।

मद्यमांसोचितानां च मद्यमेवानुशस्यते ॥ ८ ॥

Alcohol is useful as *anupāna* for persons suffering from weak digestive power, sleeplessness, drowsiness, *śoṣa* (consumption), *bhrama* (giddiness) and *klama* (physical fatigue) and also for persons who are habituated to alcohol and meat.

अमद्यपानामुदक फलाम्लं वा प्रशस्यते ।

Persons who are not accustomed to drinking should use water or *phalāmla* as *anupāna*.

15

उपवासाध्वभाष्यस्त्रीमारुतातपकर्मभिः ॥ ६ ॥

क्लान्तानामनुपानार्थं पयः पथ्यं परं स्मृतम् ।

Milk is extremely wholesome for persons who are fatigued because of fast, excessive walking, talking or sexual intercourse and exposure to wind, sun ray or excessive exercise.

सुराकृशाणां स्थूलानामनुपानं मधूदकम् ॥ १० ॥

Madhūdaka should be used as *anupāna* by persons who are emaciated because of excessive drinking and also for persons who are obese.

17

निरामयाणां चित्तं [?] तु भुक्तमध्ये प्रकीर्तितम् ।

18

For healthy persons *anupāna* should be used in the middle of the food.

हितं शोणितपित्तेभ्यः क्षीरमिद्वुरसरतथा ॥ ११ ॥

Patients suffering from *śoṇita pitta* (a disease characterised by bleeding from different parts of the body) should use milk and sugar cane juice as *anupāna*.

19

अक्षशेलुशिरीषाणामासवास्तु विषात्तिषु ।

Patients suffering from poisoning should use the *āsava* of *aksa*, *śelu* and *śirīṣa* as *anupāna*.

²⁰
दोषवत् गुरु वा युक्तमतिमात्रमथापि वा ।
²¹
यथोक्तेनानुपानेन सुखमन्नं हि जीर्ज्यति ॥ १२ ॥

When *anupāna* is used in excess quantity, then it is injurious and heavy. If *anupāna* is used according to the prescription, then it helps in easy digestion of food.

'रोचनं बृंहणं वृष्यं दोषसंघातभेदनम्' ²² ।
²³
तर्पणं मार्दवकरं श्रमक्लमहरं सुखम् ॥ १३ ॥
दीपनं दोषशमनं पिपासाछेदनं परम् ।
²⁴
बल्यं वर्णकरं चापि अनुपानं सदोच्यते ॥ १४ ॥

Anupāna is invariably appetiser, nourishing and aphrodisiac. It helps in the detachment of all the *doṣas* from the tissue elements. It is refreshing. It produces softness and cures physical as well as mental fatigue. It produces happiness, stimulates digestion, alleviates *doṣas*, reduces thirst and promotes strength as well as complexion.

तदादौ ²⁵ कर्शयेत्पीतं स्थापयेन्मध्यसेवितम् ।
पश्चात्पीतं बृंहयति तत्समीक्ष्य प्रयोजयेत् ॥ १५ ॥

If *anupāna* is used before food, then it causes emaciation. If it is used in the middle of the food, then it keeps the *doṣas* in their proper positions. If it is used after food, then it produces a nourishing effect. Keeping these facts in view one should administer *anupāna*.

²⁶
स्थिरतांगतमक्लिन्नमन्नमद्रवपायिनाम ।
²⁷
भवत्यावाधाजननमनुपानमतः पिवेत् ॥ १६ ॥
²⁸
न पिवेच्छ्वासकासार्तो रोगे वाप्यूर्ध्वजत्रुगे ।
²⁹ ³⁰
क्षतोरस्तु प्रसेकी च यस्य [ह्य] पहतः स्वरः ॥ १७ ॥

If food is taken without any drink, then it remains there without undergoing the process of softening. Therefore one should use *anupāna*. It should not be used by patients suffering from *śvāsa* (asthma), *kāsa* (bronchitis), diseases of the head and neck, *urah kṣata* (phthisis), *praseka* (excessive salivation) and impairment of voice.

³¹
पानाध्वभाष्याध्ययन स्वप्नमेतान्न शीलयेत् ।

³²
प्रदूष्यामाशयं तद्धि तस्य कंठोरसि स्थितम् ॥ १८ ॥

³³
स्यादग्निसादच्छर्द्यादीन् जनयेदामयान्बहून् ।

One should not indulge in drinking, walking, talking, reading and sleeping in excess. By doing so the stomach gets vitiated and the *doṣas* situated in the throat and chest produce indigestion, vomiting and many such diseases.

³⁴
अनुपाने प्रयोक्तव्य व्याधौ श्लेष्मभवे ³⁵ पलम् ।

पलद्वय त्वनिलजे पित्तजे च पलत्रयम् ॥ १९ ॥'

[माधवद्रव्यगुणः अनुपानविधि २८ : ४-२१]

In diseases caused by *kapha* the *anupāna* should be administered in a dose of one *pala* (48 ml.). In diseases caused by *vāyu* its dose is two *palas* (96 ml.). In diseases caused by *pitta* the dose of *anupāna* is three *palas* (144 ml.).

॥ इत्यनुपानविधिः ॥

Thus end the section dealing with the method of administration of different types of *anupāna*.

NOTES AND REFERENCES

1. भवेद्धितं यत्तस्मै प्रदेयं त्विह मात्रया तत् इति आकरे पाठः ।
2. भवेत्सत्तस्मै इति द्वितीयपुस्तके पाठः ।

3. च इति चतुर्थपुस्तके पाठः ।
4. द्रव्याणि इति द्वितीयपुस्तके पाठः ।
5. विभज्य इति आकरे पाठः ।
6. योग्यानि इति द्वितीयपुस्तके पाठः ।
7. नोष्णं इति द्वितीयपुस्तके पाठः ।
8. अनुपानं वदन्त्येके इति आकरे पाठः ।
9. तैले इति आकरे पाठः ।
10. दधिपायसमद्यात्तिविषयुक्ते तथैव च इति आकरे पाठः ।
दधिपायसमद्यानां विषयुक्तास्तथैव ये इति द्वितीयपुस्तके पाठः ।
11. केचिदिष्टतम इति द्वितीयपुस्तके पाठः ।
12. यूषो मांसरसो इति आकरे चतुर्थपुस्तके च पाठः ।
13. शालिमुद्गादियोजितम् इति आदर्शपुस्तके पाठः ।
शालिमुद्गादिभोजने इति चतुर्थपुस्तके पाठः ।
14. तंद्रौशोकभ्रमक्लमैः इति आकरे पाठः ।
15. उपवासाध्वकार्यस्त्री इति द्वितीयपुस्तके पाठः ।
16. तथाऽमृतम् इति आकरे पाठः ।
17. चित्रं इति आकरे पाठः ।
18. प्रशस्यते इति आकरे चतुर्थपुस्तके च पाठः ।
19. अर्कशेलुशिरीषाणां मांसमस्तु विषात्तिषु इति आदर्शपुस्तके पाठः ।
20. दोष च इति आदर्शपुस्तके पाठः ।
21. प्रजीर्यति इति आकरे पाठः ।
22. 'रोचनं.....दोषसंघातभेदनम्' पाठोऽयं चतुर्थपुस्तके नोपलभ्यते ।
23. सर्वक्लमहरं इति द्वितीयपुस्तके पाठः ।
24. त्वनुपानं इति आकरे पाठः ।
25. तर्पयेत्पीत इति द्वितीयपुस्तके पाठः ।
26. भवत्यबोधजननमनुपानमतः इति आदर्शपुस्तके पाठः ।
27. न रोगे तूर्ध्वजत्रुगे इति आकरे पाठः ।
28. क्षतोरस्कः इति आकरे पाठः ।
29. यः स्याच्चोपहतस्वरः इति आकरे पाठः ।

यस्य द्यापहतः स्वरम् इति द्वितीयपुस्तके पाठः ।

30. पीत्वाध्वभाष्याध्ययनगेयस्वप्नान्न इति आकरे चतुर्थपुस्तके च पाठः ।
31. प्रदूष्यामाशये इति भादर्शपुस्तके पाठः ।
32. मंदाग्निसादच्छर्द्यादीन् इति आकरे पाठः ।
अग्निमान्द्यच्छर्द्यादीन् इति द्वितीयपुस्तके पाठः ।
33. अनुपान इति आकरे पाठः ।
34. फलम् इति द्वितीयपुस्तके पाठः ।
35. अनुपानाधिकारः इति चतुर्थपुस्तके पाठः ।

CHAPTER 29

चित्रकाऽभावतो दन्ती क्षारशिखरिजोऽथवा ।

If *citraka* is not available, then in its place *dantī* or the *kṣāra* of *śikhari* should be used.

अभावे पृष्णिपर्ण्याश्च सिंहपुच्छी प्रदीयते ॥ १ ॥

In the case of non-availability of *prṣṇī parṇī*, one should use *śimha pucchī*.

भाङ्गर्यऽभावे तु तालीसं कंटकारीजटाऽथवा ।

If *bhārngī* is not available, then *tālīsa* or the root of *kaṇṭakārī* should be used in its place.

अभावे धन्वयासस्य प्रक्षेप्या च दुरालभा ॥ २ ॥

If *dhanvayāsa* is not available, then *durālabhā* should be added in its place.

पुंजातः [मुंजातः?] पश्चिमे ख्यातस्तस्याभावे तु तालविट् ।

In the place of the drug which is known in the western

regions as *punjāta*, one should use *tālavīṭ*.

नततगरपाद्याश्च अभावे वेणु निक्षिपेत् ॥ ३ ॥

If *nata* or *tagara pādi* is not available, then in its place *veṇu* should be added.

अभावे तगरस्यापि कुष्ठं तु प्रक्षिपेत्सदा ।

If *tagara* is not available, then *kuṣṭha* should always be added in its place.

क्षिपेत् करिकणाभावादपि कुक्कुटमस्तकम् ॥ ४ ॥

If *karikaṇā* is not available, then one should use in its place *kukkuṭa mastaka*.

अभावेऽभ्रकसत्त्वस्य कांतलौहं प्रयोजयेत् ।

If the *sattva* (essence) of *abhra* is not available, then in its place *kānta lauha* should be used.

कान्ताभावे तीक्ष्णलौहं योजयेत् वैद्यसत्तमः ॥ ५ ॥

If *kānta lauha* is not available, then an expert physician should use *tīkṣṇa lauha* in its place.

मूर्वाभावे त्वचो ग्राह्या ततो जिगिनिःस्रवा ।

If *mūrvā* is not available, then in its place the bark of *jīngini* should be used.

अर्कपर्णादिपयसो ह्यभावे तद्रसो मतः ॥ ६ ॥

If the latex of *arka parṇī* etc. is not available, then in its place the *yūṣa* of these plants is recommended.

लाङ्गल्यभावतो वह्नीपत्रं दद्यात् विचक्षणः ।

An expert should use *vahnī patra* in the place of *lāṅgalī* if the latter is not available.

अहिंसायाः अभावे तु मानकदः प्रकीर्तितः ॥ ७ ॥

If *ahimsrā* is not available, then in its place *māna kanda* is to be used,

लक्ष्मणायाम् अभावे तु नीलीकंदशिका मता ।

If *lakṣmaṇā* is not available, then the root of *nīlī kanda* should be used.

यदा न प्रौष्कर मूल कुष्ठ योज्यं तदा बुधैः ॥ ८ ॥

If *puskara mūla* is not available, then in its place *kuṣṭha* should be used by the Wise.

चविकागजपिप्पलयौ पिप्पलीमूलवत् स्मृतौ ।

Cavikā and *gaja pippalī* have effects like *pippalī mūla*.

भल्लातकासहत्वे तु रक्तचंदनमिष्यते ॥ ९ ॥

If a person is not able to tolerate *bhallātaka*, then he should be given *rakta candana*.

अभावे सोमराज्यास्तु प्रपुन्नाडफलं मतम् ।

If *somarāji* is not available, then in its place the fruit of *prapunnāḍa* is recommended.

यदा न स्यात् दारुनिशा तदा देया निशा बुधैः ॥१०॥

When *dāru niśā* is not available, then the Wise should use *niśā*.

रसांजनस्याभावे तु सम्यक् दार्वी प्रयोजयेत् ।

If *rasāñjana* is not available, then in its place *dārvī* is used.

सौराष्ट्रद्यभावतो देया कटिभी तद्गुणा जनैः ॥११॥

If *saurāṣṭri* is not available, then in its place *kaṭibhī* which has similar properties should be used.

अम्लवेतसकाभावे चुक्र दातव्यमीरितम् ।

If *amla vetasa* is not available, then in its place *cukra*

should be used.

रुचकाभावतो दद्यात् लवण पांशुपूर्वकम् ॥ १२ ॥

If *rucaka* is not available, then in its place *pāṁśu lavaṇa* should be added.

सुवर्णमथवा रूप्यं मृत यत्र न विद्यते ।

तत्र लोहेन कर्माणि भिषक् कुर्याद् विचक्षणः ॥ १३ ॥

If the *bhasma* of *suvarṇa* or *rūpya* is not available, then in its place an expert physician should give *lauha*.

सुवर्णाभावतो वैद्यो माक्षिक वापि निक्षिपेत् ।

माक्षिकस्याप्यभावे तु प्रदद्यात् स्वर्णगैरिकम् ॥ १४ ॥

If *suvarṇa* is not available, then in its place the physician should add *mākṣika*. If, however, *mākṣika* is not available, in its place *svaṛṇa gairika* should be used.

हेममाक्षिकजं सत्त्वं मृतहेमसमं गुणैः ।

The *sattva* (essence) of *hema mākṣika* is similar to *svaṛṇa bhasma* in properties.

श्वेतं तु माक्षिकं ज्ञेयं ध्रुव रजतवद् गुणैः ॥ १५ ॥

The white variety of *mākṣika* is certainly like *rajata* in property.

वज्राभावे तु वैक्रान्तं मुनयः प्रक्षिपन्ति च ।

If *vajra* is not available, then the sages use *vaikrānta* in its place.

कर्पूराभावतो देयं ग्रन्थिपर्ण विशेषतः ॥ १६ ॥

If *karpūra* is not available, then *granthi parṇa* is used in its place.

श्रीखण्डचंदनाभावे कर्पूरं देयमिष्यते ।

अलाभे त्वेतयोर्वेद्यः प्रक्षिपेद्रक्तचन्दनम् ॥ १७ ॥

रक्तचन्दनकाभावे नवोशीर विदुर्बुधाः ।

If *śrīkhaṇḍa candana* is not available, then in its place *karpūra* should be added. If both of them are not available, then the Wise should use *rakta candana* in their place. If *rakta candana* is not available, then the freshly collected *uśīra* is used in its place.

तालीसपत्रकाभावे स्वर्णताली प्रशस्यते ॥ १८ ॥

If *tālīsa patra* is not available, then in its place *svaṛṇa tālī* is useful.

अभावे नागपुष्पस्य पद्मकेसरमुच्यते ।

If *nāga puṣpa* is not available, then *padma keśara* is to be used.

कस्तूर्यभावे कक्कोलं प्रक्षेप्यं तु विदुर्बुधाः ॥ १९ ॥

कक्कोलस्याप्यभावे तु जातीपुष्पं प्रशस्यते ।

If *kastūrī* is not available, then the Wise should add *kakkola* in its place. If *kakkola* is not available, then the flower of *jāti* is useful in its place.

नीलोत्पलस्याभावे तु कुमुदं देयमिष्यते ॥ २० ॥

If *nīlotpala* is not available, then in its place *kumuda* should be used.

जातीपुष्पं न यत्रास्ति लवणं तत्र दीयते ।

If the flower of *jāti* is not available, then in its place *lavaṅga* is added.

बंधूकाभावतो देयं पुष्पं पुन्नागनामकम् ॥ २१ ॥

If *vandhūka* is not available, then in its place the flower called *punnāga* should be added,

बकुलाभावतो देयं कल्हारोत्पल्पंकजम् ।

If *bakula* is not available, then in its place *kalhāra*, *utpala* and *pañkaja* can be used.

द्राक्षा यदि न लभ्येत प्रदेयं काश्मरीफलम् ॥ २२ ॥

तयोरभावे कुसुमं मधूकस्य मतं बुधैः ।

If *drākṣā* is not available, then in its place the fruit of *kāśmarī* should be added. If both of them are not available, then the flower of *madhūka* should be used.

मेदाजीवककाकोलीऋद्धिद्वन्द्वेऽपि वाऽसति ॥ २३ ॥

यष्टीविदार्यश्वगंधावाराही च क्रमात् क्षिपेत् ।

If both the types of each of *medā*, *jīvaka*, *kākolī* and *ṛddhi* are not available, then in their places *yaṣṭī*, *vidāri*, *aśva-gandhā* and *vārāhī* should be added respectively.

वाराह्याश्च तथाभावे चर्मकारालुको मतः ॥ २४ ॥

If *vārāhī* is not available, then in its place *carmakārāluka* should be used.

न भवेत् दाडिम यत्र वृक्षाम्ल तत्र योजयेत् ।

If *dāḍima* is not available, then in its place *vṛkṣāmla* should be used.

क्षीराभावे रसो मौद्ग. मासूरो वा प्रदीयते ॥ २५ ॥

If milk is not available, then the juice of *mudga* or *masūra* should be used.

रूचकतैलाभावे तु हितमारुष्कर विदुः ।

If the oil of *rūcaka* is not available, then in its place the oil of *aruṣkara* should be used.

मुक्ताभावे क्षिपेन्नित्यं मुक्ताशुक्ति न सद्यः ॥ २६ ॥

If *muktā* is not available, one can undoubtedly use *muktā-śukti* in its place.

मधु यत्र न लभ्येत तत्र जीर्णगुडो मतः ।

अनर्हत्वादभावाद्वा मधुनः शस्यते बुधैः ॥ २७ ॥

रम्भापुष्परसश्चापि खांडजलमथापि वा ।

If honey is not available, then in its place old *guḍa* is recommended. If honey is either not available or not suitable for the patient, then in its place the Wise should use the juice of *rambhā puṣpa* or water mixed with *khaṇḍa*.

मत्स्याण्ड्यभावतो दद्यात् भिषग्भि सितशर्करा ॥२८॥

If *matsyāṇḍi* is not available, then in its place a physician can give white variety of *śarkarā*.

सिद्धार्थः सर्षपे योज्याद्बैद्यविद्याविशारदैः ।

A person proficient in medical science should use *siddhārtha* in the place of *sarṣapa*.

असंभवे सितायाश्च बुधैः खडं प्रयुज्यते ॥ २९ ॥

If *sitā* is not available, then the Wise should use *khaṇḍa*.

अभावे वेतसाम्लस्य चणकाम्लमपि क्षिपेत् ।

एतयोश्च अभावेऽपि हेमंताम्लं समादिशेत् ॥ ३० ॥

If *vetasāmla* is not available, then in its place *caṇakāmla* may be used. If both of them are not available, then in their place, the use of *hemantāmla* is advised.

मुस्ता चातिविषाऽभावे शिवाऽभावे शिव भवेत् ॥३१॥

If *atviṣā* is not available, then in its place *mustā* should be used. If *śivā* (*harītakī*) is not available, then in its place *śiva* (*āmalaka*) should be used.

अभावे सति पत्राणां रसादौ भावनाविधिः ।

विषमुष्टिकषायेण षड्गुणा भावना भवेत् ॥ ३२ ॥

If it is prescribed in the text to give *bhāvanā* (impregnation) by the juice of the leaf *viṣamuṣṭi*, and if it is not available, then in its place the decoction of this drug six times in quantity can be used.

अभावे शालिधान्यस्य पष्टिकादि न्यसेत् बुधैः ।

If *śāli dhānya* is not available, then in its place *ṣaṣṭika* etc. should be added.

मसूराभावतो दद्यात् शशहंसाखुकानपि ॥ ३३ ॥

If *masūra* is not available, then in its place the juice of the meat of *śāśa*, *hamsa* and *ākhu* can be used.

अत्र प्रोक्तानि वस्तूनि यानि यानि च तेषु च ।

योज्यमेकतराभावे परं वैद्येन जानता ॥ ३४ ॥

The substitute drugs described in this chapter can be used by a wise physician when the original drugs are not available.

रसवीर्यविपाकाद्यैः समद्रव्य विचिन्त्य च ।

युज्यादेवंविधमन्यद्द्रव्यज्ञानविशारदः ॥ ३५ ॥

A physician well versed in materia medica should decide substitutes of similar other drugs by taking into consideration their *rasa* (taste), *vīrya* (potency), *vipāka* (taste after digestion) etc.

अन्तःसम्मार्जने मोदास्थाने योज्या यवानिका ।

बहिःसम्मार्जने मोदास्वजमोदैव गृह्यते ॥ ३६ ॥

In the place of *modā*, *yavānikā* should be used if the formula is meant for internal cleansing and *ajamodā* should be used if the formula is meant for external cleansing.

अन्त.सम्मार्जने योज्यं वचास्थाने कुलिंजनम् ।

वहि सम्मार्जने सैव प्रयोज्यात् [?] मरुगिर्षभिः [?] ॥ ३७ ॥

In the place of *vacā*, *kuliñjana* is used if the formula is meant for internal cleansing. For external cleansing, however, *vacā* as such can be used in the formula.

कृष्णजीरकयोगेन कर्तव्ये भक्ष्यभेषजे ।

तस्य स्थाने विधात्व्यो जीरकः कुशलो [भिषक्] ॥ ३८ ॥

If any food preparation or medicine is described to be prepared by adding *kṛṣṇa jīraka*, then in its place white variety of *jīraka* should be used by an expert physician.

॥इति अनुकलयवर्गः॥

Thus ends the chapter dealing with various types⁵ of substitutes and allied topics.

CHAPTER 30

दानशीलदया — सत्यब्रह्मचर्यकृतज्ञता ।

रसायनानि मैत्री च पुण्यायुर्वृद्धिकृद्गणाः ॥ १ ॥

Charity, good conduct, compassion, truthfulness, celibacy, gratefulness, rejuvenation therapy and friendship—these constitute the group which promotes virtue and longevity.

सुश्रुताद्गणान् वक्ष्यामः

उद्देशमात्रमपि लक्षणं प्राग्यदुक्तं व्यक्तं व्यनक्ति

पवनादिगदानुराणां । नृणामदृष्टचरकादि

जडात्मनोऽपि प्रज्ञावतः किमुत कायचिकित्सकस्य ॥२॥

Description of groups of drugs according to *Suśruta*

What has been described in brief before clearly shows the way for the treatment of patients suffering from diseases caused by *vāyu* etc. even to a less intelligent person who is not acquainted with *Caraka* etc. It is not necessary to describe the

usage to which these drugs can be put by an intelligent physician who is specialised in the treatment of internal diseases.

दोषधातुमलमूलमिद रग्युक्तमुक्तमृषिभिर्नृशरीरम् ।

तद्विकारमुपलभ्य भिषग्भिर्भेषजैरुपशमः करणीयः ॥ ३ ॥

इतीदमुक्तं यद्बुदीरितं पुरा समुच्चये सूत्रमविस्तरौषधम् ।

² कियद्भिर्भरप्यौषधसग्रहैर्गणैर्निगद्यते चान्यदतश्चिकित्सितम् ॥ ४ ॥

³ स्यात्सप्तत्रिंशमेभिर्गणैर्वीक्ष्यवातपित्तकफान् ।

⁴ योगा रोगात्तानां विभज्य भिषजा प्रकल्पन्ते ॥ ५ ॥

It has been stated by the sages that the human body which suffers from diseases is a conglomeration of *doṣas*, *dhātus* (tissue elements) and *malas* (waste products). If there is morbidity in this body, the physician should alleviate these ailments by the administration of drugs. This has already been stated before in brief. Now some of these drugs are being described by putting them into different groups for the convenience of treatment. These groups are thirty-seven in number. After ascertaining the predominance of either *vāyu*, *pitta* or *kapha* and the nature of the compound, disease and the patient, the physician should administer these drugs after proper selection.

घृततैलचूर्णकल्कप्रलेपसेकावगाहपानानि ।

आस्थापनमनुवासननस्यांजनवतिविधा यश्च ॥ ६ ॥

These drugs can be used in the form of medicated ghee, medicated oil, powder, paste, unguent, spray, bath, drink, *āsthāpana* type of enema, *anuvāsana* type of enema, inhalation, collyrium and suppository.

सुश्रुतः

समीक्ष्य दोषभेदांश्च ⁵ गणान्भिन्नान्प्रयोजयेत् ।

पथद्विमश्रान्समस्तान्वा गणान्वाच्यस्तु संहतान् ॥७॥

[सुश्रुतः सूत्र ३८ : ८२]

Suśruta

Depending upon the nature of the *doṣas* involved in the manifestation of the disease, the physician should prescribe drugs described in these groups either separately or jointly. Even drugs of all the groups can be used together.

‘तद्यथा—

१. विदारीगन्धा विदारी विश्वदेवा सहदेवा श्वदंष्ट्रा पृथक्पर्णी शृगालविन्ना शतावरी सारिवा जीवकर्षभकौ महासहा क्षुद्रसहा बृहत्याौ पुनर्नवैरण्डो हंसपादी वृश्चिकालीऋषभश्चेति ॥ ८ ॥

(1) *Vidārigandhādi gaṇa*

This group includes *vidāri gandhā*, *vidārī*, *viśvadevā*, *sahadevā*, *śvadamṣṭrā*, *prthakparnī*, *śṛgāla vinnā*, *śatāvārī*, *sārivā*, *jivaka*, *ṛṣabhaka*, *mahā sahā*, *kṣudra sahā*, *bṛhatī*, *kaṅṭakārī*, *punarnavā*, *eraṅḍa*, *hamsa pādī*, *vṛścikālī* and *ṛṣabha*.

विदारीगन्धादिरयं गणः पित्तानिलापहः ।

शोषगुल्मागमर्दोर्ध्वश्वासकासविनाशनः ॥ ९ ॥

Drugs of this group alleviate *pitta* and *vāyu*, and cure *śoṣa* (consumption), *gulma* (phantom tumour), *anga marda* (malaise), *urdhva śvāsa* (dyspnoea) and *kaśā* (bronchitis).

२. आरग्वधमदनगोपघोण्टाकण्टकीकुटजपाठापाटलामूर्वेन्द्रयवसप्तपर्णनिब-
कुरण्टकदासीकुरण्टकगुडूचीचित्रकशाङ्गोष्ठापरूषकरंजद्वयपटोलकिरातति-
क्तकानि सुषवी चेति ॥ १० ॥

(2) *Āragvadhādi gaṇa*

This group includes *āragvadhā*, *madana*, *gopa ghonṭā*, *kaṅṭakī*, *kuṭaja*, *pāṭhā*, *paṭalā*, *mūrvā*, *indrayava*, *saptaparna*, *nimba*, *kuraṅṭaka*, *guḍūcī*, *citraka*, *sārṅgiṣṭhā*, *parūṣaka*, both the types of *karañja*, *paṭola*, *kirāta tikta* and *suṣavī*.

आरग्वधादिरित्येष गणः श्लेष्मविषापहः ।

मेहकुष्ठज्वरवमीकण्डूघ्नो व्रणशोधनः ॥ ११ ॥

Drugs of this group alleviate *kapha* and poisoning, and cure *meha* (obstinate urinary disorders including diabetes), *kuṣṭha* (obstinate skin diseases including leprosy), *jvara* (fever), *vamī* (vomiting) and *kaṇḍū* (itching). They also help in the cleansing of ulcers.

३. सालसाराजकर्णखदिरकदरकालस्कन्धक्रमुकभूर्जमेषशृङ्गीतिनिशचंदन-
कुचंदनशिशिपाशिरीषासनधवार्जुननक्तमालाश्वकर्णशाकगुडूचीकालीय-
कश्चेति ॥ १२ ॥

(3) *Sālasāraādi gana*

This group includes *sālasāra*, *ajakarṇa*, *khadira*, *kadara*, *kāla skandha*, *kramuka*, *bhūrja*, *meṣa śṛṅgī*, *tiniśa*, *candana*, *kūcandana*, *śimśipā*, *śirīṣa*, *asana*, *dhava*, *arjuna*, *naktamāla*, *aśvakarṇa*, *śāka*, *guḍūci* and *kālīyaka*.

सालसारादिरित्येष गणः कुष्ठविनाशनः ।

मेहपाण्ड्वामयहरः कफमेदो विशोधनः ॥ १३ ॥

Drugs of this group cure *kuṣṭha* (obstinate skin diseases including leprosy), *meha* (obstinate urinary disorders including diabetes) and *pāṇḍu* (anemia). They also cleanse *kapha* and *medas* (fat).

४ वरुणार्तगलशिग्रुमधुशिग्रुतर्कारीमेषशृङ्गीपूतीकनक्तमालमोरटाग्निमन्थसैरे-
यकद्वयबिम्बीवसुकवसिरचित्रकशतावरीबिल्वाजशृङ्गीदर्भाः बृहतीद्वयं
चेति ॥ १४ ॥

(4) *Varuṇādi gaṇa*

This group includes *varuṇa*, *ārtagala*, *śigru*, *madhu śigru*, *tarkārī*, *meṣaśṛṅgī*, *pūtīka*, *naktamāla*, *morāṭa*, *agnimantha*, both the types of *saireyaka*, *bimbī*, *vasuka*, *vasira*, *citraka*, *śatāvarī*, *bilva*, *ajaśṛṅgī*, *darbha* and both the types of *bṛhatī*.

वरुणादिगैणो ह्येषं कफमेदोनिवारणः ।

विनिहन्ति शिरःशूलगुल्माभ्यन्तरविद्रधीन् ॥ १५ ॥

Drugs of this group alleviate *kapha* and reduce *medas* (fat). They cure *śiraḥśūla* (headache), *gulma* (phantom tumour) and *ābhyantara vidradhi* (internal abscess).

8

५. वीरतरुसहचरद्वयदर्भवृक्षादनीगुन्द्रानलकुशकाशाश्मभेदकाग्निमन्थमोरटा-
वसुकवसिरभल्लूककुरण्टिकेन्दीवरकपोतवङ्काः श्वद्रंष्टा चेति ॥ १६ ॥

(5) *Vīratarvādi gaṇa*

This group includes *vīrataru*, both the types of *sahacara*, *darbha*, *vrkṣādānī*, *gundrā*, *nala*, *kuśa*, *kāśa aśmabhedaka*, *agnim-antha*, *moraṣā*, *vasuka*, *vasira*, *bhallūka*, *kuraṇṭika*, *indīvara*, *kapota vaṅkā* and *svadamṣṭrā*.

वीरतर्वादिरित्येष गणो वातविकारनुत् ।

9

अश्मरीशर्करामूत्रकृच्छ्राघातरुजापह. ॥ १७ ॥

Drugs of this group cure diseases caused by *vāyu*, *aśmarī* (stone in urinary tract), *śarkarā* (gravels in the urinary tract), *mūtra kṛcchra* (dysuria) and *mūtrāghāta* (anuria).

10

६. रोध्रासावररोध्रपलाशकुटन्नटाशोकफञ्जीकट्फलैलवालुकसल्लकीर्जिगिनी-
कदम्बसालाः कदली चेति ॥ १८ ॥

(6) *Rodhrādi gaṇa*

This group includes *rodhra*, *sāvararodhra*, *palāśa*, *kuṭan-naṭa*, *aśoka*, *phañjī*, *kaṭphala*, *ela vāluka*, *sallakī*, *jiṅginī*, *kadamba*, *sāla* and *kadalī*.

एष रोध्रादिरित्युक्तो भेदःकफहरो गणः ।

योनिदोषहरः स्तम्भी वर्ण्यो विषविनाशनः ॥ १९ ॥

Drugs of this group reduce *medas* (fat) and *kapha*. They cure *yonī doṣa* (ailments of female genital tract). They promote the power of retention (*stambhana*) and complexion. They cure *viṣa* (poisoning).

७. अर्कालर्ककरंजद्वयनागदन्तीमयूरकभार्गीरासनेन्द्रपुष्पीक्षुद्रश्वेतामहाश्वेतावृ-
श्चिकाल्यलवणास्तापसवृक्षश्चेति ॥ २० ॥

(7) *Arkādi gaṇa*

This group includes *arka*, *alraka*, both the types of *karañja*, *nāgadantī*, *mayūraka*, *bhārgī*, *rāsanā*, *indrapuṣpī*, *ksudraśvetā*, *mahā śvetā*, *vṛścikāli*, *alavanā* and *tāpasa vṛkṣa*.

अर्कादिको गणो ह्येष कफमेदोर्विषापहः ।

कृमिकृष्ठप्रशमनो विशेषात् व्रणशोधनः ॥ २१ ॥

Drugs of this group reduce *kapha* and *medas* (fat). They cure *viṣa* (poisoning), *kṛmi* (parasitic infection) and *kuṣṭha* (obstinate skin diseases including leprosy). They specially help in the cleansing of ulcers.

८. सुरसाश्वेतसुरसाफणिज्झकार्जकभूस्तृणसुगन्धकसुमुखकालमालकासमर्दक्षव-
कखरपुष्पविडङ्गकट्फलसुरभीनिर्गुण्डीकुलाहलोन्दुरुकर्णिकाफञ्जीप्राचीगल-
काकमाच्यो विषमुष्टिकश्चेति ॥ २२ ॥

(8) *Śurasādi gaṇa*

This group includes *surasā*, *śveta*, *surasā*, *phañijhaka*, *arjaka*, *bhūstrṇa*, *sugandhaka*, *sūmukha*, *kālmāla*, *kāsamarda*, *kṣavaka*, *kharapuṣpa*, *viḍaṅga*, *kaṭṭphala*, *surabhī*, *nirguṇḍī*, *kulāhala*, *unduru karnikā*, *phañjī*, *prācībala*, *kākamācī* and *viṣamuṣṭi*.

सुरसादिर्गणो ह्येष कफहृत् कृमिसूदनः ।

प्रतिश्यायारुचिश्वासकासघ्नो व्रणशोधनः ॥ २३ ॥

Drugs of this group alleviate *kapha* and cure *kṛmi* (parasitic infection), *pratiśyāya* (rhinitis), *arucī* (anorexia), *śvāsa* (asthma) and *kāsa*. They help in the cleansing of ulcers.

९. मुष्ककपलाशधवचित्रकमदनवृक्षकर्शिशपावञ्ज्रवृक्षास्त्रिफला चेति ॥ २४ ॥

(9) *Muškakādi gaṇa*

The group includes *muškaka*, *palāśa*, *dhava*, *citraka*, *madama*, *vṛkṣaka*, *śimśapā*, *vajra vṛkṣa* and *triphalā*.

द्रुष्ककादिर्गणो ह्येष मेदोघ्नः शुक्रदोषहृत् ।

मेहार्शः पाण्डुरोगघ्नः शर्कराशन. परः' ॥ २५ ॥

[सुश्रुतः सूत्रः ३८ ८-२१]

Drugs of this group reduce *medas* (adiposity) and correct the vitiation of *śukra* (semen). They cure *meha* (obstinate urinary disorders including diabetes), *arśas* (piles), *pāṇḍu* (anemia), and *śarkarā* (gravels in the urinary tract).

१०. कृष्णाग्रन्थिकचव्यचित्रकविषाविश्वौषधाजिभिः ।

पाठारामरेणुकामधुरसासिद्धार्थतित्तिषणै. ॥ २६ ॥

द्रोक्का शक्रयवाजमोदत्रुटिभिर्भिर्गीविडङ्गान्वितैः ।

(10) *Kṛṣṇādi gaṇa*

This group consists of *kṛṣṇā*, *granthika*, *cavya*, *citraka*, *viṣā*, *viśvauśadha*, *ajāji*, *pāṭhā*, *rāmaṭha*, *reṇukā*, *madhurasā*, *siddhārtha*, *tiktā*, *uṣaṇa*, *dīekkā*, *śakra yava*, *ajamoda*, *tr̥ti*, *bhārgī* and *viḍaṅga*.

एभिर्दीप्तकरश्च गुल्मशमनः शूलाममुत्पाचनः ।

श्लेष्मघ्नो रुचिकारको ज्वरहरः कृष्णादि रुक्तो गणः' ॥२७॥

Drugs of this group stimulate the power of digestion. They cure *gulma* (phantom tumour) and *śūla* (colic pain). They help in the *pācana* (metabolic transformation) of *āma*. They alleviate *kapha*, produce appetite and cure *jvara* (fever).

११. 'एलातगरकुष्ठमासीध्यामकत्वक्पत्रनागपुष्पप्रियङ्गुहरेणुकाव्याघ्रनखशु-
क्तिचण्डास्थौण्यकश्रीवेष्टकचोचचोरकवालुकगुगुलुसर्जरसतुरुष्कक्रुन्दुहका-
गुरुस्पृक्कोशीरभद्रदारुकुंकुमानि पुन्नागकेशरं चेति ॥ २८ ॥

(11) *Elādi gaṇa*

This group consists of *elā*, *tagara*, *kuṣṭha*, *māmsī*, *dhyā-maka*, *tvak*, *patra*, *nāga puṣpa*, *priyaṅgu*, *hareṇukā*, *vyāghra nakha*, *śukti*, *caṇḍā*, *sthaṇḍeyaka*, *śrīveṣṭaka*, *coca*, *coraka*, *vāluka*, *guggulu*, *sarja rasa*, *туруška*, *kunduruka*, *aguru*, *spṛkkā*, *uśīra*, *bhadra dāru*, *kuṅkuma* and *punnāga keśara*.

एलादिको वातकफौ निह्न्याद्विषमेव च ।

वर्णप्रसादन. कण्डूपिडकाकोठनाशनः ॥ २६ ॥

Drugs of this group alleviate *vāyu* and *kapha*, cure *visa* (poisoning) and promote complexion. They also cure *kaṇḍū* (itching), *pidakā* (pimples) and *koṭha* (urticarial rashes).

१२ वचातिविषजीमूतजपादारुसनागरैः ।

१३. हरिद्रे कलशीयष्टि तथा कुटजबीजकैः ॥ ३० ॥

(12) (13) *Vacādi and Haridrādi gaṇa*

Vacādi gaṇa consists of *vacā*, *ativiṣa*, *jīmūta*, *japā*, *dāru* and *śuṅghī*.

Haridrādi gaṇa consists of *haridrā*, *dāru haridrā*, *kalaśī*, *yaṣṭi* and the seed of *kuṭaja*.

एतौ वचाहरिद्रादिगणौ स्तन्यविशोधनौ ।

आमातिसारशमनौ विशेषाद्दोषपाचनौ ॥ ३१ ॥

[सुश्रुतः सूत्र ३८ : २४-२८]

Drugs belonging of both these groups help in the purification of the milk and alleviate *āma* as well as *atisāra* (diarrhoea). They specially help in the *pācana* (metabolic transformation) of *doṣas*.

१४. 'काकोलीक्षीरकाकोलीजीवकर्षभकमुद्गपर्णीमाषपर्णीमेदामहामेदाच्छिन्नरुहा-
कर्कटशृङ्गीतुगाक्षीरीपन्नकप्रपौण्डरीकऋद्धिवृद्धिमृद्रीकाजीवन्त्यो मधुकं
चेति ॥ ३२ ॥

(14) *Kākolyādi gaṇa*

The group consists of *kākolī*, *kṣīra kākolī*, *jīvaka*, *ṛṣabhaka*, *mudgaparṇī*, *māṣaparṇī*, *medā*, *mahā medā*, *chinnaruhā*, *karkaṭa śṛṅgī*, *tugāksīrī*, *padmaka*, *prapauṇḍarika*, *ṛddhi*, *vṛddhi*, *mṛdvikā*, *jīvantī* and *madhuka*.

काकोल्यादिरय पित्तशोणितानिलनाशनः ।

जीवनो बृहणो वृष्यः स्तन्यश्लेष्मकरस्तथा ॥३३॥

Drugs belonging to this group alleviate *pitta*, blood and *vāyu*. They are vitalizing, nourishing and aphrodisiac. They produce more of milk and *kapha*.

१५. ऊषकसैन्धवशिलाजतुगुग्गुलुकासीसद्वयहिगूतुत्थकं चेति ॥ ३४ ॥

(15) *Uṣakādi gaṇa*

This group consists of *uṣaka*, *saindhava*, *śilājatu*, *guggulu*, both the types of *kāsisa*, *hingu* and *tutthaka*.

ऊषकादि कफं हन्ति गणो मेदोविशोषणः ।

अश्मरीशर्करामूत्रकृच्छ्रशूलकगुल्मनुत् ॥ ३५ ॥

Drugs belonging to this group alleviate *kapha* and help in the depletion of fat. They cure *aśmarī* (stone in urinary tract), *śarkarā* (gravels in the urinary tract), *mūtra kṛcchra* (dysuria), *śūlā* (colic pain) and *gulma* (phantom tumour).

१६. सारिवामधुकचन्दनकुचन्दनपद्मककाश्मरीफलमधूकपुष्पाण्युशीर
चेति ॥ ३६ ॥

(16) *Sārivādi gaṇa*

This group consists of *sārivā*, *madhuka*, *candana*, *kucandana*, *padmaka*, *kāśmarī phala*, *madhuka puṣpa* and *uśira*.

सारिवादिः पिपासाधनो रक्तपित्तहरो गणः ।

पित्तज्वरप्रशमनो विशेषात् दाहनाशनः ॥ ३७ ॥

Drugs belonging to this group cure *pipāsā* (morbid thirst), *rakta pitta* (a disease characterised by bleeding from different parts of the body) and *pitta jvara* (fever caused by *pitta*). They specifically cure *dāha* (burning syndrome).

१७. अञ्जनरसाञ्जननागंपुष्पप्रियङ्गुनीलोत्पलनलदनलिनकेशराणि मधुक
चेति ॥ ३८ ॥

(17) *Añjanādi gaṇa*

This group consists of *añjana*, *rasañjana*, *nāga puṣpa*, *pryaṅgu*, *nīlotpala*, *nalada*, *nalina*, *kesara* and *madhuka*.

अञ्जनादिर्गणो ह्येष रक्तपित्तनिवर्हणः ।

विषोपशमन दाहं निहन्त्याभ्यन्तरं भृशम् ॥ ३९ ॥

Drugs belonging to this group cure *rakta pitta* (a disease characterised by bleeding from different parts of the body) They cure *viṣa* (poisoning), and acute form of *ābhyantara dāha* (burning sensation inside the body).

१८. परूषकद्राक्षाकट्फलदाडिमराजादनकतकफलशाकफलानि त्रिफला
चेति ॥ ४० ॥

(18) *Parūṣakādi gaṇa*

This group consists of *parūṣaka*, *drākṣā*, *kaṭṭphala* *dāḍima*, *rājādana*, *kataka phala*, *śāka phala* and *triphalā*.

परूषकादिरित्येष गणोऽनिलविनाशनः ।

12

मूत्रदोषहरो हृद्यः पिपासाध्नो रुचिप्रदः ॥ ४१ ॥

[सुश्रुतः सूत्र ३८ : ३५-४४]

Drugs belonging to this group alleviate *vāyu* and cure *mūtra doṣa* (urinary disorders). They are cardiac tonic. They cure *pipāsā* (morbid thirst) and produce appetite.

१९. बृहतीकण्टकारिकाकुटजफलपाठामधुक चेति ॥ ४२ ॥

(19) *Brhatyādi gaṇa*

This group consists of *brhatī*, *kaṅṭhakārikā*, *kuṭaja phala*, *pāṭhā* and *madhuka*.

पाचनीयो बृहत्यादिर्गणः पित्तानिलापहः ।

कफारोचकहृद्रोगमूत्रकृच्छ्ररजापहः ॥ ४३ ॥

[सुश्रुतः सूत्र ३८ : ३१-३२]

Drugs belonging to this group are carminative. They alleviate *pitta*, *vāyu* and *kapha*. They cure *arocaka* (anorexia), *hṛdroga* (heart disease) and *mūtra kṛcchra* (dysuria).

आरोग्यचिन्तामणितः

२०. 'गुडूची निम्बधान्यकं पद्मकं रक्तचन्दनम् ।

(20) *Guḍūcyādi gaṇa*

According to *Ārogya cintāmaṇi*

This group consists of *guḍūcī*, *nimba*, *dhānyaka*, *padmaka* and *rakta candana*.

तूष्णादाहारुचिच्छर्दि पिपासा [?] ज्वरनाशनः ।

13

गुडूच्यादिर्गणो ह्येष दीपनः प्राह सुश्रुतः ॥ ४४ ॥'

According to *Suśruta* drugs belonging to this group cure *tṛṣṇā* (morbid thirst), *dāha* (burning syndrome), *aruci* (anorexia), *chardi* (vomiting) and *jvara* (fever). They also stimulate the power of digestion.

२१. वत्सकातिविषामूर्वाभार्ग्येला कटुकोषणैः ।

वचाश्योनाक चोग्रा च पञ्चकोलाजमोदकैः ।

वेरुलाजगन्धासिद्धार्थजीरकद्वयहिङ्गुभिः ॥ ४५ ॥

(21) *Vatsakādi gaṇa*

This group includes *vatsaka*, *ativiṣā*, *mūrvā*, *bhārgī*, *elā*,

kaṭukā, uṣaṇa, vacā, śyonāka, ugrā, pañca kola, ajamodā, vella, ajagandhā, siddhārtha, both the types *jīraka* and *hingu*.

वन्सकाद्यो मरुत्श्लेष्मगुल्मार्शोज्वरशूलनुत् ।

Drugs belonging to this group alleviate *vāyu* and *kapha*, and cure *gulma* (phantom tumour), *arśas* (piles), *jvara* (fever) and *sūla* (colic pain).

२२. 'मुस्तापाठानिशेत्तिक्तावचैलारुग्विषाचराः ॥ ४६ ॥

चापेला वाथ शार्ङ्गीष्ठा गणो मुस्तादिको स्मृतः ।

(22) *Mustādi gaṇa*

The group consists of *mustā, pāṭhā*, both the types of *niśā, tiktā, vacā, elā, ruk, viṣā, cara, āp, elā* and *śārṅgiṣṭhā*.

शोधनः पाचनः स्तन्यः स्तनरोगज्वरापहः¹⁴ ॥ ४७ ॥

Drugs belonging to this group help in cleansing (*śodhana*). They are carminative and galactagogue. They cure *stana roga* (diseases of the breast) and *jvara* (fever),

२३. 'उत्पलं कुमुदं पद्म कल्हारं लोहितोत्पलम् ।

मधुकं चेति पित्तासृक्विपल्लदिहरोगणः¹⁵ ॥ ४८ ॥'

(23) *Utpalādi gaṇa*

This group consists of *utpala, kumuda, padma, kalhāra* red variety of *utpala* and *madhuka*.

Drugs belonging to this group alleviate *pitta* and blood and cure *viṣa* (poisoning) and *chardi* (vomiting).

२४. 'हरितकी चामलकं विभीतक फलत्रयम् ।

त्रिफला फलमित्युक्तं सैव ज्ञेय फलत्रिकम् ॥ ४९ ॥

एकभागो हरितक्यात् द्विगुणश्च विभीतकः ।

चतुर्गुणा चामलकी त्रिफलेय प्रकीर्तिता¹⁶ ॥ ५० ॥'

(24) *Triphalā*

Fruits of three drugs viz., *harītakī*, *āmalakī* and *vibhītakī* taken together are called *triphālā* or *phala trika*. For this purpose, one part of *harītakī*, two parts of *vibhītaka* and four parts of *āmalakī* should be taken.

‘त्रिफला कफपित्तघ्नी मेहकुष्ठहरी सरा ।

चक्षुष्या दीपनी चैव विषमज्वरनाशिनी ॥ ५१ ॥’

[सुश्रुत : सूत्र ३८ : ५७]

Triphalā alleviates *kapha* as well as *pitta* and cures *meha* (obstinate urinary disorders including diabetes) as well as *kuṣṭha* (obstinate skin diseases including leprosy). It is laxative, promoter of eye sight and digestive stimulant. It cures *viṣama jvara* (irregular fever).

द्राक्षाखर्जूकाश्मर्यफलानीति फलत्रिकम् ।

इय प्रोक्ता द्वितीया च त्रिफला चरकादिभिः ॥५२॥

रक्तपित्तादिदोषेषु त्रिफलेयं मता सदा ।

According to some, the fruits of *drākṣā*, *kharjūra* and *kāśmarya* taken together are also called *phala trika*. This second variety of *triphālā* is described by Caraka etc.,. This type of *triphālā* is useful in the treatment of diseases like *rakta pitta* (a disease characterised by bleeding from different parts of the body).

17

२५. ‘पिप्पली मरिचं शुटी त्रयमेतच्च मिश्रितम् ॥ ५३ ॥’

‘त्र्यूषणां कफमेदोघ्न मेहकुष्ठरवगामयान् ।

निह्न्यादीपनं गुल्मपीनसाग्न्यल्पतामपि ॥ ५४ ॥’

[सुश्रुत : सूत्र ३८ : ५६]

(25) *Tryūṣaṇa*

Pippalī, *marica* and *śuṅṭhī*—these three drugs mixed to-

gether are called *tryūṣaṇa*. It reduces *kapha* and *medas* and cures *meha* (obstinate urinary diseases including diabetes), *kuṣṭha* (obstinate skin diseases including leprosy) and *tvagāmaya* (skin diseases). It is digestive stimulant. It also cures *gulma* (phantom tumour), *pīnasa* (chronic rhinitis) and *mandāgni* (suppression of the power of digestion).

२६. नागरातिविषामुस्तं त्रयमेतत्रिकर्षितम् ।

कफपित्तानिलहर ज्वरघ्न ग्राहि दीपनम् ॥ ५५ ॥

(26) *Tri karṣita*

Nāgara, *ativiṣā* and *musta* — these three drugs taken together are called *tri karṣita*. It alleviates *kapha*, *pitta* and *vāyu* and cures *jvara* (fever). It is constipative and digestive stimulant.

२७. आमलक्यभयाकृष्णाचित्रकश्चेत्यय गणः ।

(27) *Āmalakyādi gaṇa*

This group consists of *āmalakī*, *abhayā*, *kṛṣṇā* and *citraka*.

18

ज्वरघ्नश्चाक्षुषो वृष्यो भेदी चान्निप्रदीपनः ॥५६॥

Drugs belonging to this group cure *jvara* (fever). They are promoter of eye sight, aphrodisiac, purgative and digestive stimulant.

२८. त्रपुसीसताम्ररजतकृष्णलोहसुवर्णानि लोहमलम् ॥५७॥

(28) *Trapvādi gaṇa*

This group consists of *trapu*, *sīsa*, *tāmra*, *rajata*, *kṛṣṇa loha*, *svarṇa* and *loha mala*.

गणस्त्रपवादि रित्येष रक्तकृमिहरः परः ।

पिपासाविषहृद्रोगपाण्डुमेहहरस्तथा ॥ ५८ ॥

Drugs belonging to this group cure vitiation of blood, *kṛmi* (parasitic infection), *pipāsā* (morbid thirst), *viṣa* (poison-

ing), *hṛdroga* (heart disease), *pāṇḍu* (anemia) and *meha* (obstinate urinary disorders including diabetes).

२६. लाक्षारेवतकुटजाश्वमारकट्फलहरिद्राद्वयनिम्बसप्तच्छ-
दमालत्यस्त्रायमाणा चेति ॥ ५६ ॥

(29) *Lāksādi gāṇa*

This group consists of *lāksā*, *ārevata*, *kuṭaja*, *aśvamāra*, *kaṭṭphala*, both the types of *haridrā*, *nimba*, *saptacchada*, *mālātī* and *trāyamāṇā*.

कषायतिक्तमधुरः कफपित्तातिनाशनः ।

कुष्ठकृमिहरश्चैव दुष्टव्रणविशोधनः ॥ ६० ॥'

[सुश्रुतः सूत्र ३८ : ६२-६५]

Drugs belonging to this group are astringent, bitter and sweet. They alleviate vitiation of *kapha* and *pitta*. They cure *kuṣṭha* (obstinate skin diseases including leprosy) and *kṛmi* (parasitic infection) They help in the cleansing of *duṣṭa vṛaṇa* (suppurated ulcer).

पञ्चकान्वक्ष्यामः

३०. 'पृश्निपर्णी शालिपर्णी बृहतीद्वयगोक्षुरैः ।

बृंहणं वातपित्तघ्नं कनीयः पञ्चमूलकम् ॥

कषायतिक्तमधुर सन्निपातशिरोतिनुत ॥ ६१ ॥

(30) *Kṣudra pañcamūla*

Groups having five ingredients

Pṛṣṇi parṇī, *śāla parṇī*, both the varieties of *bṛhatī* and *gokṣura*—all these drugs taken together are called *kanīyas pañca mūla*. It is nourishing, alleviator of *vāyu* and *pitta* and astringent, bitter as well as sweet in taste. It cures diseases caused by the simultaneous vitiation of all the three *doṣas* (*sannipāta*) and *śirortī* (headache).

३१. बिल्वोऽग्निमन्थः श्योनाकः काश्मरी पाटला महत् ।

दीपन कफवातघ्नं पञ्चमूलमिव महत् ॥ ६२ ॥

(31) Mahat pañca mūla

Bilva, agnimantha, śyonāka, kāśmarī and pāṭalā—these five drugs taken together, constitute *mahat pañca mūla*. It stimulates digestion and alleviates *kapha* as well as *vāyu*,

प्रायस्त्रिदोषशमनं पवनामयेषु,

श्लेष्मोल्बणेषु च गदेषु भिर्षाग्भरुक्तम् ।

कासेसु सन्निपतितेषु शिरोरुजायां,

श्वासेषु हिक्केषु हितं दशमूलमेतत् ॥ ६३ ॥¹⁹

Daśa mūla

Drugs of both *kṣudra pañca mūla* and *mahat pañca mūla* groups, taken together, constitute *daśa mūla*. It generally alleviates all the three *doṣas* and is effective specially when *vāyu* and *kapha* are aggravated in excess. It is also useful in *kāsa* (bronchitis) caused by the simultaneous aggravation of all the three *doṣas*, *śiroruk* (headache), *śvāsa* (asthma) and *kikkā* (hiccup).

३२. 'विदारी सारिवा छागशृगी वत्सादनी निशा ।

वृष्यं पित्तानिलं हन्याद्वल्लिजं पञ्चमूलकम् ॥ ६४ ॥

(32) Vallija pañca mūla

Vidārī, sārivā, chāga śṛṅgī, vatsādani and *niśā*—these five drugs taken together are called *vallija pañca mūla*.

It is aphrodisiac and it alleviates *pitta* as well as *vāyu*.

३३. करमर्दकसैरीयत्रिकंटकशतावरी ।

तथा गृध्नखी चेति पञ्चकंटकसन्नकः ॥ ६५ ॥

रक्तपित्तहरो ह्येष शोफरोगविनाशनः ।

शुक्रमेहहरश्चैव शुक्रदोषहरः परः ॥ ६६ ॥

(33) *Pañca kaṅṭaka*

Kara mardaka, sairīya, tri kaṅṭaka, śatāvārī and *gṛdhra nakhī*—these five drugs taken together are called *pañca kaṅṭaka*. It cures *rakta pitta* (a diseases characterised by bleeding from different parts of the body), *śopha* (oedema), *śukra meha* (spermaturia) and *śukra doṣa* (vitiation of semen).

३४. कुशः काशो नलो दर्भः कांडेक्षुरिति तद्विदः ।

तृणपञ्चमूलं ज्ञेयं दाहप्रशमने हितम् ॥

20

पित्तमूत्रविषातानां प्रशस्तं वस्तिशोधनम् ॥ ६७ ॥

(34) *Tṛṇa pañca mūla*

Kuśa, kāśa, nala, darbha and *kāṇḍekṣu*—the roots of these five drugs taken together are called *tṛṇa pañca mūla*. It is useful in the treatment of *dāha* (burning syndrome), vitiation of *pitta* as well as urine and *viṣa* (poisoning). It cleanses the urinary bladder.

३५. कदम्बवाजिकर्णश्च करंजः क्षवको गुडः ।

वर्गोज्यं कफपाण्डुत्वक्कुष्ठमेहविषापहः ॥ ६८ ॥

(35) *Kadambādi gaṇa*

The group consists of *kadamba, vāji karṇa, karañja, kṣava- vaka* and *guda*. They cure vitiated *kapha, pāṇḍu* (anemia), *tvak roga* (ordinary skin diseases), *kuṣṭha* (obstinate skin diseases including léprosy), *meha* (obstinate urinary disorders including diabetes) and *viṣa* (poisoning).

३६. करंजो वत्ससैरीयसुषवीसप्तपर्णकाः ।

मेहकुष्ठज्वरच्छर्दिविषश्लेष्महरोगणः ॥ ६९ ॥

(36) *Karañjādi gaṇa*

This group consists of *karañja, vatsa, sairīya, suṣavī* and

sapta parṇa. They cure *meha* (obstinate urinary disorders including diabetes), *kuṣṭha* (obstinate skin diseases including leprosy), *jvara* (fever), *chardī* (vomiting), *viṣa* (poisoning) and vitiation of *kapha*.

३७. पिप्पलीपिप्पलीमूलचव्यचित्रकनागरैः ।

दीपनीयः स्मृतो वर्गः कफानिलगदापहः ॥ ७० ॥

[पञ्चकोलम्]

(37) *Pañca kola*

This group consists of *pippalī*, *pippalī mūla*, *cavya*, *citraka* and *nāgara*. They stimulate the power of digestion and cure diseases caused by *kapha* and *vāyu*.

समासेन गणाह्येते प्रोक्तास्तेषां च विस्तरम् ।

चिकित्सितेषु वक्ष्यामि ज्ञात्वा दोषबलाबलम् ॥७१॥

In brief these are the various groups of drugs. Keeping in view the strength and otherwise of the *doṣas*, their details will be described in the section dealing with the treatment of diseases.

॥ इति सप्तत्रिंशद्गणोद्देशः सुश्रुतात् ॥

Thus ends the 37 groups of drugs as described in *Suśruta*.

शंमूलकशिग्रूणि फलानि तिलसर्षपाः ।

सक्तवः किण्वमतसी द्रवाण्युक्तानि पाचनं ॥ ७२ ॥

Pācana gaṇa

The fruits of *śaṇa*, *mūlaka* and *śigru*, *tila*, *sarṣapa*, *saktu*, *kiṇva* and *atasī*—these drugs help in suppuration (*pācana*).

चिरबिल्वोऽग्निको दन्ती चित्रको हयमारकः ।

कपोतकंकगृध्राणां पुरीषाणि च दारणम् ॥ ७३ ॥

Dāraṇa gaṇa

Cirabilva, agnika, dantī, citraka, haya māraka and the stool of *kapota, kaṅka* and *gr̥dhra*—these drugs help in the incision of the abscess.

द्रव्याणां पिच्छिलानां च त्वग्मूलानि प्रपीडनं ।

यवगोधूममाषाणां चूर्णानि च समासतः ॥ ७४ ॥

Prapīḍāna gaṇa

The bark and root of drugs which are slimy and the powder of *yava, godhūma* and *māṣa* help in *prapīḍana* (which takes out pus by exerting pressure).

शंखिनी कोद सुमनः करवीर सुवर्चला ।

शोधनानि कषायाणि वर्गश्चारग्वधादिकः ॥ ७५ ॥

Śodhana kasāya

Śaṅkhinī, koda, sumanas, karavīra suvarcalā and drugs belonging to *āragvadhādi* group—their decoctions help in the cleansing of wounds.

अजगन्धा च शृङ्गी च गवाक्षी लागलाह्वया ।

पूतीकचिर्त्रकपाठाविडङ्गैलाहरेणवः ॥ ७६ ॥

कटुत्रयं यवक्षारो लवणानि मनःशिला ।

कासीसं²¹ त्रिफला दन्ती हरिताल सुराष्ट्रजा ॥ ७७ ॥

सशोधनीनां वर्तीनां द्रव्याणि तानि निर्दिशेत् ।

Samśodhana varti

Ajagandhā, śṛṅgī, gavakṣī, lāṅgala, pūṭika, citraka, pāṭhā, viḍaṅga, elā, hareṇu, trikaṭu, yava kṣāra, various types of salt, *marahṣīla, kāśīśa, triphalā, dantī, haritāla* and *suraṣṭrajā*—these are the ingredients of the potion of suppository for cleansing of wounds.

एतैरप्यौषधैः कुर्यात्कल्पनापि च शोधने ॥ ७८ ॥

These drugs can also be used through different other pharmaceutical processes for the cleansing of wounds.

गोमूत्रं गोमयं क्षीरं दधि सर्पिस्तथैव च ।

समं संयोजितं ज्ञेयं पञ्चगव्यमिदं बुधैः ॥ ७९ ॥

Pañca gavya

The urine, dung, milk, curd and ghee of cow taken together (in equal quantity ?) is called *pañca gavya*.

एवं संयोजयेत्प्राज्ञो पञ्चाजं पञ्चमाहिषम् ।

If these are collected from goat (*ajā*) then the collective term used for them is *pañcāja* and if collected from buffalo (*mahiṣa*) then they are called *pañca māhiṣa*.

कासीसकटुरोहिण्याः जातीकन्दहरिद्रयोः ॥ ८० ॥

पूर्वोद्दिष्टे तु पञ्चाङ्गे कुर्यात्तैलघृतानि वै ।

Medicated oil & Ghee

Medicated oil and ghee should be prepared of either *pañca gavya* or *pañcāja* or *pañca māhiṣa* by adding *kāsīsa*, *katu rohinī*, root of *jāti* and *haridrā*.

अर्कोत्तमास्नुहीक्षीरं पिष्ट्वा क्षारोत्तमान्यपि ॥८१॥

जातीमूलंहरिद्रो द्वे कासीसं कटुरोहिणी ।

पूर्वोद्दिष्टानि चांगानि कुर्यात् संशोधनं घृतम् ॥८२॥

Samsodhana ghr̥ta

The best variety of *arka* should be made to a paste by adding the latex of *snuhī*. To this, the best of alkalies and the root of *jāti*, both the varieties of *haridrā*, *kāsīsa*, *kaṭu rohinī* and

pañca gavya or *pañcāja* or *pañca māhiṣa* should be added. With these drugs the medicated ghee which is useful in cleansing of ulcers should be prepared.

मयूरको राजवृक्षो निंबकोशातकी तिलाः ।

बृहत्पौ च शिलाले च शोधनानि च शोधने ॥ ८३ ॥

Śodhana taila

The medicated oil which is prepared of *mayūraka*, *rājavṛkṣa*, *nimba*, *kośātakī*, *tila*, both the types of *brhatī*, *śilā* and *āla* is useful for cleansing of ulcers.

तैले द्रव्याणि योज्यानि शेषाणि च तथा शृणु ।

कासीसं सैन्धवं क्विप्वं वचा च रजनीद्वयम् ।

संशोधनेषु चान्येषु चूर्णे कुर्वीत शोधनम् ॥ ८४ ॥

Śodhana cūrṇa

The potion prepared by adding powders of *kāsīsa*, *saindhava*, *kinva*, *vacā* and both the varieties of *rajanī* is useful for cleansing ulcers.

सालसारादि सारेषु पटोली त्रिफलासु च ।

रसक्रिया विधातव्या शोधनं शोधनेषु च ॥ ८५ ॥

Śodhana rasakriyā

The *rasakriyā* prepared of the drugs belonging to *sāla-sārādi* group, *paṭolī* and *triphalā* is useful for cleansing ulcers.

22

23

कषायाणामनुष्णातिरूक्षाणां त्वक्षु साधितम् ।

श्रुतशीतं कषायं तु रोपणार्थं प्रशस्यते ॥ ८६ ॥

Ropaṇa kaṣāya

The boiled and cooled decoction of astringent barks

which are not very hot in potency and which are exceedingly ununctuous is useful for healing ulcers.

सोमामृताश्वगन्धा च काकोल्यादौ गणे तथा ।

क्षीरिप्ररोहेष्वपि च वर्तयो रोपणाः स्मृताः ॥ ८७ ॥

Ropana varti

The suppository prepared of *soma*, *amṛtā*, *aśva gandhā*, drugs belonging to *kākolyādi* group, *praroha* (adventitious root) of *ksiri vykṣas* helps in the healing of ulcers.

समगा सोमसरला सोमवल्का सचन्दना ।

काकोल्यादिश्च कल्कः स्यात्प्रशस्तो व्रणरोपणे ॥ ८८ ॥

Ropana kalka

The paste prepared of *samangā*, *soma*, *saralā*, *soma valkā*, *candana* and the drugs belonging to the *kākolyādi* group is useful in the healing of ulcers.

पृथक्पण्यत्मिगुप्ता च हरिद्रे मालती सिता ।

काकोल्यादिश्च योज्यः स्याद्भिषजा रोपणे घृते ॥ ८९ ॥

Ropana ghrta

The medicated ghee for healing of ulcers is prepared of *pṛthak parṇī*, *ātma guptā*, both the varieties of *haridrā*, *mālatī*, *sitā* and drugs belonging to *kākolyādi* group.

कालानुसार्यगुशणि हरिद्रे भद्रदारु च ।

प्रियङ्गवश्च लोघ्न च तैले योज्यानि रोपणे ॥ ९० ॥

Ropana taila

The medicated oil for healing of ulcers is prepared of *kālānusārī*, *aguru*, both the types of *haridrā*, *bhadra dāru*, *priyaṅgu* and *lodhra*.

किशुका त्रिफला लोध्रं कासीसं श्रवणाह्वया ।
 धवाश्वकर्णयोस्त्वक्च रोपणं चूर्णमिष्यते ।
 रसक्रिया रोपणार्थे विदधीत यथाक्रमम् ॥ ६१ ॥

Ropana cūrṇa & Rasa kriyā

The powder of *kiṁśukā*, *triphalā*, *lodhra*, *kāsīsa*, *śravaṇā* and the bark of *dhava* as well as *aśva karna* is useful in the healing of ulcers. *Rasa kriyā* of these drugs also helps in the healing of ulcers.

अपामार्गश्वगन्धा च तालपत्री सुवर्चला ।
 उत्सादने प्रशस्यन्ते काकोल्यादिश्च यो गणः ॥६२॥

Utsādana

Apāmārga, *aśva gandhā*, *tāla patrī*, *suvarcalā* and drugs of *kākolyādi gṇa* help in the filling up of ulcers by granulation tissue.

कासीसं सैधवं किष्कं [?] कुरुविन्दो मनःशिला ।
 कुक्कुटाण्डकपालानि सुमनो मुकुलानि च ॥ ६३ ॥
 फले सैरीषकारजे धातुचूर्णानि यानि च ।
 व्रणेषूत्सन्नमांसेषु प्रशस्तान्यवसादने ॥ ६४ ॥

Avasādana

When there is granulation tissue in excess, then to bring it to proper level, drugs like *kāsīsa*, *sandhava*, *kiṣka*, *kuruvinda*, *manaḥśilā*, *kukkuṭāṇḍa kapāla*, buds of *sumana*, fruits of *sirīṣa* and *karañja* and powder of metals are useful.

समस्तवर्गमर्धं वा यथालाभमथापि वा ।
 प्रयुञ्जीतभिषक् प्रायो यथोद्दिष्टेषु कर्मसु ॥ ६५ ॥

Selection of drugs

The physician should select either the whole group or half of it or whatever is readily available out of these drugs and use them in therapy.

अथ चिकित्साकलिकातः

‘वटीवटोदुम्बरवेतसानामश्वत्थवृक्षेण समन्वितानाम् ।

24

त्वक्पंचकं पंचमहीरुहाणामिति व्रणघ्नं श्वयथुघ्नमेतत् ॥’ ६६ ॥

॥ इति पञ्चवल्कलम् ॥

According to *Cikitsā kalikā*

Barks of five trees viz., *vaṭī*, *vaṭa*, *udumbara*, *vetasa* and *aśvattha* cure ulcers and inflammation. These are called *pañca vālkala*.

‘द्वौ काकोलयौ जीवकः सार्षभः स्या—

न्मेदायुगमं सार्द्धि [?] ऋद्धिश्च वृद्ध्या ।

इत्युद्दिष्टैरष्टवर्गः प्रदिष्टः

पित्तघ्नोऽयं गर्भदो बृंहणश्च ॥ ६७ ॥

॥ अष्टवर्गः ॥

Aṣṭa varga

Two varieties of *kākolī*, *jīvaka*, *ṛṣabhaka*, both the varieties of *medā*, *ṛddhi* and *vrddhi*—these eight drugs taken together are called *aṣṭa varga*. It alleviates *pitta*, promotes conception and nourishment.

रसोनकन्दवत्कन्दं निःसारं सूक्ष्मपत्रकम् ।

जीवकर्षभकावेतौ हेमाद्रिशिखरोद्भवा ॥ ६८ ॥

॥ इत्यष्टवर्गलक्षणम् ॥

Description

Jīvaka and *ṛṣabhaka* grow in the peaks of the Himalayas.

Its *kanda* (underground stem) is like that of the garlic. Its leaves are thin and fine.

ग्रन्थान्तरात्

जीवकः कूर्चकाकारो ऋषभो वृषशृङ्गवत् ।

According to another text

Jivaka has the shape of a *kūrcaka* (brush). *Rṣabhaka* is like the horn of a bull in shape.

श्वेतलोमान्वितं कन्दं लताजातं सरं ध्रुवम् ।

ऋद्धि वृद्धीति विज्ञेया विख्याता कौश्यामले ॥६६॥

Rddhi and *vṛddhi* which are well known in *koṣayāmala* are the roots of creepers. These roots are covered with white hairs. They are certainly laxative.

मूलग्रन्थिसमं ऋद्धिर्वामावत्तफला तथा ।

‘वृद्धिस्तु दीक्षणावत्तफलालक्ष्मकियत्कृतं ॥ १०० ॥

Rddhi is like a knot in the root and its fruit takes an anti-clock wise turn. On the other hand, *vṛddhi* has fruits which take a clock-wise turn.

शुष्काद्रकनिभ कद स्निग्धं मधुरशीतलं ।”²⁵

महामेदेति विख्यातो दुर्गन्धो मेद उच्यते ॥१०१॥

Mahā medā, which is a root, looks like a piece of dried ginger. It is unctuous, sweet and cooling. It has a foul smell of fat.

मेदा शुक्ला नखच्छेद्या मेदोधातुवदादिशेत् ।

Medā is white. It can be cut with the help of finger nail. It looks like fat tissue.

पीवरीव[?]निभस्कन्दः सक्षीरं ससुगन्धिकम् ॥१०२॥

काकोली क्षीरकाकोली अधोर्ध्वं तं विनिर्दिशेत् ।

Kākolī and *kṣīra kākolī* have roots like those of *pīvarī*. They contains milky latex and they are fragrant. The lower part of it is known as *kākolī* where as the upper part is called *kṣīra kākolī*.

26

ईषच्छुक्ला तु काकोली क्षीरवत्पाण्डुराऽपरा ॥१०३॥

॥ इत्यष्टवर्गलक्षणम् ॥

Kākolī is slightly white in colour where as *kṣīra kākolī* is yellowish white like milk.

Thus ends the description of drugs belonging the group of *aṣṭavarga*.

अन्थान्तरात्

कुष्ठमासी हरिद्राभिर्मुंराशैलेयचंपकैः ।

वचा कर्पूरमुस्तैश्च सर्वौषधिकमुच्यते ॥ १०४ ॥

भूतप्रेतग्रहहरा ज्वरघ्नी श्रीप्रदायिनी ।

सर्वौषधिस्तु विज्ञेया पामाप्रस्वेदनाशिनी ॥१०५॥

॥ इति सर्वौषधी ॥

Sarvaṣadhi

From another Text

Kuṣṭha, *māṁsī*, *haridrā*, *murā*, *saileya*, *campaka*, *vacā*, *karpūra* and *mustā*—these drugs taken together are called *sarvaṣadhi*. It alleviates the afflictions of *bhūta* (evil spirits), *pretas* and *graha*. It cures *jvara* (fever). It endows the person with auspiciousness. It also cures *pāmā* (eczema) and *prasveda* (excessive sweating).

सर्वौषधिक संमिश्रा संशुष्कामलकत्वचा ।

सुगन्धामलकानीति पित्तकृद्रुग्जयेत्तथा ॥ १०६ ॥

॥ इति सुगन्धामलकम् ॥

Sugandhāmālaka

If the fruit pulp of *āmākī* is added to the group of drugs called *sarvaśadhi* then it is called *sugandhāmālaka*. It cures diseases caused by the vitiation of *pitta*.

धूर्जटितः

शालूकतुत्थश्रीपुष्पेस्त्रिसुगन्धिभवेत्तथा ।

शालूकपत्री संयुक्तं चातुर्जातिकमीरितम् ॥ १०७ ॥

कफपित्तास्यगन्धघ्न सूदविज्ञैः प्रपूजितम् ।

Tri sugandhi & Cātur jātaka

According to *Dhūrjaṭi*

Śāluka, *tuttha* and *śrī puṣpa*—these three drugs taken together are called *tri sugandhi*. If *śāluka patrī* is added to it then it is called *cātur jātaka*. It alleviates *kapha* as well as *pitta* and removes foul smell of mouth. It is highly praised by persons who are well versed in the science of cooking.

अन्यच्च

त्वगेलापत्रकैस्तुल्यं त्रिसुगन्धि त्रिजातकम् ॥ १०८ ॥

नागकेशरसंयुक्तं चातुर्जातिकमीरितम् ।

हृल्लासविषदुर्गन्धिवातश्लेष्महरे मते ॥ १०९ ॥

॥ इति त्रिसुगन्धिचातुर्जातके ॥

Another view

Tvak, *elā* and *patra*—these three drugs taken in equal quantity are called *tri sugandhi* or *tri jātaka*. If *nāga keśara* is added to it, then it is called *cātur jātaka*. Both of them cure *hṛllāsa* (nausea), *viṣa* (poisoning), *durgandhi* (foul smell) and vitiation of *vāyu* and *kapha*.

कंकोलकं पूगफलं लवङ्गकुसुमानि च ।

जातिफलानि कर्चूरमेतत्पञ्चसुगन्धिकम् ॥ ११० ॥

[योगरत्नाकरः पृष्ठ ६६]

Pañca sugandhi

Kaṅkola, pūga phala, lavaṅga, jāti phala and *karcūra*—these five drugs taken together are called *pañca sugandhika*.

चन्दनं कुंकुमं तुल्ये वरार्धमभिधीयते ।

त्रिभागं कुंकुमं यत्र तदुक्तं चाद्यपुष्पकम् ॥ १११ ॥

Varārdha & Ādya puṣpaka

Candana and *kuṅkuma* taken together in equal quantity are called *varārdha*. If three parts of *kuṅkuma* is added then it is called *ādya puṣpaka*.

कुंकुमागुरुकपूरकस्तूरीचन्दनानि च ।

महासुगन्धिमित्युक्तं नामतो यक्षकर्दमम् ॥ ११२ ॥

[योगरत्नाकरः पृष्ठ ६६]

Mahā sugandhi

Kuṅkuma, aguru, karpūra, kastūri and *candana*—these drugs taken together are called *mahā sugandhi* and named as *yakṣa kardama*.

द्राक्षादाडिमखर्जूरमृदितं स्यात्सशर्करम् ।

लाजाचूर्णं समध्वाज्यं सतर्पणमुदाहृतम् ॥ ११३ ॥

[योगरत्नाकरः पृष्ठ ६६]

Sāmtarpaṇa

The potion prepared of *drākṣā, dāḍima* and *kharjūra* mixed with sugar and powder of *lājā* along with honey and ghee is called *sāmtarpaṇa* or refreshing drink,

अथ षड्रसानि द्रव्याण्युपदेक्ष्यामः

घृतक्षीरवसामज्जा शालिगोधूमषष्टिकाः ।
 कशेरुक च शृङ्गाट गिलोड्यैर्वारुमूत्रलाः ॥ ११४ ॥
 काकोल्यादिर्गणोऽलाबुकालक कतकाश्मरी ।
 भक्षखर्जूरकद्राक्षापद्मकर्कटिका तथा ॥ ११५ ॥
 मधूकेक्षुविकाराणि राजादनबलात्रयम् ।
 पयस्विनी तालजया पयस्या गोक्षुरस्तथा ॥ ११६ ॥
 कूष्मांडं कदलीमांसं मौक्तिकं क्षीरमोरटः ।
 प्रियालमज्जावातामैर्वर्गोऽयं मधुरो मतः ॥ ११७ ॥
 जया कपिकच्छू ।

Classification of drugs according to their taste

Group of Sweet Drugs

Ghee, milk, muscle fat, marrow, *śāli*, *godhūma*, *ṣaṣṭika*, *kaṣeruka*, *śrṅgāṭa*, *giloḍya*, *ervāru*, *mūtrala* drugs, drugs belonging to *kākolyādi* group, *alābu*, *kālaka*, *kataka*, *kāsmarī*, *bhakṣa*, *kharjūraka*, *drāksā*, *padma*, *karkaṭikā*, *madhūka*, sugar cane products, *rājādana*, three varieties of *balā*, *payasvinī*, *tāla*, *jayā*, *payasyā*, *gokṣura*, *kūsmāṇḍa*, *kadalī*, meat, *muktā*, *kṣira moraṭa*, *priyāla majjā* and *vātāma*—these belong to the group of sweet drugs.

Jayā is popularly called *kapi kacchū*.

दाडिमं मातुलुंगं च प्रार्चानामलकं तथा ।
 दधित्थामलकं चिचा नीपकोशाभ्रनिबुकम् ॥ ११८ ॥
 भव्यपालेवत कोललकुच वेत्रज फलम् ।
 बदरं चाथ जंबीरं करुणं चाम्लवेतसम् ॥ ११९ ॥
 रजताभ्रातकं चैव चणकाम्ल सकांजिकम् ।

चांगेरीतक्रदध्यम्लं सुरासौवीरशुक्तकम् ॥ १२० ॥

तुषोदक च धान्याम्ल प्रभृतिश्चाम्लवर्गकः ।

Group of sour drugs

Dāḍima, mātuluṅga, prācīnāmalaka, dadhittha, āmalaka, ciñcā, nīpa, kośāmra, nimbuka, bhavya, pālevata, kola, lakuca, fruit of *vetra, badara, jāmbīra, karuṇa, amla vetasa, rajata, āmrātaka, caṇakāmla, kāñjika, cāngerī, takra, dadhyamla, surā, sawīra. śuktaka, tuṣodaka, dhānyāmla* etc., belong to the group of sour drugs.

सैन्धवाक्षविडंपाक्यं रोमकं सागरोद्भवम् ॥ १२१ ॥

यवक्षारो खप्रसूतं स्वर्जिका नवसारकः ।

एव लवणवर्गः स्यात्,

Group of saline drugs

Saindhava, akṣa, viḍa, pākya, romaka, sāmudra, yava kṣāra, kha prasūta, svarjikā and *navasāraka*—these belong to the group of saline drugs.

कटुवर्गमथो शृणु ॥ १२२ ॥

शिग्रुश्च सुरसादिश्च पिप्पल्यादिस्तथागणः ।

व्योषामयरसोत्तं च चंडा सुमुखमूलकम् ॥ १२३ ॥

सुराह्वाबल्लुजफलं कालनिर्यासलाङ्गली ।

पीलूकशुकनासाह्वलवगादिभिरुत्तमः ।

ज्ञेयः कटुकवर्गो²⁸ज्य कर्पूरेणसमन्वितः ॥ १२४ ॥

व्योषा शतपुष्पी ।

Group of pungent drugs

Śigru, drugs of *surasādi* and *pippalyādi* groups, *vyoṣā, āmaya, rasonā, caṇḍā, sumukha, mūlaka, surāhvā,* fruit of *abalguja,* extract of *kāla, lāṅgalī, pīluka, śuka nasāhva, lavaṅga* etc.,—these belong to the group of pungent drugs.

Vyoṣā is popularly called *śata puṣpī,*

व्याधिघ्नादि गुडूच्यादि माण्डूकी वैजयन्तिका ।
 हरिद्राद्वयशक्राह्ववरुणेश्वरशखिनी ॥ १२५ ॥
 दन्तीद्रवन्ती बृहतीश्यामासप्तच्छदस्तथा ।
 व्याघ्री कोशफला तिक्ता कर्कोटी कारवेल्लिका ॥ १२६ ॥
 वातकुकारवीगोपाकटभीशशिवाटिका ।
 तथा वेत्रकरीराणि सुमना करवीरकौ ॥ १२७ ॥
 त्रायमाणा वृश्चिकाली कुमारी पाटिका वृषा ।
 शंखपुष्पी मेषशृङ्गी तथा मर्कटपिप्पली ॥ १२८ ॥
 स्वादुकंटककस्तूरी बिबनिर्गुण्डिका तथा ।
 द्रव्यैरेवंविधैश्चान्यैस्तिक्तवर्ग उदाहृतः ॥ १२९ ॥
 स्वादुकंटको विककतवृक्षः । शंखिनी यवतिक्ता ॥ १३० ॥

Group of bitter drugs

Drugs of *vyādhighnādi* and *gudūcyādi* groups, *māṇḍūkī*, *vaijayantikā*, both the varieties of *haridrā*, *śakrāhva*, *varuṇa*, *ikṣura*, *śaṅkhinī*, *dantī*, *dravantī*, *bṛhatī*, *śyāmā*, *saptacchada*, *vyāghrī*, *kośaphalā*, *tiktā*, *karkoṭī*, *kāravellikā*, *vārtāku*, *kāravī*, *gopā*, *kaṭabhī*, *śaśī*, *vāṭikā*, *vetra*, *karīra*, *sumanā*, *karavīra*, *trāyamāṇā*, *vṛścikālī*, *kumārī*, *paṭikā*, *vṛṣā*, *śamkha puṣpī*, *meṣa-śṅgī*, *markaṭa*, *pippalī*, *svādu kaṇṭaka*, *kastūrī*, *bimba*, *nirguṇḍī*—these and such other drugs belong to the group of bitter drugs.

Svādu kaṇṭaka, is called *vikaṅkata vṛkṣa*. *Śaṅkhinī* is known as *yava tiktā*.

न्यग्रोधादिः प्रियंग्वादिः काककोलादिकस्तथा ।

अम्बुष्ठादिश्च त्रिफला जम्बाम्रवकुलोद्भवः ।

स्फूर्जनागवधूशाकवनस्पतिफलानि च ॥ १३१ ॥

29

“सालसारादिकं चैव कतकस्य फलानि च ॥ १३२ ॥”

भ्रिण्टो सुकुण्डली चिल्ली जीवन्ती मुनिषण्णकः ।
 कलवुषा निपालकीप्रभृतीनि तथैव च ।
 मूद्गनीवारकाद्याश्च कषायो वर्गसंज्ञितः ॥ १३३ ॥
 काककोलादिकः लोध्रादिकः ॥ कुण्डली कांचनारः ॥
 स्फूर्जस्तिन्दुकः ॥ नागवधू सल्लकीत्यर्थः ॥ १३४ ॥

Group of astringent drugs

Drugs of *nyagrodhādi*, *priyaṅgvādi*, *kākakolādi*, and *ambaṣṭhādi* groups, fruits of *triphalā*, *jambu*, *āmra*, *vakula*, *sphūrja*, *nāga vadhū*, *śāka* and *vanaspati*, drugs of *sālasārādi* group, fruits of *kataka*, *jhīṅṭa*, *sukuṇḍalī*, *cillī*, *jīvanī*, *sunīṣa-ṅṅaka*, *kalambuṣā*, *nīpālānkī* etc., *mudga*, *nīvāra* etc.,—these belong to the group of astringent drugs.

Kākakolādi group is the same as *lodhrādi* group. *Kuṇḍalī* is called *kāñcanāra*. *Sphūrja* is called *tindūka*. *Nāga vadhu* is known as *sallakī*.

॥ इति षड्रसानि द्रव्याणि ॥

Thus ends, the description of drugs classified according to their tastes.

मूर्वाम्लिकादहनसूरणसैन्धवानां योगो भवेत्पञ्चहुतागनाख्यः ।

दुर्नागमन्दाग्निप्रकृद्ग्रहामयं लीढ्वाद्ध्यवातदलनेष्वयमेवशस्तः ॥ १३५ ॥

[पञ्चाग्निः]

Piñcāgni

Mūrvā, *amlīkā*, *dahana*, *sūraṇa* and *saindhava*—these drugs taken together are called *pañca hutāśana*. It cures *durnāman* (piles), *mandāgni* (loss of the power of digestion), *yakṛdroga* (diseases of liver) and *grahāmaya* (diseases caused by the affliction of *grahas*). When taken in the form of a linctus, it cures *āḍhya vāta* (gout) successfully.

अथातः संप्रवक्ष्यामि द्रव्यं संशोधनादिकम् ।

यथा संशोधनादौ तु न मोहं गच्छति क्वचित् ॥ १३६॥

Groups of drugs for *saṁśodhana* etc.,

Now groups of drugs used for elimination of *doṣas* are being described so that no mistake is committed in the administration of therapies.

‘मदनकुटजजीमूतकेक्ष्वाकुधामार्गवलोध्रकृवेतधनसर्षप-
विडङ्गपिप्पलीकरञ्जप्रपुन्नाटकोविदारकबुँदारारिष्टा-
श्वगन्धामधूकसारविदुलबन्धुजीवकश्वेताशणपुष्पीबिबी-
वचेन्द्रवारुणीद्वयं चेत्यूर्ध्वभागहराणि ॥ १३७ ॥

Drugs for Emesis

Madana, kuṭaja, jīmūta, ikṣvāku, dhāmārgava, lodhra, kṛtavedhana, sarśapa, viḍaṅga, pippalī, karañja, prapunnāṭa, kovidāra, karbudāra, ariṣṭa, aśva gandhā, madhūka sāra, vidula, bandhu jīvaka, śvetā, śaṇa puspī, bimbī, vaca and both the varieties of *indra vāruṇī*—these drugs help in the elimination of *doṣas* through the upward tract.

30

त्रिवृद्धन्तीद्रवन्तीसप्तलाशखिनीविषाणिका गवाक्षी-
छागलान्त्रीनीलिनीफलस्तुक्सुवर्णक्षीरीचित्रककिणिही-
तिल्वककपिल्लकचपकरम्यकपाटलापूगहरीतक्यामल-
विभीतकलिङ्गीकनकफलगुडैरण्डपूतीकमहावृक्ष-
सप्तच्छदारकार्गवधपत्रज्योतिष्मतीचेत्यधोभागहराणि
॥ १३८ ॥

Drugs for purgation

Trivṛt, dantī, dravantī, saptalā, śaṁkhinī, viṣāṇikā, gavākṣī, chāgalāntrī, nīlinī, phala, snuk, suvarṇa kṣīrī, citraka, kiṇihī, tilvaka, kaṁpillaka, campaka, ramyaka, pāṭalā, pūga, haritakī, āmala, vibhītaka, liṅgī, kanaka phala, guḍa, eraṇḍa, pūṭika, mahā vṛkṣa, sapta cchada, arka, āragvadha, patra, jyotiṣmatī—these drugs help in the elimination of *doṣas* through the down-ward tract.

31
 अत्र तिल्वकादीनां मूलानि ॥ पूगादीनामेरण्डान्तानां
 फलानि ॥ पूतीकारखधयोः पत्राणि ॥ 32
 क्षीराणीति ॥ १३६ ॥

Of drugs from *tilvaka* upto *pāṭalā*, roots are to be used, from *pūga* upto *eraṇḍa*, fruits are to be used, of *pūṭika* and *āragvadha*, leaves are to be used and of other milky plants the latex is to be used.

कोशातकी — सप्तला — शङ्खिनी — देवदाली — हेमाह्वा —

कारवेल्लीत्युभयतोभागराणि ॥ एषां स्वरसा इति ॥ १४० ॥

Drugs which are both Emetic & Purgative

Kośātākī, saptalā, śamkhinī, devadālī, hemāhvā and kāravelli—these drugs help in the elimination of *doṣas* through both the upward and downward tracts.

The juice of these plants is to be used.

पिप्पलीमरिचविडङ्गमधुशिग्रुसिद्धार्थकशिरीषकरकीर-
 बिंबीगिरिकर्णीकिण्ठीवचाज्योतिष्मतीकरंजाकलिक-
 लशुनातिविषाशृंगवेरतालीसतमालसुरसार्जकेङ्गुदीमे-
 षशृङ्गीमातुलुंगीमुरङ्गीपीलुतिनिशालतालमधूकला-
 धार्हिगुलवणमद्यक्कद्रसमूत्राणीति शिरोविरेचनानीति ॥ १४१ ॥

Errhines

Pippalī, marica, viḍaṅga, madhu śigru, siddhārthaka, śirīṣa, karavīra, bimbī, girikarnī, kiṅṭhī, vacā, jyotismatī, karañja, arka, alarka, laśuna, ativiṣā, sṅgavera, tāliśa, tamāla, surasā, arjaka, iṅgudī, meṣa sṅgī, mātuluṅgī, pīlu, tiniśa, śāla, tāla, madhūka, lākṣā, hiṅgu, lavaṇa, madya, śakṛt rasa and urine—these help in the elimination of *doṣas* from the head.

करवोरादीनामकान्तानां मूलानि मातुलुङ्गीमुरङ्गीपी-
 लुजातीना पृष्पाणि ॥ १४२ ॥

Of the drugs from *karavīra* upto *arka*, roots are to be used and the flowers of *mātuluṅgī, muraṅgī, pīlu* and *jātī* are to be used.

भद्रदारुकुष्ठनिशामेषलशृङ्गी बातिबलार्तगलकालकक-
 च्छूराशल्लकीकुबेराक्षीवीरतरुसहचराग्निमन्थवत्सादनी
 श्वंदष्ट्रैरंडाश्मभेदकाकालिकशतावरीपुनर्नवावसुकव-
 शिरकचूरभार्गीकार्पासीवृश्चिकालीधत्तूरबदरयवकोल-
 कुलत्थप्रभृतीनि विदारिगन्धादिश्च द्वे पञ्चमूल्यौ-
 † समासेन वातसंशमनो वर्गः ॥ १४३ ॥

Group of drugs for alleviation of vāyu

*Bhadra dāru, kuṣṭha, niśā, meṣa śṛṅgī, balā, atibalā, ārtaga-
 gala, kālaka, kacchura, śallakī, kuberakṣī, vīrataru, sahadara, agni
 mantha, vatsādani, śvadamṣṭrā, eraṇḍa, aśma bhedaka, arka,
 alarka, śatāvārī, punarnavā, vāsuka, vaśira, karcūra, bhārgī,
 kārpāsī, vṛścikali, dhattūra, badara, yava, kola, kulattha etc.,*
 drugs belonging to the *vidārigandhādi* group and both the
 varieties of *pañca mūla*—these, in brief, are the alleviators of
vāyu.

चन्दनकुचन्दनह्रीवेरोशीरमंजिष्ठापयस्याविदारिका-
 शतावरीगुन्द्राशैवालककल्हारकोकन्दोत्पलकदलीमूर्वा-
 प्रभृतीनिकाकोल्यादिसारिवादिन्यग्रोधादिरुत्पलादितृण-
 पञ्चमूलमिति समासेन पित्तसंशमनो वर्गः ॥ १४४ ॥

Group of drugs for alleviation of pitta.

*Candana, kucandana, hrībera, uśira. mañjiṣṭhā, payasyā,
 vidārikā, śatāvārī, gundrā, śaivālaka, kalhāra, kokanda, utpala,
 kadālī, mūrvā etc.* and drugs of *kākolyādi, sārivādi, nyagrodhādi,
 utpalādi* and *triṇa pañca mūla* groups these, in brief, are the
 alleviators of *pitta*.

कालेयकागस्तिलपर्णीकुष्ठहरिद्राशीतशिवशतपुष्पासर-
 लरास्नाप्रकीर्योदकीर्येङ्गुदीसुमनसःकाकादनीलाङ्गल-
 कीहस्तिकर्णमुजातकलामज्जकप्रभृतीनि वल्लीकण्टक-
 पञ्चमूल्यौ पिप्पल्यादिमुष्ककादिर्वचादिः
 सुरतादिरारग्वधादिरिति समासेन श्लेष्मसंशमनो
 वर्गः ॥ १४५ ॥

Group of drugs for alleviation of kapha

Kāleyaka, agaru, tila parṇī, kuṣṭha, haridrā, śīta, śiva, śata-

puṣpā, sarala, rāsna, prakīryā, udakīryā, iṅguḍī, sumanas, kākādānī, lāṅgalakī, hasti karṇa, muñjātaka, lāmajjaka etc. and drugs belonging to *valli pañca mūla, kaṅṭaka pañca mūla, pippalyādi, muṣkakādi, vacādi, surasādi, āragvadhādi* groups—these, in brief, are the alleviators of *kapha*.

तत्र सर्वाण्यौषधानि व्याधिबलादधिकमौषधमुपयुक्त
तमुपशम्यव्याधिमन्यमावहन्ति । अग्निबलादधिकमजीर्ण
विष्टभ्य वा पच्यते । पुरुषबलादधिकं ग्लानिमूर्च्छाम-
दानावहति । तस्मात्सममेव विदध्यात् ॥ १४६ ॥'

[सुश्रुतः सूत्र ३६ : ३-१०]

Proper dosage

If all these drugs are used in excess of the strength of the disease, then after curing the disease, they produce other ailments. If these are used in excess of the digestive power then they, being undigested, cause flatulence. If they are used in excess of the strength of the individual then they cause mental fatigue, fainting and intoxication. Therefore, these should be administered in appropriate dosage.

नवधान्यमाषतिलकुल्माषकुलत्थनिष्पावहरितशाका-
म्ललवणकटुगुडपिष्टविकृतिवल्लूरशुकशाकाजाविका-
नुपोदकमांसवसाशीतोदककृशरापायसदधिदुग्धतक्रमद्य-
प्रभृतीनि परिहरेत् ॥ १४७ ॥

Unwholesome food for a patient

Freshly harvested corns, *māṣa, tila, kulmāṣa, kulattha, niṣpāva*, green vegetables, ingredients having sour, saline and pungent tastes, pastries, dried fish, dry vegetables, meat as well as musale fat of goat, sheep and animals inhabiting marshy land and water, cold water, *kr̥ṣārā, pāyasa*, curd, milk, butter milk, alcoholic drinks etc., should be avoided by a patient.

तक्रान्तो नवधान्यादिर्योऽयं वर्ग उदाहृतः ॥१॥

दोषसंजननो ह्येष विज्ञेयः पुण्यवर्धन

कुठेरकशियुसुरससुमुखासुचिभूस्तृणाः

शुक्तं च चुक्रिकं चेति वर्गं हरितकं विदुः ॥ १४६ ॥

Ingredients enumerated above from freshly harvested corns upto butter milk aggravate *doṣas* and they cause pus formation. *Kuṭheraka*, *ṣigru*, *surasā*, *sumukha*, *suci*, *bhūstrīṇa*, *śukta* and *cukrika*—these are called *haritaka*.

अतः सर्वप्राणिनामाहारार्थं वर्गं उपदिश्यते ।

रक्तशालिषष्टिककंगुककुमुदकपाण्डुककरमदंसुगन्ध-
ककलमशात्तपुटी कुमोदकनीवारकोद्रवोद्दालक-
श्यामाकनन्दीमुखीवेणुयवाः, एणहरिणमृगकुरङ्ग-
मातृकाः श्वदंष्ट्राकरालविष्किरहारीततित्तिरलावका
कपिजलवर्तीरकाश्च, मुद्गमकुष्ठवर्तुकलायमसूरम-
ङ्गल्याचणकाद्वकीसतीनमाषाश्च, चिल्लीवास्तुक-
निपण्णकजीवन्तीतण्डुलीयकमण्डूकपर्प्यः, गव्यं घृत
सैन्धवं दाडिमामलकतंडुलवर्गः [?], ब्रह्मचर्य-
निर्वातशयनोष्णोदकनिद्रास्वप्नः [?] व्यायामश्चैप
वर्गं सर्वप्राणिना सामान्यतः पथ्यतमः ॥ १५० ॥

Wholesome food & regimens

(a) *Rakta śāhī*, *ṣaṣṭika*, *kānguka*, *kumudaka*, *pāṇḍuka*, *karamardaka*, *sugandhaka*, *kalama*, *śāttapuṭṭi*, *kumodaka*, *nīvāra*, *kodrava*, *uddālaka*, *śyāmāka*, *nandīmukhī vemuyava*, (b) *ena*, *hariṇa*, *mṛga*, *kurāṅga*, *mātrkā*, *śvadamṣṭra*, *karāla*, *viṣkīra*, *hārīta*, *tittira*, *lāvaka*, *kapiñjala*, *vartiraka*, (c) *mudga*, *makuṣṭha*, *vartula kalāya*, *masūra*, *maṅgalyā*, *canaka*, *āḍdhakī*, *satīna*, *māṣa* (d) *cillī*, *vāstuka*, *niṣaṇṇaka*, *jīvantī*, *tanḍulīyaka*, *maṅḍūka parṇī*, (e) cow's milk, ghee, rock salt, *dāḍīma*, *āmalaka*, (e) celibacy, sleep in a non-airy place, hot water, sleep and exercise—these are, in general, most wholesome for all living creatures.

कृष्णात्रेयः

त्रपुट विद्यमानेषु भ्रमः कोप गतञ्जतेः । [?]

शमी धान्येषु माषान्तमपध्यत्वं प्रभाषते ॥ १५१ ॥

वातव्याधिप्रशमना शूबाधमाननिकृन्तनाः ।

बृहया वाजीकरा माषाः स्युरपध्यतमाः कथम् ॥१५२॥

Among the *śamī dhānyas* (grains), *māṣa* is considered to be the most unwholesome. This view is not correct because *māṣa* cures diseases caused by the vitiation of *vāyu*, *śūla* (colic pain) and *ādhmāna* (flatulence). It promotes strength as well as virility. Why should it be treated as unwholesome ?

अवस्थान्तरबाहुल्याद्रोगादीनां व्यवस्थितम् ।

द्रव्यं नेच्छन्ति भिषजद्रष्टरि स्वस्थरक्षणम् ॥१५३॥

द्वयोरन्यतरादाने वदन्ति विषदुग्धयोः ।

दुग्धस्यैकान्ततो हितं विषस्यैकान्ततोऽहित ॥१५४॥

33

स्वस्थरोगिणाम् ।

Disease have different varieties and stages. Therefore, physicians who aim at preservation of health do not fix a particular drug for a particular ailment. There are however things which are extremely good or extremely bad. For example, milk is always useful whereas poison is always harmful both for healthy persons as well as patients.

NOTES AND REFERENCES

1. This is the 12th Chapter of *Ayurveda Saukhyam* in Toḍarānanda and the opening invocation reads below :—

‘गोपालिकाना करताडनेन कलसनृत्यं प्रचकार बालः ।

सामस्वरो विश्वविनर्तको यस्तनोतु शं टोडरमल्लभूपे ॥’

2. ‘कियद्भिभरौप्यौषधसंग्रहेर्गणैर्निगद्यते’ इति पंचमपुस्तके पाठः ।
3. ‘स्यात्सप्तत्रिंशदमांभिर्गणैर्वीक्ष्यवातपित्तकफात्’ इति प्रथमपुस्तके पाठः ।
4. ‘भिषजः’ इति द्वितीयपुस्तके पाठः ।
5. ‘भिन्नान् मिश्रान् प्रयोजयेत्’ इति आकरे पाठः ।

6. 'द्वय' इति प्रथमद्वितीयपुस्तकयोः पाठः ।
7. 'चिरद्वित्व' इति प्रथमपंचमपुस्तकयोः पाठः ।
8. 'त्रय' इति प्रथमपंचमपुस्तकयोः पाठः ।
9. 'वातरुजापहः' इति प्रथमपंचमपुस्तकयोः पाठः ।
10. 'लोध्र' इति प्रथमपंचमपुस्तकयोः पाठः ।
11. द्रष्टव्यम् सुश्रुतः सूत्रः ३८ : २२-२३ ।
12. 'मूत्रदोषहरो'.....'रुचिप्रदः' पाठोऽयं प्रथमपंचमपुस्तकयोः नोपलभ्यते ।
13. द्रष्टव्यम् सुश्रुतः सूत्र ३८ : ५०-५१ ।
14. द्रष्टव्यम् सुश्रुतः सूत्र ३८ : ५४-५५ ।
15. द्रष्टव्यम् सुश्रुतः सूत्र ३८ : ५३ ।
16. द्रष्टव्यम् सुश्रुतः सूत्र ३८ : ५६, योगरत्नाकरः पृष्ठ ६७ ।
17. द्रष्टव्यम् सुश्रुतः सूत्र ३८ : ५८ ।
18. द्रष्टव्यम् सुश्रुतः सूत्र ३८ : ६०-६१ ।
19. द्रष्टव्यम् सुश्रुतः सूत्र ३८ : ६६-७० ।
20. द्रष्टव्यम् सुश्रुतः सूत्र ३८ : ७२-७६ ।
21. 'तृवृता' इति प्रथमपंचमपुस्तकयोः पाठः ।
22. 'वृष्याणां' इति द्वितीयपुस्तके पाठः ।
वृक्षाणां इति प्रथमपंचमपुस्तकयोः पाठः ।
23. 'यत्तु' इति द्वितीयपुस्तके पाठः ।
24. द्रष्टव्यम् योगरत्नाकरः पृष्ठ ६८ ।
25. "वृद्धिस्तु.....मधुरशीतलं" इति प्रथमपंचमपुस्तकयोः पाठः ।
26. द्रष्टव्यम् भावप्रकाशः हरीतक्यादिवर्ग. १२२ ।
27. 'सुध्वाढ्य' इति आकरे पाठः ।
28. तद्यनेन इति द्वितीयतृतीयचतुर्थपुस्तकेषु पाठः ।
29. "सालसारादिक.....फलानिच" इति प्रथमद्वितीयपुस्तकयोः पाठः ।
30. 'त्रिवृत्श्यामादन्ती' इति प्रथमपंचमपुस्तकयोः पाठः ।
'विबृताश्यामदन्ती' इति आकरे पाठः ।
31. 'त्रिवृत्तादीनां' इति द्वितीयपुस्तके पाठः ।
32. 'श्लेषाणां' इति आकरे पाठः ।

33. This is the end of the 12th chapter in *Ayurveda Saukhyam* of Toḍarānanda and the colophon reads as below :

इति श्रीमहाराजाधिराजटोडरमल्लविश्चिते टोडरानन्दे आयुर्वेदसौख्ये
गणोद्देशकथनं नाम द्वादशो हर्षः ।

CHAPTER 31

द्रव्यनामगुणान् ज्ञात्वा भिषजः कर्म कुर्वते ।

¹
तस्मादगदनामानि वक्ष्यन्ते कर्मसिद्धये ॥ १ ॥

Physicians resort to therapeutic measures only after obtaining the knowledge of the names and properties of medicinal substances. Therefore, for successful accomplishment of the treatment of diseases names (synonyms) of therapeutically useful substances are being described

हरीतकी

शिवा हरीतकी पथ्या चेतकी विजया जया ।

² प्रपथ्या ³ प्रमथामोघा कायस्था प्राणदामृता ॥ २ ॥

जीवनीया हैमवती पूतनामृतलाभया ।

वयस्था नदि विज्ञेया श्रेयसी रोहिणी तथा ॥ ३ ॥

Harītakī

Śivā, harītakī, pathyā, cetakī, vijayā, jayā, prapathyā,

pramathā, amoghā, kāyasthā, prāṇadā, amṛtā, jīvanīyā, haimavatī, pūtanā, amṛtalā, abhayā, vayasthā, nandī, śreyasī and *rohinī*—these are synonymous.

आमलक

धात्रीफलामृतफलामलकं श्रीफलं शिवम् ।

Āmalaka

Dhatrī phala, amṛta phala, āmalaka, śrī phala and *śiva*—these are synonymous.

विभीतक

विभीतकः कर्षफलो भूतवासः कलिद्रूमः ॥ ४ ॥

वासंतोऽक्षो विध्यजातः सवर्त्तस्तिलपुष्पकः ।

Vibhītaka

Vibhītaka, karṣa phala, bhūta vāsa, kali drumā, vāsanta, akṣa, vīndhya jāta, samvarta and *tila puspaka*—these are synonymous.

त्रिफला

त्रिफला तत्रयेण स्याद्वरा श्रेष्ठा फलोत्तमा ॥ ५ ॥

Triphalā

Harītakī, āmalaka and *vibhītaka* are called *triphalā*, when taken together. *Varā, śreṣṭhā* and *phalottamā*—these are the synonyms of *triphalā*.

भूम्यामलकी

भूधात्री बहुपत्रा स्याज्जटा तामलकी शिवा ।

Bhūmyāmalakī

Bhū dhātrī, vahu patrā, jaṭā, tāmalakī and *śivā*—these are the synonyms of *bhūmyāmalakī*.

प्राचीनामलक

प्राचीनामलकं प्राचीनागर रक्तक मतम् ॥ ६ ॥

Prācīnāmalaka

Prācīnāmalaka, prācī nāgara and *raktaka*—these are synonymous.

वासा

वासा वृषः सिंहमुखी भिषङ्माताटरूपकः ।
शुक्ल हैमवती चैव सिंहास्यो वाजिदंतकः ॥ ७ ॥

Vāsā

Vāsā, vṛṣa, simha mukhī, bhiṣaṅmātā, āṭaruṣaka, śukla, haimavatī, simhāsya and *vāji dantaka*—these are synonymous.

गुडूची

गुडूची कुडली छिन्ना वयस्थामृतवल्लरी ।
छिन्नोद्भवा छिन्नरुहामृता ज्वरविज्जाशिनी ॥ ८ ॥
वत्सादनी चंद्रहासा जीवन्ती चक्रलक्ष्यणा ।

Guḍūcī

Guḍūcī, kuṇḍalī, chinmā, vayasthā, amṛta vallarī, chinnodbhavā, chinna ruhā amṛtā, jvara vināśinī, vatsādani, candra hāsā, jīvantī, cakra lakṣaṇā—these are synonymous.

बिल्व

बिल्वः शलाटु शैलुषो मालूरश्च सदाफलः ॥ ९ ॥
लक्ष्मीफलो गधगर्भः शांडिल्यः कटकी मतः ।

Bilva

Bilva, śalāṭu, śailūṣa, mālūra, sadā phala, lakṣmī phala, gandha garbha, śāṅḍilya, kaṇṭakī—these are synonymous.

अरणि

अग्निमंथो जयः केशी अरणिवैजयंतिका ॥ १० ॥

Araṇī

Agni mantha, jaya, keśī, araṇi and *vaijayantikā*—these are synonymous.

पाटलाकाष्ठपाटला

पाटला कामदूती स्यात् कुम्भिका कालवृत्तिका ।
 स्थाल्यामोघा मधोर्दूती ताम्रपुष्पांबुवासिनी ।
 अन्या फलेरुहा श्वेतकु भीका काष्ठपाटला ॥११॥

Paṭalā & Kāṣṭhapāṭalā

Paṭalā, kāma dūtī, kumbhikā, kālavṛntikā, sthālyā, amoghā, madhordūtī, tāmra puṣpā and *ambu vāsini*—these are the synonyms of *pāṭalā*. Another variety of it which is called *kāṣṭhapāṭalā* has two synonyms viz., *phale ruhā* and *śveta kumbhikā*.

गंभारि

काश्मरी सर्वतोभद्रा श्रीपर्णी कृष्णवृत्तिका ।
 कभारी काश्मरी हीराकाश्मरी भद्रपर्णिका ॥ १२ ॥

Gambhāri

Kāsmarī, sarvatobhadrā, śrī parṇī, kṛṣṇa vṛntikā, kambhārī, kāśmarī, hīrā kāśmarī and *bhadra parṇikā*—these are synonymous.

स्योनाक

⁶
 स्योनाकः पृथुशिवः स्यात् शुकनासः कुटंनटः ।
⁷
 भूतवृक्षश्च खट्वांगः टुटुकः सल्लकोरलुः ।
 मयूरजंघो शालूकः प्रियंजीवः कटभर. ॥ १३ ॥

Śyonāka

Śyonāka, pṛthu śimba, śuka nāsa, kutannata, bhūta vṛkṣa, khaṭvāṅga, ṭuṭuka, sallaka, aralu, mayūra jaṅgha, śāluka priyaṅjīva and *kaṭambhaka*—these are synonymous.

महत्पंचमूल

विल्वादिभिः पचभिरेव यत्स्यात् तत्पचमूलं महद्ग्निकारिः ॥ १४॥

Mahat pañca mūla

Bilva, araṇi, pāṭalā, gambhārī and *śyonāka*—these five drugs, taken together, are known as *mahat pañca mūla*. They are the promoters of digestion and metabolism.

गोक्षुर

गोक्षुरस्त्रिकटः कंटफलः स्यात्स्वादुकंटकः ।

गोकंटको भद्रकंटस्त्रिकंटो व्यालदण्डकः ।

श्वदंष्ट्रः स्थलशृंगाटः षडगः क्षुरकस्त्रिकः ॥ १५ ॥

Gokṣura

Gokṣura, trikaṭa, kaṇṭa phala, svādu kaṇṭaka, go kaṇṭaka, bhadra kaṇṭa, brikāṇṭa, vyāla daṁṣṭraka, śvadaṁṣṭra, sthala śṛṅgāṭa, ṣaḍaṅga, kṣuraka and *trika*—these are synonymous.

शालिपर्णी

शालिपर्णी ध्रुवा सौम्या त्रिपर्णी पीतनी स्थिरा ।

विदारिगंधातिगुहा दीर्घमूलांशुमत्यपि ॥ १६ ॥

Śali parnī

Śāli parnī, dhruvā, saumyā, tri parṇī, pītanī, sthīrā, vidāri-gandhā, ati guhā, dīrgha mūlā and *aṁśumati*—these are synonymous.

पृश्निपर्णी

पृश्निपर्णी क्रोष्टुपुच्छा धावनी कलशी गुहा ।

शृगालविट् वृत्तलता पृथक्पर्णी च पर्णिका ॥ १७ ॥

Prśni parṇī

Prśni parṇī, kroṣṭu pucchā, dhāvanī, kalaśī, guhā, śṛgāla viṭ, vr̥tta latā, pṛthak parṇī and *parṇikā*—these are synonymous.

बृहत्कटकारी

बृहती स्थूलभंटाकी विशदा च महोटिका ।

वृंताकी महती सिंही कंटकी राष्ट्रनाकुली ॥ १८ ॥

Bṛhat kaṇṭakārī

Bṛhatī, sthūla bhaṇṭāki, viśadā, mahotiḱā vṛntākī, mahatī, simhī, kaṇṭakī and *rāṣṭra nākulī*—these are the synonyms of *bṛhat kaṇṭakārī*.

लघुकंटकारी

कटारिका कंटकिनी कंटकारी निदिग्धिका ।

दुःस्पर्शा घावनी क्षुद्रा स्याद्व्याघ्री दुःप्रधर्षिणी ॥१९॥

Laghu kaṇṭakārī

Kaṇṭārikā, kaṇṭakinī, kaṇṭakārī, nidigdḱikā, duḱsparsā, dhāvanī, kṣudrā, vyāghrī and *duḱpradharsṇī*—these are the synonyms of *laghu kaṇṭakārī*.

श्वेत कंटकारी

सितक्षुद्रा चंद्रहास्या लक्ष्मणा क्षेत्रदूतिका ।

Śveta kaṇṭakārī

Sita kṣudrā, candra hāsya, lakṣmaṇā and *kṣetra dūtikā*—these are the synonyms of *śveta kaṇṭakārī*.

लघुपंचमूल

ह्रस्वाख्यं पंचमूलं स्यात्पंचभिर्गोक्षुरादिभिः ॥ २० ॥

Laghu pañca mūla

Gokṣura, śālī parṇī, pṛṣṇi parṇī, bṛhat kaṇṭakārī and *laghu kaṇṭakārī*—these five drugs, taken together, are known as *laghu pañca mūla*.

दशमूल

एताभ्यां पंचमूलाभ्यां दशमूलमुदाहृतम् ।

Daśamūla

The ten drugs, included in these two groups viz., *mahaṭ*

pañca mūla and *laghu pañcamūla*, taken together are called *daśa mūla*.

ऋद्धि वृद्धि

9
ऋद्धि सुखं युग लक्ष्मीः सिद्धिः सर्वजनप्रिया ॥ २१ ॥

Rddhi and vṛddhi

Both *Rddhi* and *vṛddhi* (*sukha*) are called *lakṣmī*, *siddhi* and *sarva jana priyā*.

काकोली

काकोली मधुरा वीरा कायस्था वीरशुक्लिका ।
 10
 घ्वांशकोली वायशोली स्वादुमांसी पयस्विनी ॥२२॥

Kākolī

Kākolī, *madhurā*, *virā*, *kāyasthā*, *vīra śuklikā*, *dhvāṅkṣa kolī*, *vāyaśolī*, *svādu māmsī* and *payasvinī*—these are synonymous.

क्षीरकाकोली

द्वितीया क्षीरकाकोली शताह्वा क्षीरिणी मता ।

Kṣīra kākolī

The second variety of *kākolī*, which is known as *ksīra kākolī* has two synonyms viz., *śatāhvā* and *ksīriṇī*.

मेदा

मेदा ज्ञेया शाल्यपर्णी मणिच्छिद्राऽभयाधरा ॥ २३ ॥

Medā

Medā, *śālya parṇī*, *maṇi chidrā*, *abhayā* and *adharā*—these are synonymous.

महामेदा

महामेदा बसुच्छिद्रा त्रिदंता देवतामणिः ।
 11

Mahāmedā

Mahā meda, *vasu chidrā*, *tri dantā*, *devatā* and *maṇi*—these

are synonymous.

जीवक

जीवको मधुरः शृंगी ह्रस्वागः कूर्चशीर्षकः ॥२४॥

Jivaka

Jivaka, madhura, śṛṅgī, hrasvāṅga and *kūrca śīrṣaka*—these are synonymous,

ऋषभक

ऋषभो धीर इंद्राक्ष विषाणी दुर्द्धरो वृषः ।

Rṣabhaka

Rṣabha, dhīra, indrākṣa, viṣāṇī, durdhara and *vṛṣa*—these are synonymous.

अष्टवर्ग

अष्टवर्गोष्टभिर्द्रन्वैरेतैः शीतोतिशुक्लः ॥ २५ ॥

Aṣṭa varga

Rddhi, vṛddhi, kākolī, kṣīra kākolī, medā, mahā medā, jīvaka and *rṣabhaka*—these eight drugs taken together are called *aṣṭa varga*. They are cooling and exceedingly spermatopoetic.

जीवन्ती

जीवन्ती जीवनी जीवा जीवनीया यशस्करी ।

शाकश्रेष्ठा जीवभद्रा मंगल्या जीववर्द्धनी ॥ २६ ॥

Jivantī

Jīvantī, jīvanī, jīvā, jīvanīyā, yaśaskarī, śāka śreṣṭhā, jīva bhadrā, maṅgalyā and *jīva vardhini*—these are synonymous.

मधुयष्टी

मधुयष्टी क्लीतनक यष्टीमधु मधूलिका ।

यष्ट्याह्वं मधुकं यष्टीमधुकं जलजं मधु ॥ २७ ॥

Madhu yaṣṭi

Madhu yaṣṭi, klītanaka, yasti madhu, madhūlikā, yaṣṭyāhva, madhuka, yaṣṭi madhuka, jalaja and *madhu*—these are synonymous.

माषपर्णी

माषपर्णी कृष्णवृन्ता कांबोजी हयपुच्छिका ।

12

मांसमाषा सिंहमुखी स्वादुमाषा महासहा ॥ २८ ॥

Māṣa parṇī

Māṣa parṇī, kṛṣṇa vṛntā, kāmbojī, haya pucchikā, māmsa-māṣā, śimha mukhī, svādu māṣā and *mahā sahā*—these are synonymous.

मुद्गपर्णी

मुद्गपर्णी क्षुद्रसहा सूर्यपर्णी कुरंगिनी ।

13

वनजा रंगिणी शिवी सिंही मार्जारगंधिका ॥ २९ ॥

Mudga parṇī

Mudga parṇī, kṣudra sahā, sūrya parṇī, kuraṅginī, vanajā, raṅginī, śimbī, śimhī and *mārjāra gandhikā*—these are synonymous.

जीवनीयगण

जीवन्ती सूप्यपर्णीयुक् काकोलयौ जीवकर्षभौ ।

मेदे यष्टीति मधुरो जीवनीयगणो गुरुः ॥ ३० ॥

Jīvanīya gana

Jīvantī, māsa parṇī, mudga parṇī, kākolī, kṣīra kākolī, jīvaka, ṛṣabhaka, medā, mahā medā and *yaṣṭi madhu*—taken together, they are called *madhura gaṇa* (group of drugs having sweet taste) or *jīvanīya gaṇa* (group of drugs promoting vitality). They are heavy (*guru*).

एरण्ड

एरंडो दीर्घदंडः स्यात् वरुणो वर्द्धमानकः ।

चित्रः पंचागुलो व्याघ्रपुच्छो गंधर्वहस्तकः ॥ ३१ ॥

Eraṇḍa

Eraṇḍa, dīrgha daṇḍa, varuṇa, vardhamānaka, citra, pañcāṅgula, vyāghra puccha and gandharva hastaka—these are synonymous.

रक्त एरंड

रक्तदंडो हस्तिकर्णो व्याघ्रो व्याघ्रतरो रूबुः ।

उत्तानपत्रो दुर्वतिः आमवैरी वंचचुलः ॥ ३२ ॥

Rakta eraṇḍa

Rakta daṇḍa, hasti karna, vyāghra, vyāghratara, rubu, uttāna patra, durvāta, āma vairī and vacamcula—these are the synonyms of the red variety of *eraṇḍa*.

सारिवायुग्म

सारिवा शारदास्फोता गोपकन्या प्रतानिका ।

गोपांगना गोपवल्ली लताह्वा काष्ठसारिवा ।

सारिवान्या कृष्णमूला भद्रचदनसारिवा ॥ ३३ ॥

Two varieties of Sārivā

Sārivā, śūradā, āsphotā, gopa kanyā, pratānikā, gopāṅganā, gopa vallī, latāhvā and kāṣṭha sārivā—these are the synonyms of *sārivā*.

There is another variety of *sārivā* whose synonyms are *kṛṣṇa mūlā, bhadrā candana* and *sārivā*.

यवासा

यासो मरुद्भवानंता दीर्घमूलो यवासकः ।

वालपत्रः समुद्रातो दूरमूलोऽतिकंटकः ॥ ३४ ॥

धन्वयासस्ताम्रमूली दुःस्पर्शा स्याद्दुरालभा ।

दुरालभा यासकश्च कछुरा धन्वयासकः ॥ ३५ ॥

Yavāsā

Yāsa, marudbhavā, anantā, dīrgha mūla, yavāsaka, vāla patra, samudrānta, dūra mūla, ati kaṇṭaka, dhanva yāsa, tāmra-mūlī, duḥsparśā, durālabhā, durālabhā, yāsaka, kacchurā and dhanva yāsaka—these are synonymous.

महामुंडी

महामुंडी लोभनीया छिन्नग्रंथिनिका स्मृता ।

भूतवृक्षः ¹⁶ कुलहलो ¹⁷ लंबु शालूककंटकः ।

कदंबपुष्पी मंडी च गुणैः भूमिकदंबकः ॥ ३६ ॥

Mahā muṇḍī

Mahā muṇḍī, lobhanīyā, chinna granthinikā, bhūta vṛkṣa, kulahala, lambu, śāluka kaṇṭaka, kadamba puṣpī, muṇḍī and bhūmi kadāmbaka—these are synonymous.

अपामार्ग

अपामार्गस्तु शिखरी किणिही खरमंजरी ।

अधःशल्यः शैखरिकः प्रत्यक्पुष्पी मयूरकः ॥ ३७ ॥

Apāmārga

Apāmārga, śikharī, kiṇihī, khara mañjarī, adhaḥ śalya, śaikharika, pratyak puṣpī and mayūraka—these are synonymous.

रक्तापामार्ग

अन्यो रक्तो रक्तफलो वसिरः ¹⁸ कपिपिप्पली ।

Rakta apāmārga

Rakta phala, vasira and kapi pippalī—these are the synonyms of red variety of *apāmārga*,

कंपिल्लक

कपिलो रेचनो रक्तश्चूर्णको व्रणशोधनः ।

19

रोहीतो रक्तशमनो रेची रंजनको मतः ॥ ३८ ॥

Kampillaka

Kampila, recana, rakta cūrṇaka, vraṇa śodhana, rohita, rakta śamana, recī and rañjanaka—these are the synonyms of *kampillaka*.

दंती

दंती घुणप्रिया नागदंती शीघ्रमुकूलकः ।

उपचित्रा निकुंभ स्याद्विशल्योदुंबरच्छदा ॥ ३९ ॥

आखुकर्णी वृषैरंडा द्रवन्ती संवरी मता ।

20

मूषिकाह्ला सुतश्चेणी प्रत्यक्श्रेणी कफजिका ॥४०॥

Dantī

Dantī, ghuṇa priyā, nāga dantī, śighra mukūlaka, upacitrā, nikumbha, viśalyā, udumbara cchadā, ākhu karṇī, vṛṣā, eraṇḍā, dravantī, samvarī, muṣikāhvā, suta śreṇī, pratyak śreṇī and kaphañjikā—these are synonymous.

जयपाल

जयपालो दंतिबीजं ख्यात तर्च्चिचिणीफलं ।

Jayapāla

Jayapāla, danti .bija and ciñciṇī phala—these are synonymous.

श्वेतनिशोथ

21

त्रिवृत्कुंभोरुणा त्र्यस्रा भंडी कूटरवाहिनी ।

22

सर्वानुभूतिस्त्रिवृता त्रिपुटा सरलासिता ॥ ४१ ॥

Śveta niśoṭha

Trivṛt, kumbha, aruṇā, tryasrā, bhaṇḍī, kuṭara vāhīnī,

sarvānubhuti, trivṛtā, tripuṭā, saralā and *sitā*—these are the synonyms of the white variety of *trivṛt*.

श्यामनिशोथ

त्रिवृत्काला कालमेषी कालपर्ण्यर्द्धचंद्रिका ।

सुषेणा स्यान्मालविका मसूरा विदला मता ॥ ४२ ॥

Śyāma niśoṭha

Trivṛt, kālā, kāla meṣī, kāla parṇī, ardha candrikā, suṣeṇā, mālavikā, masūrā and *vidalā*—these are the synonyms of black variety of *trivṛt*.

इन्द्रवारुणी द्वय

इंद्रवारुण्यर्थे द्राह्वा ²³ वृषभाक्षी ²⁴ गवादनी ।

इंद्रवैरुः क्षुद्रफला विशालेद्री ²⁵ विषादिनी ॥ ४३ ॥

अन्येन्द्रवारुणी चित्रफला चित्रा महाफला ।

आत्मरक्षा नागदती त्रपुसी गजचिभिटा ॥ ४४ ॥

Indra vārunī — two varieties

Indra vārunī, indrāhvā, vṛṣabhāksī, gavādani, indraivāru, kṣudra phalā, viśālā, aindrī and *visādani*—these are the synonyms of *indra vārunī*.

There is another variety of *indra vārunī* whose synonyms are *citra phalā, citrā, mahā phalā, ātma rakṣā, nāga dantī, trapusī* and *gaja cirbhiṭā*.

आरग्वध

आरग्वधो राजवृक्षः शम्पाकः कृतमालकः ।

व्याधिघातः कणिकारः प्रग्रहश्चतुरंगुलः ।

आरोग्यशिबी स्वर्णद्रुः ²⁶ कर्णी दीर्घफलो मतः ॥ ४५ ॥

Āragvadha

Āragvadha, rājavr̥kṣa, śampāka, kṛta mālaka, vyādhi ghāta,

karnikāra, pragraha, caturaṅgula, ārogya śimbi, svarṇadru, karṇī and *ḍīrgha phala*—these are synonymous.

नीलिनी

नीलिनी नीलिका ग्राम्या श्रीफला भारवाहिनी ।

रंजनी कालिका मेला तुनी तुत्था विशोधनी ॥४६॥

Nīlinī

Nīlinī, nīlikā, grāmyā, śrī phalā, bhāra vāhinī, rañjanī, kālīkā, melā, tunī, tutthā and *viśodhanī*—these are synonymous.

कटुकी

कटुका रोहिणी तिक्ता चक्रांगी कटुरोहिणी ।

मत्स्यपित्ता कांडरुहा वष्णभद्रा द्विजांगिका ॥ ४७ ॥

Kaṭukī

Kaṭukā, rohiṇī, tiktā, cakrāṅgī, kaṭurohiṇī, matsya pittā, kāṇḍa ruhā, vṛṣṇa bhadra and *dvijāṅgikā*—these are synonymous.

अंकोल

अंकोलकस्ताम्रफलः पीतसारो निकोचकः ।

गुप्तस्नेहो विरेचीस्याद्भूसिता दीर्घकीलकः ॥ ४८ ॥

Aṅkola

Aṅkolaka, tāmra phala, pīta sāra, nikocaka, gupta sneha, virecī, bhūsitā, ḍīrgha kīlaka—these are synonymous.

सेहुंड

सेहुंडो वज्रतुंडस्तु गंडीरो वज्रतुंडकः ।

स्नुही सामंतदुग्धासिपत्रा वज्री महातरुः ॥ ४९ ॥

Sehuṇḍa

Sehuṇḍa, vajra tuṇḍa, gaṇḍīra, vajra tuṇḍaka, snuhī, sāmanta dugdhā, asi patrā, vajrī and *mahā taru*—these are synonymous.

निंब

निंबो नियमनो नेतारिष्टः स्यात्पारिभद्रकः ।

27

सुतित्तः सर्वतोभद्रः पिचुमर्दः प्रभद्रकः ॥ ५० ॥

Nimba

Nimba, niyamana, netā, ariṣṭa, pāribhadraka, sutikta, sarvatobhadra, picu marda and prabhadraka—these are synonymous.

महानिंब

28

महानिंबो निंबरकः कार्मुको विषमुष्टिकः ।

रम्यको गिरिकोद्रेको क्षीरः स्यात्केशमुष्टिकः ॥५१॥

Mahā nimba

Mahā nimba, nimbaraka, karmuka, viṣa muṣṭika, ramyaka, girika, udreka, kṣīra and keśa muṣṭika—these are synonymous.

किरातित्त

29

किरातित्तः कैगतो भूनिंबः रामसेनकः ।

किरातकोन्यो नैपालो नारीतित्तो ज्वरांतकः ।

कांडतित्तोर्ध्वतित्तः स्यान्नद्रारिः सन्निपातहा ॥५२॥

Kirāta tikta

Kirāta tikta, kairāta, bhūnimba and rāmasenaka—these are the synonyms of *kirāta tikta*.

There is another variety of *kirāta tikta* whose synonyms are *naipāla, nārī tikta, jvarāntaka, kāṇḍa tikta, urdhva tikta, nidrāri* and *sannipātahā*.

कुटज

कुटजो मल्लिकापुष्पः कर्लिंगो गिरिमल्लिका ।

वत्सकः कुटजः कोटीवृक्षकः शक्रभूरुहः ॥ ५३ ॥

Kuṭaja

Kuṭaja, mallikā puṣpa, kaliṅga, giri mallikā, vatsaka, koṭī vrkṣaka and śakra bhūruha—these are synonymous.

इन्द्रयव

एन्द्रयवस्तस्य फलं कार्लिंगः कौटजो मतः ।

शक्राह्वः पुरुहुतश्च प्रोक्तो भद्रयवस्तथा ॥ ५४ ॥

Indra yava

The fruit of *kuṭaja* is called *indra yava*. Its synonyms are *kāliṅga, kauṭaja, śakrāhva, puruhuta* and *bhadra yava*.

मदनफल

मदनः छर्द्दनः पिडी राठः पिडीतकः फलम् ।

करहाटश्च तगरः शल्यको विषपुष्पकः ॥ ५५ ॥

Madana phala

Madana, chardana, piṇḍī, rāṭha, piṇḍītaka phala, karahāṭa, tagara, śalyaka and viṣa puṣpaka—these are synonymous.

कंकुष्ठ

कंकुष्ठकं काककुष्ठं रेचनं रंगनायकम् ।

शोभनं ³⁰चुलकं ³¹रासं वरागं किनुबालकम् ॥ ५६ ॥

Kaṅkuṣṭha

Kaṅkuṣṭhaka, kāka kuṣṭha, recana, raṅga nāyaka, śobhana, culaka, rāsa, varāṅga and kinubālaka—these are synonymous.

स्वर्णक्षीरी

हेमाह्वा कनकक्षीरी हेमदुग्धा हिमावती ।

क्षीरिनी काञ्चनक्षीरी कटुपर्णी च कर्षिणी ॥ ५७ ॥

Svarṇakṣīrī

Hemahvā, kanaka kṣīrī, hema dugdhā, himāvātī, kṣīrīnī, kāñcana kṣīrī, kaṭu parnī and karṣiṇī—these are synonymous.

सातला

32

सातला विमला सारी सप्तला बहुफेनिका ।

33

चर्मसाह्वा चर्मकसा फेना दीप्ता च नालिका ॥५८॥

Sātalā

Sātalā, vimalā, sārī, sapṭalā, vahu phenikā, carmasāhvā, carma kasā, phenā, dīptā and *nālika*—these are synonymous.

अश्मंतो

अश्मंतो मालुकापत्रो युग्मपत्रोऽम्लपत्रकः ।

श्लक्ष्णत्वग्दमयोनिः स्यात्कुशली पापनाशनः ॥५९॥

Aśmanta

Aśmanta, mālukā patra, yugma patra, amla patraka, ślakṣṇa tvak, aśma yoni, kuśalī and *pāpa nāśana*—these are synonymous.

कांचनार

कांचनारः काचनकः पाकारी रक्तपुष्पकः ।

कोविदारोऽस्यभेदः स्यात्कुडालः कुडली कुली ।

34

आस्फोटोद्यलकः स्वल्पः केशरी श्रीमरी हितः ॥६०॥

Kāñcanāra

Kāñcanāra, kāñcanaka, pākārī and *rakta puṣpaka*—these are the synonyms of *kāñcanāra*. A variety of this plant is called *kovidāra*. Its synonyms are *kuddāla, kuṇḍalī, kulī, āsphotā, udyalaka, svalpa, keśarī, śrīmarī* and *hita*.

निगुंडी

निगुंडी श्वेतकुसुमः सिंदुकः सिंदुवारकः ।

35

Nirguṇḍī

Nirguṇḍī, śveta kusuma, sinduka and *sindu vāraka*—these are synonymous.

सेफालिका

36

भूतकेश्यपरो नीलसिंदुको नीलपुष्पकः ।

शेफालिका शीतभीरु धनको नीलमंजरी ॥ ६१ ॥

Sephālikā

The blue variety of *nirguṇḍī* is called *bhūta keśī*, *nīla sinduka*, *nīla puspaka*, *śephālikā*, *śīta bhīru*, *dhanaka* and *nīla mañjarī*.

मेषशृंगी

मेषशृंगी मेषवंल्ली सर्पदंष्ट्राजशृंगिका ।

अन्या च दक्षिणावर्ति वृश्चिकाली विषाणिका ॥ ६२ ॥

Meṣa śṛngī

Meṣa śṛngī, *meṣa vallī*, *sarpa daṁṣṭrā* and *aja śṛngikā*—these are the synonyms of *meṣa śṛngī*. There is another variety of it whose synonyms are *dakṣiṇāvartī*, *vṛścikālī* and *viṣāṇikā*.

श्वेतपुनर्नवा

पुनर्नवा श्वेतमूला पृथ्वीको दीर्घपत्रकः ।

विशाखो दीर्घवर्षाभूः पुनर्भूर्म्मंडलच्छदः ॥ ६३ ॥

Sveta punarnavā

Punarnavā, *sveta mūlā*, *pr̥thvīka*, *dīrgha patraka*, *viśākha*, *dīrgha varṣābhū*, *punarbhū* and *maṇḍala chada*—these are synonymous.

रक्त पुनर्नवा

पुनर्नवाऽपरारक्ता रक्तपुष्पः कठील्लकः ।

Rakta punarnavā

Synonyms of the red variety of *punarnavā* are *rakta puṣpa* and *kaṭhillaka*.

क्षुद्रवर्षाभुः

क्रूरकः क्षुद्रवर्षाभुः वर्षकेतुः शिवाटिका ॥ ६४ ॥

Kṣudra varṣābhū

Kruraka, kṣudra varṣā bhū, varṣa ketu and śivāṭikā—these are the synonyms of the small variety of *punarnavā*.

रास्ना

रास्ना रस्या युक्तरसा रसना गंधनाकुली ।

सुगन्धमूलातिरसा श्रेयसी सुवहा रसा ॥ ६५ ॥

Rāsnā

Rāsnā, rasyā, yukta rasā, rasanā, gandha nākulī, sugandha mūlā, atīrasā, śreyasī, suvahā and rasā—these are synonymous.

अश्वगन्धा

अश्वगन्धा तुरङ्गाह्वा गोकर्णशिवावरोहकः ।

वराहकर्णी वरदा बल्या वाजीकरी वृषा ॥ ६६ ॥

Aśva gandhā

Aśva gandhā, turāṅgāhvā, gokarṇā, aśvāvarohaka, varāha karṇī, varadā, balyā, vājīkarī and vṛṣā—these are synonymous.

प्रसारणी

प्रसारणी राजबला चारुपर्णी प्रतानिका ।

सरणी सारणी भद्रपर्णी सुप्रसरा सरा ॥ ६७ ॥

Prasāraṇī

Prasāraṇī, rāja balā, cāru paṇī, pratānikā; saraṇī, sāraṇī, bhadra paṇī, suprasarā and sarā—these are synonymous.

शतावरी

शतावरी भीरुपत्री द्वीपिकाधरकंटकी ।

नारायणी शतपदी शताह्वा बहुपुत्रिका ॥ ६८ ॥

Śatāvarī

. *Śatāvarī, bhīru patri, dvīpīkā, adhara kaṅtakī, nārāyaṇī, śata padī, śatāhvā* and *vahu pūtrikā*—these are synonymous.

महाशतावरी

शतावय्यश्चकठोन्या पीवरी दीवरी वरी ।

अभीर्बहुपुत्रा च महापुरुषदतिका ।

सहस्रवीर्या केशी स्यात्तूगिनी सूक्ष्मपत्रिका ॥ ६६ ॥

Mahā śatāvarī

Pīvarī, dīvarī, varī, abhīru, vahu putrā, mahā puruṣa dantikā, sahasra vīryā, keśī, tūnginī and *sūkṣma patrikā*—these are the synonyms of *mahā śatāvarī* (bigger variety of *śatāvarī*).

बला

बला वाट्यालकः शीतपाकी पाद्योदनाह्वयः ।

भद्रौदनी सभंगा स्यात्समासा खरयष्टिका ॥ ७० ॥

Balā

Balā, vāṭyālaka, śīta pākī, pādyodana, bhadrāudanī, sabhaṅgā, samāṃsā and *khara yaṣṭikā*—these are synonymous.

महाबला

महाबला वीरपुष्पा सहदेवा वृहद्बला ।

वाट्यायनी देवसहा वाट्यास्यात्पीतपुष्पकः ॥ ७१ ॥

Mahā balā

Mahā balā, vīra puṣpā, sahadēvā, bṛhadbalā, vāṭyāyanī, deva sahā, vāṭyā and *pīta puṣpaka*—these are synonymous.

अतिबला

वलिकातिबला भारद्वाजी स्याद्बक्षगंधिनी ।

गांगेरुकी नागबला विश्वदेवा गवेधुका ॥ ७२ ॥

Ati balā

Vālikā, ati balā, bhāradvājī, vṛkṣa gandhinī, gāṅgerukī, nāga balā, viśva devā and *gavedhukā*—these are synonymous.

तेजवती

तेजस्विनी तेजवती तेजन्यश्च कवलकला ।
 महौजसी पारिजाता शीता तेजातितेजिनी ॥ ७३ ॥

Tejavatī

Tejasvinī, tejavatī, tejanya, kavalkalā, mahaujasī, pārijātā, sitā, tejā and *ati tejinī*—these are synonymous.

ज्योतिष्मति

ज्योतिष्मती वह्निरुचिः कंगुणी कटुभी तथा ।

Jyotiṣmati

Jyotiṣmati, vahni ruci, kaṅguṇī and *kaṭubhī*—these are synonymous.

देवदारु

देवदारु सुराह्वा स्याद्भद्रदारुः सुरद्रुमः ।
 भद्रकाष्ठं स्नेहवृक्षः किलिम शक्रदारु च ॥ ७४ ॥

Deva dāru

Deva dāru, surāhvā, bhadrā dāru, sura drumā, bhadrā kāṣṭha, sneha vṛkṣa, kilīma and *śakra dāru*—these are synonymous.

सरल

सरलो नंदनश्चीत्रानमेरुदीपवृक्षकः ।
 पूतिदारुः पूतिवृक्षो महादीर्घः कीलद्रुमः ॥ ७५ ॥

Sarala

Sarala, nandana, cītrā, nameru, dīpa vṛkṣaka, pūti dāru, pūti vṛkṣa, mahā dīrgha and *kīla drumā*—these are synonymous.

पुष्कर मूल

पौष्कराह्वं पद्मपत्रं पौष्करं पौष्करांघ्रिका ।

काश्मीरं पुष्करजटा मूलं वीरं सुगंधिकम् ॥ ७६ ॥

Puṣkara mūla

Pauṣkarāhva, padma patra, pauṣkara, pauṣkarāṅghrikā, kāśmīra, puṣkara jaṭā, mūla, vīra and sugandhika—these are synonymous.

कुष्ठ

कुष्ठं रोगाह्वयं वाप्यं कौवेरं पारिभद्रकम् ।

पारिहार्यं पारिभाव्यमुत्पल हरिभद्रकम् ॥ ७७ ॥

Kuṣṭha

Kuṣṭha, rogāhvaya, vāpya, kauvera, pāribhadraka, pārihārya, pāribhāvya, utpala and hari bhadraka—these are synonymous.

कर्कटशृंगी

शृंगी कुलिरशृंगी स्याद्वक्रा कर्कटशृंगिका ।

⁴¹
कर्कटाख्या महाघोरा शृंगीनाम्नी नतांग्यपि ॥७८॥

Karkaṭa śṛṅgī

Śṛṅgī, kulira śṛṅgī, vakrā, karkaṭa śṛṅgikā, karkaṭākhyā, mahā ghorā, śṛṅgīnamnī and natāṅgī—these are synonymous.

रोहिषतृण

भूतं रोहिषकं भूतीभूतीकं सरलं तृणम् ।

श्लामकं युगलं पौरं व्यामकं देवगंधकम् ॥ ७९ ॥

Rohiṣa trṇa

Bhūta, rohiṣaka, bhūtī, bhūtīka, sarala, trṇa, śyāmaka, yugala, paura, vyāmaka and deva gandhaka—these are synonymous.

कट्फल

⁴²
कट्फलं कुमुदा कुंभी श्रीपर्णी सोमपादपः ।

⁴³
सोमवल्को महाकुंभी भद्रा भद्रवती शिवा ॥ ८० ॥

Kaṭphala

*Kaṭphala, kumudā, kumbhī, śrīparṇī, soma pādapa, soma-
valka, mahā kumbhī, bhadra, bhadravatī* and *śivā*—these are
synonymous.

भार्गी

भार्गी ⁴⁴भृगुभवा वासा काशघ्नी भार्गपर्वणी ।
खरशाकं ⁴⁵शुक्रमाता फंजी ब्राह्मणयष्टिका ॥ ८१ ॥

Bhārgī

*Bhārgī, bhṛgu bhavā, vāsā, kāśaghñī, bhārga parvaṇī, khara
śaka, śukra mātā, phaṅjī* and *brāhmaṇa yaṣṭikā*—these are
synonymous.

पाषाणभेद

पाषाणभेदः पाषाणोऽश्मरीभेदोऽश्मभेदकः ।
शिलाभेदो दृषद्भेदो नगभिन्नगभेदनः ॥ ८२ ॥

Pāsāṇa bheda

*Pāsāṇa bheda, paśāṇa, aśmarī bheda, aśma bhedaka, śilā
bheda, dṛṣad bheda, naga bhid* and *naga bhedana*—these are
synonymous.

मुस्ता

मुस्तं वारिधरो मुस्ता मेघाख्यः कुरुविदकः ।
वराहोऽव्यो ⁴⁶घनो भद्रमुस्तं राजकसेरुकः ।
पिण्डमुस्तं विपध्वंसी नागरोन्य प्रकीर्तितः ॥ ८३ ॥

Mustā

*Musta, vāri dhara, mustā, meghākhyā, kuru vindaka, varāha,
avya, ghana, bhadra musta, rāja kaseruka, piṇḍa musta, viṣa
dhvaṁsī*.—these are the synonyms of *mustā*. Another variety of
it is called *nāgara*.

धातकी

धातकी कुंजरी सिन्धुपुष्पा प्रमोदिनी मता ।

पार्वतीया ताम्रपुष्पी सुराख्या मद्यवासिनी ॥ ८४ ॥

Dhātakī

Dhātakī, kuñjarī, sindhu puṣpā, pramodinī, pārvatīyā, tāmra puṣpī, surākhyā and madya vāsini—these are synonymous.

विदारीकंद

47

विदारिका वृक्षवल्ली वृक्षकं दाविडालिका ।

शृंगालिका कंदवल्ली स्वादुकं पापनाशकः ॥ ८५ ॥

अन्या शुक्ला क्षीरशुक्ला क्षीरवल्ली पयस्विनी ।

इक्षुवल्ली महाश्वेता क्षीरगंधेक्षुगधिका ॥ ८६ ॥

Vidāri kanda

Vidārikā, vṛkṣa vallī, vṛkṣaka, dāvīḍālikā, śṛgālikā, kaṇḍa vallī, svāduka, pāpa nāśaka—these are the synonyms of *vidāri-kanda*. It has another variety whose synonyms are *śuklā, kṣīra śuklā, kṣīra vallī, payasvinī, ikṣu vallī, mahā śvetā, kṣīra gandhā and ikṣu gandhikā*.

मायिका

48

49

50

51

मायिका वालिका दष्टा शचीदंत सठविका ।

अवष्टकी सूचिमुखी कषाया शाकटमुखम् ॥ ८७ ॥

Māyikā

Māyikā, vālikā, duṣṭā, śacī danta, saṭhaṁvikā, aryaṣṭhakī, sūcī mukhī, kaśāyā and śākaṭa mukha—these are synonymous.

वाराही कद

वाराही माधवी गृष्टिः शौकरी वनमालिका ।

तस्याः कदः कटिक्रोडनाम सवरनामकः ॥ ८८ ॥

Vārāhī kanda

Vārāhī, mādhavī, grṣṭi, śaukarī and vana mālikā—these are the synonyms of the plant *vārāhī kanda*.

Its root (tuber) is called *kaṭi kroḍa* and *saṁvara*.

पाठा

पाठांवष्ठा वृहत्तिका प्राचीनांवष्ठीकी रसा ।

वरत्तिका पापचेली श्रेयसी विद्धकर्णिका ॥ ८६ ॥

Pāṭhā

Pāṭhā, arṁvaṣṭhā, vṛhattiktā, prācīnāmbaṣṭhākī, rasā, vara tiktā, pāpa celi, śreyasī and *viddha karṇikā*—these are synonymous.

मूर्वा

मूर्वा देवी मधुरसा देवश्रेणी मधुस्रवा ।

स्निग्धपर्णी पृथक्पर्णी मोरटा पीलुपर्णिका ॥ ६० ॥

Mūrvā

Mūrvā, devī, madhu rasā, deva śreṇī, madhu sravā, snigdha parṇī, pṛthak parṇī, moraṭā and *pīlu parṇikā*—these are synonymous.

मंजिष्ठा

मंजिष्ठा विजयरक्ता रक्तांगी कालमेषिका ।

रक्तयष्टिस्ताम्रवल्ली समंगा वस्त्रभूषणा ।

मंजुला विकसा भंडी छदिका ज्वरनाशिनी ॥ ६१ ॥

Mañjiṣṭhā

Mañjiṣṭhā, vijaya raktā, raktāngī, kāla meṣikā, rakta yaṣṭi, tāmra vallī, samāṅgā, vastra bhūṣaṅā, mañjulā, vikasā, bhaṅḍī, chadmikā and *jvara nāśinī*—these are synonymous.

हरिद्रा

हरिद्रा ⁵² रंजनी ⁵³ गौरी रजनी वरवर्णिनी ।

पिंडी पीता वर्णवती निशा वर्णविनाशिनी ॥ ६२ ॥

Haridrā

Haridrā, rañjanī, gaurī, rajanī, vara varṇinī, piṇḍī, pītā, varṇa vatī, niśā and varṇa vināśinī—these are synonymous.

दारुहरिद्रा

दार्वी दारुहरिद्रान्या पीतदारु पचंपचा ।

कटकटेरी पीतद्रुः स्वर्णवर्णा कटकटिः ॥ ६३ ॥

Dāruharidrā

Another variety of *haridrā* is called *dāru haridrā* and its synonyms are *dārvī, pīta dāru, pacampacā, kaṭaṅkaṭerī, pītadru, svarṇa varṇā and kaṭaṅkaṭi*.

चक्रमर्द

प्रपुन्नाटस्त्वेडगजश्चक्रमर्दः प्रपुन्नटः ।

दद्रुघ्नो मर्दको मेषकुसुमः कुष्ठकृतनः ॥ ६४ ॥

Cakra marda

Prapunnaḍa, eḍagaja, cakra marda, prapunnaṭa, dadrugghna, mardaka, meṣa kusuma and kuṣṭha kṛtana—these are synonymous.

वाकुची

वाकुची चंद्रिका सोमवल्ली पूतीफलांबरा ।

सोमराजी कृष्णफलावल्गुजः कालमेषिका ॥ ६५ ॥

Vākucī

Vākucī, candrikā, soma vallī, pūtī phalā, ambarā, somarājī, kṛṣṇa phalā, avalguja and kāla meṣikā—these are synonymous.

भृंगराज

भृंगराजो भेकराजो मावर्कवः केशरंजनः ।

54

भृंगारको भृंगराजो भृंगाह्वः सूर्यवल्लभः ॥ ६६ ॥

Bhṛṅga rāja

Bhṛṅga rāja, bheka rāja, mārkaḥ, keśa reñjana, aṅgāraka, bhṛṅgāhva and sūrya vallabha—these are synonymous.

पर्पट

पर्पटः कवचो रेणुः पित्रहा यवकंटकः ।
वरतिक्तः पर्पटकः स्पृष्टीकश्चर्मकंटकः ॥ ६७ ॥

Parpaṭa

Parpaṭa, kavaca, reṇu, pitrahā, yava kaṅṭaka, vara tikta, parpaṭaka, sprṣṭika and carma kaṅṭaka—these are synonymous.

शरणपुष्पी

शरणपुष्पी माल्यपुष्पी धावनी सणघंटिका ।
वृहत्पुष्पी स्वल्पघंटा घंटाशब्दोरुपुष्पिका ॥ ६८ ॥

Śana puspī

Śana puspī, mālya puspī, dhāvanī, śana ghaṅṭikā, vṛhat puspī, svalpā ghaṅṭā, ghaṅṭā śabda and uru puspikā—these are synonymous.

त्रायमाणा

त्रायमाणा सुहृत्त्राणा त्रायती गिरीशानुजा ।
बलभद्रा कृतत्राणा वार्षिकं त्रायमानकम् ॥ ६९ ॥

Trāya māṇā

Trāya māṇā, suhṛt trāṇā, trāyantī, girī śānujā, bala bhadrā, kṛta trāṇā, vārṣika and trāya mānaka—these are synonymous.

महाजालिनी

महाजालिनीका चर्मरंगा स्यात्पीतकलिका ।
आवर्त्तकी तिदुकिनी विभांड रिक्तपुष्पिका ॥ १०० ॥

Mahā jālinī

Mahā jālinīkā, carma raṅgā, pīta kalikā, avarttakī, tindu-

kinī, vibhāṇḍa and *rikta puṣpikā*—these are synonymous.

अतिविषा

अतिविषा शुक्लकंदा विषा प्रतिविषाऽपरा ।

इयामकदा सिताशृंगी भंगुरोपविषाणिका ॥ १०१ ॥

Ati viṣā

Ati viṣā, śukla kandā, viṣā and *prati viṣā*—these are synonyms of *ativiṣā*.

There is another variety of it whose synonyms are *śyāma kandā, sitā śṛṅgī, bhaṅgurā* and *upa viṣāṇikā*.

काकमाची

काकमाची ध्वाक्षमाची कामबीज घनेफला ।

रसायनवरा सर्वैतित्ता स्यात्काकिनी कटुः ॥१०२॥

Kākamācī

Kākamācī, dhvāṅkṣa mācī, kāma bīja, ghane phalā, rasāyana varā, sarva tiktā, kākinī and *kaṭu*—these are synonymous.

काकजघा

काकजघा नदीकांता काकतित्ता सुलोमशा ।

पारावतपदी काका मद्दध्माकर्म्मणी तथा ॥ १०३ ॥

Kāka jaṅghā

Kāka jaṅghā, nadī kāntā, kākatiktā, sulomaśā, pārāvata padī, kākā and *madadhṃā-karmanī*—these are synonymous.

लोध्र

लोध्रस्तिरीटः कामीनस्तित्वकः संतरोद्भवः ।

अन्यो घनस्त्वक्सारश्चेतरोलोध्राक्षिभेषजम् ॥ १०४ ॥

Lodhra

Lodhra, tiriṭa, kānina, tilvaka and *santarodbhava*—these are the synonyms of *lodhra*.

It has another variety whose synonyms are *ghana tvaksāra* and *akṣi bheṣaja*.

वृद्धवार

वृद्धदारुर्महाश्यामा जांगलो जीर्णवालुकः ।
⁶²
 अंतःकोटरपुष्पी स्यादावेगी छागलो अपि ॥ १०५ ॥

Vṛddha dāru

Vṛddha dāru, mahā śyāmā, jāngala, jīrṇa vāluka, antaḥ koṭara puṣpī, āvegi and *chāgala*—these are synonymous.

देवदाली

देवदाली वृंतकोशो देवतांगो गरागरी ।
⁶³
⁶⁴
 जीमूतो तारकी वेणी जालिन्याखुविषापहः ॥१०६॥

Devadālī

Deva dālī, vṛnta kośa, devatānga, garāgarī, jīmūta, tārakī, veṇī, jālinī and *ākhu viṣāpaha*—these are synonymous.

हंसपदी

हंसपादी हंसपादी रक्तपादी त्रिपादिका ।
⁶⁵
 प्रह्लादिनी कीटमारी कीटनामा मधुस्रवा ॥ १०७ ॥

Haṁsa padī

Haṁsa pādī, haṁsa pādī, rakta pādī, tri pādikā, prahlādīnī, kīṭa mārī, kīṭa nāmā and *madhu sravā*—these are synonymous.

सोमवल्ली

सोमवल्ली यज्ञनेता सोमक्षीरी द्विजप्रिया ।
⁶⁶

Somavallī

Soma vallī, yajña netā, soma kṣīrī and *dvija prtyā*—these

are synonymous.

नाकुली

⁶⁷
नाकुली सुवहा सर्पगंधिनी गंधनाकुली ।
नकुलेष्टा मता सर्पनेत्रा चीरितपत्रिका ॥ १०८ ॥

Nākulī

Nākulī, suvahā, sarpa gandhinī, gandha nākulī, nakuleṣṭā, sarpa netrā and cīrita patrikā—these are synonymous.

वटपत्री

⁶⁸
वटपत्री मोहनी स्यात् दीपनी रैवती मता ।

Vaṭa patrī

Vaṭa patrī, mohanī, dīpanī and raivatī—these are synonymous.

लज्जालु

⁶⁹
लज्जालुर्मोहिनी स्पृक्का खदिरा गंधकारिणी ।
नमस्कारी शमीपत्रा समगा रक्तपादिका ॥ १०९ ॥

Lajjālu

Lajjālu, mohinī, sprkkā, khadirā, gandha kāriṇī, namaskarī, śamīpatrā, samaṅgā and rakta pādikā—these are synonymous.

मशली

मुशली खलिनी तालपत्रीका चनपुष्पिका ।
⁷⁰
महावृषा वृष्यकंदा खर्जूरी तालमूलिका ॥ ११० ॥

Muśalī

Muśalī, khalinī, tāla patrikā, cana puṣpikā, mahā vṛṣā, vṛṣya kandā, kharjūrī and tāla mūlikā—these are synonymous.

कपिकच्छू

⁷¹
कपिकच्छूः स्वयंगप्ता कदला दुरवग्रहा ।

72
चंडात्मगुप्ता लांगूली मर्कटी स्याच्च हर्षणी ।

Kapi kacchū

Kapi kacchū, svayaṁ guptā, kandalā, duravagrahā, caṇḍā, ātma guptā, lāngūlī, markaṭī and harṣaṇī—these are synonymous.

पुत्रंजीव

पुत्रंजीवो गर्भकरो यष्टिपुष्पोर्थसाधनः ॥ १११ ॥

Putrañjīva

Putrañjīva, garbha kara, yaṣṭi puṣpa and artha sādhana—these are synonymous.

बंध्याकर्कोटी

बंध्याकर्कोटकी देवी कुमारी विषनाशिनी ।

मनोज्ञा नागदमनी बंध्यायोगेश्वरी मता ॥ ११२ ॥

Vandhyā Karkoṭī

Vandhyā karkoṭakī, devī, kumārī, viṣa nāśinī, manojñā, nāga damanī and vandyā yogeshvarī—these are synonymous.

विष्णुक्रांता

74
विष्णुक्रांता नीलपुष्पी जया वक्ष्यापराजिता ।

Viṣṇu krāntā

Viṣṇu krāntā, nīla puṣpī, jayā, vaśyā and aparājitā—these are synonymous.

शंखपुष्पी

शंखपुष्पी शंखनाम्नी किरीटी कंबुमालिनी ।

कंबुपुष्पी स्मृतिहिता मेघ्या वनविलासिनी ॥११३॥

Śaṅkha puṣpī

Śaṅkha puṣpī, śaṅkha nāmnī, kirīṭī, kaṁbu mālinī, kaṁbu

puṣpī, *smṛti hitā*, *medhyā* and *vana vilāsinī*—these are synonymous.

दुग्धि

दूग्धिका मधुपर्णी स्यात्क्षीरिणी स्वादुपुष्पिका ॥१२२॥

Dugdhi

Dugdhikā, *madhu parṇī*, *kṣīrīṇī* and *svādu puṣpikā*—these are synonymous.

अर्कपुष्पी

अर्कपुष्पी क्रूरकर्मणि जलकामा भिरिण्डिका ।

Arka puṣpī

Arka puṣpī, *krūra karmā*, *jala kāmā* and *bhirinḍikā*—these are synonymous.

भल्लातक

भल्लातकोऽनलो भल्ली ⁷⁵ वीरवृक्षोग्निवक्त्रकः ।

अरुष्करस्तथारुष्कः तपनोऽग्निमुखी धनुः ॥ १२३ ॥

Bhallātaka

Bhallātaka, *anala*, *bhallī*, *vīra vṛkṣa*, *agni vaktraka*, *arus-kara*, *āruṣka*, *tapana*, *agni mukhi* and *dhanu*—these are synonymous.

चेरपोटी

⁷⁶ चेरपोटी ⁷⁷ दीर्घपत्री कुतली तित्तका मता ॥ १२४ ॥

Cerapoṭī

Cerapoṭī, *dīrgha patrī*, *kuntalī* and *tiktakā*—these are synonymous.

द्रोणपुष्पी

द्रोणपुष्पी श्वसनकः पालिदी कुभयोनिका ।

छत्रातिछत्रिका द्रोणा कौडिन्यो वृक्षसारकः ॥१२५॥

Drona puspī

Drona puspī, śvasanaka, pāṇḍī, kumbha yonikā, chatrā, atichatrikā, droṇā, kaunḍīnya and *vṛkṣa sāraka*—these are synonymous.

ब्राह्मी

ब्राह्मी सरस्वती सोमा सत्याह्वा ब्रह्मचारिणी ।

मण्डूकपर्णी मांडूकी त्वष्टी दिव्या महौषधी ।

कपोतवंका मुनिका लावण्या सोमवल्लरी ॥ १२६ ॥

Brāhmī

Brāhmī, sarasvatī, somā, satyāhvā, brahma cārinī, maṇḍūka parṇī, māṇḍūkī, tvaṣṭī, divyā, mahausadhī, kapota vaṅkā, munikā, lāvanyā and *soma vallarī*—these are synonymous.

सुवर्चला

सुवर्चलावर्ककांता स्यात् सूर्यभक्ता सुखोद्भवा ।

सूर्यावर्त्ता रविप्रीया त्वन्या ब्रह्मसुवर्चला ॥१२७॥

Suvarcalā

Suvarcalā, arka kāntā, sūrya bhaktā, skuhodbhavā, sūryā-vartā and *ratī piyā*—these are the synonyms of *suvarcalā*. Another variety of this plant is called *brahma suvarcalā*.

मत्स्याक्षी

मत्स्याक्षी वह्निका मत्स्यगधिर्मत्स्यादनी तथा ।

तोयपिप्पल्यबुवल्ली पत्तूरं कच्चटं तथा ।

गोजिह्वा गोजिका गोभी दीघिका खर्पणिनी ॥१२८॥

Matsyākṣī

Matsyākṣī, vahlikā, matsya gandhi, matsyādani, toya pippalī, ambu vallī, pattūra, kacaṭa, gojihvā, gojikā, gobhi, dīrghikā and *kḥara parṇinī*—these are synonymous.

नागदमनी

नागाह्वा दमनी नागगंधा भुजगपर्णिनी ॥१२६॥

Nāga damanī

Nāgāhvā, damanī, nāga gandhā and bhujaga parṇinī—these are synonymous.

गुंजा

81

गुजा शिखंडिका ताम्रा रक्तिका काकणतिका ।

श्वेतान्या चक्रिका चूडा दुर्मर्षा काकपीलुका ॥१३०॥

Guñjā

Guñjā, śikhaṇḍikā, tāmrā, raktikā and kākaṇantikā—these are the synonyms of red variety of *guñjā*. Synonyms of the white variety of *guñjā* are *cakrikā, cūdā, durmāṣā* and *kāka pīlukā*.

वेल्लंतर

82

83

वेल्लंतरो दीर्घपत्रो वीरद्रुर्वहुपत्रकः ॥ १३१ ॥

Vellantara

Vellantara, dīrgha patra, vīradru and vahu patraka—these are synonymous.

वंदाक

वदाक स्याद्वृक्षरुहा शेखरी कामवृक्षकः ।

84

वृक्षादनी कामतरुः कामिन्यापदरोहिणी ॥ १३२ ॥

Vandāka

Vandāka, vṛkṣa ruhā, śekhārī, kāma vṛkṣaka, vṛkṣādani kāma taru, kāmīnī and āpada rohinī—these are synonymous.

पिंडालू

85

86

पिंडारः करहाटः स्यात् तीक्ष्णकीलः कुरंगकः ।

Piṇḍālū

Piṇḍāra, karahāṭa, tiksna kīla and kuraṅgaka—these are synonymous.

छिक्किणी

छिक्किका क्षवकः क्रूरो नासासंवेदनः पटुः ॥ १३३ ॥

Chikkini

Chikkikā, ksavaka, krūra, nāsā samvedana and paṭu—these are synonymous.

रोहितक

रोहितो दाडिमीपुष्पो रुहितो कुटशाल्मलिः ।
प्लीहारी रोहिणो रोह्नी रक्तघ्नः पारिजातक. ॥१३४॥

Rohitaka

Rohita, dādīmī puṣpa, ruhita, kuṭa śālmali, plīhārī, rohina, rohī, raktaghna and pārijātaka—these are synonymous.

मोचरस

मोचकः स्यान्मोचरसः शाल्मलीवेष्टकः स्मृतः ।
मोचनिर्यासकः पिच्छा मोचास्रावी च पिच्छकः ॥१३५॥

Moca rasa

Mocaka, moca rasa, śālmali veṣṭaka, moca niryāsaka, picchā, mocāsrāvī and picchaka—these are synonymous.

अजगधी

अजगधी वत्सगधा कवरी पूतिवर्वरः ।

Aja gandhī

Aja gandhī, vatsa gandhā, kavārī and pūti varvava—these are synonymous.

सैरेयक

सैरेयकः सहचरः सैरेयः किकिरातक. ॥१३६॥

दासी सहचरो पिंडी सैर्यको मृदुकटकः ।

रक्तपुष्प. कुरवक. पीतो ज्ञेयः कुरंटकः ।

नीलार्त्तगलकः प्रोक्तो वाणज्जदानवाक्यपि ॥ १३७ ॥

Saireyaka

Saireyaka, sahadara, saireya, kṛmkirātaka, dāsī, piṇḍī, sairyaka and *mṛdu kaṇṭaka*—these are the synonyms of *saireyaka*. This plant with red flowers is called *kuravaka*, with yellow flowers is called *kuraṇṭaka* and with blue flowers is called *ārta galaka* as well as *vāṇa undāna vāki*.

गिरिकर्णिका

श्वेतस्यदा श्वेतपुष्पा ⁸⁹ कटभी गिरिकर्णिका ।

सितापराजिता श्वेता विषघ्नी मोहनाशिनी ।

नीलस्यदाव्यक्तगधा नीलपुष्पा गवादिनी ॥ १३८ ॥

Giri karṇikā

Śveta syandā, śveta puṣpā, kaṭabhī, giri karṇikā, sitā aparā-jitā, śvetā, viṣaghñī and *moha nāśinī*—these are the synonyms of the white variety of *giri karṇikā*. Its blue variety is called *nīla syandā, avyakta gandhā, nīla puṣpā* and *gavādīnī*.

कोकिलाक्ष

इक्षुरः क्षुरको ध्वंडः कोकिलाक्षः क्षुरः स्मृतः ।

⁹⁰ तैलकटोऽतिक्षुरक्ष. वालिका च सुगंधिका ॥ १३९ ॥

Kokilākṣa

Iksura, kṣuraka, dhvaṇḍa, kokilākṣa, kṣura, taila kaṇṭa, ati kṣurakṣa, vālikā and *sugandhikā*—these are synonymous.

काष्पास

⁹¹ काष्पास. पटदस्तूल छादनो वादरः पिचुः ।

Kārpāsa

Kārpāsa, paṭada, tūla, chādana, vādara and *picu*—these are synonymous.

आराम शीतला

आरामशीतला देवगंधा कुक्कुटमर्दकः⁹² ॥ १४० ॥

Ārāma śītalā

Ārāma śītalā, deva gandhā and *kukkuṭa mardaka*—these are synonymous.

ताम्रचूडः

कुक्कुरद्रुस्ताम्रचूडः⁹³ सूक्ष्मपत्रो मृदुच्छदः ।

Tāmra cūḍa

Kukkura dru, tāmra cūḍa, sūkṣma patra, and *mṛdu chada*—these are synonymous.

वामी

वामी⁹⁴ शंखधरा वारि ब्राह्मी च हिममोचिका ॥१४१॥

Vāmī

Vāmī, śaṅkha dharā, vāri, brāhmī and *hima mocikā*—these are synonymous.

बलामोटा

बलामोटा जया सूक्ष्मपत्रा ज्ञेयापराजिता ।

Valā moṭā

Valā moṭā, jayā, sūkṣma patrā and *aparājitā*—these are synonymous.

शरपुंखा

शरपुंखा कालशाकं प्लीहारि कालिका मता ॥१४२॥

Śara puṅkhā

Śara puṅkhā, kāla śāka, plīhāri and *kālikā*—these are synonymous.

मयूर शिखा

मयूराह्वशिखा ज्ञेया साहस्रमधुकछदा ।

Mayūra śikhā

Mayūrāhva śikhā and *sāhasra madhuka chadā*—these are synonymous.

लक्ष्मणा

लक्ष्मणा पुत्रदा रक्ता विदुपत्रा च नागिनी ॥ १४३ ॥

Lakṣmaṇā

Lakṣmaṇā, putradā, raktā, vidu patrā and *nāginī*—these are synonymous.

मांसरोहिणी

मांसरोहिण्यतिरुहा वृन्ता ⁹ चर्मकशा ⁹⁷ कशा ।

Māmsa rohiṇī

Māmsa rohiṇī, atiruhā, vṛntā, carma kāsā and *kaśā*—these are synonymous.

अस्थिसंहार

अस्थिसंहारको वज्रवल्लरी ⁹⁸ क्रोष्टुघटिका ॥ १४४ ॥

Asthi saṁhāra

Asthi saṁhāraka, vajra vallarī and *kroṣṭu ghaṇṭikā*—these are synonymous.

अवर्क

अवर्कः सूर्याह्वयः क्षीरी सदापुष्पा विकीरणः । ⁹⁹

मंदारो वसुकोन्यावर्को राजार्हो दीर्घपुष्पकः ॥ १४५ ॥ ¹⁰⁰

Arka

Arka, sūryāhvaya, kṣīrī, sadā puṣpā, vikīrana, mandāra and *vasuka*—these are the synonyms of *arka*. It has another variety which is called *rājārha* and *dīrgha puṣpaka*.

करवीर

करवीरोऽश्वहा श्वेतपुष्पा स्यात् शतकुम्भकः ।

रक्तपुष्पोऽपरश्चंडो लगुडः करवीरकः ॥ १४६ ॥

Karavīra

Karavīra, aśvahā, śveta puṣpā and *śata kumbhaka*—these are the synonyms of *karavīra* having white flower. The other variety having red flower has synonyms like *caṇḍa*, *laguḍa* and *karavīraka*.

धत्तूर

धत्तूरः कितवो धूर्त्तो देवता मदनः शठः ।

उन्मत्तो मातुलस्तुरी तरलः कनकाह्वयः ॥ १४७ ॥

Dhattūra

Dhattūra, kitava, dhūrta, devatā, madana, śaṭha, unmatta, mātula, rurī, tarala and *kanaka*—these are synonymous.

कलिहारी

कलिहारी वह्निमुखी लागली ¹⁰² गर्भपातनी ।

विशल्या हलिनी सीरीक्रमा वा शुक्रपुष्पिका ¹⁰³ ॥ १४८ ॥

Kalihārī

Kalihārī, vahni mukhī, lāngalī, garbha pātānī, viśalyā, halinī, sīrīkramā and *śukra puṣpikā*—these are synonymous.

कुमारी

कुमारी मंडला माता गृहकन्या सपिच्छला ॥ १४९ ॥

Kumārī

Kumārī, maṇḍalā, mātā, grha kanyā and *sapicchalā*—these are synonymous.

भंगा

भंगा गंजा मातुलानी मोहिनी विजया जया ।

Bhaṅgā

Bhaṅgā, gañjā, mātulānī, mohinī, vijayā and jayā—these are synonymous.

कांचनी

104

कांचनी शोणफलनी काकायुः काकवल्लरी ॥ १५० ॥

Kāñcanī

Kāñcanī, śoṇa phalinī, kākāyu, and kāka vallarī—these are synonymous.

दूर्वा

105

दूर्वा शिष्टा शीतकरी गोलोमी शतपर्णिका ।

अन्या श्वेता श्वेतदडा भार्गवी दुर्मर्ना रुहा ॥ १५१ ॥

Dūrvā

Dūrvā, śiṣṭā, śīta karī, golomī and śata parvikā—these are the synonyms of one variety of *dūrvā*. Synonyms of the other variety are *śveta, śveta daṇḍā, bhārgavī, durmanā and ruhā*.

शंडदूर्वा

शंडदूर्वा मत्स्यगंधा मत्स्याक्षी शकुलादनी ।

Gaṇḍa dūrvā

Gaṇḍa dūrvā, matsya gandhā, matsyākṣī and śakulādanī—these are synonymous.

कास

106

कासः सुकांडः कासेक्षुरिषकः श्वेतचामरः ॥ १५२ ॥

Kāsa

Kāsa, sukāṇḍa, kāsekṣu, isaka and śveta cāmara—these are synonymous.

दर्भ

107

दर्भो बर्हिः कुशस्तीक्ष्णः सूच्यग्रो यज्ञभूषणः ।

Darbha

Darbha, barhi, kuśa, tīkṣṇa, sūcyagra and *yajña bhūṣaṇa*—these are synonymous.

मुंज

मुंज क्षुर 108 स्थूलगर्भो वानाह्वो ब्रह्ममेखल ॥ १५३ ॥
109

Muñja

Muñja, kṣura, sthūla garbha, vānāhva, and *brahma mekhala*—these are synonymous.

नल

नलो 110 रघ्नी 111 पुष्पमृत्युर्द्धमनो नर्त्तकः 112 नटः ।

Nala

Nala, randhrī, puṣpa mṛtyu, dhamana, nartika and *naṭa*—these are synonymous.

वश

वशो वेणु 118 कीचकः 114 स्यात्कर्मरस्त्वचिसारकः ॥१५४॥

Vaśa

Vaśa, veṇu, kīcaka, karmāra and *tvaci sāraka*—these are synonymous.

खुरासानी यवानी

यवानी 115 यावनी तीव्रा तुरुष्का भदकारिणी ।

Khurāsāni yavāni

Yavānī, yāvanī, tīvra, turuṣkā and *mada kāriṇī*—these are synonymous.

खसखस

तिलभेदः खसतिलः 116 शुक्रपुष्पो लतत्फलः ॥ १५५ ॥

Khasa Khasa

Tila bheda, khasa tila, śukra puṣpa and *latatphala*—these are the synonyms of *khasa khasa*.

आफू

आफुकं तद्रसोद्भूत अहिफेनमफेनकं ।

Āphū

Āphūka, ahiphena and aphenaka—these are the synonyms of the drug prepared out of the juice of *khasa khasa*.

पातालगरुड

117 चिलहटो 118 महामूलः 119 पातालगरुडाह्वयः ॥ १५६ ॥

Pātāla garuḍa

Cilahāṭa, mahā mūla and pātāla garuḍa—these are synonymous.

NOTES AND REFERENCES

This is the 90th chapter of *Ayurveda Saukhyam* in *Todarānanda* and the opening invocation reads as below :

यस्यानुरागातिशयेन पूर्णा गोपागना उद्धवमूचुरुक्तै ।

प्राणप्रियैष्टोडरमल्लसज्जं सर्वार्थपूर्णं कुरुतात् सभूपम् ॥

1. 'तस्मात् द्रव्यस्य' इति षष्ठपुस्तके पाठः ।
2. 'प्रमथ्या' इति षष्ठपुस्तके पाठः ।
3. 'प्राणदास्मृता' इति षष्ठपुस्तके पाठः ।
4. 'धात्रि' इति षष्ठपुस्तके पाठः ।
5. 'स्याच्चटा' इति षष्ठपुस्तके पाठः ।
6. 'श्योनाकः' इति षष्ठपुस्तके पाठः ।
7. 'शल्यकारलू' इति षष्ठपुस्तके पाठः ।
8. 'दूबिका' इति षष्ठपुस्तके पाठः ।
9. 'पुग' इति षष्ठपुस्तके पाठः ।
10. 'सोली' इति पचमषष्ठपुस्तकयोः पाठः ।

11. 'देवतामणी' इति प्रथमपुस्तके पाठा ।
12. 'स्वादु द्रुमुखी च' इति षष्ठपुस्तके पाठः ।
13. 'वनसा' इति षष्ठपुस्तके पाठः ।
14. 'उरुव्वातवैरीति चंचलः' इति पञ्चमपुस्तके पाठः ।
15. 'विवंचुल' इति षष्ठपुस्तके पाठः ।
16. 'चूतफलो' इति षष्ठपुस्तके पाठः ।
17. 'लम्बा' इति पञ्चमपुस्तके पाठः ।
18. 'वशिरः' इति षष्ठपुस्तके पाठः ।
19. 'रेचि' इति षष्ठपुस्तके पाठः ।
20. 'सृत' इति प्रथमपुस्तके पाठः ।
21. 'अस्त्रा' इति प्रथमपुस्तके पाठः ।
22. 'त्रिपुरा' इति षष्ठपुस्तके पाठः ।
23. 'वृषभाख्या' इति षष्ठपुस्तके पाठः ।
24. 'गवादिनी' इति षष्ठपुस्तके पाठः ।
25. 'विषादनी' इति प्रथमपुस्तके पाठः ।
26. 'कर्णी' इति प्रथमपुस्तके पाठः ।
27. 'पचुमन्दः' इति पञ्चमषष्ठपुस्तकयोः पाठः ।
28. 'निवकरः' इति षष्ठपुस्तके पाठः ।
29. 'समसेनकः' इति प्रथमपुस्तके पाठः ।
30. 'पुलक' इति पञ्चमषष्ठपुस्तकयोः पाठः ।
31. 'हास' इति पञ्चमषष्ठपुस्तकयोः पाठः ।
32. 'सीरी' इति प्रथमपुस्तके पाठः ।
33. 'नाडिका' इति पञ्चमपुस्तके पाठः ।
'नोलिका' इति षष्ठपुस्तके पाठः ।
34. 'केसरीश्रीमरी' इति प्रथमपुस्तके पाठः ।
35. 'सिधुवारकः' इति पञ्चमपुस्तके पाठः ।
36. 'सिधुको' इति पञ्चमपुस्तके पाठः ।
37. 'शतपाद्' इति प्रथमपुस्तके पाठः ।
38. 'तिक्तातितेजिनी' इति प्रथमपुस्तके पाठः ।
39. 'नन्दनष्चीढानमेरुदीपवृक्षकः' इति पञ्चमपुस्तके पाठः ।
'नन्दनष्चीढानमेरुदीपवृक्षकः' इति प्रथमपुस्तके पाठः ।

40. 'महावृक्षः' इति षष्ठपुस्तके पाठः ।
41. 'महाघोषा' इति षष्ठपुस्तके पाठः ।
42. 'कुम्भिका' इति षष्ठपुस्तके पाठः ।
43. 'महा' इति षष्ठपुस्तके पाठः ।
44. 'भृगुद्भवा' इति षष्ठपुस्तके पाठः ।
45. 'शुष्क' इति षष्ठपुस्तके पाठः ।
46. 'कशेरुकः' इति पञ्चमपुस्तके पाठः ।
47. 'दाविदालिका' इति षष्ठपुस्तके पाठः ।
48. 'माचिका' इति पञ्चमपुस्तके पाठः ।
'माविका' इति प्रथमपुस्तके पाठः ।
49. 'चालिका' इति षष्ठपुस्तके पाठः ।
50. 'वष्टा' इति प्रथमपुस्तके पाठः ।
51. 'शटीदत' इति षष्ठपुस्तके पाठः ।
52. 'रंजिनी' इति षष्ठपुस्तके पाठः ।
53. 'गौरि' इति षष्ठपुस्तके पाठः ।
54. 'अंकारको' इति षष्ठपुस्तके पाठः ।
55. 'वयकंटकः' इति षष्ठपुस्तके पाठः ।
56. 'स्पष्टी' इति षष्ठपुस्तके पाठः ।
57. 'सनपुष्पी' इति षष्ठपुस्तके पाठः ।
58. 'भार्वत्तिका' इति षष्ठपुस्तके पाठः ।
59. 'मदध्या' इति षष्ठपुस्तके पाठः ।
60. 'कर्मणी' इति षष्ठपुस्तके पाठः ।
61. 'सतसोद्भवः' इति पञ्चमपुस्तके पाठः ।
62. 'छागला' इति प्रथमपुस्तके पाठः ।
63. 'स्वरागरी' इति षष्ठपुस्तके पाठः ।
64. 'जालिन्यास्तुविषापह' इति प्रथमपुस्तके पाठः ।
65. 'कोटमादी' इति प्रथमपुस्तके पाठः ।
66. 'सोमक्षीरि' इति षष्ठपुस्तके पाठः ।
67. 'वाङ्गुली' इति प्रथमपुस्तके पाठः ।
68. 'मोहि' इति षष्ठपुस्तके पाठः ।
69. 'खदिरी' इति षष्ठपुस्तके पाठः ।
70. 'वृषकदा' इति षष्ठपुस्तके पाठः ।

71. 'कंदली' इति षष्ठपुस्तके पाठः ।
72. 'लागुली' इति षष्ठपुस्तके पाठः ।
73. 'स्याच्चहर्षभी' इति प्रथमपुस्तके पाठः ।
74. 'नया' इति षष्ठपुस्तके पाठः ।
75. 'विरवृक्षोग्निवक्त्रकः' इति षष्ठपुस्तके पाठः ।
76. 'चिरपोटी' इति पंचमपुस्तके पाठः ।
चिरपोटी' इति षष्ठपुस्तके पाठः ।
77. 'कु तला' इति षष्ठपुस्तके पाठः ।
78. 'लष्टी' इति षष्ठपुस्तके पाठः ।
79. 'मत्स्यगंधिर्मत्स्यादिनी' इति षष्ठपुस्तके पाठः ।
80. 'खरपर्णिका' इति षष्ठपुस्तके पाठः ।
81. 'शिखिडिनी' इति षष्ठपुस्तके पाठः ।
82. 'दीर्घपत्रौ' इति षष्ठपुस्तके पाठः ।
83. 'वीरद्रुर्वहुपुत्रकाः' इति षष्ठपुस्तके पाठः ।
85. 'पिंडाक.' इति षष्ठपुस्तके पाठः ।
86. 'कुलंगकः' इति षष्ठपुस्तके पाठः ।
87. 'कुटशाल्मली' इति पञ्चमपुस्तके पाठः ।
88. 'शाल्मलीचेष्टकः' इति प्रथमपुस्तके पाठः ।
89. 'कटसी' इति प्रथमपुस्तके पाठः ।
'कटली' इति षष्ठपुस्तके पाठः ।
90. 'तैलकंटोतिक्षुरिक्ष.' इति षष्ठपुस्तके पाठः ।
91. 'वोदनः' इति षष्ठपुस्तके पाठः ।
92. 'कुक्कुरमर्द्क' इति षष्ठपुस्तके पाठः ।
93. 'कुक्कुटद्रुस्ताम्रचूड.' इति षष्ठपुस्तके पाठः ।
94. 'वासी' इति षष्ठपुस्तके पाठः ।
95. 'पुत्रा' इति प्रथमपुस्तके पाठः ।
96. 'चर्मकसा' इति प्रथमपुस्तके पाठः ।
97. 'कसा' इति प्रथमपुस्तके पाठः ।
98. 'क्रोष्टुघडिका' इति पंचमपुस्तके पाठः ।
99. 'वकीरण.' इति प्रथमपुस्तके पाठः ।
100. 'वसुकान्योवर्को' इति प्रथमपुस्तके पाठः ।

101. 'वाठः' इति प्रथमपुस्तके पाठः ।
102. 'गर्भघातनी' इति षष्ठपुस्तके पाठः ।
103. 'शुक्तिपुष्पिका' इति पञ्चमपुस्तके पाठः ।
104. 'कावोनी' इति प्रथमपुस्तके पाठः ।
105. 'शतपर्णका' इति पञ्चमपुस्तके पाठः ।
106. 'श्वेतवामरः' इति षष्ठपुस्तके पाठः ।
107. 'सून्यग्रो' इति षष्ठपुस्तके पाठः ।
108. स्थूलदर्भो' इति पञ्चमपुस्तके पाठः ।
स्थूलगर्भा' इति षष्ठपुस्तके पाठः ।
109. 'वाताह्वो' इति षष्ठपुस्तके पाठः ।
110. 'तलो' इति प्रथमपुस्तके पाठः ।
111. 'गध्री' इति प्रथमपुस्तके पाठः ।
112. 'विटः' इति प्रथमपुस्तके पाठः ।
113. 'किचकः' इति पञ्चमपुस्तके पाठः ।
114. 'स्यात्कम्मरिम्भस्त्वविसारकः' इति षष्ठपुस्तके पाठः ।
115. 'यवानी' इति प्रथमपुस्तके पाठः ।
116. 'लमफलः' इति पञ्चमपुस्तके पाठः ।
117. 'छिलहटो' इति पञ्चमपुस्तके पाठः ।
118. 'महीमूल' इति षष्ठपुस्तके पाठः ।

This is the end of the 90th chapter of *Ayurveda Saukhyam* in *Todarānanda* and colophon reads as below :

इति श्री महाराजाधिराज श्री टोडरमल्लविरचिते श्री टोडरानन्दे
आयुर्वेदसौख्ये निघण्टौ अभयादिको हृषो चतुरशीतितमः (?) ।

CHAPTER 32

शुण्ठी

शुण्ठी विश्वौषध विश्वं कटुभद्रं कटूत्कटम् ।

महौषध शृंगवेर नागरं विश्वभेषजम् ॥ १ ॥

Śunṭhī

Śunṭhī, viśauśadha, viśva, kaṭu bhadra, kaṭūtkāṭa, mahauśadha, śṛṅgavera, nāgara and *viśva bheṣaja*—these are synonymous.

आर्द्रकं

आर्द्रकं शृंगवेर तु कंदौषधमुदाहृतम् ।

Ādraka

Ādraka, śṛṅgavera and *kandaśadha*—these are synonymous.

मरिच

मरिचं वल्लिज तीक्ष्ण मलिनं श्यामभूषण ॥ २ ॥

उशीर

²⁷
उशीरमभयं सेव्यं वीरं वीरणमूलकम् ।

Uśīra

Uśīra, abhaya, sevya, vīra and vīraṇa mūlaka—these are synonymous.

रेणुका

रेणुका कपिला कौती पांडुपुत्री हरेणुका ॥ २१ ॥

Renukā

Renukā, kapilā, kauntī, pāṇḍu putrī and hareṇukā.

प्रियंगु

प्रियंगुः फलिनी श्यामा कांताह्वा नंदिनी लता ।

Priyaṅgu

Priyaṅgu, phalinī, śyāmā, kāntāhvā, nandinī and latā—these are synonymous.

पारिपेल

²⁸ ²⁹ ³⁰
पारिपेल पुट वान्य शुकाह्वं पारिपेलवम् ॥ २२ ॥

Pāripela

Pāripela, puṭa, vānya, śukāhva and pāripelava—these are synonymous.

शैलेय

³¹
शैलेय स्थविरं वृद्धं शिलापुष्पं शिलोद्भवम् ।

Śaileya

Śaileya, sthavira, vṛddha, śilā puṣpa and śilodbhava—these are synonymous.

कुंडुरु

³²
कुंडुरुर्मचकः कंडूः खर्जरो भीषणो बली ॥ २३ ॥

Kunduru

Kunduru, mecaka, kaṇḍū, kharjara, bhiṣana and balī—these are synonymous.

गुग्गुलु

गुग्गुलुः सालनिर्यासो माहिषाक्षः पलंकषा ।

जटायु कौशिकोदुर्गः देवधूपः शिवः पुरः ॥ २४ ॥

Guggulu

Guggulu, sāla niryāsa, mahiṣākṣa, palaṅkaṣā, jaṭāyu, kauśika, durga, deva dhūpa, śiva and pura—these are synonymous.

राल

रालः सज्जरसो यक्षधूपः सज्जर्गोग्निवत्लभः ।

क्षणकः शालनिर्यासो लास्यास्यललनो वरः ॥ २५ ॥

Rāla

Rāla, sarja rasa, yaksa dhūpa, sarja, agni vallabha, kṣaṇaka, śāla niryāsa, lākhyā, āsya lalana and vara—these are synonymous.

स्थौण्यक

स्थौण्यक बर्हचूड शुक्रपर्ण शुक्रछदः ।

Sthaṇeyaka

Saṇeyaka, barha cūḍa, śuka parṇa and śuka chada—these are synonymous.

चोरक

चोरकः कितवश्चडो दुःपुत्रः शंकनो रिपुः ॥ २६ ॥

Coraka

Coraka, kītava, caṇḍa, duḥputra, śaṅkana and ripu—these are synonymous.

एकांगी

मुरा गधवती दैत्या गंधाद्या सुरभिः कुट्टिः ।

Ekāṅgī

Murā, gandhavatī, daityā, gandhāḍhyā, surabhi and *kuṭṭi*—these are synonymous.

कर्चूर

कर्चूरो ब्रविडो गंधमूलको दुर्लभः शटी ॥ २७ ॥

Karcūra

Karcūra, draviḍa, gandha mūlaka, durlabha and *śaṭi*—these are synonymous.

शटी

³⁷
शटी पलाशी षडंग्रथा सुव्रता गंधमूलिनी ।

Śaṭi

Śaṭhī, palāśī, ṣaḍgranthā, suvratā and *gandha mūlinī*—these are synonymous.

स्पृक्का

³⁸
स्पृक्का सूक् ब्राह्मणी देवी निर्म्माल्या कूलिला वधूः ॥ २८ ॥

Sprkkā

Sprkkā, sṛk, brāhmaṇī, devī, nirmālyā, kūlilā and *vadhū*—these are synonymous.

ग्रथिपर्णी

³⁹
ग्रथिपर्णी नीलपुष्पं शुक्पुष्पं विवर्णकम् । ⁴⁰

Granthi parṇī

Granthi parṇa, nīla puspā, śuka muspa and *vivarṇaka*—these are synonymous.

नली

नलिका नर्त्तकी शून्या निर्मेध्या घमनी नटी ॥ २९ ॥

Nalī

Nalikā, nartakī, śūnyā, nīrmedhyā, dhamanī and *naṭī*—these are synonymous.

पद्मक

पद्मकं मलयश्चारुः पीतरक्तश्च सुप्रभः ।

Padmaka

Padmaka, malaya, cāru, pīta rakta and *suprabha*—these are synonymous.

पुंडरीक

प्रपौडरीक पौंड्राह्वं शतपुष्पं सुपुष्पकम् ॥ ३० ॥

Puṇḍarīka

Prapaṇḍarīka, paundrāhva, śatapuṣpa and *supuṣpaka*—these are synonymous.

तगर

तगरं वह्निं जिह्वं चक्राह्वं नहुषं नतम् ।

41

अपर पिडितगरं दीनं कटुमहोरगम् ॥ ३१ ॥

Tagara

Tagara, varhiṇa, jihva, cakrāhva, nahuṣa, and nata—these are the synonyms of *tagara*.

There is another variety of it which is known as *piṇḍi tagara* and its synonyms are *dīna, kaṭṭn* and *mahoraga*.

गोरोचना

गोरोचना रुचिगौरी रोचना पिगला मता ।

मगल्या गौतमी मेध्या बध्या गोपित्तसंभवा ॥ ३२ ॥

Gorocanā

Gorocanā, ruci, gaurī, rocanā, piṅgalā, maṅgalyā, gautamī, medhyā, vandhyā and *gō pitta sambhavā*—these are synonymous.

नख

नखांको नखरः शिल्पी हनुर्नागःहनुः खुरः ।
⁴²
 शुक्ति शंखो व्याघ्रनखमन्याह्याह्यतलं पादम् ॥ ३३ ॥

Nakha

Nakhāṅka, nakhara, śilpī, hanurnāga, hanu, khura, śukti, śaṅkha and *vyāghra nakha*—these are the synonyms of *nakha*.

There is another variety (of it) which is known as *hyāhya ṭala* and *pāda*.

पतंग

पत्तंग पटराग स्याद्रक्तकाष्ठ कुचदनम् ।
⁴³
 सुरंगकं जगत्याह्व पत्तूरं पटरजनम् ॥ ३४ ॥

Patanga

Paṅga, paṭa rāga, rakta kāṣṭha, lucandana, suraṅgaka, jagatyāhva, pattūra and *paṭa rañjana*—these are synonyms.

लाक्षा

⁴⁴ लाक्षा निर्भत्सनो रक्तद्रुम व्याधिः ⁴⁵ पलकषा ।
⁴⁶ कृमिजा जन्तुदास्याह्वा यावको ⁴⁷ रक्तको मलः ॥ ३५ ॥

Lākṣā

Lākṣā, nirbharsana, rakta druma, vyādhi, palamkaṣā, kṛmijā, jantudā, āsyāhvā, yāvaka, raktaka and *mala*—these are synonymous.

पर्पटी

⁴⁸
 पर्पटी रंजनी कृष्णा यतुका जननी जनी ।

Parpaṭī

Parpaṭī, rañjanī, kṛṣṇā, yatukā, jananī and *janī*—these are synonymous.

पद्म

पद्मिनी विशिनी ज्ञेया नलिनी सूर्यवत्लभा ॥ ३६ ॥

कुमुद्वती कौरविणी कुमुद्युडुपतिप्रिया ।

Padma

Padminī, viśinī, nalinī, sūrya vallabhā, kumudvatī kauraviṇī kumudi and uḍupati priyā—these are synonymous.

पद्मचारिणी

पद्मचारिण्यतिचरा पद्माह्ला चारटी मता ॥ ३७ ॥

Padma cāriṇī

Padma cāriṇī, aticarā, padmāhvā and cāraṭī—these are synonymous.

श्वेतकमल

कमलं श्वेतमंभोजं सारस सरसीरुहम् ।

सहस्रपत्रं श्रीगेहं शतपत्रं कुशेशयम् ॥ ३८ ॥

पंकेरुहं तामरसं राजीवं पुष्करे रुहम् ।

अच्छमंभोरुहं पद्म पुंडरीकं च पंकजम् ॥ ३९ ॥

सरोजं नलिनी नीलमरविदं महोत्पलम् ।

Śveta kamala

Kamala, śvetamambhoja, sārasa, sarasī ruha, sahasra patra, śrīgeha, śata patra, kuśeśaya, paṅkeruha, tāmarasa, rajīva, puṣkareruha, accha, ambhoruha, padma, puṇḍarīka, paṅkaja, saroja, nalinī, nila, aravinda and mahotpala—these are synonymous.

रक्तोत्पल

लोपलरक्तं कोकनदं हल्लक रक्तगंधिकम् ॥ ४० ॥

Raktotpala

Raktotpala, kokanada, hallaka and rakta gandhika—these are synonymous.

नीलोत्पल

नीलोत्पलं कुवलयं भद्रमिदीवरं मतम् ।

एतदेव सितं किञ्चित्कुमुदं कैरवं कुमुत् ॥ ४१ ॥

Nilotpala

Nilotpala, kuvalaya, bhadra and indīvara—these are the synonyms of *nilotgala*.

It has another variety which is slightly white and its synonyms are *kumuda, kairava* and *kumut*.

कल्हार

कल्हारं ह्रस्वपाथोजं सौम्यं सौगंधिकं मतम् ।

Kalhāra

Kalhāra, hrasva pāthoja, saumya and saugandhika—these are synonymous.

कमल केशर

49

किजल्कः केशरं गौरमापीतं काञ्चनाह्वयम् ॥ ४२ ॥

Kamala keśara

Kiñjalka, kesara, gaura, āpīta and kāñcanāhvaya—these are synonymous.

पद्मबीज

पद्मबीजं तु गालोढं पद्माह्वं पद्मकक्कटी ।

Padma bija

Padma bija, gāloḍha, padmāhva and padma karkati—these are synonymous.

मृणाल

50

मृणालं विसमंभोजं नालं च नलिनीरुहम् ॥ ४३ ॥

Mṛṇāla

Mṛṇāla, *visa*, *ambhoja*, *nāla* and *nalini ruha*—these are synonymous.

शालूक

51

पद्मादिमूलं शालूकं शालीनं करहाटक ।

Śālūka

Śālūka, *śālīna* and *karahāṭaka*—these are synonymous of the rhizome (*mūla*) of *padma* etc.

जाती

जाती प्रियंवदा राजी मालती सुमना मता ॥ ४४ ॥

पीतजात्यपरा पीतपुष्पा काञ्चनपुष्पिका ।

श्वेतजाती स्वर्णजाती वधनामा जयंतिका ॥ ४५ ॥

Jātī

Jātī, *priyambadā*, *rājī*, *mālatī* and *sumanā*—these are the synonyms of *jātī*.

There is another variety of it which is yellow in colour and it is called *pīta puṣpā* and *kāñcana puṣpikā*.

The white variety of it is called *śveta jātī*, *svaṛṇa jātī*, *vandha nāmā* and *jayantikā*.

मालती

52

मल्लिका मेदिनी मुक्ता बंधिनी मदयंतिका ।

53

Mālatī

Mallikā, *medinī*, *muktā*, *bandhini* and *madayantika*—these are synonymous.

यूथिका

54
यूथिका हरिणी बाला पुष्पगंधा शिखंडिनी ॥ ४६ ॥
56
स्वर्णयूथी परापीता गणिका स्वर्णपुष्पिका ।

Yūthikā

Yūthikā, harinī, bālā, puṣpa gandhā, śikhaṇḍinī, svarṇa yūthī, parā pitā, gaṇikā and svarṇa puṣpikā—these are synonymous.

सेवती

कुब्जको भद्रतरणि बृहत्पुष्पा महासहा ॥ ४७ ॥
57
शतपुष्पा तरुण्युक्ता कर्णिका चारुकेशरा ।
रक्तापरा रक्तपुष्पा लाक्षापुष्पातिमंजुला ॥ ४८ ॥

Sevatī

Kubjaka, bhadrā tarāṇi, bṛhat puṣpā, mahā sahā, śata puṣpā, taruṇī, karnikā and cāru kesarā—these are the synonyms of *sevatī*.

It has another variety having red flower and its synonyms are *rakta puṣpā, lākṣā puṣpā* and *atimañjulā*.

केतकी

58
केतकी सूचिका पुष्पा जंबुकः कर्कशच्छदः ।
59
सुवर्णकेतकी चान्या लघुपुष्पा सुगंधिनी ॥ ४९ ॥

Ketakī

Ketakī, sūcikā puṣpā, jambuka and karkaśa chada—these are the synonyms of *ketakī*.

It has another variety which is known as *suvarṇa ketakī, laghu puṣpā* and *sugandhinī*.

वासंती

वासती मरला कुंदा प्रहसंती वसतजा ।

Vāsantī

Vasantī, saralā, kundā, prahasantī and *vasantajā*—these are synonymous.

माधवी

नेपाली ग्रीष्मका लूता म्लायिनी वनमालिका ॥५०॥

वार्षिकी त्रिपुटा धन्या श्रीमती षड्पदप्रिया ।

माधवी मंडपः कामी पुष्पेंद्राभीष्टगंधकः ॥ ५१ ॥

Mādhavī

Nepālī, grīṣmakā, lūtā, mlāyini, vana mālīkā, vārṣikī, tripuṭā, dhanyā, śrīmatī, ṣaḍpada priyā, mādhavī, maṇḍapa kāmī, puṣpendra and *abhiṣṭa gandhaka*—these are synonymous.

पुन्नाग

चपकः कांचनो रम्यश्चापेयः सुरभिश्चलः ।

पुन्नागः पाटलीपुष्पः केशरः पट्टपालयः ॥ ५२ ॥

Punnāga

Cāmpaka, kāñcana, ramya, cāmpēya, surabhi, cala, punnāga, pāṭalī puṣpa, keśara and *ṣaṭpadālaya*—these are synonymous.

वकुल

वकुलः केसरी मद्यगंध सिंहो विशारदः ।

वृकोवक स्थूलपुष्पो वसुकः शिवशेखरः ॥ ५३ ॥

Vakula

Vakula, kesara, madyagandha, siṁha and *viśārada, vākovaka, sthūla puṣpa, vasuka* and *śiva śekhara*—these are synonymous.

कुंद

कुंदः शुल्कः सदापुष्पो भृंगबंधुर्मनोरमः ।

Kunda

Kunda, śukla, sadā puṣpa, bhṛnga bandhu and *manorama*—these are synonymous.

मुचुकुन्दः

मुचुकुन्दः क्षत्रवृक्षः चिवुकं प्रतिविष्णुकः ॥ ५४ ॥

Muca kunda

Mucu kunda, ksatra vṛkṣa, civuka and *prati viṣṇuka*—these are synonymous.

वेला

भूमंडली ⁶⁴ बिबकिलो द्विपदाष्टपदी तथा ।
तिलका क्षुरकः श्रीमान् विचित्रो मुखमडनः ॥ ५५ ॥
गणेरुका कर्णिकारिः कर्णिश्च गणिकारिका ।

Velā

Bhū maṇḍalī, bimba kila, dvipadā, aṣṭapadī, tilakā, kṣuraka, śrīmān, vicitra, mukha maṇḍana, gaṇerukā, karṇikāra, karṇi and *gaṇikārikā*—these are synonymous.

बंधुजीव

बंधुजीवः शरत्पुष्पो ⁶⁵ वंधबंधूक रक्तकः ॥ ५६ ॥

Bandhu jīva

Bandhu jīva, śarat puṣpa, bandha bandhuka and *raktaka*—these are synonymous.

जपा

जपापुष्प जपारक्तं त्रिसंध्या वरुणाऽसिता ।

Japā

Japā puṣpa, japā rakta, tri sandhyā, varuṇā and *asitā*—these are synonymous.

सिद्धूरी

सिद्धूरी रक्तबीजा स्याद्रक्तपुष्पा सुकोमला ॥ ५७ ॥

Sindūrī

Sindūrī, rakta bijā, rakta puṣpā and sukomala—these are synonymous.

तुलशी

⁶⁶
तुलशी सुरसा गौरी भूतघ्नी वहुमंजरी ।
⁶⁷
अपेतराक्षसी ग्राम्या सुलला देवदुंभुभिः ॥ ५८ ॥

Tulaśī

Tulaśī, surasā, gaurī, bhūtaghnī, vahu mañjarī, apeta rākṣasī, grāmyā, sulalā, deva dundubhi—these are synonymous.

मरुचक

⁶⁸
मरुचन् मरुचस्तीक्ष्णः खरपत्रः फणिज्जकः ।

Maruvaka

Maruvan, maruka, tīkṣṇa, khara patra, phaṇijjaka—these are synonymous.

दमन

दमनो मदनो दातः दमो मुनिसुतो मुनिः ॥ ५९ ॥
गधोत्कटो दमनको विनीतः कुलपुत्रकः ।

Damana

Damana, madana, dānta, dama, muni suta, muni, gandhotkaṭa, damanaka, vinīta and kula putraka—these are synonymous.

कुठेरक

वर्ध्वरी त्वर्ज्जकः कुठो वैकुठः स्यात्कुठेरकः ॥ ६० ॥
कपित्थाज्जक इत्यन्यो वटपत्रः कटिजरः ।
⁶⁹
कृष्णाज्जकः कालमाता करालः कृष्णमल्लिका ॥ ६१ ॥

Kuṣheraka

Varvarī, arjaka, kuṣṭha, vaikunṭha, kuṣheraka and

kapitthārjaka—there are the synonyms of *kuṭheraka*.

There is another variety of it which is known as *vaṭa patra*, *katijara*, *kṛṣṇārjaka*, *kāla mātā*, *karāla* and *kṛṣṇa mallikā*.

NOTES AND REFERENCES

1. This is the 92nd chapter of *Ayurveda saukhyam* in *Toḍarānanda* and the opening invocation reads as below ;

ब्रह्मांडनाथो वसुदेवसूनुर्ब्रजांगनावाक्यवशो मुकुंदः ।

वसुंधरायाः प्रभुतां समस्तां श्रीटोडरे सर्वसुखं विधत्ताम् ॥

2. 'भूतिकरक्त' इति षष्ठपुस्तके पाठः ।
3. 'वेध्य' इति षष्ठपुस्तके पाठः ।
4. 'पूतिका' इति पंचमपुस्तके पाठः ।
'भूतिका' इति षष्ठपुस्तके पाठः ।
5. 'पूतिकर' इति षष्ठपुस्तके पाठः ।
'प्रीतिकचः' इति प्रथमपुस्तके पाठः ।
6. 'स्यङ्गधवेलिका' इति षष्ठपुस्तके पाठः ।
'गंधवेलिका' इति पंचमपुस्तके पाठः ।
7. 'नारायणलय' इति प्रथमपुस्तके पाठः ।
8. 'पीतम' श्राह्वम् इति प्रथमपुस्तके पाठः ।
9. 'शकं' इति प्रथमपुस्तके पाठः ।
10. 'सुरुष्क' इति प्रथमपुस्तके पाठः ।
11. 'एवालुकम्' अनर्वालु इति प्रथमपुस्तके पाठः ।
12. 'सूतं' इति पंचमपुस्तके पाठः ।
13. 'शालुक' इति षष्ठपुस्तके पाठः ।
14. 'जातिपत्री' इति प्रथमपुस्तके पाठः ।
15. 'लवग' इति प्रथमपुस्तके पाठः ।

16. 'मारिचं' इति षष्ठपुस्तके पाठः ।
17. 'माधवोषितं' इति पंचमपुस्तके पाठः ।
18. 'त्रिदिवादिभदा' इति षष्ठपुस्तके पाठः ।
19. 'ललाटपर्ण्यं' इति प्रथमपुस्तके पाठः ।
20. 'रोमसं' इति प्रथमपुस्तके पाठः ।
21. 'नागकेशरकं' इति पंचमपुस्तके पाठः ।
22. 'नामं' इति प्रथमपुस्तके पाठः ।
23. 'तुलसीछदः' इति पंचमपुस्तके पाठः ।
24. 'मदन' इति पंचमपुस्तके पाठः ।
25. 'पीडा' इति षष्ठपुस्तके पाठः ।
26. 'पिगल' इति पंचमपुस्तके पाठः ।
27. 'मनं' इति पंचमपुस्तके पाठः ।
28. 'उसीरमभयं' इति प्रथमपुस्तके पाठः ।
29. 'वारिपेलं' इति प्रथमपुस्तके पाठः ।
30. 'चाण्यं' इति प्रथमपुस्तके पाठः ।
31. 'परिपेलनं' इति षष्ठपुस्तके पाठः ।
32. 'शिलेयं' इति षष्ठपुस्तके पाठः ।
33. 'कटु' इति षष्ठपुस्तके पाठः ।
34. 'सालनिर्यसो' इति प्रथमपुस्तके पाठः ।
35. 'ललवनो' इति प्रथमपुस्तके पाठः ।
36. 'चरः' इति प्रथमपुस्तके पाठः ।
37. 'सटी' इति प्रथमपुस्तके पाठः ।
38. 'शटी' इति पंचमपुस्तके पाठः ।
- 'सटी' इति प्रथमपुस्तके पाठः ।
39. 'कुटिला' इति पंचमपुस्तके पाठः ।
40. 'नालपुष्प' इति पंचमपुस्तके पाठः ।
41. 'विकर्णकं' इति षष्ठपुस्तके पाठः ।
42. 'पिंडतगरं' इति पंचमषष्ठपुस्तकयोः पाठः ।

43. 'संखो' इति प्रथमपुस्तके पाठः ।
44. 'जगन्याह्व' इति षष्ठपुस्तके पाठः ।
45. 'निर्भत्स्वरा' इति पंचमपुस्तके पाठः ।
'निर्भत्सरा' इति षष्ठपुस्तके पाठः ।
46. 'फलम्' इति प्रथमपुस्तके पाठः ।
47. 'नालको' इति पंचमपुस्तके पाठः ।
48. 'नलः' इति षष्ठपुस्तके पाठः ।
49. 'जतुका' इति षष्ठपुस्तके पाठः ।
50. 'केशरं' इति पंचमपुस्तके पाठः ।
51. 'विषमंभोजम्' इति प्रथमपुस्तके पाठः ।
52. 'शालीनी' इति षष्ठपुस्तके पाठः ।
53. 'भेदनी' इति पंचमपुस्तके पाठः ।
'नंदनी' इति षष्ठपुस्तके पाठः ।
54. 'बंधनं' इति प्रथमपुस्तके पाठः ।
55. 'हरणी' इति प्रथमपुस्तके पाठः ।
56. 'सिखडिनी' इति प्रथमपुस्तके पाठः ।
57. 'स्वर्णयूथिका' इति प्रथमपुस्तके पाठः ।
58. 'केशरा' इति षष्ठपुस्तके पाठः ।
59. 'सूतिका' इति पंचमपुस्तके पाठः ।
'सूविका' इति षष्ठपुस्तके पाठः ।
60. 'सुगंधिका' इति पंचमपुस्तके पाठः ।
61. 'सुरभीश्चलः' इति षष्ठपुस्तके पाठः ।
62. 'केसरः' इति प्रथमपुस्तके पाठः ।
63. 'केशरो' इति पंचमपुस्तके पाठः ।
64. 'चूकोवक' इति षष्ठपुस्तके पाठः ।
65. 'विचकिलो' इति पंचमपुस्तके पाठः ।
66. 'वधबंधुक' इति षष्ठपुस्तके पाठः ।
67. 'तुलसी' इति षष्ठपुस्तके पाठः ।

68. 'सुरला' इति षष्ठपुस्तके पाठः ।
 'सुलभा' इति पंचमपुस्तके पाठः ।
 69. 'मखन्' इति षष्ठपुस्तके पाठः ।
 70. 'कालभाला' इति पंचमपुस्तके पाठः ।
 'कालभाना' इति षष्ठपुस्तके पाठः ।

71. This is the end of 92nd chapter of *Ayurveda Saukhyam* in Toḍarānanda and the Colophon reads as below ;

इति श्रीमहाराजाधिराजटोडरमल्लविरचिते टोडरानंदे आयुर्वेदसौख्ये
 कर्पूरादिवर्गे निघंटौ षडशीतितमो (?) हर्षः ।

CHAPTER 34

¹
सुवर्णं

सुवर्णं कनकं हेमं हाटकं ब्रह्मकाञ्चनम् ।
चामीकरं शतकुम्भं तपनीयं च रुक्मकम् ।
जाबूनदं हिरण्यं च सुरलं जातरूपकम् ॥ १ ॥

Suvarna

Suvarṇa, kanaka, hema, hāṭaka, brahma kāñcana, cāmikara, śata kumbha, tapanīya, rukmakā, jāmbū nada, hiraṇya, suratna and jāta rūpaka—these are synonymous.

रुप्यकं

रुप्यकं रजतं कुष्ठं तारं श्वेतं वसूत्तमम् ।

Rupyaka

Rupyaka, rajata, kuṣṭha, tāra, śveta and vasūttama—these are synonymous.

ताम्रं

ताम्रं म्लेच्छमुखं शुक्लं नैपालं रविनामकम् ॥ २ ॥

Tāmra

Tāmra, mlecha mukha, śulva, naipāla and ravi nāmaka—these are synonymous.

कांस्य

कांस्यं लोह निजघोष पंचलोहं प्रकाशनम् ॥ ३ ॥

Kāmsya

Kāmsya, loha, nija ghoṣa, pañca loha and prakāśana—these are synonymous.

पित्तल

पीतलोहं कपिलोहं⁵ कपिलं सौख्यमारकम् ।
वर्त्तलोहं नृलोहं च रजनी निर्म्महेश्वरी ॥ ४ ॥

Pittala

Pīta loha, kapi loha, kapīla, saukhya māraka, varta loha, nṛloha, rajanī and nirmaheśvarī—these are synonymous.

वंग

रंगस्तु खुरक⁶ वंग त्रपुस्यात्करटी घनम् ।

Vaṅga

Raṅga, khuraka, vaṅga, trapu, karaṭī and ghana—these are synonymous.

नाग

सीसं धातुभवं नागमुरगं परिपिष्टकम् ॥ ५ ॥

Nāga

Sīsa, dhātu bhava, nāga, uraga and pari piṣṭaka—these are synonymous.

लोह

लोहं⁷ शस्त्रमयः कुष्टं खंड पारावत घनम् ।

Lauha

Loha, śastra, ayaḥ, kuṣṭha, khaṇḍa, pāravata and *ghana*—these are synonymous.

मंडूर

कृष्णायस्तन्मल किट्टं मंडूर लोहजं रजः ॥ ६ ॥

Maṇḍūra

Kṛṣṇāyah mala, kiṭṭa, maṇḍūra, lohaja and *rajas*—these are synonymous.

पारद

पारदश्चपलो हेमनिधिः सूतो रसोत्तमः ।

त्रिनेत्रो रोषण स्वामी हरबीजं रसः प्रभुः ॥ ७ ॥

Pārada

Pārada, capala, hema nidhi, sūta, rasottama, trinetra, roṣaṇa, svāmīn, hara bīja, rasa and *prabhu*—these are synonymous.

अभ्र

अभ्रकं स्वच्छमाकाश पटलं वरपीतकम् ।

Abhra

Abhraka, svaccha, āśa, paṭala and *vara pītaka*—these are synonymous.

गंधक

गध. सौगधिको लेली गधास्मा गंधपीतक ॥ ८ ॥

Gandhaka

Gandha, saugandhika, leli, gādhāsma and *gandha pītaka*—these are synonymous.

माक्षीक

माक्षीक धातुमाक्षीक ताप्य तापीजमुच्यते ।

Mākṣika

Mākṣika, *dhātu mākṣika*, *tāpya* and *tāpīja*—these are synonymous.

मनःशिला

मनःशिला शिला गोला ⁸ नैपाली कुनटी कुला ।

दिव्यौषधिर्नागमाता मनोगुप्ता मनोह्विका ॥ ६ ॥

Manahśilā

Manah śilā, *śilā*, *golā*, *naipālī*, *kunaṭī*, *kulā*, *divyauśadhi*, *nāga mātā*, *mano guptā* and *manohvikā*—these are synonymous.

हरिताल

हरिताल मल्लं तालं गोदतं नटभूषणम् ॥ १० ॥

Haritāla

Haritāla, *malla*, *tāla*, *godanta* and *naṭa bhūṣaṇa*—these are synonymous.

गैरिक

गैरिकं रक्तपाषाणां गिरिमृच्च गवेरुकम् ।

स्वर्णवर्णं ⁹ परं वर्णं मडनं स्वर्णगैरिकम् ॥ ११ ॥

Gairika

Gairika, *rakta pāṣāṇa*, *giri mṛt*, *gaveruka*, *svarṇa varṇa*, *param varṇa*, *maṇḍana* and *svarṇa gairika*—these are synonymous.

तुत्थ

तुत्थं खर्परिकातुत्थममृतासंगमुच्यते ।

मयूरग्रीवकं चान्यत् शिखिकं च तुत्थकम् ॥ १२ ॥

Tuttha

Tuttha, *kharprikā tuttha* and *amṛtā saṅga*—these are synonyms of *tuttha*,

Another variety of it is called *mayūra grīvaka* and its synonyms are *śikhi kaṅṭha* and *tutthaka*.

कासीस

कासीसं धातुकासीमं खेचरं तप्तलोमशम् ।

Kāsīsa

Kāsīsa, dhātu kasīsa, khecara and tapta lomaśa.

पुष्प कासीस

10

अपरं पुष्पकासीसं तुवर वस्त्ररागहृत् ॥ १३ ॥

Puṣpa kāsīsa

Another variety of *kāsīsa* is called *puṣpa kāsīsa* and its synonyms are *tuvara* and *vastra rāga hṛt*.

हिगुल

11

हिगुल दग्द म्लेच्छ सौकत चूर्णपारदम् ।

Hīgula

Hīgula, darada, mlecha, saukata and cūrṇa pārada—these are synonymous.

सिद्धर

सिद्धरं नागजं रक्त श्रीमत् शृंगारभूषणम् ।

12

वसंतमंडनं नागगर्भं रक्तरजस्तथा ॥ १४ ॥

Sindūra

Sindūra, nāgaja, rakta, śrīmat, śṛṅgāra bhūṣana, vasanta maṇḍana, nāga garbha and *rakta raja*—these are synonymous.

सौवीर अंजन

सौवीरमंजनं कृष्णं कालं नीलं सुवीरजम् ।

Sauvīra añjana

Sauvīra, añjana, kṛṣṇa, kāla, nīla and *suavīraja*—these are synonymous.

स्रोतोञ्जन

13

स्रोतोञ्जनं तु स्रोतोञ्जं नदीञ्जं यामुनं वरम् ॥ १५ ॥

Srotoñjana

Srotañjana, srotoja, nadīja, jāmuna and *vara*—these are synonymous.

रसाञ्जन

रसाञ्जनं रसोद्भूतं तार्क्ष्यशैलं च वार्षिकम् ।

रसाग्र्यं कृत्रिमं तार्क्ष्यं दिव्यं दाव्या रसोद्भवम् ॥ १६ ॥

Rasāñjana

Rasāñjana, rasodbhūta, tārkṣya śaila, vārṣika and *rasāgrya*—these are the synonyms of *rasāñjana*.

It is also prepared artificially which is known as *tārkṣya, divya* and *dārvī rasodbhava*.

पुष्पाञ्जन

14

पुष्पाञ्जनं पुष्पकेतु रीतिञ्जं कुसुमाञ्जनम् ॥ १७ ॥

Puspāñjana

Puṣpāñjana, puṣpa ketu, rītija and *kusumāñjana*—these are synonymous.

शिलाजतु

शिलाजत्वस्मजं शैलनिर्यासो गिरिसाह्वयम् ।

शिलाह्वं गिरिञ्जं शैल गैरेयं गिरिजत्वपि ॥ १८ ॥

Silājatu

Śilājatu, asmaja, śaila niryāsa, girisāhvaya, śilāhva, girija, śaila, gaireya and *giri jatu*—these are synonymous.

बोल

15

बोलं गंधरसं पौरं निर्लोहं वाव्वरं बलम् ।

Bola

Bola, gandha rasa, paura, nirloha, vārvara and *bala*—these are synonymous.

स्फटिका

स्फटिकाख्यामृता ¹⁶ वध्या कांक्षी सौराष्ट्रसभवा ।

¹⁷ आढकी तुवरी त्वन्या मृत्तिका सुरमृत्तिका ॥ १६ ॥

Sphaṭikā

Sphaṭikā, amṛtā, vandhyā, kām̃kṣī, saurāṣṭra sambhavā, āḍhakī and *tuvarī*—these are the synonyms of *sphaṭikā*.

It has another variety whose synonyms are *mṛttikā* and *sura mṛttikā*.

समुद्रफेन

समुद्रफेनो ङिङ्गि फेनो वारिकफोद्विजः ॥ २० ॥

Samudra phena

Samudra phena, diṅḍari, phena, vari kapha and *abdhija*—these are synonymous.

प्रवाल

प्रवालं द्विद्रुमं सिधुलताग्र रक्तवर्णकम् ।

Pravāla

Pravāla, vidrūma, sindhu latāgra and *rakta varṇaka*—these are synonymous.

मुक्ता

¹⁸ मौक्तिकं ¹⁹ मोलिक मुक्ताफल मुक्ता च शुक्तिजम् ॥ २१ ॥

Muktā

Mauktika, motika, muktā phala, mukṭā and *śuktija*—these are synonymous.

मणिक्व

मणिक्वं पद्मरागं स्याद्वसुरत्नं सुरत्नकम् ।

Māṇikya

Māṇikya, *padma rāga*, *vasu ratna* and *suratnaka*—these are synonymous.

सूर्यकांत

सूर्यकांतः सूर्यमणिः सूर्याख्यो दहनोपलः ॥ २२ ॥

Sūrya kānta

Sūrya kānta, *sūrya maṇi*, *sūryākhyā* and *dahanopala*—these are synonymous.

चन्द्रकांत

20

चंद्रकांतश्चंद्रमणिः स्फटिकः स्फटिकोमलः ।

Candra kānta

Candra kānta, *candra maṇi*, *sphaṭika* and *sphaṭikomala*—these are synonymous.

गोमेद

गोमेदः सुन्दरं पीतं रक्तं तृणचर तथा ॥ २३ ॥

Gomeda

Gomeda, *sundara*, *pīta*, *rakta* and *tṛṇa cara*—these are synonymous.

हीरा

हीरकं विदुरं वज्रं स्वारिचक्रं च तारकम् ।

21

Hīrā

Hīraka, *vidura*, *vajra*, *svāricakra* and *tāraka*—these are synonymous.

वैडूर्यं

नीलरत्न नीलमणिः वैडूर्यं²² वालवज्जनम्²³ ॥ २४ ॥

Vaidūrya

Nīla ratna, nīla maṇi, vaidūrya and *vāla varjana*—these are synonymous.

मरकत

गुह्यतं मरकतं ²⁴ दृषद्गर्भो हरिन्मणिः ।

Marakata

Garut mat, marakata, dṛṣadgarbha and *harin maṇi*—these are synonymous.

शुक्ति

मुक्तास्फोटोद्विधमंडूकी शुक्तिमौक्तिकमदिरम् ॥ २५ ॥

Śukti

Muktā sphoṭa, abdhi maṇḍukī, śukti and *mauktika mandira*—these are synonymous.

शंख

शंखं कंबुज्जलचरो वारिजो दीर्घनिस्वनः ।

Śaṁkha

Śaṁkha, kambu, jala cara, vārija and *dīrgha nisvana*—these are synonymous.

लघुशंख

शंखो लघुः शंखनक शबूको वारिशुक्तयः ॥ २६ ॥

Laghu śaṁkha

Laghu śaṁkha, śaṁkhanaka, śambūka and *vāri śukti*—these are synonymous.

कपर्दिका

कपर्दा क्षुरका ज्ञेया खरा च खरवाटिका ।

Kapardikā

Kapardā, kṣurakā, kharā and *khara vāṭikā*—these are synonymous.

खटिका

25
खटीमकोलः खटिनी श्वेतानाडी तरंगकः ॥ २७ ॥

Khaṭikā

Khaṭī, makola, khaṭinī, śvetā nāḍī and *tarāṅgaka*—these are synonymous.

गौडपाषाण

तद्भेदो गौडपाषाणः क्षीरपाक उदाहृतः ।

Gauḍa pāsāṇa

A variety of *khaṭī* is called *gauḍa pāsāṇa* and its synonym is *kṣīra pāka*.

पंक, वालुका

पंक कर्दमको ज्ञेयो वालुका. सिकतास्तथा ॥ २८ ॥

Paṅka and Vālukā

Paṅka is called *kardamaka* and *vālukā* is called *sikatā*.

चुंवकपाषाण

27
चुंवक कांतपाषाणोऽयस्कातो लोहकर्षक ।

Cumbaka pāsāṇa

Cumbaka, kānta pāsāṇa, ayaskānta and *loha karṣaka*—these are synonymous.

काच

काचः कृत्रिमरत्नं स्यात् पिण्ण. काचभाजनम् ॥ २९ ॥

Kāca

Kāca, kṛtrima ratna, piṅgaṇa and *kāca bhājana*—these are synonymous.

NOTES AND REFERENCES

1. This is the 93rd chapter of *Ayurveda Saukhyam in Toḍarānanda* and the opening invocation reads as below :

पद्मालया कृष्णहृदालया सती पादावुज कामयतेन्यसेवितम् ।

समत्सरा सा तुलसीपदे सदा श्री टोडरेतेलयुतास्तु संस्थिता ।

2. भस्मकांचन इति पंचमपुस्तके पाठः ।
3. सुरन्न इति प्रथमपुस्तके पाठः ।
4. सुर्य इति षष्ठपुस्तके पाठः ।
5. महिद्रनक इति प्रथमपुस्तके पाठः ।
6. वंगकतीरक इति प्रथमपुस्तके पाठः ।
7. रोध्र इति प्रथमपुस्तके पाठः ।
8. नेपाली इति प्रथमपुस्तके पाठः ।
9. मंडलं इति षष्ठपुस्तके पाठः ।
10. वस्त्ररागदृक् इति प्रथमपुस्तके पाठः ।
11. सौकंदं इति प्रथमपुस्तके पाठः ।
12. वसतमंडलं इति षष्ठपुस्तके पाठः ।
13. चरं इति षष्ठपुस्तके पाठः ।
14. रीभिज इति प्रथमपुस्तके पाठः ।
15. वर्चरश्चर इति षष्ठपुस्तके पाठः ।
16. वष्पी इति प्रथमपुस्तके पाठः ।
17. आटकी इति षष्ठपुस्तके पाठः ।
18. मौलिकं इति पंचमपुस्तके पाठः । शौक्तिकं इति षष्ठपुस्तके पाठः ।
19. सुक्तिजं इति प्रथमपुस्तके पाठः । शौक्तिक षष्ठपुस्तके पाठः ।
20. चद्रकांतभद्रमणिः इति षष्ठपुस्तके पाठः ।
21. स्वरि इति षष्ठपुस्तके पाठः ।
22. वैदूर्य इति षष्ठपुस्तके पाठः ।

23. बालवह्वहं इति षष्ठपुस्तके पाठ ।
24. इषग्दंभं इति प्रथमपुस्तके पाठः ।
55. खटिमकालः इति षष्ठपुस्तके पाठः ।
26. नरंगतः इति षष्ठपुस्तके पाठः ।
27. कंबुकः इति षष्ठपुस्तके पाठः ।

This is the end of the 93rd chapter in *Ayurveda Saukhyam* in *Toḍarānanda* and the colophon reads as below :

इति श्रीमहाराजाधिराजटोडरमल्लविरचिते टोडरानंदे आयुर्वेदसौख्ये
निघटौ स्वर्णादिवर्गः सप्ताशीतितमोहर्षः (?) ।

CHAPTER 35

1

वट

वटो रक्तफलः² क्षीरी बहुपादो वनस्पतिः ।

यक्षवासः³ प दरोहि⁴ न्यग्रोधः स्कदपा ध्रुवः ॥ १ ॥

Vaṭa

Vata, rakta phala, kṣīrī, vahu pāda, vanaspati, yakṣa vāsa, pāda rohi, nyagrodha, skandapa and dhruva—these are synonymous.

अश्वत्थ

पिप्पलः श्यामलोऽश्वत्थः क्षीरवृक्षो गजाशनः ।

हरिवासश्चलदलो मगल्यो बोधिपादयः ॥ २ ॥

Aśvattha

Pippala, śyāmala, aśvattha, kṣīra vṛkṣa, gajāśana, hari vāsa, cala dala, mangalya and vodhi pādapa—these are synonymous.

उदुंबर

उदुंबरः क्षीरवृक्षो जतुवृक्षः सदाफलः ।

हेमदुग्धः कृमिफलो यज्ञांगः शीतवल्कलः ॥ ३ ॥

Udumbara

Udumbara, kṣīra vṛkṣa, jantu vṛkṣa, sadā phala, hema dugdha, kṛmi phala, yajñāṅga and śīta vālkala—these are synonymous.

काष्ठोदुम्बर

काकोदुंबरिका ⁵ फल्गु⁶र्मूलयूः शिवत्रभेषजम् ।

Kāṣṭhodumbara

Kākodumbarikā, phalgu, malayu and śvitra bheṣaja—these are synonymous.

प्लक्ष

⁷
प्लक्षः पृथश्चारुवृक्षः स्वपार्वो गर्दभांडकः ॥ ४ ॥

⁸
वटी कमंडलुः ।

Plakṣa

Plakṣa, pṛya, cāru vṛkṣa, svapārśva, gardhabhāṅḍaka, vaṭi and kamaṅḍalu—these are synonymous.

नंदी

नंदी वृक्षोश्चत्थभेदः प्ररोही गजपादपः ।

Nandī

A variety of *aśvattha* is called *nandī vṛkṣa*. Its synonyms are *prarohī* and *gaja pādapa*.

कदम्ब

कदम्बो गंधमत्पुष्पः प्रावृषेण्यो महोन्नतिः ।

अन्यो धूलिकदंबः स्यान्नीपो राजकदंबकः ॥ ५ ॥

Kadamba

Kadamba, gandhamat puspa, prāvṛṣeṇya, and maho mati—these are the synonyms of *kadmaba*.

A variety of it is called *dhuli kadamba*. Its synonyms are *nīpa* and *rāja kadamba*.

अर्जुन

ककुभोज्जुननामस्यान्नदी सज्ज शठद्रुमः ॥ ६ ॥

Arjuna

Kakubha, arjuna, nandī, sarja and *śaṭha drumā*—these are synonymous.

शिरीष

शिरीषः प्लवगोविप्रः शुकवृक्षः कपीतनः ।

मृदुपुष्पः श्यामवर्णो भंडीरनीफलस्तथा ॥ ७ ॥

Śirīṣa

Śirīṣa, plavaga, vipra, śuka vṛkṣa, kapītana, mṛdu puṣpa, syāma varṇa and *bhaṇḍīranī phala*—these are synonymous.

आर्तगल

⁹
अर्गटः स्यादात्तगलो बहुकटः प्रतर्षणः ।

Ārtagala

Argaṭa, ārta gala, vahu kaṇṭa and *pratarṣaṇa*—these are synonymous.

वेतस

¹⁰
वेतसो वजुलो नम्रो वानीरो दीर्घपत्रकः ।

¹¹
नादेयो मेघपुष्पोन्यस्तोयकामो निकुंजकः ॥ ८ ॥

Vetasa

Vetasa, vañjula, namra, vānīra, dīrgha patraka, nādeya and *megha puṣpa*—these are the synonyms of *vetasa*.

There is another variety of it which is called *toya kāma* and *nikuñjaka*.

जलवेतस

जलीकासंवृतोऽभोजो निचुलो जलवेतसः ।

Jala vetasa

Jalaukā saṁvṛta, *ambhoja*, *nicula* and *jala vetasa*—these are synonymous.

समुद्रफल

इज्जलो हिज्जलो गुच्छफलः स्यात्कछपालिका ॥ ९ ॥¹²

Samudra phala

Ijjala, *hijjala*, *gucchā phala* and *kaccha pālikā*—these are synonymous.

श्लेष्मातक

श्लेष्मातकः कव्वुदारः पिच्छिलो भूतपादपः ।

शेलुः शैलश्च शैलुकः शैलूको द्विजकुत्सकः ॥ १० ॥¹³

Śleṣmātaka

Śleṣmātaka, *karvudāra*, *picchila*, *bhūta pādapa*, *śelu*, *śailu*, *śailuka*, *śailūka* and *dvija kutsaka*—these are synonymous

पीलु

पीलुः शीत सहस्राक्षी तीक्ष्णद्रुः करभप्रियः ॥ ११ ॥

सहस्रांगी गुडफला तत्फल पीलु पीलुजम् ।¹⁴

Pīlu

Pīlu, *śīta*, *sahasrākṣī*, *tīkṣṇadru*, *karabha priya*, *sahasrāṅgī* and *guḍa phalā*—these are the synonyms of *pīlu tree*.

Its fruits are called *pīlu* and *pīluja*.

साक

साकः करच्छदो भूमीसहो दीर्घच्छदो मतः ॥ १२ ॥¹⁵

Śāka

Sāka, kara chada, bhūmī saha and dīṅgha chada—these are **synonymous**.

शाल

शालः सज्जंरसः सज्जः श्रीकृन्मारीचपत्रकः ।
16

Śāla

Śāla, sarja rasa, sarja, śrīkṛt and mārica patraka—these are **synonymous**.

तमाल

तमाल उक्तस्तार्पिच्छः कालस्क धोऽसितद्रुमः ॥ १३ ॥

Tamāla

Tamāla, tāpiñcha, kāla skandha and asita druma—these are **synonymous**.

खदिर

खदिरो रक्तसार स्याद्गायत्री वालपत्रिका ।
17
खदिरः श्वेतसारोन्यः काम्मुकः कुब्जकंटकः ॥ १४ ॥

Khadira

Khadira, rakta sāra, gāyatrī and vāla patrikā—these are the **synonyms** of *khadira*.

It has another variety which is known as *śveta sāra, kārmuka* and *kubja kaṇṭaka*.

विट्खदिर

इरिमेदो विट्खदिरो गोधास्कधोऽरिमेदकः ।

Viṭ khadira

Irimesa, viṭ khadira, godhā skandha and arimesa—these are **synonymous**.

बब्बूल

बब्बूलः किकिरात स्यात् शीतकः पीतपुष्पकः ॥१५॥

Babbula

Babbula, kim kirāta, śītaka and pīta puṣpaka—these are synonymous.

विजय सार

वीजकः सनकः सौरीप्रियः काम्पोलकप्रियः ।

Vijaya sāra

Vijaka, sanaka, saurī priya and kāmpolaka priya—these are synonymous.

तिनिस

18

तिनिसः स्यंदनो नेमी सर्वसाराश्मगर्भकः ॥ १६ ॥

Tinisa

Tinisa, syandana, nemī, sarva sāra and aśma garbhaka—these are synonymous.

भूर्ज

19

20

भूर्जोभूयो बहुपुटो मृदुत्वक् सूक्ष्मपत्रकः ।

Bhūrja

Bhūrja, bhūyas, vahu puṭa, mṛdu tvak and sūkṣma patraka—these are synonymous.

पलाश

पलाश किशुकः किर्मि यज्ञको ब्रह्मपादपः ।

21

क्षारश्रेष्ठो रक्तपुष्पस्तवृतः समिदुत्तमः ॥ १७ ॥

Palāśa

Palāśa, kimśuka, kirmī, yajñaka, brahma pādapa, kṣāra śreṣṭha, rakta puṣpa, tvṛta and samiduttama—these are synonymous.

धव

धवो नंदितरुर्गोरः ²² शकटाख्यो धुरंधरः ॥ १८ ॥

Dhava

Dhava, nandi taru, gaura, śakaṭākhyā and dhurandhara—these are synonymous.

धन्वन

धन्वनो गोत्रविटपी ²³ धर्मनि गोत्रपुष्पकः ।

Dhanvana

Dhanvana, gotra viṭapī, dharmāna and gotra puṣpaka—these are synonymous.

अजकर्ण

सज्जोऽजकर्णो स्वेदघ्नो लतावृक्षः कुदेहकम् ॥ १९ ॥

Aja karṇa

Sarja, ajakarṇa, svedaghnu, lutā vrkṣa and kudehaka—these are synonymous.

व रू

वरुणो वारुण. सेतु. शाकवृक्षः कुमारकः ।

Varuṇa

Varuṇa, vāruṇa, setu, śāka vrkṣa and kumāraka—these are synonymous.

जिंगरि

²⁴ जिगिणी ²⁵ जागिणी ²⁶ जिगा ²⁷ मुनिज्जासा च मोदकी ॥२०॥

Jiṅgini

Jiṅginī, jāṅginī, jiṅgā, sunirjāsā, and modakī—these are synonymous.

शल्लकी

शल्लकी ²⁸ वल्लकी मोचा गजभक्ष्या महेरुणा ।

29

गधवीरा कुदुरुकी सुखावा वनकणिका ॥ २१ ॥

Sallakī

Sallakī, vallakī, mocā, gaja bhakṣyā, maheruṇā, gaṇḍhu vīrā, kundurukī, susrāvā and *vana karmikā*—these are synonymous.

इंगुदी

इंगुदी भिल्लकोवृक्षः कंटकस्तापसद्रुमः ।

Ingudī

Ingudī, bhillaka vṛkṣa, kaṇṭaka and *tāpasa drumā*—these are synonymous.

करहारी

³⁰ करंवरश्च ³¹ शुण्डीक कटभी तृणशौडिकः ॥ २२ ॥

Karahārī

Karamvara, sunḍīka, kaṭabhī and *trṇa śauṇḍīka*—these are synonymous.

मुष्कक

³² मुष्कको मोषको घटा शिखरी क्षुद्रपाटलिः ।

Muskaka

Muṣkaka, moṣaka, ghaṇṭā śikharī and *kṣudra pāṭalī*—these are synonymous.

पारिभद्र

पारिभद्रो निंबवृक्षो रक्तपुष्पः प्रभद्रकः ।

कंटकीपारिजातः स्यात् मंदारः कंटकिशुकः ॥२३॥

Pāribhadra

Pāribhadra, nimba vṛkṣa, rakta puṣpa, prabhadraka, kaṇṭakī, pārijāta, mandāra and *kaṇṭa kimśuka*—these are synonymous.

शाल्मली

33

शाल्मली तूलिनी मोचा कुक्कुटी रक्तपुष्पिका ।
कण्टकाढ्या स्थूलफला पिच्छिला चिरजीविनी ॥२४॥

Śālmālī

Śālmālī, tūlinī, mocā, kukkuṭī, rakta puṣpikā, kaṇṭakāḍhyā, sthūla phalā pichilā and cirajīvinī—these are synonymous.

तुणि

गणेरुक श्रीपतिस्तु नकोन नन्दिपादपः ॥ २५ ॥

Tuṇi

Gaṇeruka, śrīpatī, nakona and nandi pādapa—these are synonymous.

सप्तपर्ण

34

सप्तपर्णो गुच्छपुष्पो छत्री शाल्मलिपत्रिका ।

Sapta parṇa

Sapta parṇa, gucha puṣpa, chatrī and śālmali patrikā—these are synonymous.

हरिद्रा

हारिद्रकः पीतवर्णः श्रीमान् गौरद्रुमोवरः ॥ २६ ॥

Haridrā

Hāridraka, pīta varṇa, śrīmān, gaura druma and vara—these are synonymous.

करंज

करंजो नक्तमालः स्यात् नक्ताह्वो घृतवर्णकः ।
पूतिकोन्यः पूतिपर्णः प्रकीर्णश्चिरबिल्वकः ॥ २७ ॥

Karañja

Karañja, nakta māla, naktāhva and ghrta varṇaka—these are the synonyms of *karañja*.

Another variety of it is called *pūtika*, *pūti parṇa*, *prakīrṇa* and *cira bilvaka*.

करंजी

35

करंजिः काकतित्ता च वयस्यांगारवल्लरी ।
 36 37
 तिरिणिक्षिर्गजःकंटः करंजीश्चीरिणी द्विपा ॥ २८ ॥

Karañjī

Karañji, *kāka tiktā*, *vayasyā*, *aṅgāra vallarī*, *tirinikṣi*, *gaja kaṅṭa*, *karañjī*, *cīrinī* and *dvipā*—these are synonymous.

शमी

शमी तुंगा शंकुफला पवित्रा केशहृत्फला ।
 लक्ष्मी शिवा व्याधिशमी भूशमी शकराह्वया ॥ २९ ॥

Śamī

Śamī, *tuṅgā*, *śaṅku phalā*, *pavitrā*, *keśa hṛt phalā*, *lakṣmī*, *śivā*, *vyādhi śamī*, *bhūśamī* and *śaṅkarāhvayā*—these are synonymous.

शिरीषिका

38

शिरीषिका डिंडिणिका दुर्बलाम्बुशिरीषिकाः ।

Śirīṣikā

Śirīṣikā, *ḍiṇḍiṇikā*, *durbālā* and *ambu śirīṣikā*—these are synonymous.

अरिष्टक

अरिष्टको गर्भपाती कुम्भवीर्यश्च फेनिलः ।
 रक्षाबीजो रक्तबीजः पीतफेनार्थसाधनः ॥ ३० ॥

Ariṣṭaka

Ariṣṭaka, *garbha pātī*, *kumbha vīrya*, *phenila*, *rakṣā bīja*, *pīta phena* and *artha sādhana*—these are synonymous.

सिसपा

सिसिपा कपिला कृष्णा सरा मंडलपत्रिका ।

अन्या कुसिसिपा भस्मपिगला स्याद्विशोधिनी ।

Simsapā

Simṣipā, kapilā, kṛṣṇā, sarā and *maṇḍala patrikā*—these are the synonyms of *simṣapā*.

It has another variety whose synonyms are *kusimṣipā, bhasma piṅgalā* and *viśodhinī*.

अगस्त्य

अगस्त्याह्वो वगसेनो मधुशिग्रुमु³⁹निद्रुमः ॥ ३१ ॥

Agastya

Agastyāhva, vanga sena, madhu śigru and *muni drumā*—these are synonymous

NOTES AND REFERENCES

1 This is the 94th chapter of *Ayurveda Saukhyam* in *Toḍarānanda* and the opening invocation reads as below :

यमादिभिर्योगिगणैर यो सम्यग्गृहीतु ब्रजकामिनीभिः ।

सुप्रेमवद्धः सगृहं सपुत्रं श्रीटोडरं सर्वं सुखं प्रकुर्यात् ।

2. 'पदः' इति प्रथमपुस्तके पाठः ।
3. 'पटारोहि' इति प्रथमपुस्तके पाठः ।
4. 'स्कदयोध्रुवः' इति प्रथमपुस्तके पाठः ।
5. 'फलगू' इति षष्ठपुस्तके पाठः ।
6. 'र्मलपू' इति षष्ठपुस्तके पाठः ।

7. 'प्लवश्चारुवृक्षः' इति षष्ठपुस्तके पाठः ।
8. 'हृत्त्रगो' इति षष्ठपुस्तके पाठः ।
9. 'आर्गंटः' इति पंचमपुस्तके पाठः ।
10. नम्रो इति प्रथमपुस्तके पाठः ।
11. 'भेदापुष्पोन्यस्तोयकामो' इति षष्ठपुस्तके पाठः ।
12. 'स्यात्कछपाण्डिका' इति पंचमपुस्तके पाठः ।
13. 'द्विजकुत्सितः' इति पंचमपुस्तके पाठः ।
14. 'गुडपला' इति प्रथमपुस्तके पाठः ।
15. 'शाकः' इति पंचमपुस्तके पाठः ।
16. 'श्रीकृन्मारीचिपत्रकः' इति प्रथमपुस्तके पाठः ।
17. 'दत्तधावन' इति षष्ठपुस्तके पाठः ।
18. 'सर्व्वसारोग्यनामकः' इति षष्ठपुस्तके पाठः ।
19. 'मृदुलः' इति प्रथमपुस्तके पाठः ।
20. 'श्लेष्मपत्रकः' इति प्रथमपुस्तके पाठः ।
21. 'शमिदुत्तमः' इति प्रथमपुस्तके पाठः ।
22. 'शकटाख्योदु' इति षष्ठपुस्तके पाठः ।
23. 'वर्म्मानी' इति षष्ठपुस्तके पाठः ।
24. 'जिंगिनी' इति षष्ठपुस्तके पाठः ।
25. 'जंगिनी' इति षष्ठपुस्तके पाठः ।
26. 'जंगा' इति षष्ठपुस्तके पाठः ।
27. 'मोदिका' इति पंचमपुस्तके पाठः ।
28. 'महारुहा' इति पंचमपुस्तके पाठः ।
29. 'कुंदुरकी' इति षष्ठपुस्तके पाठः ।
30. 'कंटभर' इति षष्ठपुस्तके पाठः ।
31. 'श्वासकुली' इति षष्ठपुस्तके पाठः ।
32. 'मोखको' इति प्रथमपुस्तके पाठः ।
33. 'तुलनि' इति षष्ठपुस्तके पाठः ।

34. 'शालमलिपात्रका' इति पंचमपुस्तके पाठः ।
35. 'वयस्थांगारवल्लरी' इति पंचमपुस्तके पाठः ।
36. 'तिरिणिच्छ' इति प्रथमपुस्तके पाठः ।
37. 'गजकरंज' इति पंचमपुस्तके पाठः ।
38. 'डिडिनि' इति षष्ठपुस्तके पाठः ।
39. This is the end of 94th chapter of *Ayurveda Saukhyam* in *Toḍarānanda* and the colophon reads as below :

इति श्री महाराजाधिराजटोडरमल्लविरचिते टोडरानंदे आयुर्वेद-
सौख्ये निघंटौ वनस्पतिवर्गे अष्टाशीतितमोहर्षः (?)।

CHAPTER 36

द्राक्षा

द्राक्षा मधुफला स्वाद्वी हान्हरा फलोत्तमा ।
मृद्वीका मधुयोनिश्च रसाला गोस्तनी गुडा ॥ १ ॥
द्राक्षा पक्वा सरा शीता चक्षुष्या बृहणी गुरुः ।
हृति तृष्णाज्वरश्वासवातवातास्रकामला. ॥ २ ॥
कृच्छ्रास्रपित्तसमोहदाह—शोफमदात्ययान् ।
ग्रामा स्वल्पगुणा गुर्वी सैवाभ्ला रक्तपित्तजित् ॥ ३ ॥
निर्व्वीजान्या लघु द्राक्षा गोस्तनी सदृश गुणैः ।
द्राक्षा पर्व्वतजा लघ्वी साम्लाश्लेष्मास्रपित्तजित् ॥४॥

Drākṣā

Drākṣā, madhu phalā, svādvī, hāra hūrā, phalottamā, mṛdvīkā, madhu yoni, rasālā, gostanī and *guḍā*—these are synonymous.

Ripe *drākṣā* is *sara* (laxative), *śīta* (cooling), *caḥṣuṣya*

(promoter of eye sight), *br̥mhaṇa* (nourishing) and *guru* (heavy). It cures *tr̥ṣṇā* (morbid thirst), *jvara* (fever), *śvāsa* (asthma), *vāta* (diseases of nervous system), *vātāsra* (gout), *kāmālā* (jaundice), *kṛcchra* (dysuria), *asra pitta* (a condition characterised by bleeding from different parts of the body), *sammoha* (unconsciousness), *dāha* (burning syndrome), *śopha* (oedema) and *madātyaya* (alcoholism).

Unripe drākṣā is inferior in quality and heavy.

The sour variety of *drākṣā* cures *rakta pitta* (a condition characterised by bleeding from different parts of the body).

A variety of *drākṣū* is without seed and is similar to *gostanī* variety in its properties.

The variety of *drākṣā* which grows in the mountains is light and sour. It cures *asra pitta*.

आम्र

आम्रो वनोत्सवश्चूत सहकारोत्तिमोरभ ।
 माक दः पिकबंधु स्याद्रसालः कामवल्लभ ॥ ५ ॥
 आम्रो ग्राही प्रमेहास्रकफपित्तत्रणान् जयेत् ।
 तत्फलं आममत्युष्ण रुक्ष दोषत्रयास्रकृत् ॥ ६ ॥
 पक्वं तु मधुरं वृष्यं स्निग्ध हृद्यं बलप्रदम् ।
 गुरुर्वातहर रुच्य वर्ण्यं शीतमपित्तलम् ॥ ७ ॥
 रसस्तस्य सरः स्निग्धो पाचनो बलवर्णकृत् ।

Āmra

Āmra, *vanotsava*, *cūta*, *sahakāra*, *ati saurabha*, *mākaṇḍa*, *pika baudhu*, *rasāla* and *kāma vallabha*—these are synonymous.

Āmra is *grāhī* (constipative) and it cures *prameha* (obstinate urinary disorders including diabetes) as well as diseases caused by vitiated blood, *kapha* and *pitta* and ulcers.

Unripe fruits of *āmra* is exceedingly hot and ununctuous it vitiates all the three *doṣas* as well blood.

Ripe fruits of *āmra* is sweet, *vṛsyā* (aphrodisiac), *unctuous*, *hr̥dya* (cardiac tonic), *bala prada* (promoter of strength), heavy *vāta hara* (alleviator of *vāta*), *rucya* (relishing), *varnya* (promoter of complexion), *śīta* (cooling) and *apittalu* (which does not vitiate *pitta*).

Juice of *āmra* is *sara* (laxative), unctuous, *pācana* (carminative) and promoter of strength as well as complexion.

जम्बू

महाजंबू राजजंबू महास्कंधो बृहत्फल. ॥ ८ ॥

क्षुद्रजंबूश्चीरपत्रा मेघाभा काकबल्लभाः ।

जंबू सम्राहिणी रूक्षा कफपित्तत्रणास्रजित् ॥ ९ ॥

राजजंबूफल स्वादु विष्टभि गुरु रोचनम् ।

क्षुद्रजंबूफलं तद्वद्विशेषाद्दाहनाशनम् ॥ १० ॥

Jambu

Mahā jambū, *rāja jambū*, *mahā skandha* and *bṛhat phala*—these are the synonyms of bigger variety of *jambū*.

The smaller variety of *jambū* is called *kṣudra jambū*, *cīra patrā*, *meghābhā* and *kāka ballabhā*.

Jambū is *saṁgrāhīnī* (constipative) and *ununctuous*. It cures vitiated *kapha*, *pitta*, *ulcer* and blood.

Rāja jambū fruit is sweet, *viṣṭāmbhi* (causing wind formation in abdomen), heavy and *rocana* (appetiser).

The fruit of *kṣudra jambū* is like *rāja jambū* in property but its special action is to cure *dāha* (burning syndrome).

नारिकेल

नालिकेरस्तुंगवृक्षो लतावृक्षो महाफलः ।

तृणराजस्त्वक्षफल लागली दृढबीजकम् ॥ ११ ॥
 नालिकेरफलं शीतं दुर्जरं बस्तिशोधनम् ।
 विष्टंभि वृहणं बल्य वातपित्तास्रदाहजित् ॥ १२ ॥
 तस्यांभ शीतल हृद्य दीपन शुक्रल लघु ।
 तस्मादपि शिरोमज्जा शुक्रला वातपित्तजित् ॥ १३ ॥

Nārikela

Nālikera, tunga vr̥kṣa, latā vr̥kṣa, mahā phala, tṛṇa rāja, akṣa phala, lāṅgali and *dr̥dha bīja*—these are synonymous.

The fruit of *nārikera* is *śīta* (cooling), *durjara* (difficult of digestion), *basti śodhana* (purifier of urinary bladder), *viṣṭambhi* (causing wind formation in abdomen), *br̥mhaṇa* (nourishing) and *balya* (promoter of strength), It cures vitiated *vāta*, *pitta* and blood. It also cures *dāha* (burning syndrome).

Water of *nārikela* is cooling, *hr̥dya* (cardiac tonic), *dīpana* (stimulant of digestion), *śukrala* (promoter of semen) and *laghu* (light).

Its *śiro majjā* (pith at the top of the tree) of *nārikela* is promoter of semen and it cures both *vāta* and *pitta*.

खज्जूरिका

बृहत्खर्जूरिका श्रेणी सफला द्वीपसभवा ।
 पिंडखर्जूरिका खर्जुः दुःप्रहर्पास्तु कंटकी ॥ १४ ॥
 अन्या स्कंधफला स्वाद्वी दुरारोहा मृदुच्छदा ।
 भूमिखर्जूरिका काको कक्कटी राजकक्कटी ॥ १५ ॥
 खर्जूरिका फल शीत स्वादु स्निग्ध क्षतास्रजित् ।
 बल्यं हति मरुत्पित्त भद्रमूर्च्छामिदात्ययान् ॥ १६ ॥

तस्मादल्पगुणं ज्ञेयमन्यत्खज्जुरिका फलम् ।

तन्मज्जामूर्द्धजा शीता वृष्या पित्तास्रदाहजित ॥ १७ ॥

Kharjūrikā

Bṛhat kharjūrikā, śreṇī, saphalā and *dvīpa sambhavā*—these are the synonyms of bigger variety of *kharjūra*.

Another variety of it is called *piṇḍa kharjūrikā, kharju, duḥ praharsā* and *kaṇṭakī*.

The third variety of it is called *skandha phalā, svādvī, durārohā* and *mṛdu chadā*.

The fourth variety of it is called *bhūmi kharjūrikā, kāka, karkaṭī* and *rāja karkaṭī*.

The fruit of *kharjūrikā* is cooling, sweet and unctuous. It cures consumption and diseases caused by the vitiation of blood. It is promoter of strength. It cures vitiation of *vāyu* and *pitta, mada* (intoxication), *mūrchā* (fainting) and *madātyaya* (alcoholism).

Fruits of other varieties of *kharjūrikā* are inferior in quality.

Its *mūrdhaja majjā* (pith at the top of the tree is cooling and *vṛṣya* (aphrodisiac). It cures vitiated *pitta* as well as blood and *dāha* (burning syndrome).

सिलेमानी खजूर

सिलेमान्यपरा लोके मृदुला निर्बलीफला ।

सिलेमानी श्रमभ्रंतिदाहमूर्च्छास्रपित्तनुत् ॥ १८ ॥

Silemāni kharjūra

Another variety of *kharjūra* is called *silemāni* and its synonyms are *mṛdula* and *nirbalī phalā*.

Silemāni cures *śrama* (exhaustion), *bhrānti* (giddiness), *dāha* (burning syndrome), *mūrchā* (fainting) and *asra pitta*

(a condition characterised by bleeding from different parts of the body).

कदली

कदली ग्रंथिनी मोचा रंभा वीरा यतछदा ।¹⁰

कदली योनिदोषास्ररक्तपित्तहरा हिमा ॥ १६ ॥

तत्कंदः शीतलो बल्यः केश्यः पित्तकफास्रजित् ।

तत्फलं मधुरं शीतं विष्टभि कफकृद्गुरु ॥ २० ॥

स्निग्धपित्तास्रतृदाह — क्षतक्षयसमीरजित् ।

Kadalī

Kadalī, granthinī, mocā, rambhā, vīrā and yata chadā--these are synonymous.

Kaladī cures *yoni doṣa* (ailments of female genital tract), *asra* (vitiated blood) and *rakta pitta* (a disease characterised by bleeding from various parts of the body). It is cooling.

The *kanda* (rhizome) of this plant is *śītala* (cooling), *balya* (strength promoting), and *keśya* (good for hair growth). It cures vitiated *pitta*, *kapha* and blood.

The fruit of *kadalī* is sweet, cooling and *viṣṭambhi* (which produces gas in the abdomen). It produces *kapha*. It is heavy and unctuous. It alleviates vitiated *pitta* and blood. It cures *dāha* (burning syndrome), *kṣata* (consumption), *kṣaya* (emaciation) and *vitiated vāyu*.

दाडिम

दाडिमी रक्तकुसुमा दतबीजा शुकप्रिया ॥ २१ ॥

दाडिमं दीपन हृद्यं रोचन नातिपित्तलम् ।

कपायानुरस ग्राहि द्विधा स्वाद्रम्लभेदतः ॥ २२ ॥

तयोः स्वादु त्रिदोषघ्नंमम्लं वातवलासहृत् ।

गुष्काम्लो दाडिमीसारः कुट्टितो वातपित्तहृत् ॥२३॥

Dāḍima

Dāḍimī, rakta kusumā, danta bījā and *śuka priyā*—these are synonymous.

Dāḍima is *dīpana* (digestive stimulant), *hṛdya* (cardiac tonic) and *rocana* (appetiser), It does not vitiate *pitta* in excess. Its subsidiary taste (*anurasa*) is astringent and it is constipative

It is of two types viz., sweet and sour. The sweet variety alleviates all the three *doṣas* where as the sour variety alleviates only *vāta* and *kapha*.

The dried and pounded extract of the sour variety of *dāḍima* alleviates *vāta* and *pitta*.

बदर

बदरी कवर्कटी घोंटा करटी युग्मकंटिका ।

11

अन्या स्निग्धछदा कोशफला सौवीरिकापरा ॥ २४ ॥

12

हस्तिकोलिः परास्वाद्धी लघ्वी कवर्कधुबांधवा ।

वदर्या शीतलास्तित्ता रूक्ष्या पित्तकफापहा ॥ २५ ॥

13

14

बदर त्ववरं कौलं फेनिलं कुवलं कुहम् ।

कवर्कधु ह्रस्वबदरं सकटं कंधु कंधुकम् ॥ २६ ॥

पक्वमामं च मधुरं मतं सौवीरकं महत् ।

Badara

Badarī, karkaṭī, ghoṅṭā, karaṭī and *yugma kaṅṭikā*—these are synonymous. Another variety of it is called *snigdha chadā* and *kośa phalā*. The thirst variety is called *sauvīrikā*. The fourth variety of it is called *hasti koli*, *parāsvādvī*, *laghvī* and *karkandhu bāndhavā*.

All these types of *badarī* are cooling, bitter and ununctuous. They alleviate *pitta* and *kapha*.

The fifth variety of it is called *badara*, *avara kola*, *phenila*, *kuwala* and *kuca*. Synonyms of the sixth variety are *karkandhu*, *hrasva badara*, *samkaṣṭa*, *kandhu* and *kandhuka*.

Both the ripe and unripe types of *sauvīraka* (bigger variety) are sweet in taste.

लघु बदर

बदरं लघु संग्राहि¹⁵ रुच्यमुष्णं समीरजित् ॥ २७ ॥
 कफपित्तकरं¹⁶ तद्वत्कोलं गुरु सरं¹⁷ स्मृतम् ।
 सौवीरं बदरं शीत भेदन गुरु शुक्रलम्¹⁸ ॥ २८ ॥
 बृंहण पित्तदाहास्रक्षयतृष्णानिलापहम् ।
 कर्ककं धु मधुर स्निग्ध गुरु पित्तानिलापहम् ॥ २९ ॥
 शुष्कं मेदाग्निकृत्सर्वं लघुतृष्णात्रलमास्रजित् ।
 मरुत्पित्तहर तस्य मज्जा वृष्यो बलप्रदः ॥ ३० ॥

Laghu badara

Badara is light, constipative, appetiser and hot. It alleviates *vāyu*. *Kola* aggravates *kapha* and *piatt*. It is heavy and laxative.

Sauvīra type of *badara* is cooling, *bhedana* (purgative), *guru* (heavy), *śūkrala* (promoter of semen) and *brmhāna* (nourishing). It alleviates vitiated *pitta*, *dāha* (burning syndrome), vitiated blood, *kṣaya* (emaciation), *trṣṇā* (morbid thirst) and vitiated *vāyu*.

Karkandhu is sweet, unctuous and heavy. It alleviates *pitta* and *vāyu*.

Dry fruits of all these varieties promote *medas* (fat) and *agni* (digestive power). These are light and they cure *trṣṇā* (morbid thirst), *klama* (mental fatigue) and vitiation of blood.

The pulp of this fruit alleviates *vāyu* and *pitta*. It is *vr̥ṣya* (aphrodisiac) and promoter of strength.

क्षीरी

क्षीरी क्षत्रिया राजाह्वा राजादन फलासिनी ।
 राजन्यस्तस्य भेदन्यश्चिबुको मुच्चिलिदकः ॥ ३१ ॥
 क्षीरिवृक्षफलं शीतं स्निग्धं गुरु बलप्रदम् ।
 तृष्णामूर्छामदभ्रातिक्षयदोषत्रयास्रजित् ॥ ३२ ॥

Kṣīrī

Kṣīrī, kṣatriyā, rājāhvā, rājādana, phalāsini and *rājanya*—these are synonymous.

It has another variety which is called *civuka* and *muci lindaka*.

The fruit of *kṣīrī vr̥kṣa* is cooling, unctuous, heavy and promoter of strength. It cures *tr̥ṣṇā* (morbid thirst), *mūrchā* (fainting), *mada* (intoxication), *bhrānti* (giddiness), *kṣaya* (emaciation) and all the three vitiated *doṣas* as well as blood.

प्रियाल

चारो धनः पटः शालः प्रियालो मुनिवल्लभः ।
 चारः पित्तकफास्रघ्नः तत्फलं मधुरं गुरु ॥ ३३ ॥
 स्निग्धं सरं मरुत्पित्तदाहतृष्णाक्षतापहम् ।
 तन्मज्जा मधुरो वृष्यः शुक्रलः त्वातजित् ॥ ३४ ॥

Priyāla

Cāra, dhana, paṭa, śāla, priyāla and *muni vallabha*—these are synonymous.

Cāra cures vitiated *pitta, kapha* and blood.

Its fruit is sweet, heavy, unctuous and laxative. It cures vitiated *vāta* and *pitta, dāha* (burning syndrome), *tr̥ṣṇā* (morbid thirst) and *kṣata* (consumption).

The pulp of the fruit of *priyāla* is sweet, *vṛṣya* (aphrodisiac) and *śukrala* (spermatopoetic) It cures vitiated *pitta* and *vāta*.

परुषक

23

परुषको मृदुफलो परुषो शोषणः परः ।
 परुषकं कषायाम्लमामं पित्तकरं लघु ॥ ३५ ॥
 पक्व तु मधुर पाके शीतं विष्टंभि बृंहणम् ।
 हृद्यं तृप्तिदाहास्रधतक्षयसमीरजित् ॥ ३६ ॥

Paruṣaka

Paruṣaka, *mṛdu phala*, *paruṣa* and *śosana*—these are synonymous.

Unripe *Paruṣaka* is astringent and sour in taste. It vitiates *pitta* and is light.

Ripe variety of *paruṣaka* is sweet in *vipāka* (taste that emerges after digestion), cooling, *viṣṭambhi* (produces gas in abdomen), *brmhana* (nourishing) and *hṛdya* (cardiac tonic). It cures *tr̥ṣṭ* (morbid thirst), vitiated *pitta*, *dāha* (burning syndrome), vitiated blood, *kṣata* (consumption), *ksaya* (emaciation) and vitiated *vāyu*.

तिदुक

24

तिदुकः स्यंदनः स्फौर्यं कालसारश्च रावणः ।
 काकपीलु स्यादपरो अन्यच्च विषतिदुका ॥ ३७ ॥
 तिदुको व्रणवातघ्नः तत्सारः पित्तरोगजित् ।
 आमस्य फल ग्राहि वातलं शीतल लघु ॥ ३८ ॥
 पक्व पित्तप्रमेहास्रश्लेष्मघ्न विशदं गुह्र ।
 विषतिदुकमप्येवं विशेषाद्ग्राहि शीतलम् ॥ ३९ ॥

25

Tinduka

Tinduka, *syandana*, *sphaurya*, *kāla sāra*, *rāvaṇa* and *kāka pīlu*—these are the synonyms of *tinduka*.

There is another variety (which is different) which is called *viṣa tindukā*.

Tinduka cures ulcers and vitiated *vāta*. Its pulp (*sāra*) cures diseases caused by *pitta*.

The unripe fruit of it is constipative, *vātala* (vitiater of *vāta*), cooling and light.

The ripe fruit alleviates vitiated *pitta*, *prameha* (obstinate urinary disorders including diabetes), vitiated blood & *kapha*, *viśada* (non slimy) and heavy.

Viṣa tinduka is specially constipative (*grāhi*) and cooling.

किंकिणी

किंकिणी ग्रंथिका व्याघ्री पादो देवतरुर्वरः ।

किंकिणी तुवरा तिक्ता पित्तश्लेष्महरा हिमा ॥४०॥

तत्फलं वातलं त्वामं प्ववं स्वादु त्रिदोषजित् ।

Kimkiṇī

Kimkiṇī, *granthikā*, *vyāghrī*, *pāda*, *deva taru* and *vara*—these are synonymous.

Kimkiṇī is pungent and bitter. It alleviates *pitta* and *śleşman*. It is cooling.

Unripe fruit of *kimkiṇī* aggravates *vāyu*. The ripe fruit is sweet and it cures all the three vitiated *doṣas*.

आरु

आरुष्क वीरसेनं च जातिभेदाच्चतुर्विधम् ॥ ४१ ॥

26

आरुष्कं जारण वातमेहार्शःकफनाशनम् ।

Āru

Āruṣka and *vīra sena*—these are synonymous. It is of four types.

Āruṣka promotes digestion (*jāraṇa*) and it cures vitiated *vāta*, *meha* (obstinate urinary disorders including diabetes), *arśas* (piles) and vitiated *kapha*.

मधूक

मधूको मधुकस्तीक्ष्णसारः स्याद्गूढपुष्पकः ॥ ४२ ॥

जेलाफलो मधुष्टीलो मधुकोष्ठो महाद्रुमः ।

मधूकोन्यो ह्रस्वफलो मध्वगो दीर्घपत्रकः ॥ ४३ ॥

मधूकः कफवातघ्नः कषायो व्रणरोपणः ।

तत्पुष्पमधुर बल्यं शीतलं गुरु बृंहणम् ॥ ४४ ॥

फलं शीतं गुरुस्वादुशुक्रलं वातपित्तजित् ।

अहृद्यं हृति तृष्णास्रदाहश्वासक्षतक्षयान् ॥ ४५ ॥

Madhūka

Madhūka, *madhuka*, *tīkṣṇa sāra*, *gūḍha puṣpaka*, *jelā phala*, *madhuṣṭīla*, *madhu koṣṭha* and *mahā druma*—these are synonymous.

Another variety of *madhūka* is called *hrasva phala*, *madh-vaga* and *dīrgha patraka*.

Madhūka alleviates *kapha* and *vāta*. It is astringent and it helps in the healing of ulcers.

The flower of *madhūka* is sweet, *balya* (promoter of strength), cooling, heavy and *br̥mhaṇa* (nourishing).

Its fruit is cooling, heavy, sweet and *śukrala* (spermato-poetic). It alleviates *vāta* and *pitta*. It is *ahr̥dya* (not good for heart). It cures *tīṣṇā* (morbid thirst), vitiated blood, *dāha* (burning syndrome), *śvāsa* (asthma), *kṣata* (consumption) and *kṣaya* (emaciation).

पनस

पनसः ²⁷ कटकफलस्त्वाशपो ²⁸ गर्भक ढकः ।
 पनसं शीतल पक्वं स्निग्धं पित्तानिलापहम् ॥ ४६ ॥
 बलशुक्रप्रदं हृति रक्तपित्तक्षतक्षयान् ।
 आम तदेव विष्टभि वातल तुवरं गुरु ॥ ४७ ॥

Panasa

Panasa, kaṇṭaki phala, āmśapa and garbha kaṇṭaka—these are synonymous.

Ripe *panasa* is cooling and unctuous. It alleviates *pitta* and *vāyu*. It promotes strength and semen. It cures *rakta pitta* (a condition characterised by bleeding from different parts of the body), *kṣata* (consumption) and *kṣaya* (emaciation).

Unripe *panasa* is *viṣṭambhi* (wind forming). It aggravates *vāyu* and it is astringent as well as heavy

लकुच

लकुचं ²⁹ क्षुद्रपनसो लकुचोग्रंथिमत्फलः ।
 लकुचं गुरु विष्टंभि स्वाद्वम्लं रक्तपित्तजित् ॥ ४८ ॥
 श्लेष्मकारि समीरघ्नमुष्णं शुक्राग्निनाशनम् ।

Lakuca

Lakuca, kṣudra panasa and granthimat phala—these are synonymous.

Lakuca is heavy, *viṣṭambhi* (wind forming) and sweet and sour in taste. It cures *rakta pitta* (a disease characterised by bleeding from different parts of the body). It aggravates *kapha* and alleviates *vāta*. It is hot. It reduces the semen as well as the power of digestion.

ताल

तालो ध्वजो दुरारोहस्तृणराजो महाद्रुमः ॥ ४९ ॥

तालवृक्षो मरुत्पित्तत्रणजित् मदशुक्रकृत् ।
 तत्फलं शीतलं बल्यं स्निग्धं स्वादुरसं गुरु ॥ ५० ॥
 विष्टंभि वातपित्तास्त्राक्षतदाहक्षयाणहम् ।
 बीजं मूत्रकरं विष्टं वातपित्तहरं हिम ॥ ५१ ॥

Tāla.

Tāla, dhvaja, durāroha, tṛṇa rāja and mahā druma—these are synonymous.

Tāla cures vitiated *vāta*, *pitta* and ulcer. It produces *mada* (intoxication) and *śukra* (semen).

Its fruit is cooling, strength promoting, unctuous, sweet, heavy and *viṣṭambhi* (wind forming). It cures vitiated *vāta*, *pitta* and blood. It also cures *kṣata* (consumption), *dāha* (burning syndrome) and *kṣaya* (emaciation).

Its seed is diuretic and wind forming. It alleviates *vāta* and *pitta*. It is cooling.

खर्बूज

खर्बूजं फलराजं स्यादमृताह्वं दशांगुलम् ।
 खर्बूजं मूत्रल बल्यं कोष्ठशुद्धिकरं गुरु ॥ ५२ ॥
 स्निग्ध स्वादुकरं शीतं वृष्यं पित्तानिलापहम् ।

Kharbūja

Kharbūja, phala rāja, amṛtāhva and daśāṅgula—these are synonymous.

Kharbūja is diuretic, strength promoting, laxative, heavy, unctuous, sweet, cooling and *vṛṣya* (aphrodisiac). It alleviates *pitta* and *vāta*.

सेव

मुष्टिप्रमाण वरुदं सेवं सिवितिकाफलम् ॥ ५३ ॥

फल सिंबितिकापूर्वं वातपित्तहर गुरु ।
 वृंहण कफकृद्बृष्य स्वादुपाक सर हिमम् ॥ ५४ ॥
 अन्यदंभफल चापो महासिंबितिका फलम् ।
 तत्फल सेव्यगुणकृद्विशेषात्तुवरं हिमम् ॥ ५५ ॥

Seva

Musti pramāṇa, varuda, seva and simbitikā phala—these are synonymous.

The fruit of *simbitikā* alleviates *vāyu* and *pitta*. It is heavy, *brmhāṇa* (nourishing), *kaphakṛt* (aggravater of *kaphā*), *vṛsya* (aphrodisiac), *svādu pāka* (sweet in taste after digestion), laxative and cooling.

Another variety of it is called *ambha phala, āpa* and *mahā simbitikā phala*. Its properties are similar to those of *seva*. It is specially cooling.

अमृत

अमृताह्वं रुचिफलं लघुबिल्वफलाकृतिः ।
 अमृतं गुरुवातघ्न स्वाद्वम्लं रुचिशुक्रकृत् ॥ ५६ ॥

Amṛta

Amṛtāhva, ruci phala and laghu bilva phalākṛti—these are synonymous.

Amṛta is heavy, alleviator of *vāta*, sweet, sour and appetiser. It is spermatopoetic.

बादाम

बादाम सुफलं वातवैरि नेत्रोपम फलम् ।
 बादाममुष्ण सुस्निग्ध वातघ्न बलशुक्रकृत् ॥ ५७ ॥

Bādāma

Bādāma, suphala, vāta vaiṛi and netropama phala—these are synonymous.

Bādāma is hot and exceedingly unctuous. It alleviates *vāyu*. It promotes strength and semen.

निकोचक, पिस्ता

2
निकोचकं दारुफलं मकोष्ठं जलगोजकम् ।
33
पिस्तं मुकुलकं ज्ञेयं दन्तीफलसमाकृतिः ॥ ५८ ॥
निकोचकं गुरुस्निग्धं वृष्योष्णं स्वादु बृहणम् ।
रक्तप्रसादनं बल्यं वातघ्नं कफपित्तकृत् ॥ ५९ ॥
तद्वत् मुकुलकं ज्ञेयं विशेषात् गुरु दुर्जरम् ।

Nikocaka, Pistā

Nikocaka, dāru phala, makoṣṭha and *jala gojaka*—these are the synonyms of *nikocaka*.

Pista, mukūlaka and *dantī phala samākṛti*—these are the synonyms of *pistā*.

Nikocaka is heavy, unctuous, *vr̥ṣya* (aphrodisiac), *hot*, sweet and *br̥mhana* (nourishing). It is hemopoetic and strength promoting. It alleviates *vāta* and aggravates *kapha* as well as *pitta*.

Mukulaka has similar properties. It is especially heavy and difficult for digestion.

केला

केलानामामवातघ्नमम्लोष्णं रेचनं गुरुम् ।
पक्वं स्वादु हिमं बल्यं वातपित्तविनाशनम् ॥ ६० ॥

Kelā

Unripe *kelā* alleviates *vāyu*. It is sour, hot, purgative and heavy.

Ripe *kela* is sweet, cooling and strength promoting. It alleviates *vāyu* and *pitta*.

आह

34

आलूकभल्लूभल्लूकं भल्लूरक्तफलं तथा ।

35

आलूकं रसनं शीतं स्वाद्वम्लवातपित्तहृत् ॥ ६१ ॥

Āru

Ālūka, bhallū, bhallūka and *bhallū rakta phala*—these are synonymous.

Ālūka is juicy (*rasana*), cooling, sweet and sour. It alleviates *vāta* and *pitta*.

अंजीर

अंजीरं मंजुल ज्ञेयं काकोदुंबरिका फलम् ।

अंजीरं शीतलं स्वादु गुरु पित्तास्रवातजित् ॥ ६२ ॥

Añjīra

Añjīra, mañjula and *kākodumbarikā phala*—these are synonymous.

Añjīra is cooling, sweet and heavy. It alleviates *pitta*, *rakta* and *vāta*.

अक्षोट

अक्षोटको वृत्तफलो कंदरालः पृथुछदः ।

36

अक्षोटं मधुरं बल्यं गुरूष्ण वातहृत्सरम् ॥ ६३ ॥

Akṣoṭa

Akṣoṭaka, vṛnta phala, kandarāla and *pṛthu chada*—these are synonymous.

Akṣoṭa is sweet, strength promoting, heavy, hot, alleviator of *vāta* and laxative.

पालेवक, मालवक

पालेवतं सितपुष्पं तिंदुकाभफलं मंतम् ।

अन्यत् मालवकं ज्ञेयं महापालेवतं तथा ॥ ६४ ॥

पालेवतं हिमं स्वादु गुरुष्णं वह्निवातजित् ।

तद्वत् मालवकं हृद्यं तृष्णाघ्नमिष्टमस्तकम् ॥ ६५ ॥

Pālevaka & Mālavaka

Pālevata, sita puspa and *tindukābha phala*—these are synonymous.

Another variety of it is called *mālavaka* and *mahā pālevata phala*.

Pālevata is cooling, sweet, heavy and hot. It suppresses digestive power and alleviates *vāyu*.

Mālavaka is *hṛdya* (cardiac tonic). It cures *tr̥sṇā* (morbid thirst). It is useful for brain (*mastaka*).

तूत

37

तूदं भूदं ब्रह्मकाष्ठं ब्रह्मण्यं ब्रह्मदारु च ।

39

तूदं गुरु हिमं पक्वं स्वादुपित्तानिलापहम् ॥ ६६ ॥

Tūta

Tūda, bhūda, brahma kāṣṭha, brahmaṇya and *brhma dāru*—these are synonymous.

Ripe *tūda* is heavy, cooling and sweet. It alleviates *pitta* and *anila*.

गांगेरुक, तोदन

गांगेरुकं कवर्कटकं कवर्कटं मृगलेडकम् ।

तोदनं क्रंदनं धान्यं मृगपिच्छदृशं तथा ॥ ६७ ॥

गागेरु रुचन पक्त्र गुरु वातास्रपित्तजित् ॥ ६८ ॥

तोदन ग्राहि मधुरं वातपित्तहर लघु ।

तूतादि त्रितयं चाममम्लं गुरु तु पित्तलम् ॥ ६९ ॥

Gāṅgerūka & Todana'

Gāṅgeruka, *karkaṭaka*, *karkaṭa* and *mṛga leṇḍaka*—these are the synonyms of *gāṅgeruka*.

Todana, *krandana*, *dhānya* and *mṛga picha dṛśa*—these are synonymous.

Ripe *gāṅgeru* is purgative and heavy. It alleviates *vāta*, blood and *pitta*.

Todana is constipative and sweet. It alleviates *vāta* and *pitta*. It is light.

Unripe *tūta*, *gāṅgeruka* and *todana* are sour and heavy. They aggravate *pitta*.

तुवरक

वृक्षस्तुवरको ज्ञोभल्लातकसमो गुणैः ।

कषाय तत्फलं पत्रैः⁴⁰ केसराभः⁴¹ समुद्रजः ॥ ७० ॥

तौवरं कफजित्पाके कटूष्ण व्रणमेहजित् ।

Tuvaraka

Tuvaraka tree has properties like those of *bhallātaka*. Its fruit is astringent in taste. Its leaves are like *kesara* and it grows near sea.

The fruit of *tuvara* alleviates *kapha*. In *vipāka* (taste after digestion) it is pungent.

It is hot and it cures ulcer and *meha* (obstinate urinary disorders including diabetes).

बीजपूरक

बीजपूरो मातुलुंगः⁴² केसरी फलपूरकः ॥ ७१ ॥
 बीजपूरफलं रुच्यं रसेऽम्लं दीपनं लघु ।
 रक्तपित्तकर कंठजिह्वाग्रशोधनं परम् ॥ ७२ ॥
 त्वचोऽस्य तिक्तगुर्वम्लं कृमिवातकफापहम् ।
 तन्मांसं बृंहणं शीतं गुरु पित्तसमीरजित् ॥ ७३ ॥
⁴³
 केसरं लघु संग्राहि शूलगुल्मोदरापहम् ।
 बीजमुष्ण कृमिश्लेष्मवातजिद्गर्भदं गुरु ॥ ७४ ॥
 तत्पुष्पं शीतलं ग्राहि रक्तपित्तहरं लघु ।

Bija pūraka

Bija pūra, mātuluṅga, kesarī and *phala pūraka*—these are synonymous.

The fruit of *bija pūra* is appetiser. It is sour in taste. It stimulates digestion and is light. It causes *rakta pitta* (a disease characterised by bleeding from different parts of the body) It cleanses throat and tip of the tongue.

The skin of the fruit of *bija pūraka* is bitter, heavy and sour. It cures *kṛmī* (intestinal parasites). It alleviates *vāta* and *kapha*.

The pulp (*māṁsa*) of *bija pūraka* is *bṛmhaṇa* (nourishing), cooling and heavy. It alleviates *pitta* and *vāyu*.

Its *kesara* (pistil) is light and constipative. It cures *sūla* (colic pain), *gulma* (phantom tumour) and *udara* (obstinate diseases of abdomen including ascitis).

Its flower is cooling and constipative. It cures *rakta pitta* (a disease characterised by bleeding from different parts of the body) and it is light.

मधुकर्कटिका

मधुकर्कटिका स्वादुर्लुगी घंटानिका घटा ॥ ७५ ॥

मधुकर्कटिका शीता रक्तपित्तहरा गुरुः ।

Madhu karkaṭikā

Madhu karkaṭikā, svādu, lungī, ghaṅṭālikā and *ghaṭā*—these are synonymous.

Madhu karkaṭikā is cooling. It cures *rakta pitta* (a disease characterised by bleeding from different parts of the body). It is heavy.

नारंगी

44

नारंगको नागरंगो गोरक्षो योगसाधकः ॥ ७६ ॥

नारंगमम्लं मधुरं रुच्यं वातहरं सरम् ।

स्वाद्वम्लमपरं हृद्यं दुर्जरं वातनाशनम् ॥ ७७ ॥

Nāraṅgī

Nāraṅgaka, nāgarāṅga, gorakṣa and *yoga sādḥaka*—these are synonymous.

Nāraṅga is sour and sweet in taste. It is appetiser. It alleviates *vāta*. It is laxative.

Another variety of it which is also sweet and sour, is *hr̥dya* (cardiac tonic) and *durjara* (difficult for digestion). It alleviates *vāta*.

जंबीरक

जंबीरको दंतशठो जंभीलो जंभलो मतः ।

जंबीरमुष्णं शूलघ्नं गुरुष्णं कफवातजित् ॥ ७८ ॥

आस्यवैरस्य—हृत्पीडावह्निमांघकृमीन्जयेत् ।

Jambīraka

Jambīraka, *danta śaṭha*, *jambhīla* and *jambhāla*—these are synonymous.

Jambīra is hot and it cures *śūla* (colic pain). It is heavy and hot. It alleviates *kapha* and *vāta*. It cures *āśya vairasya* (distaste in the mouth), *hṛt pīḍā* (pain in cardiac region), *agni māndya* (suppression of the power of digestion) and *kṛmi* (intestinal parasites).

अम्लवेतस

अम्लोऽम्लवेतसः चुक्रो⁴⁵ वेतसः⁴⁶ स्वरभेदकः⁴⁷ ॥ ७९ ॥

अम्लवेतसमत्युष्णं भेदनं लघु दीपनम् ।
हृद्रोगशूलगुल्मघ्नं पित्तास्रकफदूषणम्⁴⁸ ॥ ८० ॥

Amla vetasa

Amla, *amla vetasa*, *cukra*, *vetasa* and *svara bhedaka*—these are synonymous.

Amla vetasa is exceedingly hot, purgative, light and digestive stimulant. It cures *hṛd roga* (heart disease), *śūla* (colic pain) and *gulma* (phantom tumour). It vitiates *pitta*, blood and *kapha*.

साराम्लक

साराम्लकः सारफलो रसाल सारपादपः ।

साराम्लमम्लं वातघ्नं गुह पित्तकफप्रदम् ॥ ८१ ॥

Sārāmlaka

Sārāmlaka, *sāra phala*, *rasāla* and *sāra pādapa*—these are synonymous.

Sārāmla is sour. It alleviates *vāyu*. It is heavy and it aggravates *pitta* and *kapha*.

निबूक

नबूकं निबूकं राजनिबूकमपरं स्मृतम् ।

निबुकं पाचनं हृद्यं तीक्ष्णोष्णं कफवातजित् ॥ ८२ ॥

निबुकमम्लं वातघ्नं पाचनं दीपनं लघु ।

राजनिंबूफलं स्वादुर्गुणपित्तसमीरजित् ॥ ८३ ॥

निबुकं कृमिसमूहनाशनं तीक्ष्णमाममुदरग्रहापहम् ।

वातपित्तकफशूलनाशनं नष्टधातुरुचिशोधनं परम् ॥ ८४ ॥

त्रिदोषसद्यज्वरपीडितानां दोषश्चितानां विषमज्वराणाम् ।

मलक्षये बद्धगुदे हितं च विषूचिकानां मुनयो वदन्ति ॥ ८५ ॥

Nimbuka

Nimbuka and *nibūka*—these are the synonyms of *nimbu*.

It has another variety which is called *rāja nimbūka*.

Nibuka is *pācana* (carminative), *hṛdya* (cardiac tonic), sharp and hot. It alleviates *kapha* and *vāta*.

Nimbuka is sour, *vātaghna* (alleviator of *vāta*), *pācana* (carminative), *dīpana* (digestive stimulant) and light.

The fruit of *rāja nimbu* is sweet and heavy. It alleviates *pitta* and *vāyu*.

Nimbuka destroys all types of *kṛmi* (parasites). It is sharp in action. It cures *āma* (product of improper digestion and metabolism), *udara* (obstinate abdominal disorders including ascitis) and *graha* (planetary afflictions). It cures the *vātika*, *paṭtika* and *ślaiṣmika* types of *śūla* (colic pain). It replenishes and cleanses the vitiated *dhātus*. It is useful for patients suffering from *acute* (*sadya*) fever caused by the vitiation of all the three *doṣas* and *viṣama jvara* (irregular fever) caused by the accumulation of vitiated *doṣas*. It is also useful when there is diminution of waste products (*mala*) and when there is obstruction in the anus. It cures *visūcikā* (choleric diarrhoea).

कर्मरंग

कर्मरंगं रामफलं भव्यं पिच्छिलबीजकम् ।

कर्मरंगं हिमं ग्राहि स्वाद्वम्लं कफपित्तजित् ॥ ८६ ॥

Karma raṅga

Karma raṅga, rāma phala, bhavya, and picchila bījaka—these are synonymous.

Karma raṅga, is cooling, constipative, sweet and sour. It cures *kapha* and *pitta*.

अम्लिका

अम्लिका चुक्रिका चिंचा तित्तिडी शुक्ति चंडिका ।

अम्लिकामा गुरुव्वतिहरा पित्तकफास्रकृत् ॥ ८७ ॥

पक्वा तद्वत्सरा रुच्या वल्लिवस्तिविशुद्धिकृत् ।

शुष्का हृद्या श्रमभ्रांतितृष्णाक्लमहरा लघुः ॥ ८८ ॥

Amlikā

Amlikā, cukrikā, ciñcā, tittidī, śukti and caṇḍikā—these are synonymous.

Unripe *amlikā* is heavy. It alleviates *vāta* and vitiates *pitta, kapha* and blood.

Ripe *amlikā* is laxative and appetiser. It is a digestive stimulant and it cleanses the urinary bladder.

Dried *amlikā* is *hr̥dya* (cardiac tonic). It cures *śrama* (exhaustion), *bhrānti* (giddiness), *tr̥sṇā* (morbid thirst) and *klama* (mental fatigue). It is light.

तित्तिडीक

तित्तिडीकं तु वृक्षाम्लमम्लशाकोम्लपादपः ।

तित्तिडीकं समीरध्नमाममुष्णं परं गुरु ॥ ८९ ॥

तत्फलं लघु संग्राहि ग्रहणीकफवातजित् ।

Tittiḍika

Tittiḍika, *vṛkṣāmla*, *amla sāka* and *amla pādapa*—these are synonymous.

Unripe *tittiḍika* alleviates *vāyu*. It is *uṣṇa* (hot) and exceedingly heavy.

Its fruit is light and constipative, It cures *grahaṇī* (sprue syndrome), *kapha* and *vāta*.

करमर्दं

करमर्दं: सुषेणस्याद्वन्याकृष्णफलापरा ॥ ६० ॥

करमर्दं गुरुष्णाम्लं रक्तपित्तकफप्रदम् ।

तत्पक्वं मधुर रुच्यं लघु पित्तसमीरजित् ॥ ६१ ॥

शुष्कं पक्ववदस्यामंपक्वमप्यार्द्रमामवत् ।

Karamarda

Karamarda, *suseṣa*, *vanyā* and *kṛṣṇa phalā*—these are synonymous.

Karamarda is heavy, hot and sour. It produces *rakta pitta* (a disease characterised by bleeding from different parts of the body) and *kapha*.

Ripe *karamarda* is sweet, appetiser and light. It alleviates *pitta* and *vāyu*.

Dried *karamarda* is like ripe *karamarda* in its properties.

Unripe but dried *karamarda* is like green unripe *karamarda* in property.

कपित्थ

कपित्थको दधिफलः कपित्थः सुरभिच्छदः ॥ ६२ ॥

कपित्थमामं संग्राहि लघु दोषत्रयापहम् ।

पक्व गुरु तृषाह्विकाशमनं वातपित्तजित् ॥ ६३ ॥

स्वाद्वृम्भं तु वरं कंठशोथनं ग्राहि दुर्जरम् ।

Kapittha

Kapitthaka, dadhi phala, kapittha and *surabhi chada*—these are synonymous.

Unripe variety of *kapittha* is constipative and light. It alleviates all the three *doṣas*.

Ripe *kapittha* is heavy. It cures *tṛṣṇā* (morbid thirst), *hikkā* (hiccup) and vitiated *vāta* as well as *pitta*. It is sweet and sour. It cleanses the throat. It is constipative and it is difficult of digestion.

कपित्थपत्री

कपित्थपत्री फणिजा कुलजा निंबपत्रिका ॥ ६४ ॥

कपित्थपत्री तीक्ष्णोष्णा कफमेहविषापहा ।

Kapittha patrī

Kapittha patrī, phaṇijā, kulajā and *nimba patrikā*—these are synonymous.

Kapittha patrī is sharp and hot. It alleviates *kapha, meha* (obstinate urinary disorders including diabetes) and poisoning.

आम्रातक

51

आम्रातकश्चास्रतटः पल्लीशो द्रुफलः कपिः ॥ ६५ ॥

आम्रातमाम वातध्न गुरूष्णं रुचिकृत्सरम् ।

पक्वं स्वादु हिम वृष्यं मरुत्पित्तकफास्रजित् ॥ ६६ ॥

Āmrātaka

Āmrātaka, āmra taṭa, palliśa, druphala and *kapi*—these are synonymous.

Unripe *āmṛāta* alleviates *vāta*. It is heavy, hot, appetiser and laxative.

Ripe *āmṛātaka* is sweet, cooling and *vṛṣya* (aphrodisiac).

It alleviates *vāyu*, *pitta*, *kapha* and blood.

राजःअ

52

राजाम्रष्टक आम्रातः कामाह्वो राजपुत्रकः ।
 .राजाम्रं मधुर शीतं ग्राहि पित्तकफापहम् ॥ ६७ ॥

Rājāmra

Rājāmra śtaka, *āmṛāta*, *kāmāhva*, and *rāja putraka*—these are synonymous.

Rājāmra is sweet, cooling and constipative. It alleviates both *pitta* and *kapha*.

चतुरम्ल, पंचाम्ल

वृक्षाम्लसुषेणचिचाकपित्तैश्चतुराम्लकम् ।
 अम्लवेतसवृक्षाम्लदाडिमी बदरैः क्वचित् ॥ ६८ ॥
 बीजपूरचतुरैतैः पंचाम्लमुदितं बुधैः ।

Caturamla, *Pañcāmla*

Vṛkṣāmla, *suṣeṇa*, *ciñcā* and *kapittha*—these four taken together are known as *caturamla*.

According to some, *amla vetasa*, *vṛkṣāmla*, *dāḍimī* and *bcudara*—these four taken together are called *caturamlaka*.

Added with *bijapūra* or *cuta*, they are called *pañcāmla*.

कोशाअ

कोशाअको घनस्कंधो जंतुवृक्षः सुकोशकः ॥ ६९ ॥
 कोशाअः कुष्ठशोथाम्लपित्तत्रणकफापहः ।
 तत्फलं ग्राहि वातघ्नमम्लोष्णं गुरु पित्तलम् ॥ १०० ॥
 मज्जा पित्तसमीरघ्नः स्वादुर्बल्योऽग्निदीपनः ।

Kośāmra

Kośāmra, *ghana skandha*, *jantu vrkṣa* and *sukośaka*—these are synonymous.

Kośāmra cures *kuṣṭha* (obstinate skin diseases including leprosy), *śoṭha* (oedema), *rakta pitta* (a disease characterised by bleeding from different parts of the body), *vraṇa* (ulcer) and vitiated *kapha*.

Its fruit is constipative, alleviator of *vāta*, sour, hot and heavy. It aggravates *pitta*

Its fruit pulp alleviates *pitta* and *vāyu*. It is sweet and strength promoting. It stimulates the power of digestion.

सुपारी

कमुकं कृमिकं पूगं पूगीफलमुदाहृतम् ॥ १०१ ॥

पूगं गुरु हिमं रुक्ष कषायं कफपित्तजित् ।

53

मोहन दीपनं रुच्यं आस्यवैरस्यनाशनम् ॥ १०२ ॥

आर्द्रस्तद्गुर्वभिष्यंदि वह्निदृष्टिहरं परम् ।

स्विन्नं त्रिदोषहृत्सर्व्वं तद्भेदान् तद्वदादिशेत् ॥ १०३ ॥

Supārī

Kramuka, *kṛmika*, *pūga* and *pūgī phala*—these are synonymous.

Pūga is heavy, cooling, ununctuous and astringent. It alleviates *kapha* and *pitta*. It is *mohana* (intoxicating), *dīpana* (digestive stimulant), and *rucya* (appetiser) It cures *āśya vairāśya* (distaste in mouth)

Wet *pūga* is heavy and *abhiśyandi* (which obstructs the channels of circulation). It suppresses the power of digestion (*vahni*) and reduces eye sight (*dr̥ṣṭi*) in excess.

The boiled *pūga* alleviates all the three *doṣas*.

It has many varieties and all of them have similar properties.

तांबूल

तांबूल वल्ली तांबूली नागिनी नागवल्लरी ।

तांबूल विशद रुच्यं तीक्ष्णोष्ण तुवर सरम् ॥ १०४ ॥

तिक्तं क्षारोषणं काम्यं रक्तपित्तहरं लघु ।

बल्यं श्लेष्मास्यदौर्गन्ध्यं मेहवातश्रमापहम् ॥ १०५ ॥

Tāmbūla

Tāmbūla, vallī, tāmbūlī nāginī and nāga vallarī—these are synonymous.

Tāmbūla is *viśada* (non slimy), appetiser, sharp, hot, pungent, laxative, bitter, *kṣāra* (alkaline) and *uṣaṇa* (saline and alkaline). It is *kāmya* (stimulant of passion). It alleviates *rakta pitta* (a disease characterised by bleeding from different parts of the body). It is light. It promotes strength. It cures vitiated *kapha*, *āśya daurgandhya* (foul smell from mouth), *meha* (obstinate urinary disorders including diabetes), vitiated *vāta* and *śrama* (exhaustion).

लवली

घनस्कंधं महत्प्रांशु प्रपुन्नाटः समंछदः ।

सुगन्धमूला लवली पांडुकोमलवल्कला ॥ १०६ ॥

लवल्याः फलमुद्दिष्टं समं ज्योत्स्नाफलं तथा ।

लवलीफलमस्राशोवातपित्तहरं लघु ॥ १०७ ॥

Lavalī

Ghana skandha, mahat prāṁśu, prapunnāṭa, samam chada, sugandha mūlā, lavalī, pāṇḍu komala valkalā—these are synonymous.

The fruit of *lavalī* is like that of *jyotsnā* in property.

The fruit of *lavalī* cures vitiated blood, *arśas* (piles), vitiated *vāta* and *pitta*. It is light.

फलतुल्यं गुणं सर्वं मज्जानमपि निर्दिशेत् ।

फलं हिमाग्निदुर्वातव्यालकीटादिदूषितम् ॥ १०८ ॥

अकालजातं नाश्नीयात् पाकातीतमभूषितम् ।

56

आमं दोषकरं प्रायः फलं बिल्वं विनाऽखिलम् ॥१०९॥

General description of fruits

The pulp of the fruit has the property of the fruit itself.

Fruits which are afflicted by snow, fire, storm, wild animals, and insects and which are unseasonal should not be eaten. Similarly, excessively ripe fruits should not be eaten

All fruits in general produce *āma doṣa* (a product of improper digestion and metabolism). The fruit of *bilva* is an exception to this general rule.

NOTES AND REFERENCES

1. This is the 95th chapter of *Ayurveda Saukhyam* in *Toḍarānanda*, and the opening invocation reads as below :

हरिप्रिया प्रीतिमती प्रियेण प्रियान्विते टोडरमल्लभूपे ।

भूयात्सदा श्रीहरिणा सपुत्रे यशोधिके ब्राह्मणधर्ममित्रे ।

2. 'हारहुरा' इति पंचमपुस्तके पाठः ।
3. 'दोषत्रयाहृत्' इति प्रथमपुस्तके पाठः ।
4. 'रोचनो' इति षष्ठपुस्तके पाठः ।
5. 'तद्वद्विशेषाद् वातनाशनम्' इति षष्ठपुस्तके पाठः ।

6. 'कंटका' इति पंचमपुस्तके पाठः ।
7. 'कवर्करी' इति षष्ठपुस्तके पाठः ।
8. 'खर्जूरीका' इति षष्ठपुस्तके पाठः ।
9. 'लिवसी' इति षष्ठपुस्तके पाठः ।
10. 'पीतछदा' इति पंचमपुस्तके पाठः ।
'यत्वचा' इति षष्ठपुस्तके पाठः ।
11. 'काशपाला' इति षष्ठपुस्तके पाठः ।
'कोशपाला' इति प्रथमपुस्तके पाठः ।
12. 'हृस्तिकोलः' इति षष्ठपुस्तके पाठः ।
13. 'वहुलं' इति षष्ठपुस्तके पाठः ।
14. 'कुलं' इति षष्ठपुस्तके पाठः ।
15. 'सग्राही' इति पंचमपुस्तके पाठः ।
16. 'कफपित्तहरं' इति षष्ठपुस्तके पाठः ।
17. 'तरं' इति षष्ठपुस्तके पाठः ।
18. 'शीतलम्' इति प्रथमपुस्तके पाठः ।
19. 'मुनिर्तिद्रुकः' इति षष्ठपुस्तके पाठः ।
20. 'शाली' इति षष्ठपुस्तके पाठः ।
21. 'पियालो' इति षष्ठपुस्तके पाठः ।
22. 'क्षुधापहं' इति षष्ठपुस्तके पाठः ।
23. 'परुषोऽशोधनः' इति षष्ठपुस्तके पाठः ।
24. 'स्फुर्यः' इति पंचमपुस्तके पाठः ।
25. 'विशर्तिद्रुकमप्पेवं' इति षष्ठपुस्तके पाठः ।
26. 'चारण' इति षष्ठपुस्तके पाठः ।
27. 'कटकी' इति पंचमपुस्तके पाठः ।
'कटंपि' इति षष्ठपुस्तके पाठः
28. 'फलस्त्वांसपो' इति प्रथमपुस्तके पाठः ।

29. 'लकुचोग्रंथिमत्फलाः' इति पंचमपुस्तके पाठः ।
30. 'स्वादुतरः' इति पंचमपुस्तके पाठः ।
31. 'वदरं' इति प्रथमपुस्तके पाठः ।
32. 'चिकोचकं' इति प्रथमपुस्तके पाठः ।
33. 'पिष्टं' इति षष्ठपुस्तके पाठः ।
34. 'अलूकमल्लूभल्लूकम्' इति प्रथमपुस्तके पाठः ।
35. 'रसतः' इति प्रथमपुस्तके पाठः ।
36. 'अक्षोडं' इति प्रथमपुस्तके पाठः ।
37. 'तूतं' इति पंचमपुस्तके पाठः ।
38. 'तूदं' इति पंचमपुस्तके पाठः ।
39. 'भूदं' इति षष्ठपुस्तके पाठः ।
'तूतं' इति पंचमपुस्तके पाठः ।
40. 'केशराभः' इति पंचमपुस्तके पाठः ।
41. 'समुद्रजैः' इति षष्ठपुस्तके पाठः ।
42. 'केशरी' इति पंचमपुस्तके पाठः ।
43. 'केशरं' इति पंचमपुस्तके पाठः ।
44. 'गोरक्षोयोगसारकः' इति षष्ठपुस्तके पाठः ।
45. 'शुक्रो' इति प्रथमपुस्तके पाठः ।
46. 'चेतनः' इति प्रथमपुस्तके पाठः ।
47. 'शतभेदकः' इति प्रथमपुस्तके पाठः ।
48. 'पित्तास्रकफदीपनम्' इति प्रथमपुस्तके पाठः ।
49. 'निहंतिनष्टधातुरुचिशोधनम्' इति प्रथमपुस्तके पाठः ।
50. 'विसूचिकानां' इति प्रथमपुस्तके पाठः ।
51. 'आम्रातकश्चास्रवटः' इति पंचमपुस्तके पाठः ।
'आम्रातकश्चास्रतदः' इति षष्ठपुस्तके पाठः ।
52. 'राजपत्रकः' इति प्रथमपुस्तके पाठः ।

53 'मेहनं' इति षष्ठपुस्तके पाठः ।

54. 'नागवल्लकी' इति षष्ठपुस्तके पाठः ।

55. 'मलवातश्रमापहम्' इति प्रथमपुस्तके पाठः ।

56. This is the end of 95th chapter of *Ayurveda Saukhyam* in *Toḍarānanda* and the colophon reads as below :

इति श्रीमहाराजाधिराजटोडरमल्लविरचिते टोडरानन्दे आयुर्वेदसौख्ये
निघंटौ फलवर्गनाम एकोनत्रितितमोहर्षः (?) ॥

CHAPTER 37

¹
कूष्मांड

²
कूष्मांडकी पुष्पफला सीमका च महाफला ।
³
कक्काहरपरा लघ्वी स्वादु भूराजकक्काटी ॥ १ ॥

Kuṣmāṇḍa

Kuṣmāṇḍakī, puṣpa phalā, somakā and *mahā phalā*—these are the synonyms of *kuṣmāṇḍaka*

It has a smaller variety which is called *karkāru*. The sweet variety of *kuṣmāṇḍakī* is called *bhūrāja karkaṭī*.

कालिंग

⁴
कालिंगं कृष्णबीजं स्यात् कालिदं फलवर्तुलम् ।

Kāliṅga

Kāliṅga, kṛṣṇa bīja, kāliṅda and *phala varttula*—these are synonymous.

तुंबी

⁵
तुंबी मिष्टा महानुंबी राजालाबुरलावुनी ॥ २ ॥

Tumbī

Tumbī, miṣṭā, mahā tumbī, rājālabu, alāvunī—these are synonymous.

कटुबी

कटुबी⁶ पिंडफला राजपुत्री च दुग्धिनी ।

Kaṭu tumbī

Kaṭu tumbī, piṇḍa phalā, rāja putrī and dugdhinī—these are synonymous.

कर्कटी

कर्कटी⁷ लोमसी⁸ व्याल पत्रैर्वारु वृहत्फला ॥ ३ ॥

Karkaṭī

Karkaṭī, lomasī, vyāla, patraivāru and bṛhat phalā—these are synonymous

अपुस

अपुसी⁹ कंटकिलता सुधावासो परंकिट¹⁰ ।
छर्द्यायनी¹¹ मूलफला¹² स्यात्तिका हस्तिपर्णिनी ॥ ४ ॥

Trapusa

Trapusī, kaṅṭaki latā, sudhāvāsa, paraṅkiṭa, chardiyāyanī, mūla phalā, tiktā and hasti parṇinī—these are synonymous.

चिर्भटी

चिर्भटं¹³ धेनुदुग्धं तत् ज्ञेयं गोरक्षकर्कटी ।

Cirbhaṭī

Cirbhaṭa, dhenu dugdha and gorakṣa karkaṭī—these are synonymous.

वालुक

वालुकं कांडुकं वालु तत् शीतं मधुरं¹³ गुरु ॥ ५ ॥

शीर्णवृन्तं चित्रफलं विचित्रं पीतवर्णकम् ।

Vāluka

Vāluka, kāṇḍuka, vālu, śīrṇa vṛnta, citra phala, vicitra and pīta varṇaka—these are synonymous.

Vāluka is cooling, sweet and heavy.

कोशातकी

कोशातकी कृतछिद्रा जालिनी कृतवेधना ॥ ६ ॥

मृदंगफलिनी क्षोडा घोंटाली कर्कशच्छदा ।

Kośātakī

Kośātakī, kṛta chidrā, jālinī, kṛta vedhanā, mṛdaṅga phalinī, kṣoḍā, ghoṇṭālī and karkaśa chadā—these are synonymous.

राजकोशातकी

राजकोशातकी मिष्टा महाजालिः प्रपीतकः ॥ ७ ॥

Rāja kośātakī

Rāja kośātakī, miṣṭā, mahājālī and prapītaka—these are synonymous.

महाकोशातकी

महाकोशातकी त्वन्या हस्तिघोषा महाफला ।

Mahā kośātakī

Another variety of *kośātakī* is called *mahā kośātakī*. Its synonyms are *hasti ghoṣā* and *mahā phalā*.

वृताकी

वृताकी वर्त्तिका वृता भंटाकी भटिका मता ॥ ८ ॥

अपरः श्वेतवार्त्तिकः कुकुटाडफलोपमा ।

तस्माद्धीनगुणं किञ्चिदर्शां च हितः स्मृतः ॥ ९ ॥

Vṛtākī

Vṛtākī, varttikā, vṛntā, bhaṅṭākī and bhaṅṭikā—these are the synonyms of *vṛtākī*.

A variety of it is called *śveta vārtāka* and it looks like an egg of the hen. It is slightly inferior in quality and it is useful for *arśas* (piles).

बिंबी

बिंबी रक्तफला गोल्हा तुंडी दंतच्छदोपमा ।

Bimbī

Bimbī, rakta phalā, golhā, tuṇḍī and *dantachadopamā*—these are synonymous.

कारवेल्लक

कारवेल्लं कठिल्लं स्यादुग्रकांडं सुकांडकम् ॥ १० ॥

करवेल्ली वारिवल्ली बृहद्वलयपरा स्मृता ।

Kāravellaka

Kāravella, kaṭhilla, ugra kāṇḍa, and sukāṇḍaka—these are the synonyms of *kāravellaka*.

It has a variety which is called *kara vellī, vāri vallī* and *bṛhat vallī*.

कर्कोटक

14

तद्वत्कर्कोटकं कुष्ठकिलासारुचिनाशनम् ॥ ११ ॥

Karkoṭaka

Karkoṭaka cures *kuṣṭha* (obstinate skin disease including leprosy), *kilāsa* (leucoderma) and *aruci* (anorexia).

बंध्याकवर्कोटकी, डेंडिका

15

बंध्याकवर्कोटकी देवी नागारिर्विषकर्कोटका ।

डेंडिका विषमुष्टिः स्याद्विषमुष्टिः समुष्टिका ॥ १२ ॥

Vandhyā karkoṭakī, Dendika

Vandhyā karkoṭakī, devī, nāgāri and *viṣa kaṇṭakā*—these are the synonyms of *vaṇḍhyā karkoṭakī*.

Deṇḍikā, viṣamuṣṭi and sumuṣṭikā—these are the synonyms of *deṇḍikā*.

कोलसिबी

¹⁶ कोलसिबी कृष्णफला ¹⁷ षट्का सूकरपालिका ।

Kola simbī

Kola simbī, kṛṣṇa phalā, ṣaṭkā and sūkara pālikā—these are synonymous.

डिडिसा

¹⁸ डिडिसो रोमसफलो ¹⁹ तिडिसो मुनिनिमित्तः ॥ १३ ॥

Diṇḍisā

Diṇḍisā, romasa phala, tiṇḍisa and muni nirmita—these are synonymous.

सिंबि

²⁰ सिंबि. कुसिंबिः कुत्सास्रसिंबी पुस्तकसिंबिका ।

Simbi

Simbi, kusimbi, kutsāsra simbī and pustaka simbika—these are synonymous.

वास्तूक

वास्तूकः क्षारपत्रः स्यात् शाकवीरः प्रसादकः ॥१४॥

Vāstūka

Vāstūka, kṣāra patra, śāka vīra and prasādaka—these are synonymous.

जीवंतक

²¹ जीवंतकः शाकवीरः रक्तनालः प्रनालकः ।

Jīvantaka

Jīvantaka, śāka vīra, rakṣā nāla and pranālaka—these are synonymous.

चिल्ली

22

चिल्ली महद्दला रक्ता चिल्लिका गौडवास्तुकः ॥ १५ ॥

Cilli

Cilli, mahaddalā, raktā, cillikā and *gauḍa vāstuka*—these are synonymous.

कालशाक

कालशाक कालिका स्याच्चुचुका चंचुको मतः ।

Kāla śāka

Kāla śāka, kālikā, cucukā and *cañcuka*—these are synonymous.

तंदुलीयक

23

24

तंदुलीयो मेघनादः कांडीरस्तंदुलीयकः ॥ १६ ॥

विषघ्नः कंदरोन्यः स्यान्मारिषो मार्षकस्तथा ।

Tandulīyaka

Tandulīya, megha nāda, kāṇḍīra, tandulīyaka, viṣaghna and *kandara*—these are the synonyms of *tandulīyaka*.

It has another variety which is known as *māriṣa* and *mārṣaka*.

फोगो

25

फोगो मरूद्भवः शुंगी सूक्ष्मपुष्पः शशादनः ॥ १७ ॥

Phogo

Phogo, marūdbhava, śuṅgī, sūkṣma puṣpa and *śaśādana*—these are synonymous.

पटोल

पटोलः पांडुंको जाली कूलकः कक्कशब्दः ।

राजीफलः पांडुफलः राजमानमृतफलः ॥ १८ ॥

तित्तोत्तमा बीजगर्भपिरा राजपटोलिका ।

Paṭola

Paṭola, pāṇḍuka, jālī, kūlaka, karkaśa chada, rājī phala, pāṇḍu phala, rājamān, amṛta phala, tiktottamā and *bija garbhā*—these are the synonyms of *paṭola*.

It has another variety which is called *rāja paṭolikā*.

चिचिचड

चिचिचडो स्मीरकूलान्यः श्वेतराजी बृहत्फलः ॥१६॥
²⁶ ²⁷

Cicciṇḍa

Cicciṇḍa and *smīra kūla*—these are the synonyms of *cicciṇḍa*.

Another variety of it is known as *śveta rājī* and *bṛhat phala*.

पालक्या

पालक्याव इस्तुकाकारा क्षारिका वीरतच्छदा ।

Pālankyā

Pālankyā, vāstukākārā, kṣārikā and *vīrata chadā*—these are synonymous.

उपोदिका

पोतक्युपोदिका प्रोक्ता मत्स्यकाली सुतुंगिका ॥२०॥
²⁸

Upodikā

Potakī, upodikā, matsya kālī and *sutuṅgikā*—these are synonymous.

लोणिक

लोणिकोष्ट्रा बृहत्कोटी कुटिरस्तु कुटिजरः ।
²⁹ ³⁰ ³¹
 गण्डरुकी स्यात् गण्डरु फंजी फंजीतकस्तथा ॥ २१ ॥

Loṇika

Loṇika, uṣṭrā, bṛhat koṭī, kuṭira, kuṭiñjara, gaṇḍarukī, gaṇḍaru, phañjī and *phañjītaka*—these are synonymous.

सुनिषन्तक

सुनिषणः स्वस्तिकः स्याद्वरा वस्तिकपर्णिकः ।

Suniṣannaka

Suniṣaṇa, svastika, varā, vastika parṇika—these are synonymous.

सिरद्वार

32

सिरद्वारः कुरंडीस्यान्नाडीतुन्नालिका मता ॥ २२ ॥

Sira vāra

Sira vāra, kuraṇḍī, nāḍītun and *nālikā*—these are synonymous.

सर्षपशाक

सार्षपं सर्षपोद्भूतं कौसुंभ तु कुसुंभजम् ।

Sarṣapa śāka

Sārṣapa, sarṣapodbhūta, kausumbha and *kusumbhaja*—these are synonymous.

चाणकशाक

33

चाणकं शाकमुद्दिष्टं दुर्जरं कफवातजित् ॥ २३ ॥

Caṇaka śāka

Caṇaka śāka is difficult of digestion. It alleviates *kapha* and *vāta*.

कलायशाक

कलायशाक भेदि स्याल्लघुपित्तकफापहम् ।

Kalāya śāka

Kalāya śāka is purgative. It is light and it alleviates *pitta* and *kapha*.

चांगेरी

34

चांगेरी त्वम्लिका चुक्रा छत्राम्लीका चतुःछदा ॥२४॥

Cāṅgerī

Cāṅgerī, amlikā, cukrā, chatrāmlīkā and *catuḥ chadā*—these are synonymous.

कासमर्द, गूडजन

³⁵
कासमर्दः कर्कशः स्यात् गूजनो गजरस्तथा ।

Kāsa marda & Grñjana

Kāsa marda and *karkaśa*—these are synonymous.

Grñjana and *gajara*—these are synonymous.

लशुन

मूलकं हस्तिकदः तद्वालमूलकपोतिका ॥ २५ ॥

Mūlaka

Mūlaka and *hasti kanda*—these are the synonyms of *mūlaka*.

The tender variety of *mūlaka* is called *bāla mūlaka* and *potikā*.

करीरक

³⁶
करीरको गूढपत्रो ऋकचो ग्रंथिलो मतः ।

Karīraka

Karīraka, gūḍha patra, krakaca and *granthila*—these are synonymous.

शिशु

शिशु सौभाजनः कृष्णगंधः स्याद्बहुलछदः ॥ २६ ॥

रक्तोऽन्यो मधुशिशुस्तु श्वेतोऽन्यो हरितछदः ।

तद्बीजं श्वेतमरिच तीक्ष्णोष्ण चक्षुषे हितम् ॥ २७ ॥

तत्पुष्प मधुरं ग्राहि वातलं कफशोथजित् ।

Sigru

Sigru, *saubhāñjana*, *kṛṣṇa gāṇḍha* and *bahula chada*—these are the synonyms of *sigru*.

It has a red variety which is called *madhu sigru* and the white variety of it is called *harita chada*.

Its seed is called *śveta marica* which is sharp, hot and useful for eye.

The flower of *sigru* is sweet and constipative. It aggravates *vāyu* and cures vitiated *kapha* and oedema.

लशुन

37 लशुनः स्याद्दुग्गंधो 38 यवनेष्टो रसोनकः ॥ २८ ॥
गृजनोऽन्योमहाकंदो जर्जरो दीर्घपत्रकः ।

Laśuna

Laśuna, *ugra gāṇḍha*, *yavaneṣṭa* and *rasonaka*—these are synonymous.

Another variety of it is called *gṛñjana*, *mahā kanda*, *jarjjara* and *dirgha patraka*.

पलांडु

पलांडुर्यवनेष्टश्च दुर्गंधो मुखदूषकः ॥ २९ ॥

Palāṇḍu

Palāṇḍu, *yavaneṣṭa*, *durgandha* and *mukha dūsaka*—these are synonymous.

क्षीरपलांडु

पलांडुकः क्षीरपलांडुरुक्तः सक्षीरवान् क्षौद्ररसो यदि स्यात् ।

Kṣīra palāṇḍu

Palāṇḍuka having a milky juice which tastes like honey is called *kṣīra palāṇḍu*.

गृजन

गृजनः पित्तलो ग्राही तीक्ष्णोष्णो रोगनाशनः ॥३०॥

गंधाकृतिरसैस्तुल्यः सूक्ष्मनालपलांडुवत् ।

स्वल्पः मूलकसंकाशः कंदो गृजनमुच्यते ॥ ३१ ॥

ग्रंथिपर्णः समाकारः पत्रैः कैश्चिन्मनीषिभिः ।

Grñjana

Grñjana aggravates *pitta*. It is constipative, sharp and hot. It cures diseases (?). In smell, shape and taste, it is like *sūkṣma nāla palāṇḍu*.

Some scholars hold a plant like small radish as *grñjana*. Some others, however, call another plant having leaves like those of *granthi parna* as *grñjana*.

सूरण

सूरण कदलः कंदो गुदामयहरः परः ॥ ३२ ॥

वज्रकंदः सुरेद्र स्याद्वन्योऽन्यश्चित्रदंडकः ।

Sūraṇa

Sūraṇa, *kandala*, *kanda*, *gudāmaya hara*, *vajra kanda* and *surendra*—these are the synonyms of *sūraṇa*.

Another wild variety of it is called *citra daṇḍa*.

अस्थि संहार

अस्थिः 41 अस्थिः 42
अस्थिशृङ्खलिको वज्री ग्रंथिमानस्थिसंहृता ॥ ३३ ॥

Asthī saṁhāra

Asthī śṛṅkhalika, *vajrī*, *granthimān* and *asthī saṁhṛtā*—these are synonymous.

वाराही

वाराही माधवी गृष्टिस्तत्कंदः सौकरः कीटः ।

Vārāhī

Vārāhī, mādHAVI and *grṣṭi*—these are the synonyms of *vārāhī*.

Its *rhizome* (root ?) is called *śaukara* and *kīṭa*.

मूशली

43

मूशली तालपत्री स्यात्बलिनी तालमूलिका ॥ ३४ ॥

Mūśalī

Muśalī, tālapatri, balinī and *tāla mūlikā* —these are synonymous

केयु

केयुका फलुको पीलुकेयुका दलशालिनी ।

Keyu

Keyukā, phaluka, pīlu keyukā and *dala śālinī*—these are synonymous.

भूछत्र

भूछत्रं पृथिवीकंदः शिलीध्र कंदकं मतम् ॥ ३५ ॥

Bhūchatra

Bhūchatra, pṛthivī kanda, śilindhra and *kandaka*—these are synonymous.

मानकंद

स्थूलकंदो ग्रामकंदो मानकोऽन्यो महच्छद.

Māna kanda

Sihūla kanda, grāma kanda and *mānaka*— these are the synonyms of *māna kanda*.

It has another variety having bigger leaves.

कसेरु

44

कसेरुकं स्वल्पकंदं बृहद्राजकसेरुकम् ॥ ३६ ॥

Kaseru

Kaseruka and *svalpa kanda*—these are the synonyms of *kaseru*.

It has a bigger variety which is called *rāja kase,uka*.

शृङ्गाटक

शृंगारो जलकंदः स्यात्त्रिकोणस्त्रिकटस्त्रिकः ।

Śṛṅgāṭaka

Śṛṅgāṭa, jala kanda, trikoṇa, trikaṭa and *trika*—these are synonymous.

पिंडालु

45

पिंडालुक कछगधं मध्वालु स्यात्तु रोमशम् ॥ ३७ ॥

शखालु गजसंकाश काष्ठालु स्वल्पकोष्ठकम् ।

हस्तालुकं महाकाष्ठ रक्तालु रक्तकंदकम् ॥ ३८ ॥

अतिजीर्णमकालोत्थं रूक्षशीतमभूमिजम् ।

जठरं कोमल वातिशीतं व्यालादिदूषितम् ।

46

शुष्कं शाकं च सकल नाशनीयान्मूलकं विना ॥ ३९ ॥

Piṇḍālu

Piṇḍālu, kacha gandha, madhvālu, romaśa, śaṅkhālu, śaṅkha saṅkāśa, kāṣṭhālu, svalpa koṣṭhaka, hastālu, mahā kāṣṭha, raktālu and *rakta kandaka*—these are synonymous.

All leafy vegetables which are *atijrṇa* (very old), *akālottha* (unseasonal), *rūkṣa* (ununctuous), *śīta* (cold), *abhūmija* (not grown on ground), *jaṭhara* (preserved since long), *komala* (soft), *atiśīta* (excessively cold), *vyālādi dūṣita* (eaten by animals insects etc) and *śuṣka* (dry) should not be used. *Mūlaka* is an exception to this rule.

NOTES AND REFERENCES

1. This is the 96th chapter in *Ayurveda Saukhyam* in *Todarānanda* and the opening invocation reads as below :

यो हृद्रमोरामसुहृद्विभर्त्ता विश्वस्यकत्तनृपतौ सुखानाम् ।

मुखायभूयाद्भुविटोडरेद्रे भूदेव सद्भूमिसुहृज्जनानाम् ।

2. 'कुष्माडकी' इति षष्ठपुस्तके पाठः ।
3. 'रुराजकवर्कटी' इति प्रथमपुस्तके पाठः ।
4. 'कार्लिंग' इति पंचमपुस्तके पाठः ।
5. 'वुरसाम्बुनी' इति पंचमपुस्तके पाठः ।
'पुरुलाविनी' इति षष्ठपुस्तके पाठः ।
6. 'तु बी' इति षष्ठपुस्तके पाठः ।
7. 'लोमशा' इति पंचमपुस्तके पाठः ।
8. 'वालय' इति पंचमपुस्तके पाठः ।
9. 'त्रपुस' इति पंचमपुस्तके पाठः ।
10. 'पलकिटा' इति षष्ठपुस्तके पाठः ।
'परकटुः' इति पंचमपुस्तके पाठः ।
11. 'छर्द्यादिनी' इति षष्ठपुस्तके पाठः ।
12. 'मूत्रफला' इति प्रथमपुस्तके पाठः ।
13. 'श्लेष्मल' इति षष्ठपुस्तके पाठः ।
14. 'तद्वत्कुवटिकम्' इति षष्ठपुस्तके पाठः ।
15. 'व्विषकटिका' इति प्रथमपुस्तके पाठः ।
16. 'कोलशिबी' इति षष्ठपुस्तके पाठः ।
17. 'सूकरपादिका' इति पंचमपुस्तके पाठः ।
18. 'तिदिशो' इति पंचमपुस्तके पाठः ।
19. 'मुनिनिर्मिता' इति पंचमपुस्तके पाठः ।
20. 'सिबी' इति पंचमपुस्तके पाठः ।
21. 'प्रणालकः' इति षष्ठपुस्तके पाठः ।

22. 'गौर' इति पंचमपुस्तके पाठः ।
23. 'महानादः' इति षष्ठपुस्तके पाठः ।
24. 'कांडीयस्तंदुलीयकः' इति षष्ठपुस्तके पाठः ।
25. 'सूक्ष्मपत्रः' इति पंचमपुस्तके पाठः ।
26. 'श्चतगंधो' इति षष्ठपुस्तके पाठः ।
27. 'महाफला' इति षष्ठपुस्तके पाठः ।
28. 'सुरंगिका' इति पंचमपुस्तके पाठः ।
- 29-31. हृ हृरः स्याच्छुहृ हुकः' इति प्रथमपुस्तके पाठः ।
32. 'कुरंडीस्यान्नारीतुन्नालिका' इति षष्ठपुस्तके पाठः ।
33. 'चानाक' इति षष्ठपुस्तके पाठः ।
34. 'क्षुद्रा' इति षष्ठपुस्तके पाठः ।
35. 'काशर्कः' इति पंचमपुस्तके पाठः ।
36. 'सस्थिलो' इति षष्ठपुस्तके पाठः ।
37. 'लसुन.' इति प्रथमपुस्तके पाठः ।
38. 'जवनेष्टो' इति प्रथमपुस्तके पाठः ।
39. 'शंकाशंक' इति षष्ठपुस्तके पाठः ।
'सकासः' इति पंचमपुस्तके पाठः ।
40. 'वर्णः' इति प्रथमपुस्तके पाठः ।
41. 'अस्थिशृंस्वरिका' इति षष्ठपुस्तके पाठः ।
42. 'ग्रंथिमानस्थिवृहण.' इति षष्ठपुस्तके पाठः ।
43. 'स्यावलि' इति षष्ठपुस्तके पाठः ।
44. 'बृहद्राजकशेरुकम्' इति पंचमपुस्तके पाठः ।
45. 'कत्थगन्ध' इति षष्ठपुस्तके पाठः ।

This is the end of 96th chapter of *Ayurveda Saukhyam* not in *Toḍarānanda* and the colophon reads as below :

इति श्रीमहाराजाधिराजटोडरमल्लविरचिते टोडरानंदे आयुर्वेद-
सौख्ये निघंटौ शाकवर्गे नवतितमो हर्षः (?) ।

CHAPTER 38

जल

पानीयं जीवन नीरं कीलालममृत जलम् ।
आपोभस्तोयमुदकं पार्थोबुसलिलं पयः ॥ १ ॥

Jala

Pānīya, jīvana, nīra, kīlāla, amṛta, jala, āpa, ambha, toya, udaka, pātha, ambu, salila and payas—these are synonymous.

दुग्ध

दुग्धं प्रस्रवणं क्षीरं सौम्य संजीवन पयः ।

Dugdha

Dugdha, prasravana, ksīra, saumya, sañjīvana and payas—these are synonymous.

दधि

दधि स्त्यानंपयः सम्यक्स्त्यानमीषत्तु मदकम् ॥ २ ॥

Dadhi

Dadhi and styānaṃ payas—these are the synonyms of well

fermented *dadhi*. If it is slightly fermented then it is called *mandaka*.

तक्र

दंडाहत कालसेयं गोरसं च विलोडितम् ।
 सरसं निज्जलं घोलं मथितं सरवर्जितम् ॥ ३ ॥
 समोदकं श्वेतमथमुदश्वित् ह्यर्द्धवारिकम् ।
 पादोदकं भवेत्तक्रमूर्द्धाभिन्योवभाषिते ॥ ४ ॥

Takra

Daṇḍāhata, kālaseya, gorasa, viloḍita, sarasa, nirjala, ghola, mathita and *sara varjita*—these are synonymous

Dadhi mixed with equal quantity of water is known as *śveta*.

Dadhi mixed with half of water is called *udaśi* it.

Dadhi mixed with one fourth of water is called *takra*.

नवनीत

हैयंगवीन सरजं नवनीतमनुमंथजम् ।

Navanīta

Hayāṅgavīna, saraja, navanīta and *anumanthaja*—these are synonymous.

घृत

घृतमाज्यं हविः सर्पिराज्यारममृताह्वयम् ॥ ५ ॥

Ghṛta

Ghṛta, ājya, havis, sarpiś, ājyāra and *amṛtāhvaya*—these are synonymous.

मद्य

मद्यं^२ हारा^३ सुरा मदा मदिरा वरुणात्मजा ।

सुधा गंधोत्तमा कल्पा देवसृष्टा च वारुणी ॥ ६ ॥

† *Madya*

Madya, hārā, surā, mandā, madirā, varuṇātmaḥ, 'sudhā, gandhottamā, kalpā, devaśṣṭā and *vāruṇī*—these are synonymous.

इक्षु

इक्षुर्महारसो वेणुनिःसृतो गुडपत्रकः

तृणराजो मधुतृणो गंडीरी मृत्युपुष्पकः ॥ ७ ॥

Ikṣu

Ikṣu, mahārāsa, veṇu niḥsṛta, guḍa patraka, ṛṇa rāja, madhu ṛṇa, gaṇḍīrī and *mṛtyu puṣpaka*—these are synonymous.

इक्षुविकार

सिता मत्स्याडिका पल्ली मीनांडी घल्लकस्तथा ।

अन्या सितोपला शुद्धा सिकता छत्रिकामला ॥ ८ ॥

खंडमथ खडसिता माधवी मधुशर्करा ।

फाणितं क्षुद्रगुडको गुडस्त्वक्षुरसोद्भवः ॥ ९ ॥

Ikṣu vikāra

Sitā, matsyāṇḍikā, pallī, mināṇḍī and *ghallaka*—these are the synonyms of *matsyāṇḍikā*.

Another variety of it is called *sitopalā, śuddhā, sikatā, chatrikā* and *amalā*.

Khaṇḍa and *sitā*—these are the synonyms of *khaṇḍa*.

Mādhavī is called *madhu śarkarā. Phāṇita, kṣudra guḍaka* and *guḍa*—these are prepared from sugar cane juice.

मधु

मधु पुष्पासवः पुष्परसो माक्षिकमीरितम् ।

माक्षिकं पैत्तिकं क्षौद्रं भ्रामर मध्वविस्तरात् ॥ १० ॥

माक्षिकं तैलसंकाशं पैत्तिकं घृतवर्णकम् ।

क्षौद्रं कपिलवर्णं स्याद्भ्रामरं स्फटिकोपमम् ॥ ११ ॥

Madhu

Madhu, *puṣpāsava*, *puspa rasa*, and *mākṣika*—these are the synonyms of *madhu*.

Mākṣika, *paittika*, *kṣaudra* and *bhrāmara*—these are in brief the different varieties of *madhu*.

Mākṣika is like oil. *Paittika* has the colour of ghee. *Kṣaudra* is reddish brown in colour and *bhrāmara* is like a crystal.

मधूच्छिष्ट

मदनं मधुजं सिक्थं मधूच्छिष्टं मधूषितम् ।

Madhūcchiṣṭa

Madana, *madhuja*, *siktha*, *madhūcchiṣṭa* and *madhūṣita*—these are synonymous.

धान्यवर्ग

शालयो रक्तशल्याद्या ब्रीहयः षष्टिकादयः ॥ १२ ॥

मुद्गादिद्वैदलं सौचकंग्वादि तृणधान्यकम् ।

क्षुद्रधान्यं कुधान्यं तत्स्थूलधान्यं यवादिकम् ॥ १३ ॥

रक्तशालिलोहितः स्याद्गरुडः शकुनाहृतः ।

सुगंधिको महाशालिकमलस्तु कलामको ॥ १४ ॥

Group of dhānya

Rakta śāli etc., belong to *śāli* group. *saṣṭika* etc., belong to *brihi* group. *Mudga* etc., belong to *dvidala* (dicotyleden) group, *Sauca kaṅgu* etc., belong to *tṛṇa dhānya* group. *Kṣudra dhānya* is called *kudhānya*. *Yava* etc., are called *sthūla dhānya*. *Rakta śāli* is called *lohita*, *garuḍa* is called *śakunāhr̥ta*, *sugandhika* is called *mahā śāli* and *kalama* is called *kalāmaḥka*,

क्षीरी

क्षीरेयं परमान्नं स्यात्पायसं क्षीरतंडुलैः ।

क्षीरिका दुर्ज्वरा बल्या धातुपुष्टिप्रदा गुरु ॥ १५ ॥

विष्टंभिनी हरेत्पित्तं रक्तपित्ताग्निमारुतान् ।

Kṣīrī

Kṣīreya, *paramāna* and *pāyasa*—these are synonyms of *kṣīrī* which is prepared of milk and rice.

Kṣīrikā is difficult of digestion and strength promoting. It provides nourishment to tissue elements. It is heavy and constipative. It alleviates *pitta*, *rakta pitta* (a disease characterised by bleeding from different parts of the body), *agni* (digestive power) and *vāyu*.

रागषाडव

गुडादिपक्वक्वथितमाममाम्रफलं पुनः ॥ १६ ॥

स्नेहैला नागरैर्युक्तं ज्ञातव्यो रागषाडवः ।

सितारुचकसिधूत्यैः सवृक्षाम्लपरुषकैः ॥ १७ ॥

जंबूफलरसैर्युक्तो रागो राजिकया कृतः ।

षाडवा मधुरोष्णादिरससयोगसभवाः ॥ १८ ॥

दीपना बृंहणा रुच्या हृद्या स्तृष्णाश्रमापहाः ।

Rāga ṣāḍava

A preparation of green fruits of *āmra* fermented after boiling with *guda* etc.. and added with *sneha* (oil), *elā*, and *nāgara* is called *rāga ṣāḍava*,

A preparation of the juice of the fruit of *jambu* mixed with *sitā*, *rucaka*, *sindhuttha*, *vrkṣāmla*, *paraṣaka* and *rājikā* is called *rāga*.

Various types of *ṣāḍavas*, prepared by the juices which are

sweet & hot, are stimulant of digestion, nourishing and appetiser. It is a cardiac tonic. It alleviates thirst & fatigue.

खंडाम्र, खंडामलक

याम्नमलकलेहाद्याः हृद्याः पुष्टिबलप्रदाः ॥ १९ ॥

तर्पणा रोचनास्निग्धा मधुरा गुरवस्तथा ।

Khaṇḍāmra and Khaṇḍāmālaka

Lehyas prepared of *āmra* and *āmālaka* are cardiac tonic, promoter of plumpness and strength, nourishing, appetiser, unctuous, sweet and heavy.

शिखरिणि

ससितं दधिमध्वाज्यमरिचैलादिसंस्कृतम् ॥ २० ॥

5

मथित कान्तकामिन्या कर्पूरपरिपाचितम् ।

रसाला शिखरिण्युक्ता मार्जिता मार्जिका बुधैः ॥ २१ ॥

रसाला शुक्ला बल्या रोचनी वातपित्तजित् ।

स्निग्धा गुरुः प्रतिश्यायं विशेषेण विनाशयेत् ॥ २२ ॥

Śikharīṇi

Sugar and *dadhi* mixed with *madhu*, *ājya* and *marica*, churned by a beautiful lady and mixed with *karpūra* is called *rasālā*, *śikharīṇi*, *mārjītā* and *mārjikā*.

Rasālā is *spermatopoetic*, strength promoting and appetiser. It alleviates aggravated *vāta* and *pitta*. It is unctuous and heavy. It specially cures *pratisyāya* (cold).

पानक

द्राक्षाश्रीकपर्षादि जल खंडादिमिश्रितम् ।

मारिचार्द्रककर्पूरचातुर्जितादिसंस्कृतम् ॥ २३ ॥

पानकं द्विविधं तत्स्यादम्लानम्लविभेदतः ।

द्राक्षा खजूरकाश्मर्यं समधूकपरुषकैः ॥ २४ ॥
 पंचसाराभिधानं च चंद्रपूर्णाभिवासितम् ।
 पानकं मूत्रलं हृद्य प्रीणनं तृट्श्रमापहम् ॥ २५ ॥
 यथाद्रव्यं गुणं तत्तु गुरुलध्वादिनिर्दिशेत् ।
 पंचसाराभिधं पित्ततृष्णादाहश्रमापहम् ॥ २६ ॥
 माध्वीक श्रमदाहास्रपित्तकलमतृषापहम् ।
 परुषकानां लोकानां(?)हृद्यं विष्टंभि पाचनम् ॥ २७ ॥
 अम्लीकायाः सरं तृष्णाकृमिदाहश्रमापहम् ।

Pānaka

The potion prepared of *drākṣā*, *śrīka*, *paruṣa* etc., mixed with water and *khaṇḍa* (a type of sugar) and impregnated with *marica*, *ārdraka*, *karpūra*, *caturjātaka* (*tvak*, *elā*, *patra* and *nāga kesara*) etc., is called *pānaka*.

Pānaka is of two types—one is sour and the other is not sour.

The *pānaka* prepared of *drākṣā*, *kharjūra*, *kāśmarya*, *madhūka* and *paruṣaka* and mixed with *karpūra* is called *pañca sāra*.

Pānaka is diuretic, cardiac tonic and nourishing. It cures morbid thirst and exhaustion.

The heaviness and lightness of *pānaka* should be determined according to the property of its ingredients.

Pañca sāra type of *pānaka* cures aggravated *pitta*, morbid thirst, burning syndrome and exhaustion.

Mādhvika type of *pānaka* cures exhaustion, burning syndrome, *asra pitta* (a disease characterised by bleeding from different parts of the body), *klama* (mental fatigue) and morbid thirst.

The *pānaka* prepared of *paruṣaka* and *loka* (?) is cardiac tonic, constipative and carminative.

The *pānaka* prepared of *amlīkā* is laxative and it cures morbid thirst, intestinal warm infestation, burning syndrome and exhaustion

सट्टक

सुस्नेहं दधि निर्म्मथ्य पटे शक्करयान्वितम् ॥ २८ ॥

सव्योषं दाडिमाजाजिसट्टकोऽयमुदाहृतः ।

सट्टको रोचनो स्वयः पित्तानिलहरो गुरुः ॥ २९ ॥

दीपनस्तर्पणो बल्यः श्रमक्लमतृषापहः ।

Saṭṭaka

On a piece of cloth, *dadhi* with lot of fat and sugar should be triturated well. To this *vyoṣa* (*śunthī*, *pippalī* and *marica*), *dāḍīma* and *ajāji* should be added. This is called *saṭṭaka*.

Saṭṭaka is appetiser and promoter of good voice. It alleviates *pitta* and *vāyu*. It is heavy, digestive stimulant, nourishing and strength promoting. It cures exhaustion, mental fatigue and morbid thirst.

मण्डक

कुकूल कर्परभृष्टा कदांगारविपाचिता ॥ ३० ॥

मांडकाद्या यथापूर्वं गुरवो बृंहणा मता ।

मंडकः मिश्रितः सूक्ष्मो कर्परादिषु पाचितः ॥ ३१ ॥

स एव किञ्चित्स्थूलस्तु बुधैः पूपालिका मता ।

अंगारककर्करी सैव विज्ञेयांगारपाचिता ॥ ३२ ॥

अत्युष्णो मंडकः पथ्यः शीतः स गुरुरुच्यते ।

अंगारमंडक ग्राही लघु दोषत्रयापहः ॥ ३३ ॥

Maṇḍaka

Maṇḍaka is prepared over *kukula* (iron frying pan) or *kharpara* (earthen pan) in low charcoal heat. The former type (prepared over iron pan) is heavier and more nourishing than the latter (prepared over earthen pan).

Maṇḍaka which is fried over an earthen pan should be thin. The thicker one is called *pūpālikā*.

The *maṇḍaka* prepared over charcoal is called *aṅgāra karkarī*.

Maṇḍaka is very wholesome when it is very hot. The cold *maṇḍaka* is heavy.

Aṅgāra maṇḍaka is constipative and light. It alleviates all the three *doṣas*.

पोलिका

पोलिका कफकृद्बल्या पित्तला वातनुद्गुरु ।
⁸
 अंगारकवर्करी बल्या बृहणी शुक्ला लघुः ॥ ३४ ॥
 दीपनी कफहृद्दोगपीनसश्वासकासजित् ।
⁹

Polikā

Polikā aggravates *kapha*. It promotes strength. It aggravates *pitta* and alleviates *vāyu*.

Aṅgāra karkarī promotes strength, corpulence and semen. It is light and stimulant of digestion. It alleviates *kapha*, heart disease, *pīnasa* (chronic cold), asthma and cough.

शालिपिष्ट

शालिपिष्टकृताः भक्ष्याः नातिबल्याः विदाहिनः ॥३५॥
¹⁰ ¹¹
 अवृष्या गुरवश्चोष्णाः कफपित्तप्रकोपनाः ।

Śāli piṣṭa

Eatables prepared of the paste of *śāli* do not promote strength adequately and they produce burning sensation. They

are not aphrodisiac. They are heavy and hot. They aggravate *kapha* and *pitta*.

गोधूमभक्ष

गोधूमविहिताः भक्ष्याः बल्याः पित्तानिलापहाः ॥३६॥

Godhūma bhakṣya

Eatables prepared of wheat promote strength and they alleviate *pitta* as well as *vāyu*.

वैदलभक्ष

वैदला वातला भक्ष्या गुरवस्तु सरा हिमाः ।

Vaidalā bhakṣya

Eatables prepared of *vaidala* (pulses) aggravate *vāyu*. They are heavy, laxative and cooling.

माषभक्ष्य

12

माषपिष्टकृता भक्ष्याः बल्याः पित्तकफप्रदाः ॥ ३७ ॥

Māṣa bhakṣya

Eatables prepared of the paste of *māṣa* promote strength. They aggravate *pitta* and *kapha*.

अन्यभक्ष

विचार्यान्नगुणान् भक्ष्यानन्यानपि विनिर्दिशेत् ।

Other bhakṣyas in general

Properties of other eatables should be determined by the properties of their ingredients.

गुडयुक्तभक्ष्य

गौडिका गुरवो भक्ष्याः वातघ्नाः कफशुक्रलाः ॥ ३८ ॥

Gūḍa yukta bhakṣya

Eatables prepared by mixing *gūḍa* alleviates *vāyu*. They produce more of *kapha* and *semen*.

घृतपक्व भक्ष्य

12

घृतपाचितभक्ष्यास्तु बल्याः पित्तानिलापहाः ।

Ghṛta pakva bhakṣya

Eatables fried with ghee promote strength. They alleviate *pitta* and *vāyu*.

तैलयक्व भक्ष्य

तैलजाः दृक्समीरघ्नास्तूष्णाः पित्तास्रदूषणाः ॥ ३९ ॥

Taila pakva bhakṣya

Eatables fried with oil reduce eye sight and *vāyu*. They are hot. They vitiate *pitta* and *rakta*.

दुग्धभक्ष्य

दुग्धालोडितगोधूमशालिपिष्टादिनिमिताः ।

वातपित्तहराभक्ष्याः हृद्याः शुक्रबलप्रदाः ॥ ४० ॥

Dugdha bhakṣya

Eatables prepared by boiling the paste of *godhūma*, *sālī* etc., in milk alleviate *vāyu* and *pitta*. They are cardiac tonics and they promote *semen* as well as strength,

घृतपूर

क्षीरेण मर्दितं चूर्णं गोधूमानां सुगालितम् ।

विस्तार्य सर्पिषा पक्त्वा ततः सिताविमिश्रितम् ॥ ४१ ॥

घृतपुरोऽयमुद्दिष्टः कर्पूरमरिचान्वितः ।

संमितः मर्दितः क्षीरनालिकेररसादिभिः ॥ ४२ ॥

अवगाह्य घृते पक्त्वा घृतपूरो परिस्मृतः ।

घृतपूरो गुरुर्वृष्यो हृद्यः पित्तानिलापहा ॥ ४३ ॥

सद्यःप्राणप्रदो बल्यो क्षतजित् बृंहणः परः ।

Ghṛta pūra

The well filtered flour of wheat should be kneaded with milk and boiled with ghee. Thereafter, sugar should be added to it. Then *karpūra* and *marica* should be mixed. This is called *ghṛta pūra*.

Refined wheat flour should be mixed with milk and juice of *nārikerā*. The dough should then be boiled in ghee. This is also called *ghṛta pūra*.

Ghṛta pūra is heavy, aphrodisiac and cardiac tonic. It alleviates *pitta* and *vāyu*. It is instantaneously life-giving.

It promotes strength and alleviates *kṣata* (consumption). It is extremely nourishing.

संयाव

संमिता सर्पिषा भृष्टं सितामरिचमिश्रितम् ॥ ४४ ॥

एलालवंगकप्पूरचूर्णादि - परिसंस्कृतम् ।

13

क्षिप्तवान्यसम्मितालम्बपुटेषु च घृते पचेत् ॥ ४५ ॥

खंडे न्यसेत्ततः पक्वे सयावोज्यमुदाहृतः ।

सम्मिता मधुदुग्धेनमर्दयित्वा सुशोभनम् ॥ ४६ ॥

पचेद् घृतोत्तरे खंडे न्यसेत्पक्वं नवे घटे ।

ततो मरिचचूर्णेन खंडचूर्णेन चूर्णितम् ॥ ४७ ॥

14

कुर्यात्कप्पूरसंयुक्तं संयोवममृतोपमम् ।

Samyāva

Refined wheat flour should be fried with ghee and mixed with sugar and *marica*. It should then be impregnated with the powder of *elā*, *lavaṅga* and *karpūra*. This should be pressed with the help of some unprocessed wheat flour over a wooden plate (*ālamba puṭa*) and then fried in ghee. Thereafter, it should be boiled in sugar syrup. This preparation is called *samyāva*.

Refined wheat flour should be kneaded with honey and milk. It should then be fried in ghee and sugar syrup consecutively. This should be kept in a new jar and sprinkled with the powder of *marica*, sugar and camphor. This is called *samyāva* which is like *ambrosia*.

मधुशीर्षक

मर्द्दयित्वा सुसमिताम¹⁵पूपास्तनवः कृताः ॥ ४८ ॥
 मातुलुंगत्वचाखंडपक्वमाद्रकपूरितम् ।
 विधाय पूपकं वृत्तं गंधाढ्यं केशरान्वितम् ॥ ४९ ॥
 पक्त्वा सप्पिषि खण्डे च गाहितो मधुशीर्षकः ।

Madhu śīrṣaka

Thin *apūpas* should be prepared by kneading the refined wheat flour. These should be filled up with a mixture of boiled pieces of the skin of the fruit of *matulūṅga* and *ardraka*. In these rounded *apūpas*, fragrant things like *keśara* should be added and these should be boiled in ghee and sugar (syrup) consecutively. This preparation is called *madhu śīrṣaka*.

मधुपूपक

समितां गुडतोयेन मेलयित्वा सुगालितम् ॥ ५० ॥
 घृते विस्तार्य विपचेत् सुघृतं मधुपूपकः ।

Madhu pūpaka

Refined wheat flour should be mixed with *guḍa toya* and filtered. This should be kneaded with ghee and then boiled in good quantity of ghee. This is called *madhu pūpaka*.

दधिपूपक

शालिपिष्टयुतं दध्ना मर्द्दयित्वा घृते पचेत् ॥ ५१ ॥
 वेष्टयेत्पक्वखंडेन सुवृत्ता दधिपूपका ।
 संयावा मधुशीर्षाद्याः पूपकाः दधिपूपकाः ॥ ५२ ॥

गुरवो बृंहणाः हृद्याः वृष्याः पित्तानिलापहाः ।

एते संस्कारभेदेन विविधास्तेऽपि तद्गुणाः ॥५३॥

Dadhi pūpaka

Paste of *śāli* should be kneaded with *dadhi* and fried in ghee. Rounded pieces of this dough should be smeared with sugar syrup. These are called *dadhi pūpaka*.

Samyāva, *madhu śirṣa* etc., *pūpaka* and *dadhi pūpaka* are heavy, nourishing, cardiac tonic and aphrodisiac. They alleviate *pitta* and *vāyu*.

There are different types of these preparations and their properties vary depending upon their method of processing.

विष्यन्दन

दधि क्षीरे समे पक्त्वा अर्धभागवशेषयेत् ।

आवपेद्रक्तशालीनां तंडुलस्तिलसंयुताम् ॥ ५४ ॥

पियालपनसाब्जानां बीज मुष्टिं समापयेत् ।

क्षीरतुल्यघृतं चैव शर्करामरिचान्विता ॥ ५५ ॥

सिद्धस्त्रिकटुकोपेतः कर्पूरेणाधिवासितः ।

एष विष्यन्दनो नाम देवलोकेऽपि दुर्लभः ॥ ५६ ॥

यस्मात्पक्वेऽपि घृतेन स्कदते सर्वतोमुखम् ।

तस्मात्सूपविधानज्ञैः विष्यन्दन इति स्मृतः ॥ ५७ ॥

विष्यंदो बृहणो हृद्यः पित्तानिलहरो गुरुः ।

Viṣyandana

Curd and milk should be taken in equal quantity and boiled till half remains. To this, the rice of red variety of *śāli* and *tila* should be added. One *muṣṭi* of the seeds of each of *piyāla*, *panasa* and *abja* should then be mixed with it. Ghee should then be taken in the same quantity as that of milk and

added to it with sugar and *marica*. After boiling, *trikaṭu* (*śuṅṭhi*, *pippalī* and *marica*) should be added along with fragrant things like *karpūra*. This preparation is called *viṣyandana* and it is rare even in the heaven.

When boiled in ghee, it gets condensed (*skandana*) from all sides for which it is called *viṣyandana* by the experts in the science of cooking.

Viṣyandana is *brmhāṇa* (nourishing) and cardiac tonic. It alleviates *pitta* and *vāyu*, and it is heavy.

लप्सिका

समितां भर्जयेत्तप्ते घृते सितां ततो न्यसेत् ॥ ५८ ॥

चारमज्जादिसंयुक्ता पयसा योजयेत्तदा ।

16

एलैलादियुता तज्जैर्लक्षिका ललिता मता ॥ ५९ ॥

17

लप्सिका वृहणी वृष्या वातपित्तहरा गुरुः ।

Lapsikā

In the hot ghee refined wheat flour should be added. To this sugar should be added thereafter. Milk boiled with the fruit pulp of *cāra* should then be added. It should then be mixed with *elā*. This is known as *lapsikā* or *lalitā*.

Lapsikā is nourishing and aphrodisiac. It alleviates *vāyu* and *pitta*. It is heavy.

फेनिका

फेनिका पुटिनी शुभ्रा वातपित्तहरा लघुः ॥ ६० ॥

लक्षणं फेनिकादीनां सूपकारैः विचारयेत् ।

Phenikā etc.

Phenikā, *puṭinī* and *śubhrā*—these preparations alleviate *vāta* and *pitta*. They are light.

Their methods of preparation may be ascertained from expert cooks.

मोदक

मोदकाः लड्डुकाः प्रोक्तास्ते चानेकविधाः मताः॥६१॥
 दधि क्षीरनष्टदुग्धं समिता माषपिष्टिका ।
 सूरणार्द्रककूष्माण्डशालूकामिषमत्स्यकाः ॥ ६२ ॥
 इत्यादिभिर्बहुविधाः फलास्ते सूपशास्त्रतः ।
 द्रव्यं विचार्य मतिमांस्तद्गुणानपि निर्दिशेत्॥ ६३ ॥
 मोदकाः दुर्जराः वृष्याः बरयाः पित्तानिलापहाः ।

Modaka

Modaka is called *laḍḍuka*. It is of various types. *Dadhi*, milk, cheese, refined wheat flour, paste of *māsa*, *sūraṇa*, *ādraka*, *kūśmāṇḍa*, *sālūka*, meat, fish, various types of fruits—these, among others, are the ingredients of *modaka*. Their details may be obtained from *sūpa śāstra*. Their properties will be the same as those of their ingredients.

Modakas are difficult of digestion, aphrodisiac and strength promoting. They alleviate *pitta* and *vāyu*.

वटक

माषमुद्गादिपिष्टोक्ता वटिका वटकादयः ॥ ६४ ॥
 तत्कारणगुणान् ज्ञात्वा तद्गुणानपि निर्दिशेत् ।
 माषान्नवटको हृद्यो विदाहि पवनापहः ॥ ६५ ॥
 साडाकी वटको दृष्टिनाशनो दोषलो गुरुः ।
 तुषावुः वटको रुच्यः पित्तलः कफवातजित् ॥ ६६ ॥

Vaṭaka

Preparations of the paste of *māṣa* and *mudga* are called *vaṭaka* and *vaṭikā*. Their properties should be determined on the basis of the properties of their ingredients.

Vaṭaka prepared of *māṣa* is cardiac tonic. It cures burning sensation and it alleviates *vāyu*.

Vaṭaka prepared of *sāṇḍākī* is harmful for eye sight. It aggravates *doṣas* and it is heavy.

Vaṭaka prepared to *tuṣāmbu* is appetiser. It aggravates *pitta* and it alleviates *kapha* and *vāta*.

इंडरी

इंडरीशुक्रला रुक्षा विष्टंभिः कफवातकृत् ।

Inḍarī

Inḍarī promotes the quantity of semen. It is ununctuous and constipative. It aggravates *kapha* and *vāta*.

सोमालिका

सोमालिका गुरुर्वृष्या रोचनो दोषनाशिनी ॥ ६७ ॥

Somālikā

Somālikā is heavy, *aphrodisiac* and appetiser. It alleviates (all) *doṣas*.

कुंडलिका (जलेबी)

द्विप्रस्थं शुद्धसमितां प्रस्थं गोधूममिलितम् ।

विमर्द्यं पयसा स्थाप्यं प्रयोज्या च यदाम्लताम् ॥ ६८ ॥

सच्छिद्रे नालिकेरस्य पात्रे निक्षिप्य निर्मले ।

परिभ्राम्य परिभ्राम्य घृते तप्ते विपाचयेत् ॥ ६९ ॥

(कर्पूरवासितैर्धूपः) विज्ञेयो नृपवल्लभा ।

सुपक्त्वा कंकणाकारं सितालेहेविनिक्षिपेत् ॥ ७० ॥

सा तु कुंडलिका नाम पुष्टिकान्तिबलप्रदा ।

Kuṇḍalikā

Two *prasthas* of refined wheat flour and one *prastha* of

godhūma, should be mixed with milk and kneaded. This dough should be kept till it becomes sour. Through a clean cup of coconut shell having a hole at the bottom, this dough should be pured in a whirling manner over hot ghee. When fully boiled it takes the shape of an armlet. It should then be dropped in sugar syrup. This preparation is called *kunḍalikā*

Kunḍalikā promotes plumpness, complexion and strength.

कुल्माष

गोधूमाद्यास्तु कुल्माषा अर्द्धस्विन्ना मता क्वचित् ॥७१॥

कुल्माषा गुरवो रुक्षा वातला भिन्नवर्चसाम् ।

Kulmāṣa

According to some scholars half soaked *godhūma* etc., are called *kulmāṣa*.

Kulmāṣa is heavy and ununctuous. It aggravates *vāyu* and causes purgation.

मंथ

नविनस्तूषसंभृष्टः यवचूर्णं तु सक्तवः ॥ ७२ ॥

सक्तवस्तु घृताभ्यक्ता शीतवारिविलोडिता ।

नातिद्रवा नातिसांद्रा मंथ सद्भिः प्रकीर्त्तिताः ॥७३॥

मंथो बलकरः सद्यः परिणामे बलापहः ।

मेहतृष्णाभयछर्दिक्वुष्टदेहश्चमान् जयेत् ॥ ७४ ॥

द्राक्षामधुयुतो बल्यः कफश्चममदापहः ।

वर्गत्रयसमायुक्तो दोषवर्चोनुलोमनः ॥ ७५ ॥

Mantha

Freshly harvested barley should be fried with husk and then made to a powder. This is called *saktu*.

Saktu should be kneaded with ghee and then mixed with cold water. It should be neither very thick nor very thin. This preparation is called *mantha*.

Mantha immediately promotes strength, but in the long run, it reduces strength. It cures *meha* (obstinate urinary disorders including diabetes), *tr̥ṣṇā* (morbid thirst), *bhaya* (fear complex), *chardi* (vomiting), *kuṣṭha* (obstinate skin diseases including leprosy) and *deha śrama* (physical fatigue). Mixed with *drākṣā* and honey it promotes strength and alleviates aggravated *kapha*, fatigue and intoxicating conditions.

When mixed with three groups of medicines, it brings *doṣas* and feces downwards.

सक्तु

सक्तवो यवजाः शीताः दीपनाः लघवः सराः ।

कफपित्तहरा रूक्षा लेखना पातनास्तु ते ॥ ७६ ॥

सद्योबलकराः पथ्या घर्म्मर्मादिकलातदेहिनाम् ।

निस्तुषैर्भोज्जितैः पिष्टैश्चणकैः सूपवैकृताः ॥ ७७ ॥

सक्तवः शक्करसर्पियुक्ता श्रीष्मेऽतिपूजिताः ।

पिंडी प्रोक्ता गुरुस्तेषां द्रवत्वाल्लेहिका लघु ॥ ७८ ॥

नाभुक्त्वा न रदैश्छित्वा न निशाया न च वा बहु ।

न जलान्तरिता सद्भिः सक्तुनद्यान्न केवलम् ॥७९॥

Saktu

Saktu prepared of *yava* is cooling, stimulant of digestion, light and laxative. It alleviates *kapha* and *pitta*. It is ununctuous, *lekhana* (having scraping effect) and *pātana* (?) It promotes strength instantaneously & is wholesome for persons fatigued by the heat of the sun.

Saktu is also prepared by frying and pounding dehusked pulses like *canaka*.

Mixed with sugar and ghee *saktu* is exceedingly useful in summer season.

It is heavy when prepared in the form of a bolus (*pindī*) and when prepared in the form of a thin linctus (*lehikā*) it is light.

Saktu should not be taken in empty stomach. It should not be chewed. It should not be taken at night. It should not be consumed in excess quantity. Eating of *saktu* should not be interrupted by drinking of water. *Saktu* should not be taken alone.

लाजा

भृष्टशाल्यादिजा लाजा धाना भृष्टयवोद्भवा ।

लाजा लघुतरा शीता बल्या पित्तफफप्रदा ॥ ८० ॥

छर्चतीसार - दाहान्नमेहमेदस्तृषापहा ।

Lājā

Fried *śāli* etc., are called *lājā* and fried *yava* etc., are called *dhānā*.

Lājā is lighter, cooling and strength promoting. It aggravates *pitta* and *kapha*. It cures *chardi* (vomiting), *atisāra* (diarrhoea), *dāha* (burning syndrome), *asra* (vitiation of blood), *meha* (obstinate urinary disorders including diabetes) and *trṣā* (morbid thirst).

धाना

18

धाना विष्टभिनी रुक्षा कफमेदोपहा लघुः ॥ ८१ ॥

Dhānā

Dhānā is constipative and ununctuous. It reduces *kapha* and *medas*. It is light.

पथुका

पक्वदार्षी ब्रीहयः सम्यक्पीडिताः पथुकाः मताः ।

पृथुका गुरवो बल्या श्लेष्मलाः वातनाशनाः ॥ ८२ ॥

Prthukā

Boiled and wet *brīhi* etc., are pounded (pressed). These are called *prthukā*.

Prthukā is heavy and strength promoting. It aggravates *kapha* and alleviates *vāyu*.

होलक

सिबिधान्यैरर्धपक्वैः सुभृष्टो होलको मतः ।

होलकोऽल्पानिलोमेदकफदश्च स्वभावतः ॥ ८३ ॥

Holaka

Holaka is prepared by frying half boiled *simbi dhānya*. By nature, *holaka* produces *vāyu*, *medas* and *kapha* in small quantity.

उंबी

अपक्व भृष्टर्गोधूमः उलुंबो लुंब उंबिका ।

उंबी कफप्रदा बल्या लघुः पित्तानिलापहा ॥ ८४ ॥

Umvī

Immature wheat when fried is called *ulurīva*, *lurīva* and *urīvikā*.

Umvī aggravates *kapha*. It is strength promoting and light. It alleviates *pitta* and *vāyu*.

NOTES AND REFERENCES

1 This is the 97th chapter of *Ayurveda saukhyam* in *Toḍarā-urūpa* and the opening invocation reads as below.

रमाधवो रामसमन्वितः सन्साधव टोडरमल्लसंज्ञम् ।

सपुत्ररामं जगतो हिताय पूर्णं प्रकुर्याद्धनधर्मसोख्यैः ।

2. 'हाला' इति पंचमपुस्तके पाठः ।
3. 'मंडा' इति पंचमपुस्तके पाठः ।
4. 'वल्लकस्तथा' इति पंचमपुस्तके पाठः ।
5. 'कामिथा' इति प्रथमपुस्तके पाठः ।
6. 'सूचितः' इति पंचमपुस्तके पाठः ।
7. 'अंगारकर्कटी' इति पंचमपुस्तके पाठः ।
8. 'कर्कटी' इति पंचमपुस्तके पाठः ।
9. 'श्लेष्मा कफपित्तप्रकोपनाः' इति पंचमपुस्तके पाठः ।
10. In mss I & V, at the end of this verse it is written 'अस्त्र पिष्टा न भक्ष्याः' ।
11. 'वातघ्ना कफ शुक्रला' इति पंचमपुस्तके पाठः ।
12. 'पित्ताकफापहाः' इति पंचमपुस्तके पाठः ।
13. 'समितालम्बपुटेषु' इति पंचमपुस्तके पाठः ।
14. 'संजावममृतोपमम्' इति प्रथमपुस्तके पाठः ।
15. 'सुसमितामयूषास्तन्वः' इति प्रथमपुस्तके पाठः ।
16. 'युतानक्तैर्लप्सिका' इति पंचमपुस्तके पाठः ।
17. 'लप्सिका' इति पंचमपुस्तके पाठः ।
18. 'गुहः' इति प्रथमपुस्तके पाठः ।
19. This is the end of 97th chapter of *Ayurveda Saukhyam* in *Toḍarānanda* and the colophon reads as below :

पूर्णं सौख्यमिदं शिवं वितनुतां श्रीटोडरेद्रे सदा ।

धन्यं वृत्तिकर सुधर्माभिभवं प्राणिप्रिय शर्मदम् ॥ ८५ ॥

आयुर्वेदसमुद्रजं सुरतरो रूपं द्वितीयं परम् ।

भूमावकुरितं प्रयोगसुदलं नैरुज्य भूयः फलम् ॥ ८६ ॥

यो वेदार्थसमूहमौक्तिकगणैः श्रीटोडरानंदकः ।

पूर्णे वारिधिरेष सर्व्वजगतां वर्व्वन्ति धर्मार्थदः ॥८७॥

अंतर्वाणिविभूषणैरुपरितो गीर्वाणतुल्यैः शिवैः ।

रालोड्यार्थतरंगवान् विरचितः शास्त्राणि राजाज्ञया ॥८८॥

विश्वेषां परमार्थदोऽखिलजनां ज्ञानांधकारे रविः ।

सद्धर्मव्जसुबोधने च शशिवत्तापत्रये राजते ॥८९॥

श्रीगोविदपादारविन्दे वसतामानददो यः सतां —

मन्वर्थं भजते सुनामसकल भूयान्मुदे सर्व्वदा ॥९०॥

इति श्रीमद्विधिविरुदावलीविराजमानदरघुमांघातृभरतादिसमय-
प्रवृत्तपदवीप्रवर्त्तकांत्ययुगाभिःकृतश्रीमूर्त्तिमहददरिद्रादिदुःखवद्धकाक्रांतः ब्राह्मणा-
दिपक्षिगणाश्रयः कल्पपादपः समस्तशणपलतासंपोषणाद्दौर्दंडदुष्टप्रदमनातिवि-
कटप्रोच्चदुर्गममित्रक्षपणक्षमकोपकटाक्ष. हस्तिहयहीरहेमादिदानविस्मारित-
हरिश्चंद्रादिचक्रवर्त्तिवर्गो दुदन्वदंतरावर्त्तिविश्वभराधिनाथप्रतापलीढा
विप्लुष्टदिगंतस्थपरिपृथि सीमंतिनीहृद्गर्भं श्रीमदकवरसाहिपुरःसर भारोद्ध-
रणक्षम प्रचंडदौर्दंडनिरंतरधम्मनुरक्तांतःकरणः द्वितीययुधिष्ठिर श्रीमद्गो-
विदपादारविदापितसमस्तमनोवृत्यं वरीषप्रह्लादादिसदाग्रहाखिलक्षत्रवंशावतस-
मूर्द्धन्यललामकरुणाकूपारगरिमा चलप्रवरागाघांतःकरणातिप्रसिद्धटंडणवश-
पारावारोद्भूत भूचंद्रमा महाराजाधिराज श्रीटोडरमल्लविरचिते टोडरानंदे
आयुर्वेदसौख्ये एकनवतितमो हर्षः (?)॥ शुभमस्तु॥ मांगल्य भूयात्॥ श्री श्री ॥
लिखितं कायस्थ माथुरमेवरि गोपाचलीठा हरिवंशुतत्पुत्रदयालदासलिखितम्,
॥ श्रीगोपीजनवल्लभाय नमः ॥

INDEX

(Glossary of Technical Words)

- Abāḷya* (weakness), 69
Abhighāta (injury), 312
Abhiṣyanda (conjunctivitis), 56
Abhiṣyandin (which obstructs channels of circulation), 122, 123, 131, 143, 155, 157, 166, 196, 219, 222, 242, 254, 258, 266, 277, 281, 314, 324, 331, 336
Abhra (cloud), 83
Abhyaṅga (massage), 180
Ābhyantara dāha (burning sensation inside the body), 419
Ābhyantara vidradhi (internal abscess), 414
Adāhin (which does not produce burning sensation), 382
Ādl māna (tymphanitis), 7, 15, 27, 40
(flatulence), 88, 190, 227, 230
Agastya (star Canopus), 223
Āghāta (injury), 101
Agni, 9, 125
(fire), 5
(digestive power), 52, 214
(enzymes responsible for digestion and metabolism), 6
(heat), 213
Agni dīpana (promoter of digestive power), 29
Agni māndya (suppression of digestive power), 3, 28, 150, 232
(indigestion), 228
Agnyalpatā (suppression of the power of digestion), 38
Ahichhatra (name of a mountain), 99
Ahr̥dya (which is not cardiac tonic), 300
Ajir̥na (indigestion), 202, 306
Ākāśa gaṅgā (the Gaṅgā river in the sky as described in the epic), 212
Akleḍi (deteriorate), 213
Akr̥ta (which is not fried with ghee etc.), 376
Akr̥ta yūsa (the *yūsa* which is not mixed with fat, salt and pungent spices), 380
Aksa tarpaṇa (application of cotton swab soaked in the milk over the eyes), 144
Ākṣepaṇa (convulsion), 7
Akṣi pāka (conjunctivitis), 5
Akṣi pūraṇa (pouring over eyes), 180
Aksi ruk (pain in eyes), 108
Alaksmī (inauspiciousness), 59, 60, 102, 173
Alavaṇa (free from saline taste), 20
Āma (a product of improper

- digestion and metabolism), 21, 25, 26, 28, 51, 58, 67, 81, 88, 138, 150, 177, 202, 229, 230, 231, 304, 335, 356, 416, 417
- Āma doṣa*, 305
- Āma māruta* (rheumatism), 30
- Āmāśaya* (stomach including small intestine), 53
- Āma vāta* (rheumatism), 37, 52, 65, 81, 92, 145
- Āmaya* (disease), 69
- Amla* (sour), 2, 10, 32, 155
- Amla pitta* (hyper-acidity in stomach), 81, 192, 250, 309
- Amla rasa* (having sour taste), 80
- Amśūḍaka* (the water which is exposed to the sun's rays during the day time and the moon's rays during the night time), 223
- Anabhiṣyandī* (which does not obstruct the channels of circulation), 217, 223
- Ānāha* (constipation), 27, 28 (tymphanitis), 4, 68, 201 (flatulence), 63, 64, 123, 125, 126, 143, 181, 190, 191, 204, 205, 206, 230, 249, 333, 379 (wind formatation in stomach), 15 (obstruction to the movement of wind in the stomach), 35, 39, 40
- Anala* (heat), 215
- Anala sāda* (suppression of the power of digestion), 33
- Āṅga marda* (malaise), 201, 412
- Āṅgas* (pieces), 13
- Anila śoṇita* (gout), 142
- Anilāsra* (gout), 52
- Añjana* (collyrium), 29
- Anna* (food), 150
- Āntarikṣa jala* (water collected directly from the sky), 223
- Ānūpa* (meat of animals inhabiting marshy land), 257 (marshy land), 216, 256 (water which is found in marshy areas), 216, 217
- Anu pāna* (post prandial drink), 302, 394, 395, 396, 397, 398
- Anu rasa* (subsidiary taste), 105, 143, 144, 154, 156, 161, 179, 204, 287, 292, 300, 313, (after-taste), 135
- Anuvāsana*, 411
- Apacī* (cervical adenitis), 29, 30, 54, 55
- Apasmāra* (epilepsy), 95, 175
- Apatantraka* (convulsion), 68
- Arbuda* (tumour), 3
- Ardita* (facial paralysis), 171, 257, 287
- Arocaka* (anoxeria), 66, 190, 227, 306, 377, 420
- Arogyāmbu* (healthy water), 229-30
- Arśas* (piles), 24, 26-30, 34-5, 37, 53, 56, 63, 64, 66, 74, 79, 81, 86, 95, 125-26, 143, 157, 160, 168, 171-72, 182, 189, 190-92, 194, 201, 207, 230, 261, 268, 306, 326-28, 339, 341 362, 378, 416, 421
- Artī* (pain), 7, 77

- Aruci* (anorexia), 33, 39, 43, 68, 74, 104, 154, 164, 168, 191, 204, 227, 273, 305, 306, 333, 415, 420
- Arukṣa* (not un-unctuous), 123
- Arūna* (reddish), 21
- Āśādhā* (June-July), 224
- Āśma* (stone in urinary tract), 87
- Āśma doṣa* (adulteration with stones), 79
- Āśmarī* (stone in urinary tract), 44, 77, 79, 125, 133, 333, 336, 378, 414, 418
- Āśma śarkarā* (stones and gravels in the urinary tract), 95
- Āsra*(blood), 48, 103, 105, 107, 108
- Āsra pitta* (a disease characterised by bleeding from different parts of the body), 5, 47
- Āśṛk pitta* (a disease characterised by bleeding from different parts of the body) 133, 159
- Āsthāpana* (a type of medicated enema), 201, 205, 411
- Āsthi bhagna* (fracture of bone), 50
- Āṣṭhīlā* (hard tumour in the abdomen), 181
- Āṣṭhīlikā* (stony tumour in abdomen), 27
- Āsthi śūla* (pain in bones), 201
- Āśuci*(sense of impurity), 257
- Āśuddha* (not properly pro-
cessed), 73, 94
- Āśuddhi* (when the purification therapy has not acted properly), 230
- Āśuta* (process of fermentation), 200
- Āśvina* (September-October), 212, 213, 224
- Āśya* (mouth), 68
- Āśya roga* (diseases in mouth), 87
- Āśya vairasya* (distaste in mouth), 62
- Ātikuṣṭha*, 76
- Ātilekhana* (exceedingly depleting), 101
- Ātisāra* (diarrhoea), 23, 24, 25, 45, 58, 80, 110, 133, 136, 142, 150, 154, 164, 168, 230, 268, 302, 337 357, 360, 365, 367, 417
- Āṭopa* (gurgling sound in the stomach), 36
- Ātyamla* (excessively sour), 155, 156
- Āvagāha* (bath), 180
- Āvalehikā* (linctus), 366
- Āvidāhin* (which does not cause burning sensation), 123
- Āyusya* (promoter of longevity), 14, 20
- Baddha* (a special process by which mercury is made to stand strong heat without vapourisation), 90
- Baddha gudodara* (obstinate type of abdominal disease caused by obstruction in

- the rectum), 301
Baddha nişyanda (prevention of excretion), 195
Balya (promoter of strength), 30, 34
Bandhara saniskāra (a type of processing of mercury), 90
Başlayinī (the milk of a cow long after her delivery), 144
Bhādrapada (August-September), 224
Bhagandara (fistula-in-ano), 76
 81, 84, 168
Bhagna (fracture), 50, 102
Bhagna-sandhāna kṛt (healer of fracture), 34
Bhaksya (eatable), 382, 383, 385, 386, 387
Bhānda (jar in which curd is prepared), 161
Bharjita (fried), 371
Bhasma (calcined powder of metals, minerals etc.), 85, 404
Bhasmaka (gluttonous appetite), 263
Bhauma (which is available on the earth), 211, 215, 217
Bhāvanā (impregnation), 408
Bhaya (fear), 13
Bhedana (purgative), 18, 67
Bhrama (giddiness), 4, 61, 74, 159, 168, 227, 230, 325, 381, 396
Bhrū (eye brows), 68
Bhūta (evil spirits), 53
Brahmā, 50, 97
Brāhmaṇa, 89, 99
Brādhā (over matured), 329
Bṛmhaṇa (nourishing), 14, 29, 31, 33, 47, 74, 131
Bṛmhaṇī (nourishing), 50
Buddhi prada (promoter of intellect), 14
Caitra (name of a month according to Hindu calendar, March-April), 224
Cakṣuṣya (promoter of eyesight), 3, 14, 20, 39, 78, 96, 100
Capala doṣa (a type of defect in mercury), 91
Cara (those who move viz., animal kingdom), 97
Caraka, 208, 410
Caraka saṁhitā, 212
Cauṇḍya (a big well without a boundary wall), 224
Cetanā (consciousness), 13
Cetovikāra (mental disease), 207
Chardi (vomiting), 15, 18, 22, 25, 40, 41, 44, 60, 63, 64, 65, 66, 67, 80, 133, 136, 138, 168, 172, 190, 210, 230, 257, 302, 305, 306, 318, 337, 365, 367, 379, 381, 420, 421, 427
Chedana (which takes away tissue by cutting), 199
Chedi (depleting), 95
 (which takes away tissues by cutting), 194
 (which has the power to penetrate by incision), 353
Citta santāpa (excessive discomfort in mind), 74

- Coṣaṇa* (sucking), 300
- Cunḍa* (big well without any boundary wall), 220, 224, 293
- Dadrū* (ring worm), 43, 206
- Dāha* (burning sensation), 4, 6 (burning syndrome), 23, 36, 42, 47, 48, 57, 59, 60, 62, 64, 67, 102, 103, 158, 168, 172, 175, 200, 211, 217, 227, 230, 303, 309, 310, 312, 313, 315, 333, 365, 367, 382, 419, 420, 426
- Dāha kāritā* (producing burning sensation), 79
- Dala* (fragility), 72
- Dalas* (pieces or fruit in a bunch), 13
- Dandāhata* (stirred with a wooden rod), 149
- Danta* (teeth), 68
- Danta dārḍhya kṛt* (which makes teeth strongly embedded in the gums), 57
- Danta gada* (diseases of teeth), 107
- Dārana* (penetrating), 214 (which causes excision), 215
- Daurgandhya* (foul smell coming out of the body), 43, 55, 60, 62, 65
- Dhānya* (corns and cereals), 343, 348, 350, 379
- Dhārā śīta* (when milk becomes cold after milking), 145, 146
- Dhāroṣṇa* (warm milk of the cow immediately after milking), 145, 146
- Dhātus* (tissue elements of the body), 2, 3, 85, 99, 158, 411
- Dhātu vāda* (preparing gold out of ordinary metals), 89
- Diggaja* (elephant guiding different directions as described in the epic), 212
- Dīpana* (digestive stimulant), 5, 14, 20, 30, 34
- Doṣaghna* (correcting morbid factors), 183
- Doṣa* (Three factors in the body viz., *vāyu*, *pitta* and *kapha*. They control the physiological activities of the body. When vitiated or aggravated they afflict the tissues and channels of circulation to produce different types of disease), 2, 10, 15, 16, 17, 19, 20, 25, 27, 31, 42, 46, 67, 68, 71, 85, 86, 90, 91, 95, 98, 104, 105, 106, 108, 122, 135, 138, 144, 145, 148, 155, 157, 160, 166, 175, 181, 196, 211, 213, 219, 221, 222, 223, 225, 228, 230, 233, 235, 241, 242, 243, 249, 257, 261, 267, 268, 269, 270, 271, 273, 291, 298, 299, 303, 307, 323, 324, 325, 326, 330, 331, 335, 336, 337, 362, 367, 372, 376, 379, 397, 398, 410, 412, 417, 425, 427
- Dravya* (matter), 11
- Dṛḍhatā* (sturdiness), 79

- Druti kriyā* (a special method for processing mercury), 84
- Durnāman* (piles), 26, 28, 33, 108, 160, 195, 206, 280
- Dūṣī viṣa* (artificial poison), 27, 280
- Duṣṭa vraṇa* (obstinate type of ulcer), 52
(serious type of ulcer), 102
(suppurated ulcer), 424
- Duṣṭi* (evil sight), 97
- Gadgadatva* (lulling speech), 257
- Gagana* (sky), 83
- Gala* (throat), 68
- Gala gaṇḍa* (goitre), 3, 257
- Gala graha* (obstruction in the throat), 227, 377
- Galāmaya* (diseases of throat), 126
- Gaṇḍa* (goitre), 29, 43, 54, 91, 214, 263, 264
- Gaṇḍa mālā* (enlarged cervical-glands), 30
- Gara* (a type of poisoning), 78, 92, 175, 207, 328
- Garbha prada* (promoter of conception), 47
- Gātra daurgandhya* (foul smell of the body), 64
- Gaurava* (heaviness), 124
- Ghana* (pressure), 72, 73
- Ghanāsaha* (intolerant of pressure), 77
- Ghṛta vyāpat* (complications because of wrong administration of ghee), 164, 168
- Glāni* (tiredness), 362
- Galaka* (abscess), 84
- Graha* (obstruction), 7
(planets), 97
(affliction by unfavourably situated planets), 59
(afflictions by evil planets or spirits), 63, 102
- Grahanī* (sprue syndrome), 28, 35, 59, 64, 80, 89, 108, 125, 126, 158, 164, 168, 191, 201, 227, 290, 326, 327, 339, 341
- Grahanī doṣa* (sprue syndrome), 15, 272
- Grāhī* (constipative), 7, 55, 67
- Granthi* (adenitis), 29, 30, 85, 181
- Ḡḍhrasī* (sciatica), 21
- Gudaja* (piles), 50
- Guda kila* (piles), 249
- Gulma* (phantom tumour), 15, 21, 27, 28, 33, 34, 37, 38, 39, 40, 56, 58, 64, 76, 81, 125, 126, 164, 168, 174, 189, 190, 195, 204, 205, 206, 227, 230, 249, 306, 316, 378, 412, 414, 416, 418, 421, 423
- Guṇa* (property), 2
(attributes), 8, 13
- Guru* (heavy), 3, 9
- Guruṭā* (heaviness), 79
- Haima* (water from snow) 211, 214, 215
- Hanu* (mandibles), 68
- Hāridra*, 98
- Harita* (green), 12

- Harṣa* (tingling sensation), 156
Hayamgavīna (the ghee that is taken out from the cream produced at the time of milking the cow), 176
Hema kriyā (preparing gold), 93
Hemanta (beginning of winter), 152, 159, 223, 235, 293
Hidhmā (hiccup), 34, 181
Hikkā (hiccup), 15, 65, 136, 150, 207, 227, 230, 249, 271
Hima (cooling), 39 (snow), 214, 215
Hlādi (pleasing), 103
Hrdāmaya (heart disease), 15, 269
Hṛdaya dāha (burning sensation in the chest), 302
Hṛd roga (heart disease), 21, 33, 45, 79, 126, 226, 420, 424
Hṛd ruk (heart disease), 123,
Hṛdya (cardiac tonic), 34, 39, 59
Hṛllāsa (nausea), 22, 25, 63, 65, 66, 79, 92
Hṛt pīdā (pain in cardiac region), 7, 86
Indriya bodhana (which activates the senses), 192, 194
Īsvara (God), 97
Jāḍya (numbness & rigidity), 91, 136
Jagala (lower portion of *surā*), 190, 191
Janārdana (God), 90
Jāṅgala (arid land), 7, 216, 256 (the water found in arid areas), 216, 217 (meat of animals dwelling in dry land forests), 257
Jantu (parasitic infection), 33, 56
Jarā (old age), 69
Jāta vedas (Agni or Fire god), 70
Jaṭhara (obstinate abdominal diseases including ascitis), 207
Jayyaṭa, (name of a physician), 151
Jīrṇa jvara (chronic fever), 33, 150
Jīvana (life), 13
Jvara (fever), 3, 4, 21, 23, 24, 26, 28, 34, 37, 39, 47, 52, 59, 60, 61, 63, 64, 65, 66, 67, 68, 71, 74, 77, 92, 133, 142, 159, 225, 228, 229, 231, 248, 267, 268, 270, 273, 309, 312, 325, 337, 339, 353, 356, 357, 360, 365, 372, 377, 378, 382, 413, 416, 420, 421, 423, 427
Jyeṣṭha (May-June), 224
Kaca (hair), 87
Kādambarī (the lower portion of *surā*, which is more dense), 190, 191

- Kaidāra* (the water of the field), 222
- Kāmalā* (jaundice), 15, 51, 67, 81, 92, 159, 205
- Kampa* (shivering), 6
(tremor), 7
- Kañḍū* (itching), 4, 5, 15, 27, 52, 55, 56, 63, 86, 87, 88, 101, 103, 108, 180, 330, 353, 413, 417
- Kāñjika* (the potion prepared by fermenting *dhānya maṇḍa* etc.), 200, 202
- Kapha* (one of the three *doṣas*; it is responsible for cohesion of bodily organs), 3, 5, 6, 7, 9, 10, 15, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 60, 61, 62, 63, 64, 65, 66, 67, 69, 74, 75, 77, 78, 87, 88, 92, 94, 95, 99, 100, 101, 102, 109, 111, 122, 123, 126, 127, 129, 130, 131, 132, 137, 142, 150, 152, 154, 155, 156, 158, 159, 160, 161, 162, 164, 166, 167, 168, 169, 172, 173, 174, 177, 179, 180, 182, 183, 184, 185, 189, 191, 192, 194, 195, 196, 199, 199-206, 207, 212, 214, 215, 216, 217, 218, 220, 221, 229, 230, 242, 243, 245, 246, 247, 248, 249, 250, 251, 252, 258, 259, 262, 263, 264, 265, 266-68, 269, 270, 271, 272, 274, 275, 276, 277, 278, 280, 286, 287, 288, 289, 290, 291, 295, 298, 299, 300, 303, 304, 305, 306, 307, 308, 309, 310, 312, 314, 315, 316, 317, 318, 319, 324, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 340, 341, 342, 353, 354, 356, 357, 360, 362, 366, 367, 370, 376, 377, 378, 379, 380, 381, 383, 384, 385, 387, 395, 398, 411, 413, 414, 415, 416, 417, 418, 420, 421, 422, 423, 424, 425, 426, 427
- Kaphāpaha* (alleviator of kapha), 35
- Kaphotkleśa* (salivation), 305
- Karna pūraṇa* (ear drop), 180
- Karṣana* (depleting), 29, 36
(which eliminates by force), 353
- Kāśya* (emaciation), 47, 69, 154, 157
- Kārtika* (October- November), 224
- Kārtikeya*, (Lord Śiva's son) 73
- Kāsa* (coughing), 15, 22, 23, 33, 34, 37, 38, 41, 43
(bronchitis), 45-7, 51, 61, 63, 65, 66, 68, 110, 136, 142, 150, 157, 167, 171, 173, 175, 194, 205, 206, 227, 229, 232, 246, 249, 261, 267, 268, 271, 279, 305, 306, 308, 312, 330,

- 332, 339, 342, 367, 372,
377, 378, 398, 412, 415, 425
- Kaṣāya* (astringent), 2
- Kāsmala* (impurity), 79
- Kaṭu* (pungent), 2, 10
- Kaṭuka* (spices having pungent taste), 370
- Kaṭu pācīta* (boiled with pungent spices), 371
- Kaṭu pāka* (pungent in *vipāka*), 21, 28
- Keśya* (useful for hair or promoter of hair), 18, 34, 101, 102
- Khālitya* (baldness), 5, 69
- Khaṇḍa* (candied sugar), 132, 382, 407
- Khara* (un-unctuous), 366
- Khe gati* (moving in the sky), 89
- Kilāsa* (a type of leucoderma) 34, 76, 206
- Klama* (mental fatigue), 162, 211, 396
- Kleda* (appearance of sticky material in excess in the body), 6, 29, 30, 126, 162
- Kledana* (promoter of stickiness), 4
- Kledi* (producer of stickiness), 124
- Koṅkana* (name of a mountain or a region), 99
- Koṣṇa* (luke-warm), 149
- Koṣṭha* (colon), 167
- Koṭha* (urticaria), 168 (urticarial rashes), 417
- Krāmaṇa samskāra* (a type of processing of mercury), 90
- Kṛcchra* (dysuria), 36, 54, 77, 87, 88, 106, 108
- Krimi* (parasitic infection), 377 (maggot), 196 (parasitic infestation), 3 (parasitic infection), 5, 6, 15, 23, 26, 27, 28, 29, 30, 34, 38, 40, 41, 42, 43, 44, 51, 52, 54, 56, 57, 59, 74, 75, 78, 79, 85, 95, 102, 106, 107, 108, 109, 125, 128, 131, 136, 137, 143, 160, 168, 174, 175, 180, 181, 182, 184, 196, 199, 200, 204, 206, 207, 231, 262, 271, 280, 306, 313, 319, 324, 330, 342, 353, 368, 415, 423, 424
- Kṛmi doṣa* (parasitic infection), 27
- Kroḍa* (pelvic region), 295
- Kṛta* (which is fried with ghee etc.), 376
- Kṛta yūṣa* (yūsa, which is prepared of pungent spices, fat and salt.), 380
- Kṣamā bhṛt* (stands to pressure), 80
- Kṣata* (consumption), 5 (phthisis), 50, 133, 168, 303, 310, 311, 313, 315, 372
- Kṣatoghna* (cures consumption), 35
- Kṣata ksīṇa* (consumption), 46
- Kṣatriya* (name of a caste), 84, 89, 99
- Kṣaya* (consumption), 22, 47
- Mālā* (cervical-adenitis), 87

- 63, 66, 71, 74, 76, 81, 86, 94, 95, 102, 109, 110, 130, 142, 157, 168, 173, 192, 228, 267, 271, 279, 303, 308-310, 311, 313, 315, 330, 372, 378, 395
(phthisis), 46, 47
- Kṣīna* (emaciation), 132, 372
- Kṣīra sāgara* (mythical ocean of milk), 93
- Kṣīti* (ground), 337
- Kṣut* (morbid hunger), 191, 312, 359, 372
- Kuṣṭi śūla* (colic pain in the pelvic region), 33
- Kūla* (side of water), 264
- Kuṣṭha* (obstinate skin diseases including leprosy), 4, 5, 6, 20, 22, 23, 26, 27, 30, 33, 34, 36-38, 41, 48, 49, 51, 52, 53-5, 56, 57, 58, 64, 66-68, 74, 76, 79, 81, 84-6, 87, 88, 90, 91, 92, 94, 95, 99, 102, 103, 104, 107, 108, 109, 111, 138, 149, 159, 160, 168, 172, 174, 175, 180, 181, 182, 184, 204, 206, 214, 226, 228, 253, 280, 287, 313, 325, 330, 335, 342, 353, 377, 402, 403, 413, 415, 422, 423, 424, 426, 427
- Kuṣṭha roga* (obstinate skin diseases including leprosy), 87
- Laghu* (light), 8, 14, 39, 54, 88, 123
- Laghu pāki* (which is easy for digestion), 377
- Lekhana* (which causes scraping or having scraping property), 4, 9, 64
(depleting), 31, 73, 78, 88, 96, 135, 136, 180
- Locana* (eyes), 68
- Loha mārdaya kāraka* (which causes softness in iron), 88
- Lomīla daitya* (a group of demons), 78
- Mada* (intoxication), 52, 211, 312
- Madanut* (cures intoxication), 27
- Madātyaya* (alcoholism), 177, 227, 312, 341
- Madhu meha* (diabetes mellitus), 228
- Madhura* (sweet), 2, 10, 21
- Māgha* (January-February), 224
- Mahā bhūtas* (basic elements), 343
- Mahā gada* (serious disease), 73
- Mahā ghr̥ta* (the ghee which is preserved for more than one hundred years), 177
- Maheśvara* (God), 90
- Majjā* (bone marrow), 6, 185, 186
(pulp), 15
(pith), 312
- Mala* (waste products), 3
(excessive excretion of waste products), 60
(impurity), 77
(rust), 82

- Mala dosa* (a type impurity in mercury), 91
- Malas* (waste products), 411
- Malaya* (name of a mountain), 99
- Māli* (name of a demon), 98
- Mandāgni* (suppression of the power of digestion), 423
- Mandānala* (suppression of the power of digestion), 301
- Manojña* (pleasing to the mind), 59
- Manyā* (sterno-mastoid region), 68
- Manyā stambha* (torticolis), 7
- Māraṇa saṃskāra* (lit. death, a type of processing of mercury), 90
- Mārgaśīrṣa* (November-December), 224
- Medaka* (the *sūrā* which is at the bottom of the container), 190, 191
- Medas* (fat), 3, 5, 6, 29, 38, 185, 189, 377, 413, 414, 415
(adiposity), 30, 62, 69, 79, 127, 131, 138, 154, 155, 168, 172, 173, 180, 194, 214, 249, 379, 416, 423
- Medhā* (intellect), 53, 54
- Medhya* (promoter of intellect), 6, 20
(promoter of memory), 14
- Meha* (obstinate urinary disorders including diabetes), 3, 20, 22, 23, 29, 30, 34, 38, 44, 48, 55, 66, 75, 76, 79, 85-7, 95, 137, 138, 168, 192, 194, 206, 280, 291, 367, 368, 378, 413, 416, 422-24, 426, 427
- Minminatva* (stammering), 257
- Moha* (unconsciousness), 133, 136
- Mṛdu* (soft), 21
- Mṛdu recana* (laxative), 21
- Mṛdutā* (softness), 5
- Mṛtyu* (death), 79
(apprehension of death), 381
- Mūkatā* (dumbness), 257
- Mukha roga* (diseases of mouth), 77
(diseases of the oral cavity), 257
- Mukha śoṣa* (dryness of mouth), 372
- Mukula* (bud), 54
- Mūrcchā* (fainting), 6, 7, 74, 91, 133, 168, 175, 210, 211, 221, 230, 312, 365, 379, 382
- Mūrcchanā saṃskāra* (a type of processing of mercury), 90
- Musti* (handful), 378
- Mūtra doṣa* (urinary disorders), 419
- Mūtrāghāta* (anuria), 414
- Mūtra graha* (anuria), 164
(suppression of urination), 168
- Mūtra kṛcchra* (dysuria), 45, 46, 48, 63, 95, 133, 148, 154, 167, 189, 367, 414, 418, 420
- Mūtrala* (diuretic), 35

- Nada* (big river), 217
Nadī (small river), 217
Nādeye (the water which is derived from river), 217
Nāḍī vṛaṇa (sinus), 205
Nāga (lead), 76
Nāga dadhi (curd of elephant's milk), 161
Nāga doṣa (a type of impurity in mercury), 91
Nāgas (snakes as described in the epic), 213
Naisargika (natural), 91,
Naktāndhya (night blindness), 110
Nāsikā (nose), 68
Naṣṭa (curdled), 151
Nasya (inhalation), 46, 180
Nava (freshly collected), 132, 137
Nava jvara (beginning stage of fever), 227, 230
Netra hita (useful for eye sight), 18
Netrāmaya (eye disease), 228
Netraruk (pain in eyes), 101
Nidrā (excessive sleep), 211
Nikaṣa (a specific type of stone used for testing the genuineness of gold), 70
Nirjhara (spring), 223
Nitya abalatva (progressive weakness), 77
Ojas (vital fluid, the essence of the seven categories of tissue elements), 3, 50, 94, 125, 173, 241, 371, 372
Pācana (carminative), 4, 5, 25 (metabolic transformation), 416, 417
Paktā (stimulant of digestion and metabolism), 124
Pakva (boiled), 167
Pakvāśaya (colon), 53
Pala (48 ml. approx.), 189, 398
Palita (premature graying of hair), 5, 69
Pālvala (water of small pond), 219
Palvala (small pond), 219
Pāmā (itching), 184, 207
Pāna (drinking), 180
Pāṇḍu (anemia), 22, 36, 50, 54, 55, 75, 76, 78, 82, 86, 95, 126, 168, 192, 194, 200, 205, 206, 230, 413, 416, 424, 426 (yellowish), 262
Pāṇḍura (gray), 99
Pāṇḍutā (anemia), 79
Pāṇḍutva (anemia), 4
Pāṇḍvāmaya (anemia), 159, 164
Parāśara (name of a sage), 24
Pārijātra (name of a mountain), 226
Pariṇāmaja śūla (colic pain which appears during the process of digestion of food), 80
Pariśuṣka (dried), 371
Pārśva pīḍā (pain in the sides of the chest), 86
Pārśva ruk (pain in the sides of the chest), 65, 68, 108, 230
Pārśva sūla (pain in the sides of chest), 43, 227

- Pārvatī* (consort of lord Śiva), 93
- Pathya* (wholesome), 50
- Paṭu* (saline), 2
- Pausa* (December-January), 224
- Pāvana* (purifier), 13
- Pavitra* (remover of sins), 71
- Phālguna* (February - March), 224
- Phutkāra* (hissing sound), 84
(emitting sound), 213
- Picchila* (slimy), 3, 30
- Pīdā* (pain), 87
- Pīdakā* (pimples), 29, 417
- Pīdāra* (which causes pain), 353
- Pilla* (a type of eye disease), 55-56
- Pīnasa* (chronic sinusitis), 32, 34
(chronic rhinitis), 74, 80, 246, 249, 273, 275, 290, 423
(chronic cold), 167, 190, 194
- Pinda* (solid form), 151
- Piṅḍī* (bolus), 366
- Pipāsā* (morbid thirst), 22, 38, 231, 367, 419, 423
- Piṣṭa* (made to a paste), 371
(pastries), 395
- Pīṣṭāna* (pastries), 395
- Pitta* (one of the three *doṣas*. This is responsible for all the metabolic including digestive functions of the body and production of heat & energy), 3-6, 8, 9, 10, 15, 17-19, 20, 21, 22, 23, 24, 26, 30-4, 35, 38, 40-8, 49, 50, 53, 54, 55-58, 59, 60, 61, 63, 64, 65-7, 69, 73-75, 78, 80, 87, 88, 92, 94, 95, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 122, 123, 125-28, 130, 131, 132, 137, 138, 142, 144, 146, 147, 148-50, 154, 155, 156, 157, 158, 159, 166, 169, 171, 172, 173, 174, 179, 181, 182, 183, 184, 185, 188, 193, 194, 195, 200, 204, 207, 212, 214, 215, 216-220, 221, 222, 225, 227, 229, 230, 232, 242, 243, 245, 246, 247, 248, 249, 250, 251, 252, 259, 262-65, 266-68, 269-74, 275, 276, 277, 278, 79, 286, 287, 289, 292, 295, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 313, 314, 315, 316, 317, 318, 319, 324, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 338, 339, 340, 341, 353, 354, 356, 357, 360, 367, 370-72, 377, 378, 379, 380, 381, 383, 384, 385, 386, 395, 398, 411, 412, 418, 420-24, 425-26
- Pitta jvara* (fever caused by *pitta*), 419
- Pittāsra* (a disease characterised by bleeding from different parts of the body), 22

- Pitrya* (liked by Pitṛs or dead ancestors), 277
- Pīyūṣa* (the milk of the cow immediatly after delivery), 150, 152
- Plīhan* (splenic disorder), 15, 58, 67, 79, 81, 85, 92, 94, 126, 133, 164, 168, 181, 205, 333
- Plīhā roga* (splenic disorder), 27, 37
- Prabhāta* (early morning), 147
- Prabhāva* (specific action), 2, 10, 11, 19, 26, 37
- Pradara* (menorrhagia and other allied gynaecological disorders), 24
- Pradigdha* (excessively burnt), 371
- Pradoṣa* (evening), 147
- Prahlādanīya* (which gives comfort), 60
- Prakleḍī* (which produces sticky matter), 126
- Prameha* (obstinate urinary disorders including diabetes), 15, 18, 27, 37, 56, 73, 76, 257
- Praseka* (salivation), 168, 227 (excessive salivation), 377, 398
- Pratapta* (heated), 371
- Pratibhā* (intuition), 188
- Pratiśyāya* (cold), 154, 227 (chronic rhinitis), 377 (rhinitis), 415
- Pratūnī* (a variety of *tūnī* in which pain starts from anus and moves to the intestine), 378
- Puṁstva* (virility), 5
- Purāṇa* (which is preserved for a long time), 132, 138, 299
- Puraṇās* (name of a group of scriptures), 73
- Puṭaga* (having layers), 77
- Rāja yakṣmā* (tuberculosis), 177
- Rakṣa* (affliction by 'rakṣas'), 59
- Rakṣas* (evil spirits), 32, 101, 177
- Rakṣoghna* (which cures afflictions by evil spirits including germs), 138, 182
- Rakta* (blood), 24, 67, 166, 386
- Raktāmaya* (diseases blood), 301
- Rakta pitta* (a disease characterised by bleeding from different parts of the body), 18, 24, 35, 36, 39, 48, 49, 55, 57, 58, 59, 60, 64, 66, 109, 110, 125, 130, 136, 137, 142, 144, 168, 172, 173, 199, 231, 248, 252, 269, 272, 277, 279, 280, 287, 292, 299, 309, 311, 313, 315, 316, 317, 319, 325, 334, 339, 340, 342, 352, 357, 365, 419, 422, 426
- Stambhana* (coagulation of blood), 50
- Vikāra* (diseases caused by the vitiation of blood), 76
- Raṅjana saṁskāra* (a type of processing of mercury), 90

- Rasa* (taste), 2 10, 19, 32, 69, 89, 90, 107, 408
 (juice), 139
 (essence), 141
Rasāyana (rejuvenation), 14, 26, 28, 30, 34
Rocana (appetiser), 34, 64
Roma harṣa (horripilation), 156
Ropana (healing), 7, 74
Rucya (appetiser), 4, 5, 20
Rudra (Lord Śiva), 72
Ruk (pain), 54, 81
Rūkṣa (ununctuous), 6, 18, 21, 28, 39

Sadala (which in in pieces), 62
Sadya śuddhi (immediately after the purification therapy), 227
Sahya (name of a mountain), 226
Śaithilya (slothfulness), 5
Śakti (specification), 2
Samgrāhi (constipative), 25
Samhanana (joining of tissues), 372
Samīrana (aggravated *vāyu*), 33 (airy portion), 295
Samskāra (process), 90
Samśveda (excessive sweating), 59
Ṣaṇḍatva (impotency), 79
Sandhāna (union of tissue elements), 368
Sandhānakṛt (which helps in uniting the broken or torn tissues), 3
Śaṅkha (temporal region), 68

Sannipāta (diseases caused by the simultaneous vitiation of all the three *doṣas*), 99, 230, 270, 424
Santānikā (the layer of cream which is formed on the surface when the milk is boiled on low heat), 146
Saptarṣis (seven sages), 70
Sara (cream), 161
 (laxative), 14, 20
 (mobile), 4
 (purgative), 27
Saras (big pond), 223, 224
Śarkarā (gravels in the urinary tract), 88, 125, 378
Sātmya (wholesome), 201
Sattva (essence), 83, 267, 268, 402, 404
Sāttvika (dominated by *sattva* or pure qualities), 197
Saumya (cooling), 211
Seka (sprinkling), 180
Śikhara (pyramid), 81
Śikharākāra (tapering in shape), 80
Siraḥ pīḍā (headache), 68
Śiraḥ sūla (headache), 7, 414
Siras (head), 68
Siroroga (diseases of head), 226
Siroruk (headache), 81, 425
Sisīra (later part of winter), 159, 223, 235, 293
Sīta (cold), 9
 (cooling), 9, 20
Sītaga viśama jvara (irregular fever which is associated with a feeling of cold), 154

- Śīta rasa* 193, 194
Śīva (Lord Śīva), 72, 89
Slakṣṇa (smooth) 28, 29
Sleşman (*kapha dosa*), 4
Ślīpada (filar:asis), 37, 226, 257
Snāyu (tendons and ligaments), 87
Snehapāna (oleation therapy), 227
Śnigdha (unctuous), 3, 9
Śodhana (cleansing), 4, 91 (processing), 88 (which helps in cleansing), 421,
Śoma (one of the two principles responsible for cold), 9
Śoṇita pitta (a disease characterised by bleeding from different parts of the body), 64, 304, 396
Śopha (oedema), 26 28, 30, 33, 37, 48, 64, 76, 79, 81, 86, 95, 107, 126, 143, 150, 168, 189, 191, 194, 204, 205, 206, 426
Śoṣa (consumption), 47, 48, 51, 173, 263, 268, 396, 412 (phthisis), 71 (dryness), 353
Śaṣaṇa (depletion), 6 (dryness), 5 (drying), 7, 55, 245, 353
Śoṭha (oedema), 4, 15, 20, 29, 43, 44, 49, 51, 55, 56, 57, 58, 62, 65, 68, 69, 136, 164, 174, 175, 206, 230, 273, 328
Sphārāṅgī (dazzling), 77
Sphoṭa (pustular eruptions), 101
Śrama (physical fatigue), 172, 227, 299, 333, 362, 381-82 (exhaustion), 7
Sraṁsana (laxative) 29, 66
Śravaṇa (ears), 68
Śrāvāṇa (July-August), 224
Srotorodha (obstruction to the channels of circulation), 168
Śrīṣṭa mala (which eliminates waste products), 122
Śrīta śīta (cooled after boiling), 230
Stabdha (compact), 77
Stambha (rigidity), 36 (power of retention), 189, 191 (constipative), 8 (which causes retention), 353, 414
Stana roga (diseases of the breast), 421
Stanya (lactation), 3,5 (galactagogue), 47
Sthairya (steadiness), 246
Sthairya kara (producing steadiness), 143
Sthaulya (adiposity), 5, 232 (obesity), 3, 138
Sthāvara (those who do not move, like vegetable kingdom, stone etc.), 97
Sthīra (stable), 214 (which produces stability), 370
Stimita koṣṭha (absence of peristaltic movement in the intestine), 227

- Sūdra* (one of the four castes), 84, 89, 99
Sudurgandha (foul smell), 79
Śukra (semen), 4, 416
Śukra doṣa (vitiation of semen), 426
Śukrala (spermatopoetic), 39, 46, 47
Śukra meha (spermaturia), 426
Śukrāśmarī (stone in the seminal tract), 249
Sūkṣma (subtle), 30, 78, 122, 123
Sūkumāra (tender), 139
Śūla (colic pain), 15, 23, 25, 35, 37, 39, 44, 45, 63, 64, 74, 76, 78, 79, 81, 101, 124, 125, 150, 168, 181, 190, 202, 204, 205, 206, 230, 305, 306, 356, 378, 379, 416, 418, 421
Śuṣka kāsa (dry cough), 273
Suśruta (the author of an ayurvedic classic—*Suśruta saṁhitā*), 165, 176, 247, 410, 420
Suvarṇaghna (which reduces gold into *bhasma* form), 88
Śvādu (sweet), 155
 pāka (sweet in *vipāka*), 14
Śvādvamla (both sweet & sour in taste), 155, 156
Śvapna (sleep), 210
Śvarya (promoter of good voice), 28, 30
Śvāsa (asthma), 3, 15, 33, 34, 37, 43, 45, 46, 51, 61, 63, 65, 66, 68, 75, 80, 95, 108, 126, 136, 150, 157, 167, 173, 175, 181, 194, 205, 207, 227, 229, 246, 249, 261, 267, 268, 271, 279, 305, 306, 308, 309, 312, 313, 372, 377, 378, 398, 415, 425
Śvasanā (asthma), 268.
Śvayathu (oedema), 228
Sveda (excessive sweating), 55, 60, 63, 65, 74
Sveda daurgandhya (foul smell because of excessive sweating), 59
Sveta dvīpa (name of a mythological island), 93
Svitra (leucoderma), 76, 101, 102, 107, 137, 168, 204
Tālu (palate), 68
Tamaka (asthma), 227
Tāmasika (caused by one of the three attributes of mind i.e. *tamas*), 197
Tandrā (drowsiness), 210, 211, 314
Tandrī (drowsiness), 68
Tāpa (excessive heat), 73
 (burning sensation), 94
Tarpaṇa (refreshing), 300
Tejas (semen), 89
 (power), 97
Tikṣṇa (sharp), 9
 (sharpness), 98
Tikta (bitter), 2, 30, 188
Timira (cataract), 4, 175
Troṣanākṣama (difficult to break), 77
Tripara (name of a demon), 72
Tṛptikara (which causes satisfaction), 384

- Tṛṣā* (morbid thirst), 7, 66, 107, 168, 211, 230, 302, 303, 313, 359, 381
- Tṛṣṇā* (morbid thirst), 25, 103, 133, 158, 162, 191, 217, 219, 230, 305, 309, 312, 315, 318, 333, 360, 365, 372, 420
- Tṛṭ* (morbid thirst), 4, 5, 6, 18, 23, 41, 42, 59, 63, 64, 65, 67, 133, 231, 299, 365, 367
- Tūnī* (a diseases characterised by acute pain in intestine, anus and phallus), 378
- Tvagāmaya* (diseases of skin), 38, 67, 423
- Tvagdoṣa* (skin diseases), 24, 55, 56, 60, 65
- Tvak roga* (ordinary skin diseases), 426
- Tvak śosa* (emaciation or dryness of skin), 48
- Udara* (obstinate abdominal diseases including ascitis), 15, 26, 27, 28, 37, 40, 56, 58, 64, 74, 81, 85, 86, 95, 160, 168, 194, 204, 205, 206, 207, 228, 230, 328
- Udāvarta* (upward movement of wind in abdomen), 21 (tymphanitis), 181 (flatulence), 201, 367
- Udgāra* (eructation), 125
- Ulkā* (meteor), 72
- Una* (devoid), 32
- Unmāda* (insanity), 71, 95, 102, 173, 175, 207, 263
- Upādhiya* (artificial), 91
- Uraḥ kṣata* (phthisis), 339, 398
- Uraḥ sandhāna* (which heals the wound in the chest), 150
- Urdhvaga rākta pitta* (bleeding through various orifices in the head), 227
- Urdhva śvāsa* (dyspnoea), 412
- Uru stambha* (which produces immobility of thigh), 246
- Usmā* (excessive hot feeling), 227
- Uṣṇa* (hot), 9 20, 188
- Uṣṇa vīrya* (hot in potency 30
- Utkledana* (stickiness), 79 (production of stickiness in the body), 74
- Utkleśa* (nausea), 6
- Utpluṣṭa* (burnt), 371
- Vādhīrya* (deafness), 257
- Vāgbhaṭa* (name of the author of one of the ayurvedic classics), 185
- Vahīḥ śīta* (cooling from outside), 4
- Vahni* (heat), 214
- Vahni doṣa* (one type of impurity in mercury), 91
- Vaiśākha* (April-May), 224
- Vaisvarya* (hoarseness of voice), 15 (impairment of voice), 66
- Vaiśya* (one of the four castes), 89, 99
- Vajra* (thunder), 82, 83, 84
- Vajrī* (Indra), 82
- Valī* (premature wrinkling), 5, 69
- Valkala* (outer layer), 55

- Vami* (vomiting), 37, 108, 227, 413
- Vaṅga doṣa* (a type of impurity in mercury), 91
- Vānti* (vomiting), 52, 74
- Vara lekhana* (exceedingly depleting), 71
- Varcograha* (retention of stool), 206
- Varṇa* (complexion), 52
- Varṇya* (promoter of complexion), 28, 69, 103
- Vasā* (muscle fat), 6, 185, 186, 386
- Vasti* (urinary bladder), 127 (enema), 180
- Vasti ruk* (pain in bladder), 86
- Vastra* (cloth), 234
- Vāsuki* (name of the serpent god), 75
- Vāta* (one of the three *doṣas*. It is responsible for all movements & sensations in the body), 9, 10, 18, 19, 21, 25, 28, 30, 31, 32, 34, 35, 36, 38, 40, 41, 42, 43, 44, 45, 48, 52, 53, 55, 56, 58, 61, 66, 73, 87, 94, 101, 107, 122, 123, 131, 143, 146, 155, 160, 164, 182, 184, 185, 214, 245, 246, 252, 267, 269, 324, 332, 333, 335, 336, 379
- Vāta* (flatus), 246
- Vātakṛt* (aggravator of *vāta*), 21
- Vātāmaya* (disease caused by the vitiation of *vāyu*), 65
- Vāta rakta* (gout), 52, 67
- Vātāsra* (gout), 30, 55
- Vātāśṛk* (gout), 21, 181
- Vayasya* (promoter of longevity), 78
- Vāyu* (one of the three *doṣas*. It is responsible for all movements & sensations in the body), 3-10, 15, 17, 19, 22, 24-6, 29, 34, 35, 36-38, 40, 41, 43, 44, 45, 46, 47, 50, 51, 55-7, 59, 60, 61, 64, 65, 67, 76, 78, 80, 95, 99, 101, 104, 105, 106, 109, 110, 123, 125, 126, 127-29, 130, 132, 137, 142, 143, 144, 146-50, 152, 155, 157, 158, 160, 162, 166, 169, 171, 173, 174, 180, 181-84, 189, 190, 191, 192, 193, 194, 195, 196, 200, 201, 202, 204, 205, 206, 207, 212, 214, 215, 216-20, 221, 227, 229, 230, 242, 246, 247, 248, 249, 250, 251, 252, 259, 260, 262-64, 265, 266, 268, 269, 271, 272, 273, 274, 275, 276, 277, 279, 280, 286, 287, 288, 289, 290, 292, 293, 295, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 310, 312, 313, 314, 315, 316, 317, 318, 319, 324-26, 327, 328, 329, 330, 331, 332, 333, 334, 336, 338, 339, 340, 341, 342, 352, 356, 357, 359, 360, 366, 267, 368, 372, 373,

- 377, 378, 379, 380, 381, 383, 384, 385, 386, 387, 395, 398, 410-12, 414, 417-24, 425, 427
- Vedhana* (a specific method of processing of gold), 70
- Vibandha* (constipation), 4, 15, 33, 35, 37, 63, 123, 125, 194, 202, 306, 356, 379
- Vidāha* (burning sensation), 74
- Vidāhin* (burning sensation), 43, 148, 181
- Vidāraṇa* (which causes perforation), 124
- Vidhamana* (stimulation), 162
- Vidradhi* (abscess), 43, 77, 227
- Vigrahavān* (in a corporeal form), 97
- Vijaya* (victory), 13
- Vindhya* (name of a mountain), 226
- Vipādikā* (cracking of the sole of the feet), 59, 63
- Vipāka* (taste that emerges after digestion), 2, 10, 18, 20, 28, 30, 33, 34, 35, 36, 38, 40, 42, 56, 61, 62, 67, 107, 109, 110, 123, 128, 137, 138, 154, 157, 160, 161, 174, 180, 181, 184, 188, 194, 199, 218, 220, 241, 247, 249, 251, 252, 253, 259, 261, 263, 267, 272, 273, 277, 278, 288, 290, 293, 303, 307, 311, 314, 317, 318, 324, 326, 328, 331, 334, 337, 340, 341, 342, 386, 408
- Vipra* (brahmin caste), 84, 99
- Virasa* (not tasteful), 196
- Vīrya* (potency), 2, 9, 19, 233, 408
- Viṣa* (poisoning), 6, 22, 23, 27, 43, 47, 51, 52, 54, 56, 57, 59, 61, 62, 65, 71, 85, 86, 87, 88, 104, 105, 106, 107, 108, 109, 111, 133, 136, 138, 174, 175, 204, 205, 225, 227, 230, 280, 299, 306, 324, 325, 331, 332, 342, 353, 365, 380, 395, 414, 415
- (poison), 69, 91, 97, 98, 99, 101, 102, 103, 417, 419, 421, 423, 426, 427
- Viśāda* (sorrow), 97
- Viśāda* (non-shmy), 28, 30, 51, 78, 100, 125, 196, 214, 217, 220, 250, 287, 304, 307, 317, 341, 361
- Viṣa doṣa* (poisoning), 52, 91
- Viṣamajvara* (malarial fever), 15, 20, 48, 88
- (irregular fever), 150, 168, 192, 271, 301, 422
- Visarpa* (erysipelas), 4, 5, 22, 49, 54, 55, 59, 63, 65, 69, 103, 159, 280
- Viškira* (meat of gallinaceous birds), 257, 261, 269
- Viśoṣana* (excessively drying), 55
- Viṣphoṭa* (postules), 9, 67
- (pustular eruptions), 53, 60, 103, 184
- Viṣphulinga* (fire particles), 82
- Viśra* (foul smelling), 225
- Viṣṭambha* (impairment of the peristaltic movement of the colon), 123

- Viṣṭambhi* (flatulence), 158
Viśucikā (cholera), 177
Viśuddhi (elimination therapy), 206
Viṭ (one of the four castes), 84
Vradhna (inguinal lymphadenitis), 26
Vraṇa (ulcer), 15, 20, 22, 30, 36, 45, 48, 52, 53, 54, 55, 56, 58, 59, 60, 63, 64, 69, 85, 87, 101, 104, 105, 181, 184, 228
Vraṇa śodhana (cleansing of ulcers), 102
Vraṇya (useful in the treatment of ulcers), 60
Vṛddha Suśruta (name of a sage), 224
Vṛṣya (aphrodisiac), 29-31, 33-5
Vṛtra (name of a demon), 82
Vyavāyi (a substance whose digestion and metabolism take place after it has pervaded all over the body), 123, 179
Yakṛt (diseases of liver), 58, 67
Yakṣmā (tuberculosis), 280
Yogavāhin (which enhances the efficacy of other drugs when mixed), 90, 95, 99, 138
Yoni (female genital tract), 175
Yoni doṣa (diseases of the female genital tract), 58, 69, 174, 444
Yoni śūla (pain in female genital tract), 107
Yonyarti (pain in female genital tract), 54
Yūkā (lice), 32
Yūṣa (soup), 377, 379, 380, 381, 387, 394, 395, 402

INDEX II

(*Drugs & Diet described in this Text*)

- Abalguja*, 439
Abhayā, 423
Abhiṣyanda, 384
Abhra(ka) (mica), 82-6, 531
 sattva of, 402
Aḍāgake, 262.
Āḍhakī (*Cajanus cajan* Millsp.), 249
Āḍya puṣpaka, 437
Agaru, 444
Agastya (*Sesbania grandiflora* Pers.), 110, 551
Agnika, 428
Agnimantha, 413-14, 425, 444
Aguru (*Aquilaria agallocha* Roxb.), 61, 182, 417, 431, 437
Āhastinī, 336
Ahimsrā (*Capparis sepiaria* Linn.), 51, 403
Airāvata, 304
Aja gandhā, 421, 428, 500
Aja gandhī, 484
Ajājī, 416
Aja karṇa, 413, 547
Ajamoda (ā), 416, 421, 499
Aja śṛṅgī, 413
Ākhu, 408
Aksa, 260, 439
Āksika, 194-95
Akṣoṭa, 570
Āla, 430
Alābu, 438
 nālikā, 333
Alarka, 443-44, 415
Alavaṇā, 415
Āhuka (dioscorea sp.), 340
Āmala, 442
Āmalaka(i), (*Emblica officinalis* Gaertn.), 18-19, 159, 161, 318, 422, 423, 439, 451
Āmaya, 439
Amlaka, 156
Amla vetasa (*Garcinia pedunculata* Roxb.), 303, 403, 439, 575
Amlikā (*Tamarindus indica* Linn.), 304, 441, 577
 kanda, 341
Āmra (mango), 299-302, 441, 555
 bija, 302
Āmrātaka (hog plum), 302-3, 439, 579
Āmrāvarta, 302
Amṛtā (*Tinospora cordifolia* Miers.), 67, 431, 568
Anantā (*Cryptolepis buchanani* Schult.), 48
Añjana, 419
Añjira, 570
Aṅkola, 463
Aṅkura, 328

- Anna*, 361
Anupāna, 394-98
Anu yava, 246
Ap, 421
Apāmārga (*Achyranthes aspera* Linn.), 57, 432, 460
Āphū(ka) (*Papaver somniferum* Linn.), 55, 491
Āragvadhā, 412, 442, 462
Ārāma śītalā, 486
Āranāla, 201
Arani, 452
Ārdra (*Zingiber officinale* Rosc.), 35-6, 496
Ārevata, 424
Ārghya, 137
Ariṣṭa (*Sapindus trifoliatus* Linn.), 56, 189, 195, 442
Ariṣṭaka, 550
Arjaka, 415, 443
Arjuna, 413, 543
Arka (*Calotropis gigantea* R. Br. ex Ait.), 27-8, 415, 429, 442-44, 487
Arka parnī, 402
Arka puṣpī, 481
Ārtagala, 413, 444, 543
Āru, 565, 570
Āruka, (*Prunus domestica* Linn.), 310, 334
Āruṣkara (*Semecarpus anacardium* Linn. f.), 28, 406
Asana (*Pterocarpus marsupium* Roxb.), 57, 111, 328, 413
Āsava, 189, 195
Āśma bhedaka 414, 444
Āśmanta, 466
Āśoka, 414
Āsphotā, (*Vallisneria spiralis* L. O. Ktze.), 57
Aṣṭa varga, 47-48, 433-35, 457
Asthī saṁhāra (*Cissus quadrangularis* Linn.), 50, 487, 597
Aśva (horse), 275, 431
Aśva gandhā (*Withania somnifera* Dunal), 46, 406, 432, 442, 468
Aśva karṇa, 413, 432
Aśva māra, 424
Aśvattha, 68, 337, 541
Ātarūṣaka, 329
Atasī (*Linum usitatissimum* Linn.), 251, 427
Atibalā, 444, 470
Ativiṣā (*Aconitum heterophyllum* Wall.), 25, 407, 420, 423, 443, 477
Ātmaguptā (*Mucuna pruriens* DC.), 250-51, 431
Atyamla, 156
Audbhida lavaṇa, 503
Auddālika, 138
Avalehikā, 366
Avalguja (*Psoralea corylifolia* Linn.), 56
Āvartakī (*Helicteres isora* Linn.), 53
Babbula, 546
Babhru, 260
Bādāma, 568
Badara, 299, 310, 439, 444, 560,
Bagulī 265
Bakula (*Mimusops elengi* Linn.), 107, 406
Balā (*Sida cordifolia* Linn.), 46, 438, 444, 469
Bālā, 512
Bandhu jīvaka, 442

- Barhī* (peacock), 277
Baṣkayīṇī, 144
Bhadra dāru, 417, 431, 444
Bhakṣa, 438
Bhakṣya, 382
 paiṣṭika, 385
 varieties of, 386-87
 virūḍhaka, 385
Bhallātaka, 403, 481
Bhallūka, 414
Bhaṅgā (*Cannabis sativa* Linn.),
 42, 489
Bhārgī (*Clerodendrum serratum*
 Moon), 51, 415-16, 420,
 444, 472
Bhārṅgī, 401
Bhavya, 439
Bhīruka, 129
Bhrāmara, 137
Bhṛṅga rāja, 476
Bhū chatra 598
Bhū dhātṛī (*Phyllanthus niruri*
 Linn.), 22
Bhū kaṇḍa, 341
Bhūmyāmalakī, 451
Bhū nimba (*Swertia chirata*
 Buch.-Ham.), 22
Bhūrja, 413, 516
Bhū strīṇa (*Cymbopogon martini*
 Wats.), 41, 415
Bībhūtakī (*Terminalia belerica*
 Roxb.), 18
Bīja pūraka, 318, 573
Bilva (*Aegle marmelos* Corr.),
 25, 44, 327, 413, 425, 452
Bimba, 440
Bimbī (*Coccinia indica*
 W. & A.), 308, 413, 442-43,
 590
Bola, 535
Bandhu jīva, 523
Brahma (*Butea monosperma*
 Kuntze), 111
Brāhmī (*Bacopa monnieri* Pen-
 nell), 53, 482
Bṛhad baka, 264
Bṛhatī (*Solanum indicum*
 Linn.), 45, 330, 412-13,
 420, 424, 430, 440
Bṛhat kaṇṭhākārī, 455
Cakora, 261
Cakra marda, 475
Cakrāṅga, 276
Cakra vāka, 279
Campaka (*Michelia champaca*
 Linn.), 106, 435, 442
Caṇaka (*Cicer arietinum*
 Linn.), 248
Caṇakāmla, 407, 439
Caṇaka śāka, 594
Caṇḍā, 417, 439
Candana, 59-60, 413, 418, 431,
 437, 444, 508
 rakta (*Pterocarpus santali-*
 nus Linn. f.), 59
 śveta (*Santalum album*
 Linn.), 59
Candra kānta, 536
Cāṅgerī (*Oxalis corniculata*
 Linn.), 327, 439, 595
Cara, 421
Carmakārāluka, 406
Cāru karīra, 280
Caṭaka (tree sparrow), 270, 279
Caturjāta, 511
Caturjātaka, 436
Caturuṣana, 497
Cauhārī yavānī, 500

- Cavikā* (*Piper chaba* Hunter),
 39, 403
Cavya, 416, 427, 497
Cerapoṭī, 481
Chāgalāntrī, 442
Chāga payas (goat's milk), 142
Chāga śrṅgī, 425
Chātra, 137
Chichikā, 41
Chikkiṇī, 484
Chinna ruhā, 418
Cicciṇḍa, 593
Cili (*Chenopodium album*
 Linn.), 324
Cillī, 592
Cīnāka, 331
Cīncā, 439
Cira bilva, 328, 428
Cirbhaṭī, 588
Citraka (*Plumbago zeylanica*
 Linn.), 26, 161, 328, 401,
 412-13, 416, 423, 427-28,
 442, 498
Coca, 417
Coraka, 417, 514
Cukra, 403
Curṅbaka pāṣāṇa, 538

Dadhi, 154, 159, 165-66, 602
 āja (curd of goat's milk),
 157
 asāra, 158
 auṣṭrika (curd of camel's
 milk), 160
 āvika (curd of sheep milk),
 160
 kūrcikā, 152
 gālita, 158
 gavya (curd of cow's milk)
 157
 māhiṣa (curd of buffalo's
 milk), 157
 nāga (curd of elephant's
 milk), 161
 nāri (curd of woman's
 milk), 160
 pūpaka, 615
 vādava (curd of mare's
 milk), 160
Dadhiththa, 439
Dadhyamla, 380, 439
Dāḍima (pomegranate), 298,
 406, 419, 437, 439, 560
Dāḍimāmla, 380
Dahana, 441
Dalodbhava, 138
Damana, 108, 524
Danta śaṭha, 304
Dantī (*Baliospermum monta-*
num Muell.—Arg.), 26, 401,
 428, 440, 442, 461
Darbha, 413, 426, 490
Dāru haridrā, 417, 475
Dārvī (*Berberis aristata* DC.),
 56
Daśa mūla, 67-68, 425, 455
Deva dālī, 443, 478
Deva dāru, 470
Deva vallabha, 107
Dhāmārgava, 442
Dhānā, 368, 621
Dhānolamba, 367
Dhānvana, 547
Dhanvayāsa, 401
Dhānya (corns and cereals),
 348, 350
Dhānyaka (*Coriandrum sativum*
 Linn.), 41-42, 420, 501

- Dhānyāmla*, 201-202, 380, 439
Dhārā śīta, 145
Dhāroṣṇa, 145
Dhātakī (*Woodfordia fruticosa* Kurz), 57, 110, 473
Dhattūra, 444, 488
Dhātu, 69-82
Dhava, 413, 416, 547
Dhuttūra (*Datura stramonium* Linn.), 52
Dhyāmaka, 417
Diṇḍisa, 331
Diṇḍisā, 591
Dīrgha patrā, 129
Dīrgha pora, 129
Dīvyā, 350
Drāksā, 309-10, 406, 419, 437-38, 554-55
Dravanī, 440, 442
Drekkā, 416
Droṇa puṣpī, 482
Droṇa puṣpikā (*Leucas cephalotes* Spreng.), 51
Dugdha, 602
 bhakṣya, 612
Dugdhi, 481
Dugdhikā (*Euphorbia thymifolia* Linn.), 51
Durālabhā, 401
Dūrvā (*Cynodon dactylon* Pers.) 55, 489

Ekāṅgī, 515
Ekāśapha payas (mares milk), 143
Elā (*Amomum subulatum* Roxb.), 63, 417, 420-21, 428, 436
Ela vāluka, 414, 509

Ena (black buck), 267
Eraṇḍa (*Ricinus communis* Linn.), 45, 412, 442, 444, 459
Ervāru, 331-32, 438
Ervārūka (*Cucumis utilisissimus* Roxb.), 333

Gairika (red ochre). 100, 532
Gaja (elephant), 276
Gaja pippalī (*Scindapsus officinalis* Schott), 39, 403, 498
Gambhāri, 453
Gana, *Āmalakyādi*, 423
 Añjanādi, 419
 Arkādi, 415
 Bṛhatyādi, 420
 Dāraṇa, 428
 Elādi, 417
 Guḍūcyādi, 420
 Haridrādi, 417
 Jīvanīya, 459
 Kadambādi, 426
 Kākolyādi, 432
 Karañjādi, 426
 Kṛṣṇādi, 416
 Lāksādi, 424
 Muṣkakādi, 416
 Mustādi, 421
 Pācana, 427
 Parūṣakādi, 419
 Prapīdana, 428
 Rodhrādi, 414
 Sālasārādi, 413
 Sārīvādi, 418
 Surasādi, 415
 Trapvādi, 423
 Uṣakādi, 418
 Utpalādi, 421

- Vacādi*, 417
Varuṇādi, 413-14
Vatsakādi, 421
Vidārigandhādi, 412
Gaṇḍa, 263
Gaṇḍa dūrvā, 489
Gandhā, 431
Gandhaka (sulphur), 93, 531
Gandha priyaṅgu (*Callicarpa macrophylla* Vahl), 64
Gaṇḍīra, 328
Gāṅgeruka, 572
Garutman, 96
Gauḍa, 262
Gauḍa pāṣāṇa, 538
Gaurai, 262
Gaura ṣaṣṭika (a variety of *Oryza sativa* Linn.), 241
Gavādanī, 48
Gavāksī, 428, 442
Ghana, 150
Ghaṅṭola, 280
Ghee, 173-77
 of buffalo milk, 173
 of camel milk, 174
 of cow milk, 173
 of elephant's milk, 174
 of goat's milk, 173
 of mare's milk, 174
 of sheep milk, 174
 of woman's milk, 175
Ghola, 165
 bhakta, 362
Ghṛta, 349, 603
 maṇḍa, 176
 pakva bhakṣya, 612
 pūra, 383, 613
Giloḍya, 438
Giri karṇi(kā), (*Clitoria ternatea* Linn.), 51, 443, 485
Go (cow), 275
Godhā, (*inguana*), 279
Godhūma, (*Triticum aestivum* Linn.), 201, 246, 253, 428, 438
 bhakṣya, 611
Gojihvakā (*Launaea asplenifolia* Hook f.), 326
Gokṣura, 424, 438, 454
Gomeda, 96, 536
Gopā, 440
Ghoṅṭā, 412
Gorocanā (ox bile), 102-3, 516
Granthika, 416
Granthi parṇa(ī), 404, 515
Gṛdhra, 428
 nakhī, 426
Grīṣma sundara, 335
Gṛñjana, 595, 597
Grñjanaka (*Daucus carota* Linn.), 35
Guḍa (molasses), 131-32, 158, 167, 407, 427, 442
 bhakṣya, 383
 yukta, 611
Guḍūcī, 329, 412-13, 420, 452
Guggulu (*Commiphora mukul* Engl.), 28-31, 417-18, 515
Gundrā (*Typha elephantina* Roxb.), 48, 414, 444
Guñjā, (*Abrus precatorious* Linn.), 51, 52, 483
Haḍahā, 260
Halinī (*Gloriosa superba* Linn.), 52
Hamṣa, 279, 408
Hamṣa pādī (*Adiantum lunulatum* Burm.), 54, 412, 478

- Hapuṣā* (*Juniperus communis* Linn.), 64, 501
Hareṇu (*Pisum arvense* Linn.), 248, 428
Hareṇukā, 417
Hariḍrā 417, 424, 429, 431, 435, 440 444, 475, 549
Hariṇa (red deer), 267
Hārīta, 262, 271-72
Hārīlā, 262
Hari mantha, 326
Hārīta, 262
Harītakī, (*Terminalia chebula* Retz.), 12-18, 422, 442, 450-51
Harītāla (yellow arsenic), 87, 428, 532
Hasti dantī (*Trichosanthes bracteata* Voigt.), 26
Hasti karkoṭīka, 330-31
Hasti karna, 445
Hasti mada, 102
Hasti payas, (elephant's milk), 143
Haya māraka, 428
Hayamgavīna, 176
Hemāhvā (*Argemone mexicana* Linn.), 27, 443
Hema māḥṣīka, 404
Hemantāmla, 407
Hilamocikā (*Enhydra fluctuans* Lour.), 335
Hīṅgu (*Ferula foetida* Regel.), 40, 418, 421, 443, 502
Hīṅgula (cinnabar), 92-93, 533
Hīṅgu patrī, 502
Hīrā, 536
Holaka, 622
Hrībera (*Coleus vettiveroides* K.C. Jacob.), 25, 444
Ikṣu (sugar cane), 128-29, 604
Ikṣura, 440
Ikṣu rasa (sugar cane juice), 128
Ikṣvāku, 442
Indarī, 618
Indīvara, 414
Indra nīla, 69
Indra puṣpī, 415
Indra vāruṇī, 442-43
Indra yava, 412, 465
Ingudī, 443, 445, 548
Jagala, 190-91
Jala, 602
Jala pippalī (*Lippia nodiflora* Mich.), 39
Jala vetasa, 544
Jāmbava, 195
Jāmbīra (*Citrus limon* Burm. f.), 42, 305, 439
Jāmbīraka, 575
Jāmbu (jamun fruit), 307, 441, 556
Japā, 417, 523
Jaṭā māṁsī, 512
Jātī (*Jasminium grandiflorum* Linn.), 104, 405, 429, 520
Jātī koṣa, 62
patrī, 509
phala (*Myristica fragrans* Houtt.), 61, 437, 509
Jayā (*Sesbania sesban* Merr.), 110, 438
Jayanti (*Sesbania sesban* Merr.), 52
Jaya pāla (*Croton tiglium* Linn.), 26, 461
Jhiṅṭa, 441
Jimūta, 417

- Jīmūtaka*, 442
Jiṅginī (*Lannea grandis* Engl.), 45-46
Jiṅginī, 402, 414, 547
Jīrā (*kr̥ṣṇa*), 499
Jīraka (*Cuminum cyminum* Linn.), 40, 421
Jīraka (*śveta*), 499
Jīvaka, 47, 406, 412, 418, 433, 457
Jīvantaka, 591
Jīvantī (*Leptadenia reticulata* W. & A.), 323, 418, 441, 457
Jyotiṣmatī (*Celastrus paniculatus* Willd.), 53, 442-43, 470

Kāca, 101, 538
Kāca lavaṇa, 504
Kacchapa (tortoise), 276
Kacchura, 444
Kadalī (*Musa paradisiaca* Linn.), 310, 414, 438, 444, 559
kanda, 340
Kadamba (whistling teal), 279
Kadamba (*Anthocephalus cadaмба* Miq.), 107-8, 414, 426, 543
Kadambaka, 276
Kādambarī, 190-91
Kadara (*Acacia suma* Buch. Ham.), 57, 413
Kākādanī, 445
Kāka jaṅghā (*Peristrophe bicalyculata* Nees.), 325, 477
Kāka mācī (*Solanum nigrum* Linn.), 325, 415, 477
Kākāṇḍa, 250-51

Kakāru, 332
Kakkola, 405
Kākoli, 47, 406, 418, 433, 456
Kāla, 413
Kālaka, 438, 444
Kalama, 242
Kalāmbuka (*Ipomoea reptans* Poir.), 335
Kalambuṣā, 441
Kālānusārī, 431
Kālā śāka (*Corchorus capsularis* Linn.), 328, 592
Kalaśī, 417
Kalāya (*Lathyrus sativus* Linn.), 326
śāka, 594

Kāleyaka, 444
Kalhāra, 406, 421, 444, 519
Kalihārī, 488
Kālīṅga, 331, 587
Kālīyaka, 413
Kāla māla, 415
Kāmala (*Nelumbo nucifera* Gaertn.), 103
keśara, 519
Kāmbalika, 379
Kaṁcaṭa, 327
Kaṁkola, 510
Kaṁkuṣṭha, 465
Kaṁpillaka, 442, 461
Kāṁsya (brass), 78, 530
Kanaka phala, 442
Kāñcanāra, 446
Kāñcanī, 489
Kāṇḍeṣu, 130, 426
Kāñjika, 200, 202, 439
Kaṅka, 428
Kaṅkola (*Piper cubeba* Linn. f.), 61, 437

- Kañṭakāri(kā)* (*Solanum xanthocarpum* Schrad. & Wendl.), 45, 401, 412, 420
Kañṭakī, 412
Kānta lauha, 402
Kāntāra, 129
Kāntārekṣu, 129
Kapāla, 432
Kapardikā, 537
Kapī kacchū, 438, 480
Kapīñjala, 261
Kapittha (wood apple), 161, 307, 579
Kapittha patrī, 579
Kapota (dove), 272, 277-78, 428
Kapota vañkā, 414
Karahārī, 548
Kara mardā, 578
Kara mardaka(*Carissa carandus* Linn.), 303
Karañja (*Pongamia pinnata* Merr.), 56, 412, 415, 426, 442-43, 549-50
Kāravellaka (*Momordica charantia* Linn.), 330, 590
Kāravelli(kā), 440, 443
Kāravī (*Carum carvi* Linn.), 40, 440
Karavīra, 52, 428, 440, 443, 488
Karbudāra (*Bauhinia purpurea* Linn.), 109, 442
Karcūra, 437, 444, 515
Kardītākṣa, 264
Karī kaṇa, 402
Karīra(ka), 310, 440, 595
Karkandhu, 299, 310
Karkaṭa śrngī, 418, 471
Karkaṭi(kā), 438, 588
Karkoṭaka, 590
Karkoṭi(kā), 330, 331, 440
Karma raṅga, 577
Kārpāsa, 486
Kārpāsī, 444
Karpūra (*Cinnamomum camphora* Nees & Eberm.), 62, 404, 405, 435, 437, 507
Karuna, 104, 305, 439
Kāśa, 414, 426, 489
Kāsa mardā(ka) (*Cassia occidentalis* Linn), 324-25, 415, 595
Kaṣeru(ka), 438, 599
Kāsīs(ś)a (iron sulphate), 101, 418, 428-30, 432, 533,
Kāśmarī(ya) (*Gmelina arborea* Linn), 44, 310, 406, 425, 438,
phala, 418
Kāṣṭha pāṭalā, 453
Kāṣṭhekṣu, 129
Kāṣṭhodumbara, 542
Kastūrī (musk), 60, 405, 437, 440, 507
Kaṭabhi, 440
Kataka, 438, 441
phala, 419
Kathara, 261
Kaṭibhī, 403
Kaṭphala (*Myrica nagi* Thunb.), 63, 414-15, 419, 424, 472
Kattṛṇa (*Cymbopogon citratus* Stapf.), 61
Kaṭukā (ī) (*Picrorhiza kurroa* Royle ex Benth.), 21, 421, 463
Kaṭu rohiṇī, 429
Kaṭu tumbī, 332, 588

- Kauntī* (*Vitex agnus-castus* Linn.), 58
Kara maidaka, 426
Kayambā, 265
Kelā, 569
Keśara, 306, 419
Ketaka(i) (*Pandanus tectorius* Soland. ex Parkinson), 106, 111, 521
Kevuka, 331
Keyu, 598
Khaḍa, 379
Khadira (*Acacia catechu* Willd.), 22, 413, 545
Khaṇḍa (sugar candy), 132, 204, 407
Khaṇḍāmalaka, 607
Khaṇḍāmra, 607
Kha prasūta, 439
Kharāhvā (*Apium graveolens* Linn.), 41
Khara puṣpa, 415
Kharbūja, 567
Kharjūra (*Phoenix sylvestris* Roxb.), 311, 342, 437
Kharjūraka, 438
Kharjūrī (*Phoenix dactylifer* Linn.), 311
Kharjūrikā, 558
Kharpara (zinc ore), 88
Khasa khasa, 490
Khasa tila, 55
Khaṭikā, 538
Khukhuṇḍaka, 338
Khurāsāni yavāni, 490
Kilāṭa, 152
Kimkiṇī, 564
Kimśuka (*Butea monosperma* Kuntze), 56, 432
Kinihī, 442-43
Kiṇva, 427, 430
Kiṇvaka, 190-91
Kirāta, 412
Kirāta tikta, 329, 464
Kiṣka, 432
Koda, 428
Kodrava, 201
Kokanda, 444
Kokilākṣa (*Astercantha longifolia* Nees), 52, 485
Kola (*Zizyphus jujuba* Lam), 299, 318, 439, 444
Kola simbi, 591
Kora dūṣa (*Paspalum scorbi- culatum* Linn.), 245
Kośa kāra, 103
Kośa kṛt, 129
Kośāmra (*Schleichera oleosa* Merr.), 304, 318, 439, 581
Kośa phalā, 440
Kośātakī (*Luffa acutangula* Roxb.), 53, 430, 443, 589
Kovidāra (*Bauhinia variegata* Linn.), 109, 442
Krakara, 261
Kramuka, 413
Kṛṣṇā, 416, 423
Kṛṣṇa gandhā (a variety of *sigru*), 43
Kṛṣṇāguru, 508
Kṛṣṇa karkaṭa (black crab), 279
Kṛṣṇa loha, 423
Kṛta vedhana, 442
Kṣāra, 401, 505
Kṣaudra, 136
Kṣavaka, 415, 426
Kṣīra, 349
Kṣīra kākolī, 418, 456

- Kṣīra moraṭa*, 438
Kṣīra palāṇḍu, 596
Kṣīra parpaṭī, 385
Kṣīra phena, 150
Kṣīra sīka, 152
Kṣi(ī)ri, 308, 562, 606
Kṣirī vṛkṣas, 431
Kṣudra sahā, 412
Kṣudra varṣābhū, 468
Kṣudra śvetā, 415
Kuberākṣī, 444
Kubjaka (*Rosa moschata* Herrm), 105
Kucandana, 413, 418, 444
Kukkurunda, 53
Kukkuṭa (cock), 271
Kukkuṭa mastaka, 402
Kukkuṭāṇḍa, 432
Kulāhala (*Blumea balsamifera* DC.), 52, 415
Kulattha (*Dolichos biflorus* Linn.), 249, 444
vanya, 249
Kulmāsa, 387, 619
Kumārī (*Aloe barbadensis* Mill.), 67, 440, 488
Kumbha sarpi, 177
Kumkuma (*Crocus sativus* Linn.), 60, 417, 437, 509
Kumuda (*Nymphaea alba* Linn.), 103, 109, 421
kanda, 341
Kunda, 523
Kuṇḍalikā, 618-19
Kundurū(ka), 417, 515
Kuraṇṭaka, 412
Kuraṇṭika, 414
Kuruvinda, 432
Kuśa, 414, 426
Kūṣmāṇḍa (*Curubita pepo* Linn), 331-32, 438, 587
Kūṣmāṇḍaka, 331
Kūṣmāṇḍa nāḍī, 333
Kuṣṭha (*Saussurea lappa* C.B. Clarke), 61, 402, 403, 417, 435, 444, 471
Kusumbha (*Carthamus inctorius* Linn.), 251, 336
Kuṭaja (*Holarrhena antidyenterica* Wall.), 23-24, 412, 417, 424, 442, 465
phala, 420
Kuṭannaṭa, 414
Kuṭheraka, 524-25
Laghu badara, 561
Laghu kaṇṭakāri, 455
Laghu śarṅkha, 101, 537
Lājā, 367, 621
Lajjālu (*Mimosa pudica* Linn.), 58, 479
Lākṣā (Lac), 49, 424, 443, 517
Lakṣmaṇā, 403, 487
Lakuca (monkey fruit), 303, 439, 566
Lāmajjaka, 445
Lāṅgala, 428
Laṅgalakī, 445
Lāṅgalī, 402, 439
Lapsikā, 616
Laśuna, 443, 596
Latā kastūrikā (*Hibiscus abelmoschus* Linn.), 63
Lauha, 404, 513
Lāva (common quail), 269
Lāvaka (common quail), 279
Lavalī, 582
Lavana, 349, 443

- Lavaṅga* (*Syzygium aromaticum* Merr. & L.M.), 63, 405, 437, 439, 510
- Liṅgī*, 442
- Lodhra* (*Symplocos crataegoides* Buch-Ham.), 49, 431-32, 442, 478
- sāvāra* (*Symplocos racemosa* Roxb), 49
- Loha* (iron), 78-82
- mala*, 423
- Loṅka*, 593
- Madāna* (*Randia dumetorum* Lam.), 64, 412, 416, 442
- phala*, 465
- Mādhavī* (*Hiptage benghalensis* Kurz) 104, 522
- Madhu* (honey), 135, 443, 605
- Madhūcchiṣṭa*, 605
- Madhuka* (*Glycyrrhiza glabra* Linn), 49
- Madhūka* (*Madhuca indica* J F. Gmel.), 109, 312-13, 406, 418-21, 438, 443, 565
- puṣpa*, 418
- Madhu karkaṭi(ka)* (sweet lime), 306, 574
- Madhūka sāra*, 442
- Madhūlaka*, 190, 192
- Madhu pūpaka*, 614
- Madhu rasā*, 416
- Madhu sarkarā*, 133
- Madhu śigru* (a variety of *śigru*), 43, 413
- Madhu śīrṣaka*, 383, 614
- Madhu yaṣṭi*, 458
- Madhvāsava*, 194
- Madya* (alcoholic drinks), 188, 443, 604
- gauḍa*, 193
- khārjūra*, 192
- Mahā balā* (*Sida rhombifolia* Linn.), 46, 469
- Mahā ghṛta*, 177
- Mahā jālinī*, 476
- Mahā kośātakī*, 589
- Mahā-medā*, 418, 457
- Mahā nimba* (*Melia azedarach* Linn.), 23, 464
- Mahā sahā*, 412
- Mahā sugandhi*, 437
- Mahā śvetā*, 415
- Mahā vṛkṣa*, 442
- Mahiṣa payas* (buffalo milk), 143
- Majjā* (bone marrow), 185-86
- Mākṣika*, 136-37, 404, 532
- Makusiṥha* (*Phaseolus aconitifolius* Jacq), 248
- Mālatī* (*Aganosma dichotoma* K. Schum), 54, 424, 431, 520
- Mālavaka*, 571
- Mallikā* (*Jasminum sambac* Ait.), 104, 110
- Māmsa* (meat) 256-66, 348, 370-73
- Ānūpa* (marshy land animals), 257-58
- Grāmya* (domesticated animals), 263
- aśva*, 263
- chāga*, 263
- meṣa*, 263
- vṛsa*, 263
- Guhāśaya* (animals dwelling in caves). 260

- akṣa*, 260
babhru, 260
dvīpin, 260
jambuka, 260
mārjāra, 260
ṛkṣa, 260
siṃha, 260
tarakṣu, 260
vṛka, 260
vyāghra, 260
Jāṅgala (animals of dry land forests), 257-63
Janghāla, 258-59
eṇa, 258
hariṇa, 258
kṛtamāla, 259
kuraṅga, 258
mṛga mātṛkā, 258
prṣat, 258
rājīva, 258
ṛkṣa, 258
śarabha, 258
śvadamśtrā, 258
vapracura, 258
vātāyu, 259
vindu citraka, 259
viśruta, 259
Kośastha (animals dwelling in shells), 265
bhalluka, 265
śambūka, 265
śaśaka, 265
śukti, 265
viṇaka, 265
Kūlecara (animals who live near water), 263-64
camarī, 263-64
gaṇḍa, 263-64
lulāya, 263-64
vārāha, 263
vārana, 263
Matsya (fish), 266
rohita, 266
Pādin (265-66)
ghaṅṭikā, 265-66
karkaṭa, 265-66
kṛṣṇa karkaṭa, 265-66
kumbhīra, 265-66
kūrma, 265-66
nakra, 265-66
śiśumāra, 265-66
Parṇa mṛga, 260-61
vanaukā, 260
vṛkṣa mārjāra, 260
vṛkṣa markāṭikā, 260
Plava (animals who swim in water), 64-65
baka, 264
balākā, 264-65
haṃsa, 264
kācākṣa, 264
kadamba, 264
krauñca, 264
nandī mukhī, 264
sārasa, 264
sasārikā, 265
Prasaha (animals & birds who eat by snatching), 262-63
bhāsa, 262
cāṣa, 262
cillu, 262
grdhra, 262
kāka, 262
kurara, 262
śaśa ghātin, 262
uluka, 262
Pratuda (pucker birds), 262
hārīta, 262

- kāla kaṅṭhaka*, 262
kapota, 262
khañjariṭa, 262
pika, 262
sārikā, 262
sāta patra, 262
Vileśaya (animals who live in burrows in earth), 259-60
ākhu, 259
bhujaṅga, 259
godhā, 259
śaśa, 259
Viṣkīra (gallinaceous birds), 261
cakora, 261
kapiñjalaka, 261
krakara, 261
lāva, 261
tittira, 261
vartikā, 261
vikira, 261
Māmsa rasa, 372
Māmsa rohiṇī, 487
Māmsī, 417, 435
Manah śūla(ā) (realgar), 88, 428, 432, 532
Māṅaka (Alocasia indica Schott), 340
Māṅa kanda, 403, 598
Manda, 154-55, 166
Manda, 355
aṣṭa guna, 357
dhānya, 356
lāja, 355-56
rakta śāli, 356-57
sarva dhānya, 379
vāṭya, 356
yava, 379
Maṅḍaka, 610
Maṅḍuka parṇī (Centella asiatica Urban), 326
Māṅḍūkī, 440
Maṅḍūra, 531
Maṇi, 96
Māṇikya, 536
Mañjuṣṭhā, (*Rubia cordifolia* Linn.), 49, 444, 474
Mantha, 366, 619-20
Mānuṣī payas (woman's milk), 144
Marakata, 537
Mārdvīka, 192
Marica (Piper nigrum Linn.), 38, 167, 422, 443, 497
Markaṭa, 440
Mārkava (Eclipta alba Hassk.), 50
Mārusa, 334
Maruwaka, 524
Māṣa (Phaseolus mungo Linn.), 249-50, 253, 336, 428
araṇya, 250
bhakṣya, 611
Māṣa parṇī (Teramnus labialis Spreng.), 46, 418, 458
Mastu, 161-62
Masūra (Lens culinaris Medic.), 248, 406, 408
Mathita, 165
Matsya (fish), 286-93
ali, 288
balanga, 289
bhāskara, 289
burnt, 291
dīrgha tuṇḍaka, 289
dry, 291
eggs of, 291
gargabha, 290

- illiśa*, 289
imbikā, 290
imvāka, 290
kṛṣṇa matsya, 288
madgura, 288
nandikā varta, 287
nandī varta, 289
pāihīna, 287
 pond, 292
proṣṭikā, 289
pryu, 288
 putrified, 291
 river, 292
rohita, 287
śakula, 287, 290
sailīndhu, 290
 sea, 292
 small, 290
śṛṅgī, 287-88
 well, 293
Matsyāṇḍī (kā), 132, 407
Mātuluṅga (citron), 305, 439
Mātuluṅgī, 443
Māyikā, 473
Mayūra, 415, 430
Mayūra śikhā, 487
Medā, 47, 406, 418, 433, 456
Medaka, 190-91
Medas, 185
Meṣa (sheep), 274-75
Mesa śṛṅgī, 413, 440, 443-44, 467
Methī, 499
Methikā (Trigonella foenum-graecum Linn.), 325
 Milk, 406
Miśreyā, 499
Moca (Musa paradisiaca Linn. var. sapientum Kuntze), 316
Moca rasa, 484
Modaka, 327, 617
Moraṭa, 151-52, 413-14
Mṛdvikā (Vitis vinifera Linn.), 309, 418
Mṛṇāla, 520
Muca (u)kunda (Pterospermum acerifolium Willd.), 110, 523
Mudga (Phaseolus radiatus Linn.), 247-48, 406, 441
kṛṣṇa, 247
mahā, 247
sūpa, 159
vanya, 248
yūṣa, 376
Mudga parṇī (Phaseolus trilobus Ait.), 46, 418, 458
Muktā, 96, 407, 438, 535
Muktā śukti, 407
Mūlaka (Raphanus sativus Linn.), 335-36, 427, 439, 595
Mūla kapotikā, 335
Muṇḍī (Sphaeranthus indicus Linn.), 54
Muṇḍinī, 267-68
Muñja, 490
Muñjātaka (Orchis latifolia Linn.), 339, 445
Murā, 435
Mūrvā, 402, 412, 420, 441, 444, 474
Mūṣaka (mouse), 280
Muśalī (Chlorophytum tuberosum Baker), 50, 341, 479, 598
Muṣkaka, 416, 548
Mustā (Cyperus rotundus Linn.), 25, 407, 421, 423, 435, 472

- Mūtra* (urine), 204-208
 buffalo's, 206
 camel's, 206-207
 cow's, 205
 donkey, 207
 elephant, 206
 female, 208
 goat's, 205
 horse, 206
 human, 207
 male, 208
 sheep's, 205
Mūtra kṛcchra (dysuria), 167
Mūtrala drugs, 438

Nāga (lead), 75-77, 530
Nāga balā (*Grewia populifolia* Vahl), 46
Nāga damanī (*Artemisia vulgaris* Linn.), 54, 483
Nāga dantī, 415
Nāga kes(ś)ara (*Mesua ferrea* Linn.), 65, 436 511
Nāga puṣpa, 417, 419
Nāgara (*Zingiber officinale* Rosc.), 36-37, 423, 427
Nāga vadhū, 441
Naipāla, 129
Naipālī, 106
Nakha, 517
Nakta māla, 413
Nakula, 260
Nākulī, 479
Nala, 414, 426, 490
Nalada, 419
Nalī, 516
Nalina, 419
Nandī, 542
Nāraṅga(i) (orange), 304-5, 574
 574

Nārikela (coconut), 315, 342, 557
Nata, 402
Navanīta (butter), 171, 603
 māhiṣa, 171-72
Nava sāraka, 439
Nikocaka, 569
Nilāñjana (lead sulphide), 88
Nīla pora, 129
Nīlī kanda, 403
Nīlinī, 442, 463
Nīlotpala, 419, 519
Nimba (*Azadirachta indica* A. Juss.), 22, 111, 329, 420, 424, 430
Nimba, 412, 464
Nimbūka (lime fruit), 305, 439, 576
Nīpa (*Adina cordifolia* Benth. & Hook. f.), 107, 299, 439
Nipālaṅkī, 441
Nirguṇḍī, 415, 440, 466
Nīrīca, 334
Niśā (*Curcuma longa* Linn.), 55-56, 403, 421, 425, 444
Niṣpāva (*Dolichos lablab* Linn.), 251, 368
 śimba (type of *Dolichos lablab* Linn.), 251
 śimbi (type of *Dolichos lablab* Linn.), 251
Nīvāra (type of paddy), 245, 441
Nyagrodha, 68, 337
Nyaṅku (antelope), 268

Paḍma, 337 341, 421, 438, 518
 bīja, 519
 cāriṇī, 518
 keśāra, 405
 rāga, 96

- Padmaka* (*Prunus cerasoides* D. Don.), 60, 418, 420, 516
Paṭṭika, 136
Pakṣīndra, 96
Pakva rasa sīdhu, 193
Pākya, 439
Palala, 385
Palāṇḍu (*Allium cepa* Linn.), 34, 596
Pālaṅkyā (*Spinacia oleracea* Linn.), 324, 593
Palāśa, 414, 416, 546
Pālevaka, 571
Pālevata, 439, 571
Pāṁśu lavaṇa, 404, 503
Pānaka, 382, 608
Panasa (jack fruit), 315-16, 566
Pañca gavya, 429
Pañcāgni, 441
Pañca hutāśana, 441
Pañca kaṅṭhaka, 426
Pañca kola, 39, 421, 427, 498
Pañca kṣīri vṛkṣa, 68-69
Pañca mahiṣa, 428
Pañcāmḷa, 580
Pañca mūla, 444
 kanīyas, 67-68, 424
 kaṅṭhaka, 445
 kṣudra, 425
 laghu, 455
 mahat, 67-68, 425, 454
 trṇa, 444
 vallī, 445
 vallija, 425
Pañcāṅgula (*Ricinus communis* Linn.), 336
Pañca sugandhi, 437
 valkala, 433
Pānduka, 272
Pāñīya kukkuṭa (water cock), 271
Pañka (mud), 102, 538
Pañkaja, 406
Pārada (mercury), 89-92, 531
Pārāvata (pigeon), 272
Pāribhadra (*Erythrina variegata* Linn.), 44, 548
Pāripela, 513
Pāriṣa, 68
Parpaṭa (*Fumaria parviflora* Lam.), 23, 329, 385, 476
Parpaṭī, 517
Parpaṭika (*Physalis minima* Linn.), 308
Pārtha (*Terminalia ajuna* W. & A.), 50
Paru(ū)saka (*Grewia asiatica* Linn.), 310, 313, 412, 419, 563
Pāṣāṇa bheda, 472
Pāṭalā (*Stereospermum suaveolens* DC), 44, 107, 242, 412, 425, 442, 453
Pātāla garuḍa, 491
Pataṅga (*Caesalpinia sappan* Linn.), 60, 517
Pāṭhā (*Cissampelos pareira* Linn.), 23, 412, 416, 420-21, 428, 474
Paṭikā, 440
Paṭola. (*Trichosanthes dioica* Roxb.), 330, 412, 593
Paṭolī, 430
Paṭolikā (*Trichosanthes cucumerina* Linn.) 333-34
Patra, 417, 436, 442
Patraka (*Cinnamomum tamala* Nees & Eberm.), 66

- Pattūrā*, 336
Pauṇḍraka, 129
 śarkarā, 132
Pauškara (*Inula racemosa*
 Hook. f.), 65
Pauškara (lotus seed), 339
Payas (milk), 141
Payasvinī, 438
Payasyā, 438, 444
Peyā, 359
Phala (fruit), 349, 442
Phala trika, 422
Phalgu (*Ficus hispida* Linn. f.),
 308
Phalinī (*Prunus mahaleb* Linn.),
 64
Phañijhaka (*Ocimum basilicum*
 Linn.), 108, 415
Phāñita (penidium), 131
Phañjī, 414-15
Phenaka, 384
Phenikā, 616
Phogo, 592
Pīlu, 299, 443, 544
Pīluka, 439
Pināki, 338
Pinḍa kharjūrikā, 311-12
Pinḍālū, 484, 599
Pinḍārūka (*Colocasia esculenta*
 Schott), 340
Pippalī (*Piper longum* Linn.),
 37-38, 167, 195, 422, 427,
 440, 442-43, 497
 mūla, 403, 427, 497
Pistā, 569
Pīta candana, 508
Pīta rohiṇī, 100
Pittala, 530
Pīyūṣa, 150, 152
Plakṣa, 68, 337, 542
Polikā, 610
Prācī bala, 415
Pracināmālaka, 299, 439, 452
Prakīryā, 445
Prapaṇḍarīkā, 49, 418
Prapīḍana, 428
Prapunnād(ṭ)a (*Cassia tora*
 Linn.), 56, 327, 403, 442
Praroha (adventitious root),
Prasannā, 190
Prasāra(ī)ṇī (*Paederia foetida*
 Linn.), 52, 468
Pravāla, 535
Priyāla (*Buchanania lanzan*
 Spreng.), 307, 318, 562
 majjā, 438
Priyaṅgu (*Setaria italica*
 Beauv.), 245, 417, 419,
 431, 513
Prṣat (spotted deer), 267
Prṣṇīparṇī (*Uraria picta*
 Desv.), 45, 401, 424, 454
Prṥthak parṇī, 412, 431
Prṥthukā, 367, 622
Pūga, 442
 phala, 437
Pumjāta, 402
Punarnavā (*Boerhaavia diffusa*
 Linn.), 26, 190, 412, 444
Puṇḍarīka, 516
Punnāga, 405, 522
 keśara, 417
Pūpa, 383
Pūpaka, 386
Puškara (lotus fruit), 317
 mūla, 403, 471
Puṣpa kāsisa, 533
Puṣpāñjana, 534
Puṣpa rāga, 96

- Pūtika*, 413, 428, 442
Putrañjīva, 480

Rāga sā(ṇ)ḍava, 376-77, 381, 606
Rājādana, 419, 438
Rāja kośātakī, 589
Rāja kṣavaka, 326
Rāja māṣa (Vigna cylindrica Skeels), 250
Rājāmra, 580
Rāja nimbū, 305
Rajata, 404, 423, 439
Rāja vṛkṣa (Cassia fistula Linn.), 21, 430
Rājikā (Brassica nigra Koch), 41, 253, 336
Rakta apāmāiga, 460
Rakta candana, 403 420, 508
Rakta eraṇḍa, 459
Rakta punarnavā, 467
Raktotpala (Nymphaea rubra Roxb.), 103, 519
Rālā, 59, 514
Rāmaṭha, 416
Rambhā puspa, 407
Ramyaka, 442
Rasa, 69
Rasaka, 88-89
Rasa kriyā, 432
Rasālā, 381
Rāsanā, 415
Rasāñjana, 403, 419, 534
Rāsṇā (Pluchea lanceolata Oliv. & Hiern.), 63
(Alpinia galanga Willd.), 65
Rāsnā, 445, 468

Rasona (Allium sativum Linn.), 32-3, 439
Ratna (jewels), 69, 96
Rddhi, 46, 406, 418, 433, 456
Reṇukā, 416, 513
Ritikā (bell metal), 77-8
Rodhra, 414
Rohiṣa tṛṇa, 471
Rohita, 350
Rohitaka (Tecomella undulata Seem.), 58, 484
Romaka, 439
lavaṇa, 503
Ropana cūrṇa, 432
ghṛta, 431
kalka, 431
kaṣāya, 430
taila, 431
varti, 431
Rṣabha, 412
Rṣabhaka, 47 412, 418, 457
Rṣya, 268
Rucaka, 404-6
Ruk, 421
Rūpya,(ka) 404, 529

Ṣaḍūṣana, 39, 498
Sahacara, 414, 444
Sahadevā, 412
Śaileya, 513. 435
Saindhava, 418, 430, 432, 439, 441, 502
Saire(ī)ya (Barleria cristata Linn.), 52, 111, 426
Saireyaka, 413, 485
Śaivālaka, 444
Śāka (vegetables), 323, 349, 413, 441, 545
phala, 419

- Śākhārikā*, 311,
Śakrāhva, 440
Śakra yava, 416
Saktu, 427, 620-21
 caṇaka, 365
 lāja, 365
 śāli, 365
 yava, 365-66
S(Ś)āla, 414, 443, 545
Śāla(i) parṇī, 424, 454
Sāla sāra, 413
Śāli, 190, 201, 438
 dhānya, 408
 mahā, 242
 piṣṭa, 610
 rakta (*Orīza sativa* Linn.),
 241
 rice, 242-43
Sallakī, 414, 444, 548
Sālmālī (*Salmalia malabarica*
 Schott. & Endl.), 109, 549
Śālūka, 436, 520
Śalyaka, 268-69
Samaṅgā, 431
Samī (*Prosopis spicigera* Linn.),
 308, 550
Śamkhinī, 440, 442-43
Śampāka, 318
Samśodhana, 442
 ghṛta, 429
 varti, 428
Samsvedaja (mushroom), 337
Samtarpaṇa, 437
Sāmudra, 439
 lavaṇa, 503
Samudra phala, 544
Samudra phena, 535
Sāmudrikodbhavā śarkarā, 133
Sarṇyāva, 383, 613
Śaṇa (*Crotalaria juncea* Linn.),
 109, 427
Śaṇa puṣpī, 442, 476
Śāṇḍākī, 202, 381
Śaṇ(m)kha (conch shell), 96,
 101, 278, 537
Śaṇ(m)kha puṣpī (*Convolvulus*
 pluricaulis Chois), 53-54,
 440, 480-81
Śaṅkhinī, 428, 440
Sapta cchada, 424, 440, 442
Saptalā, 442-43
Sapta parṇa, 412, 427, 549
Sara, 161-62
Śarad vihaṅga, 264
Saralā, 431, 445, 470, 512
Sārāmlaka, 575
Śara puṁkhā, 486
Sārikā (shama thrush), 279
Sārivā (*Hemidesmus indicus*
 R. Br.), 48, 412, 418, 425,
 459
Sarja rasa, 417
Śarkarā, 132
Śārkara, 194, 407
Śārṅgeṣṭhā, 412, 421
Śarpa (snake), 278
Sarṣapa (*Brassica campestris*
 Linn.), 253, 336, 407, 427,
 442
 śāka, 594
Sarvaṣadhi, 435-36
Śaśa (hare), 268, 408
Śaśī, 441
Śaṣkuḷī, 385
Śaṣṭika, 408, 438
Śatāhvā, (*Foeniculum vulgare*
 Mill), 64

- Śātalā*, 466
Śata patrī, 105-106
Sata poraka, 129
Śata puspā, 445, 498
Sata puspī, 439
Śatāvārī (*Asparagus racemosus* Willd.), 50, 338, 412-13, 426, 444, 469
Śaṭī (*Hedychium spicatum* Ham ex. Smith), 61, 515
Satīna (*Pisum sativum* Linn.), 248, 325
Saṭṭaka, 384, 609
Saurāṣṭrī (alum), 102
Sauvarcala, 503
Sauvīra, 201, 439
Sauvīra añjana, 533
Sawīrakāñjana, 100
Sāvāra rodhra, 414
Sehuṇḍa, 463
Ś(s)ephālik(a)ā, 467
Seva, 568
Sevatī, 521
Sevya (*Vetiveria zizanioides* Nash), 60
Shunhī, 429
Siddhārtha, 252-53, 407, 416 421
Siddhārthaka, 443
Sīdhu, 193, 195
Śigru (*Moringa pterygosperma* Gaertn.), 43, 413, 427, 439, 443, 596
Śikhari, 401
Śikhariṇī, 607
Sikthaka, 55
Śilā, 430
Śilā jatū (mineral pitch), 94-96, 418, 534
Śilā rasa, 509
Silemānī kharyūra, 558
Simba, 252
Simbi, 591
Simbī dhānya, 253
Simha pucchī, 401
Simśapā (*Dalbergia sissoo* Roxb.), 57, 416, 551
Simśipā, 413
Sindhu, 264
Sindūra (red oxide of lead), 103, 533
Sindūrī, 524
Sinduvāra (*vitex trifolia* Linn.), 57
Sira vāra, 594
Śirīṣa (*Albizia lebeck* Benth.) 54-55, 68, 413, 443, 543
Śirīṣika, 550
Sīsa, 423
Sitā, 407, 431
Sīta, 444
Sīta rasa, 193-94
Śivā, 407, 444
Skandha, 413
Śleṣmātaka (*Cordia myxa* Roxb.), 316, 544
Snuhī (*Euphorbia nerifolia* Linn.), 27
Snuk, 442
Śodhana cūrṇa, 430
kaṣāya, 428
rasa kriyā, 430
taila, 430
Soma, 431
Somālikā, 618
Soma rāji, 403

- Soma valkā*, 431
Soma vallī, 478
Sorāva, 373
Sphaṭika, 535
Sphūrja, 441
Spṛkkā, 417, 515
Śravaṇā, 432
Śreyasī, 327
Śṛgāla vinnā, 412
Śrī khaṇḍa candana, 405
Śrī puspa, 436
Śrī vāsa (*Pinus roxburghii* Sargent), 59, 512
Śrī veṣṭaka, 417
Śṛṅgāṭa, 438
Śṛṅgāṭaka, 599
Śṛṅgavera, 443
Śṛṅgī (*Pistacia integerrima* Stew, ex Brandis), 65, 428
Srotoṅjana, 100, 534
Sthaṇḍeyaka, 417, 514
Sthirā (*Desmodium gangeticum* DC.), 45
Sthūlailā, 510
Sūci(ī) patra(ka), 129, 130
Sudarśanā (*Crinum asiaticum* Linn.), 51
Sudhā kṣāra, 504
Sugandhaka, 415
Sugadhāmalaka, 436
Sugar cane product, 350
Śūka dhānya, 253
Suka nāsāhva, 439
Sūkṣmailā (*Elettaria cardamomum* Maton), 63, 510
Śukta (vinegar), 199
Śuktaka, 439
Śukti, 417, 537
Sukuṇḍalī, 441
Śūlika, 371
Sumanā, 440
Sumanas, 428, 445
Sūmukha, 415, 439
Sunisaṇṇaka (*Marsilia minuta* Linn.), 326-27, 441, 594
Śuṅṭhi(ī), 167, 417, 422, 496
Supārī, 581
Surā, 189, 191, 439
Surabhi, 43
Sura dāru (*Cedrus deodara* Loud.), 61
Surāhvā, 439
Sūraṇa, 341, 350, 441
Surasā, 415, 443
Surāṣṭrajā, 428
Sūrya kānta, 536
Sūryendu, 96
Suṣavī, 412, 426
Suvarcalā, 428, 433, 482
Suvarṇa, 404, 529
Suvaraṇa kṣīrī, 442
Śvadarmṣṭrā, 412 414, 444.
Svādu, 155
Svādu kaṇṭaka, 440
Svādvamla, 156
Svarjikā, 439
Svarjī kṣāra, 504
Svarṇa (gold), 70-72, 423
bhasma, 404
Svarṇa gairika, 404
Svarṇa kṣīrī, 465
Svarṇa tāli, 405
Śvetā, 415, 442
Śveta kamala, 518
Śveta kaṇṭakārī, 455
Śveta marica, 100
Śveta niśoṭha, 461-62
Śveta punarnavā, 467

- Śyāmā*, 440
Śyāmāka (*Echinochloa frumentacea* Link.), 245
Śyāma niśoṭha, 462
Śyonāka, 421, 425, 453

Tāḍoga, 281
Tagara (*Valeriana wallichii* DC.), 58, 402, 417, 516
Tagara pāḍi, 402
Taila (oil); 179
 akṣa, 183
 dantī, 182
 eraṇḍa (castor oil), 181
 vyotīṣmatī, 82-83
 kīṁśuka, 183
 kośāmra, 181
 kṣauma (linseed oil), 180
 kusumbha, 181
 pakva bhakṣya
 sahakāra, 184
 sarja rasa, 184
 śārṣapa, (mustard oil), 180
 śleṣmātaka, 183
 śrī parṇa, 183
 tila (gingili oil), 180
 yava tiktā, 184
Takra (butter milk), 164-69, 439, 603
Takra kūrçikā, 152
Takrāmla, 380
Takra piṇḍa, 152
Tāla (*Borassus flabellifer* Linn.), 313-15, 438, 443, 567
 patrī 432,
 pralamba, 339
 śiras, 342
Tāla vit, 432

Tāliṣa patra (*Abies webbiana* Lindle.), 66
Tālīsa, 401, 443, 511
 patra, 405, 545
Tāmbūla, 582
Tāmra (copper), 73-74, 423, 530
Tāmra cūḍa, 486
Tanḍula piṣṭa, 368
Tanḍulīyaka (*Amaranthus spinosus* Linn.), 324, 592
Tan̄kaṇa, 504
Tāpasa, 129
 vṛkṣa, 415
Tāpasekṣu, 129
Tāra (silver), 72-3
Tarakṣu, 260
Tarkārī, 413
Taste, astringent, 353-54
 bitter, 353
 pungent, 353
 saline, 353
 sour, 352
 sweet, 352
Tauvara, 195
Teja patra, 511
Tejavatī, 470
Tīkṣṇa lauha, 402
Tikta, 412
Tiktā, 416, 421, 440
Tila, (*Sesamum indicum* Linn.), 247, 253, 427, 430.
Tila parṇī, 327, 444
Tilvaka, 442
Tinduka (*Diospyros tomentosa* Roxb.), 307, 317, 564
Tiniśā (*Ougeinia dalbergioides* Benth.), 57
Tiniśa, 413, 443
Tīnisa, 546

- Tintiḍika*, (*Rhus parviflora* Roxb.), 304
Tittiḍika, 578
Tittira, 261
Tittiri (partridge), 271,
Todana, 572
Trapu, 423
Trapusa (*Cucumis sativus* Linn.), 331-32, 588
Trāyamānā, 424, 440, 476
Trāyantī (*Gentiana kuroo* Royle), 21
Tri kaṇṭaka (*Tribulus terrestris* Linn.), 45, 426
Tri karṣita, 423
Tri kaṣu, 428
Tri phalā, 19-20, 416, 419, 422, 428, 430, 433, 441, 451
Tri sugandhi, 437, 511
Trivṛt (*Operculina turpethum* Silva Manso), 20-21, 442
Tṛṇa dānya, 299
Tṛti, 416
Tryūṣaṇa, 38, 422, 497
Tugā kṣīrī, 66, 418
Tulasī (*Ocimum sanctum* Linn.), 108, 524
Tumbī, 558
Tumburu (*Zanthoxylum alatum* Roxb.), 43
Tuni, 549
Tuṣodaka, 200, 439
Tūta, 571
Tuttha, 436, 532
Tutthaka (copper sulphate), 88, 418
Tuvaraka (*Hydnocarpus wightiana* Blume), 28, 272
Tvak, 417, 436, 510
Tvak tiktā, 306
Udadhi mala (cuttle fish bone), 101
Udakīryā, 445
Udaśvit, 165-66
Udumbara (*Ficus racemosa* Linn.), 68, 317, 337, 542
Ugrā, 421
Ulāpta, 371
Urivī, 622
Unduru karṇika, 415
Upa dhātu, 69, 82-92
Upa kuñcikā (*Nigella sativa* Linn.), 40, 550
Upa rasa, 69, 92
Upa ratna, (costly stones), 69, 96
Upa viṣa, (subsidiary poisons), 69, 100
Upodikā (*Basella rubra* Linn.), 334, 593
Urabhra payas (sheep's milk), 142
Uṣaka, 418
Uṣaṇa, 416, 421
Uśīra, 405, 417-18, 444, 513
Uṣṭra payas (camel milk), 143
Utpala (*Nymphaea stellata* Willd.), 109, 341, 406, 421, 444
Utsādana, 432
Vacā (*Acorus calamus* Linn.), 53, 417, 421, 430, 435, 442-43, 501
Vādāma (almond), 318-19
Vahni mantha (*Clerodendrum phlomidis* Linn. f.), 44
Vahnī patra, 402
Vaidala bhaksya, 611
Vaidalika, 252

- Vaidūrya*, 96, 537
Vaijayantikā, 440
Vaikrānta, 404
Vāji karṇa, 426
Vajra, 96, 404
Vajra vrkṣa, 416
Vaka, 107, 265
Vakkasa, 190-91
Vākucī, 475
Vakula, 441, 522
Vālā moṣā, 486
Vālukā, 299, 317, 417, 538, 589
Vāmī, 486
Vamśa (*Bambusa bambos* Druce), 58, 490
Vamśaka, 129
Vamśa rocaṇā (bamboo manna), 66, 502
Vanaspati, 441
Vaṅga (tin), 73
Vandāka, 101, 483
Vandhūka, 405
Vandhyā karkoṭakī 590
karkoṭī, 331 480
Vaṅga, 530
Varāha (hog), 276
Vārāha kanda (*Tacca aspera* Roxb.), 342
Vārāhi, 406, 598
kanda, 473
Varāṅga (*Cinnamomum zeylanicum* Blume), 65
Varārdha, 437
Varṣābhū (*Trianthema portulacastrum* Linn.), 328
Vārṣikī, 106
Vartaka (male bustard), 270
Vārtāka (*Solanum melongena* Linn.), 329-30
Vārtāku, 440
Vartika (gray partridge), 270
Vartikā (female bustard), 270
Varuṇa (*Crataeva nurvula* Buch. Ham.), 44, 327, 413, 440, 547
Vāruṇī, 190
Varvarī, 43
Vāryanna, 362
Vasā (muscle fat), 185-86
hamśa, 185
kāka, 185
kukkuṭa, 185
kumbhīra, 185
mahiṣa, 185
mṛga, 185
śukara, 185
ulluka, 185
Vāsā, 452
Vāsaka (*Adhatoda vasica* Nees), 66
Vāsantī, 522
Vasira, 413-14
Vaśira, 444
Vāṣṭikā, (*Carum bulbocastanum* Koch), 40
Vāstuka (*Chenopodium murale* Linn.), 324
Vāstūka, 591
Vasuka, 413-14, 444
Vaṭa, 541
Vaṭaka, 617
Vātāma, 438
Vaṭa patrī, 479
Vatsa, 426
Vatsādānī, 327, 425, 444
Vatsaka, 420
Velā, 523
Vella, 421

- Vellantara*, 483
Venu, 402
Venu karīra (*Bambusa arundinacea* Willd.), 328
Vesa vāra, 384
Veśma caṭaka (house sparrow), 270
Vetasa, 68
Vetasāmla, 407
Vetra, 439, 441
Vetrāgra, 329
Vibhūtaka (*Terminalia belerica* Roxb.), 318, 442, 451
Vibhūtakī, 422
Viḍa, 439, 503
Vidaṅga (*Embelia ribes* Burm. f.), 56-57, 415-16, 428, 442-43, 501
Vidārī (*Ipomoea paniculata* R. Br.), 338, 406, 412, 425
Vidārikā, 444
Vidārī kanda, 473
Vidrūma, 96
Vidula, 442
Vijaya sāra, 546
Vikaṅkata, 299
 vṛksa, 440
Vilepī, 359
Vimala, 132
Vīra taru, 414, 444
Viṣa, (poison), 69, 97-100
Viṣā, 416, 421
Viśālā (*Trichosanthes bracteata* Voigt), 48
Viṣa muṣṭi, 415, 408
Viṣāṅikā, 442
Viśa śālūka, 339
Viṣṇu krāntā, 480
Viṣyandana, 615
Viśva devā, 412
Viśvausadha, 416
Vitāgni, 280
Viṭ khadīra, 545
Vṛddha dāru, 478
Vṛddhi, 47, 418, 433, 456
Vṛhad dāra (*Argyreia speciosa* Sweet), 58
Vrihi (variety of *Oryza sativa* Linn.), 242
Vṛkṣādani, 414
Vṛkṣaka, 416
Vṛkṣāmla, 406
Vṛntākī, 589
Vṛṣa (*Adhatoda vasica* Nees), 110, 440
Vṛścikālī (*Pergularia extensa* N. E. Br.), 51, 412, 415, 440, 444
Vyāghra nakha, 417
Vyāghrī, 440
Vyoṣā, 439
Water, 210-11
 aṁśūdaka, 223
 āntarikṣa jala, 223
 ārogyāmbu, 229-31
 audbhida (water coming from earth), 218, 224
 bhauma (water on earth) 215-17
 ānūpa, 216-17
 jāṅgala, 216-17
 sādhāraṇa, 216-17
 boiled, 228
 candra kānta, 225
 cauṇḍa, 220
 cauṇḍya, 224
 coconut, 231-32
 cold, 227-28

- divya* type of, 211-15
dhārāja, 212-13
gaṅgā, 212-13
haima (water from snow),
 214-15
hot, 229
karakā jāta (water from hail
 stone), 213-14
kedāra, 222
kūpa, 221
nādeya, 217
nirjhara (water from spring),
 218-19
pālvala (water of small pond),
 219
poisonous, 213
polluted, 226
pollution, 233-36
rain, 222
river, 217, 225-26
sāmudra, 213
sārasa (water of pond),
 219
sea, 225
spring, 224
taḍāga (small pond), 224
tāḍāga (water from lake),
 220
tauṣāra (water from dew &
 forst), 214
vāpī, 220-21
vikira, 221-22
 well, 224
Yāsa (*Alhagi pseudalhagi*
 Desv.), 22
Yaṣṭī, 406, 417
Yava (*Hordeum vulgare*
 Linn.), 201, 245-46, 253,
 428, 444
Yavāgū, 360
kṛṣarā, 360
pāyasa, 360
Yava kṣāra, 429, 439, 504
Yavānī (*Trachyspermum ammi*
 Sprague), 41, 500
Yavāsā, 460
Yava tiktā, 440
Yava, vaṁśaja, 246
Yūṣa, 402
akṛta, 380
kṛta, 380
kulattha, 378
mūlaka, 377
navāṅga, 378
nimbū, 377
pañca muṣṭika, 378
paṭola, 377
Yūthikā (*Jasminum auriculatum*
 Vahl), 105, 109, 521

INDEX III
(Synonyms of Drugs)

- Abdhija*, 535
Abdhi maṇḍūkī, 537
Abhayā, 451, 456
Abhaya, 513
Abhīru, 469
Abhiṣṭa-gandhaka, 522
Abhra(ka), 531
Accha, 518
Adhaḥ śalya, 460
Āḍhakī, 535
Adharā, 456
Adhara kaṇṭakī, 469
Agastya, 551
Agastyāhva, 551
Agni mantha, 452
Agni mukhī, 481
Agni pālī, 498
Agni śikha, 509
Agni vaktraka, 481
Agni vallabha, 514
Ahiphena, 491
Āhittha, 499
Aindrī, 462
Aja gandhā, 500
Aja gandhi, 484
Ajājī, 499
Aja karṇa, 547
Aja modā, 499
Aja śrṅgikā, 467
Ājya, 603
Ājyāra, 603
Ākāśa, 531
Ākhu karṇī, 461
Ākhu viṣāpaha, 478
Akṣa, 451
phala, 557
Akṣi bheṣaja, 478
Aksīva, 503
Akṣoḍaka, 570
Akṣoṭa, 570
Alāvunī, 588
Ālūka, 570
Amalā, 604
Āmalaka, 451
Amalāryaka, 508
Āma vairī, 459
Ambarā, 475
Ambha, 602
Ambha phala, 568
Ambhoja, 520, 544
Āmbhoruha, 518
Ambu, 602
Ambu śirīṣikā, 550
Ambu vallī, 482
Ambu vāsini, 453
Ambu pādapa, 578
Amla patrakā, 466
Amla śāka, 578
Amla vetasa, 575, 580
Amilkā, 577, 595
Amoghā, 451, 453
Āmra, 555
Āmrāta(ka), 579-80

- Āmra taṭa*, 579
Amṛtā, 451, 504, 535
Amṛta, 568, 602
Amṛtāhva, 567-68
Amṛtāhvaya, 603
Amṛtalā, 451
Amṛta phala, 451
Amṛta saṅga, 532
Amṛta vallarī, 452
Aṁśapa, 566
Aṁśumatī, 454
Amvaṣṭhā, 474
Aṁvaṣṭhakī, 473
Anala, 481
Anantā, 460
Aṅgāraka, 476
Aṅgāra karkarī, 610
Aṅgāra vallarī, 550
Añjana, 533
Añjira, 570
Aṅkola, 463
Aṅkolaka, 463
Antah koṭara puṣpī, 478
Anu manthaja, 603
Āpa, 568, 602
Apāda rohiṇī, 483
Apāmārga, 460
Aparājitā, 480, 486
Apeta rākṣasī, 524
Aphenaka, 491
Āphū, 491
Āphūka, 491
Āpīta, 519
Āragvadha, 462
Aralu, 453
Ārāma sītālā, 486
Araṇi, 452, 454
Aravinda, 518
Ardha candrikā, 462
Ārdraka, 496
Argaṭa, 543
Arimedaka, 545
Ariṣṭa, 464
Ariṣṭaka, 550
Arjaka, 524
Arjuna, 543
Arka, 487
Arka kāntā, 482
Arka puṣpī, 481
Ārogya śimbī, 463
Ārta gala, 543
Ārta galaka, 485
Artha sādhana, 480, 550
Āru, 565, 570
Aruṇā, 461
Aruṇa, 498
Āruṣka, 481, 565
Aruṣkara, 481
Āruṭa gandha, 502
Asi patrā, 463
Asitā, 523
Asita drumā, 545
Aśma bhedaka, 472
Aśma garbhaka, 546
Asmaja, 534
Aśmanta, 466
Aśmarī bheda, 472
Aśma yonī, 466
Āsphotā, 459, 466
Aṣṭa padī, 523
Aṣṭa varga, 457
Asthi saṁhāra, 487, 597
 saṁhāraka, 487
 saṁhṛtā, 597
 śṛṅkhalika, 597
Āsura, 503
Aśva gandhā, 468
Aśvahā, 488
Aśvattha, 541
Aśvāvachaka, 468

- Āsyāhvā*, 517
Āsya lalana, 514
Āṭaruṣaka, 452
Ati balā, 470
Ati carā, 518
Ati chatrikā, 482
Ati guhā, 454
Ati kaṅṭhaka, 460
Ati kṣurakṣa, 485
Ati mañjulā, 521
Ati rasā, 468
Ati ruhā, 487
Ati saurabha, 555
Ati tejinī, 470
Ati viṣā, 477
Ātma guptā, 480
Ātma rakṣā, 462
Atyugra, 502
Atyugra gandhā, 499
Audbhida, 503
Audbhida lavaṇa, 503
Ausa, 503
Avāk puṣpī, 498
Avalguja, 475
Avara kola, 561
Āvarttakī, 476
Āvegī, 478
Avyā, 472
Avyakta gandhā, 485
Ayaḥ, 531
Ayaskānta, 538

Babbula, 546
Bādāma, 568
Badara, 560-61
Badarī, 560
Bahula chada, 596
Balā, 469
Bālā, 512, 521
Bala, 535

Bala bhadrā, 476
Bālaka, 512
Bāla mūlaka, 595
Balī, 514
Bālinī, 598
Balyā, 468
Bandha bhandhūka, 523
Bandhini, 520
Bandhu jīva, 523
Barha cūḍa, 514
Barhi, 490
Bhadrā(a), 472, 519
Bhadra candana, 459
Bhadra dāru, 470
Bhadra kaṅṭha, 454
Bhadra kāṣṭha, 470
Bhadra musta, 472
Bhadra parṇī, 468
Bhadra parṇikā, 453
Bhadra śrīya, 508
Bhadra yava, 465
Bhadrailā, 510
Bhadra taraṇi, 521
Bhadraudanī, 469
Bhadravatī, 472
Bhallātaka, 481, 572
Bhallī, 481
Bhallū(ka), 570
Bhallū rakta phala, 570
Bhaṅḍī, 461, 474
Bhaṅḍīranī phala, 543
Bhaṅgā, 489
Bhaṅgurā, 477
Bhaṅṭākī, 589
Bhāradvājī 470
Bhāra vāhinī, 463
Bhārga parvanī, 472
Bhārgavī, 489
Bhārgī, 472
Bhasma piṅgalā, 551

Bhauma, 503
Bhavya, 577
Bheka rāja, 476
Bhillaka vṛkṣa, 548
Bhirinḍikā, 481
Bhīru patrī, 469
Bhīṣana, 514
Bhīṣaṅ-mātā, 452
Bhṛgu bhavā, 472
Bhṛṅga, 510
Bhṛṅga bandhu, 523
Bhṛṅga mālīkā, 501
Bhṛṅga rāja, 476
Bhṛṅgāhva, 476
Bhū chatra, 598
Bhū dhātrī, 451
Bhujaga parṇinī, 483
Bhū kadambaka, 500
Bhū maṇḍalī, 523
Bhūmija, 503
Bhūmi kadambaka, 460
Bhūmi kharjūrikā, 558
Bhūmi saha, 545
Bhūmyāmalakī, 451
Bhūnimba, 464
Bhūrja, 546
Bhū śamī, 550
Bhūṣana, 497, 504
Bhūsitā, 463
Bhūta, 471
Bhūta keśī, 467, 512
Bhūta nāśana, 502
Bhūta pādapa, 544
Bhūta vāsa, 451
Bhūta vṛkṣa, 453, 460
Bhūtaghnī, 501, 524
Bhūtī, 471
Bhūtīka, 471
Bhūtīka, 507,
Bhūyas, 546

Bija pūra(ka), 573
Bivla, 452, 454
Bilvikā, 502
Bimba kila, 523
Bimbī, 590
Bola, 535
Brahma cāriṇī, 482
Brahma kāñcana, 529
Brahma kāṣṭha, 571
Brahma mekhala, 490
Brahma pādapa, 546
Brahma suvarcalā, 482
Brāhmaṇa) aṣṭikā, 472
Brāhmaṇī, 515
Brāhmī, 482, 486
Bṛhad balā, 469
Bṛhat kaṇṭakārī, 455
Bṛhat kharjūrikā, 558
Bṛhat koṭī, 593
Bṛhat phalā, 556
Bṛhat puṣpā, 521
Bṛhat vallī, 590
Bṛhaṭī, 455
Brahma dāru, 571

Cakrāhva, 516
Cakra lakṣaṇā, 452
Cakra marda, 475
Cakrāṅgī, 463
Cakrikā, 483
Cakṣuṣya, 554
Cala, 522
Cala dala, 541
Cāmīkara, 529
Caṃpaka, 522
Cāmpēja, 511, 522
Cana puṣpikā, 479
Caṇaka śāka, 594
Caṇḍā, 480, 488, 514
Candana, 508

- Candana puṣpaka*, 510
Caṇḍikā, 577
Candra hāsā, 452
Candra hāsya, 455
Candra kānta, 536
Candra maṇi, 536
Candra vālā, 510
Candrikā, 475
Cāṅgerī, 595
Capalā, 497
Capala, 531
Cāra, 562
Cāraṭī, 518
Carma kaṇṭaka, 476
Carma kas (ś)ā, 466, 487
Carma raṅgā, 476
Carmasāhvā, 466
Cāru, 516
Cāru kesarā, 521
Cāru parṇī, 468
Cāru patrikā, 502
Cāru vāhlīka, 509
Cōru vṛkṣa, 542
Catuḥ chadā, 595
Caturamlaka 580
Caturāṅgula, 463
Caturannaka, 501
Caturjāta, 511
Caturuṣaṇa, 497
Cauhārī, 500
 yavānī, 500
Cavikā, 497
Cavya(na), 497-98
Cerapoṭī, 481
Cetakī, 450
Chādana, 486
Chadmikā, 474
Chāgala, 478
Chardana, 465
Chatrā, 482
Chatrāmlikā, 595
Chatrī, 549
Chikkikā, 484
Chikkini, 484
Chinnā, 452
Chinna granthinikā, 460
Chinna ruhā, 452
Chinnodbhavā, 452
Cicciṇḍa, 593
Cilli, 592
Cillikā, 592
Ciñcā, 577
Ciñciṇi phala, 461
Cira bilvaka, 550
Cirajivini, 549
Cīra patrā, 556
Cirbhaṭī, 588
Cirbhīṭa, 588
Cīriṇī, 550
Cīrita patrikā, 479
Citra, 459, 498
Citrā, 462
Citrā, 470
Citraka, 498
Citra phalā, 462, 589
Civuka, 523, 562
Coraku, 514
Cucukā, 592
Cūda, 483
Cukra, 575
Cukrā, 595
Cukrikā, 577
Culaka 465
Cumbaka, 538
Cūrṇa pārada, 533
Cūta, 555

Dadhi, 602
Dodhi phala, 579

- Dadhi pūpaka*, 615
Dāḍīma, 560,
Dāḍīmī, 560
Dāḍīmī puṣpa, 484
Dadrughna, 475
Dahana, 498
Daityā, 515
Dakṣiṇāvartī, 467
Dalāhva, 511
Dala śālinī 598
Dama, 524
Damana, 524
Damanaka, 524
Damanī, 483
Daṇḍāhata, 603
Dānta, 524
Danta bijā, 560
Danta śaṭha, 575
Dantī, 461
 bija, 461
Dantī phala samākṛti, 569
Darada, 533
Darbha, 490
Dārūna, 498
Dāru haridrā, 475
Dāru phala, 569
Dārvī, 475
 rasodbhava, 534
Daśa mūla, 455
Daśāṅgula, 567
Dāsī, 485, 512
Dāvīdālikā, 473
Deṇḍika, 591
Deva dālī, 478
Deva dāru, 470
Deva dhūpa, 514
Deva dundubhi, 524
Deva gandhā, 486
Deva gandhaka, 471
Deva kusuma, 510
Deva sahā, 469
Deva śrenī, 474
Deva syṣṭā, 604
Devatā, 456, 488
Devatāṅga, 478
Deva taru, 564
Devī, 474, 480, 515, 590
Dhamana, 490
Dhamanī, 516
Dhana, 562
Dhanaka, 467
Dhāne, 501
Dhāneya 501
Dhanu, 481
Dhanvana, 547
Dhanva yāsa(ka), 460
Dhānya, 501, 572
Dhanyā, 522
Dhānyaka, 501
Dhānyakā, 501
Dharmāna, 547
Dhātakī, 473
Dhātrī parṇī, 511
Dhātrī phala, 451
Dhattūra, 488
Dhātu bhava, 530
Dhātu kāsīsa, 533
Dhātu māksika, 532
Dhava, 547
Dhāvanī, 454-55, 476
Dhīra, 457
Dhruva, 541
Dhruvā, 454
Dhūmra, 509
Dhurandhara, 547
Dhūrta, 488
Dhūrta, 503
Dhvaja, 567
Dhvāmkṣa nāśinī, 501
Dhvaṇda, 485

- Dhvāṅkṣa kolī*, 456
Dhvāṅkṣa mācī, 477
Dīna, 516
Diṅdari, 535
Dīndinikā, 550
Dīpanī, 479
Dīpanīya, 500
Dīpa vṛksaka, 470
Dīptā, 466
Dīpya, 500
Dīpyaka, 500
Dīrgha chada, 545
Dīrgha daṇḍa, 459
Dīrghaka, 499
Dīrgha kīlaka, 463
Dīrgha mūlā, 454
Dīrgha·mūla, 460
Dīrgha nisvana, 537
Dīrgha patra, 483
Dīrgha patraka, 467, 543, 565, 596
Dīrgha patrī, 481
Dīrgha phala, 463
Dīrgha puṣpaka, 487
Dīrgha varṣābhū, 467
Dīrghikā, 482, 502
Dīṭhya, 510
Dīvarī, 469
Dīvyā, 482
Dīvyā, 534
Dīvyauśadhi, 532
Drākṣā, 554, 608
Dravanī, 461
Drāvida, 503
Draviḍa, 515
Drāviḍī, 510
Drāvi loha, 504
Dṛdha bījaka, 557
Droṇā, 482
Drona puṣpī, 482
Dṛṣad bheda, 472
Dṛṣad garbha, 537
Dru phala, 579
Dugdha, 602
 bhakṣya, 612
Dugdhi, 481
Dugdhikā, 481
Duḥpradharsīnī, 455
Duḥpraharṣā, 558
Duḥputra, 514
Duḥsparṣā, 455, 460
Durālabhā, 460
Dūra mūla, 460
Durā rohā, 558
Durāroha, 567
Duravagrahā, 480
Durbālā, 550
Durdhara, 457
Durga, 514
Durjara, 574
Durlabha, 515
Durmanā, 489
Durmāṣā, 483
Dūrvā, 489
Durvāta, 459
Duṣṭā, 473
Dvijā, 510
Dvija kutsaka, 544
Dvija priyā, 478
Dvipā, 550
Dvipadā, 523
Dvīpa sambhavā, 558
Dvīpikā, 469
Dvijāṅgikā, 463

Eḍagoja, 475
Ekāṅgī, 515
Elā, 510-11

- Ela vālu*, 509
Ela vāluḥka, 509
Eraṇḍa, 459,
Eraṇḍā, 461
Evāluka, 509

Gaireya, 534
Gairika, 532
Gaja bhakṣya, 548
Gaja cirbhiṭā, 462
Gaja kaṇṭa, 550
Gaja pādapa, 542
Gaja pippalī, 498
Gajara, 595
Gajāśana, 541
Gāloḍha, 519
Gambhāri, 453, 454
Gaṇḍa dūrvā, 489
Gaṇḍaru, 593
Gandha, 531
Gandha garbha, 452
Gandha kāriṇī, 479
Gandha māmsī, 512
Gandha mūlaka, 512, 515
Gandha mūlinī, 515
Gandha nākulī, 468, 479
Gandha pītaka, 531
Gandha rasa, 535
Gadha sāraka, 508
Gandha vīrā, 548
Gandhādhyā, 515
Gandhaka, 531
Gandhamat puspa, 543
Gandharva hastaka, 459
Gandhāśma, 531
Gandhavatī, 515
Gandhi velikā, 507
Gandhotkaṭa, 524
Gandhottamā, 604

Gaṇḍīrī, 604
Gaṇerukā, 523, 549
Gāngerūka, 572
Gāngerukī, 470
Gaṇikā, 521
Gaṇikārikā, 523
Gaṇjā, 489
Garāgarī, 478
Garbha kaṇṭaka, 566
Garbha kara, 480
Garbha pātānī, 488
Garbha pātī, 550
Gardhabhāṇḍaka, 542
Garut mat, 537
Gauḍa pāṣāṇa, 538
Gauḍa vāstuka, 592
Gaura, 519, 547
Gaura drumā, 549
Gaurī, 475, 516, 524
Gautamī, 516
Gavādanī, 462, 485
Gavedhukā, 470, 532
Gāyatrī, 545
Ghallaka, 604
Ghana, 472, 510, 530, 531
Ghana skandha, 582
Ghana tvaksāra, 478
Ghane phalā, 477
Ghaṇṭa, 548
Ghaṇṭa śabda, 476
Ghaṇṭālikā, 574
Ghaṭā, 574
Ghola, 603
Ghoṇṭā, 560
Ghoṇṭālī, 589
Ghoṣā, 498, 501
Ghṛta, 603
 pakva bhakṣya, 612
Ghṛta pūra, 613

- Ghṛta varṇaka*, 549
Ghṛṇa priyā, 461
Girija, 534
Giri jatu, 534
Girika, 464
Giri karṇikā, 485
Giri mallikā, 465
Giri mṛt, 532
Giri sānujā, 476
Girisāhvaya, 534
Gobhī, 482
Godanta, 532
Godhūma bhakṣya, 611
Godhā skandha, 545
Gojihvā, 482
Gojikā, 482
Gokaṇṭaka, 454
Gokarṇā, 468
Gokṣura, 454, 455
Golā, 532
Golhā, 590
Golomī, 489, 501
Gomeda, 536
Gopa kanyā, 459
Gopa vallī, 459
Gopāṅganā, 459
Gopitta sambhavā, 516
Gorakṣa, 574
Gorasa, 603
Gorocanā, 516
Gośirṣa, 508
Gostanī, 554
Gotra puṣpaka, 547
Gotra viṭapī, 547
Grāhī, 555
Grāma kanda, 598
Grāmyā, 463, 524
Granthi parna(ṛ), 515
Granthikā, 564
Granthikā mūla, 497
Granthikā patra, 512
Granthila, 595
Granthimān, 597
Granthimat phala, 566
Granthinī, 559
Gṛha kanyā, 488
Grīṣmakā, 522
Gṛñjana, 596, 597
Gṛṣṭi, 473, 598
Gucchā phala, 544
Gucha puṣpa, 549
Guḍā, 554
Guḍa patraka, 604
Guḍa phalā, 544
Guḍa tvak, 510
Guda yukta bhakṣya, 611
Gudāmayahara, 597
Gūḍha patra, 595
Gūḍha puṣpaka, 565
Guḍūcī, 452
Guggulu, 514
Guhā, 454
Guñjā, 483
Gupta sneha, 463
Haimavatī, 451, 452, 501
Halinī, 488
Hallaka, 519
Haṁsa padī, 478
Hanu, 517
Hanurnāga, 517
Hapuṣā, 501
Hārā, 604
Hārā bīja, 531
Hāra hūrā, 554
Hareṇukā, 513
Hari bhadraka, 471
Harita chada, 596

Haridrā, 475, 549
Hāidraka, 549
Harin maṇi, 537
Harinī, 521
Haritāla, 532
Haritakī, 450-51
Hari vāluka, 509
Hari vāsa, 541
Harṣaṇī, 480
Hastāluka, 599
Hasti ghoṣā, 589
Hastī kanda, 595
Hasti karṇa, 459
Hasti koli, 560
Hasti magadhā, 498
Hasti mayūrakā, 499
Hāṭaka, 511, 529
Havis, 498, 603
Haya pucchikā, 458
Hayamgavīna, 603
Hema, 511, 529
Hema dughā, 465, 542
Hema nidhi, 531
Hemāhvā, 465
Hijjala, 544
Hima mocikā, 486
Hima vālukā, 507
Himāvatī, 465
Himopala, 507
Hiṅgu, 502
Hingu patrī, 502
Hīnguīa, 535
Hīrā, 536
Hīrā kāśmarī, 453
Hīraka, 536
Hiraṇya, 529
Hita, 467
Holaka, 622
Hrasva badara, 561

Hrasva pāthoja, 519
Hrasva phala, 565
Hrsvānga, 457
Hṛdya, 574, 577
Hṛdya gandhaka, 503
Hrīvera, 512
Hutabhuk, 498
Hyāhya tala, 517

Ijjala, 544
Ikṣu, 604
 vikāra, 604
Ikṣu gandhikā, 473
Iksu vallī, 473
Ikṣura, 485
Indārī, 618
Indīvara, 519
Indra vāruṇī, 462
Indra yava, 465
Indrāhvā, 462
Indrairvāru, 462
Indrākṣa, 457
Ingudī, 548
Irimesa, 545
Iṣaka, 489

Jagatyāhva, 517
Jala, 602
Jala cara, 537
Jala gojaka, 569
Jala kāmā, 481
Jāla kanda, 599
Jala vetasa, 544
Jalaukā saṁvṛta, 544
Jālī, 593
Jālinī, 478, 589
Jambhala, 575
Jambhīla, 575
Jambīraka, 575

- Jambū*, 556
Jāmbū nada, 511, 529
Jambuka, 521
Jāmuna, 534
Jananī, 517
Jāṅgala, 478, 508
Jāṅgiṇi, 547
Janī, 517
Jantudā, 517
Jantu hanana, 501
Jantuka, 502
Jantu nāsana, 500
Jantu vṛkṣa, 542, 581
Japā, 523
 puṣpa, 523
 rakta, 523
Jāraṇa, 499, 502
Jarjjara, 596
Jaṭā, 451, 512
Jaṭā māṁsī, 512
Jāta rūpaka, 529
Jaṭāyu, 514
Jātī, 520
 kośa, 509
 patrī, 509
 phala, 509
 suta, 509
Jaṭilā, 501
Javahvā, 500
Javāni, 500
Javānīyā, 500
Javasāhvā, 500
Jayā, 450, 452, 480, 486, 489
Jayantika, 520
Jayapāla, 461
Jelā phala, 565
Jihma, 516
Jihmūta, 478
Jiṅgā, 547
Jiṅgiṇī, 547
Jīraka, 499
 śveta, 499
Jīrā (kṛṣṇa), 499
Jīrṇa vāluka, 478
Jīvā, 457
Jīva bhadrā, 457
Jīvaka, 457, 458
Jīvana, 602
Jīvanī, 457
Jīvanīyā, 451, 457
Jīvanīya gaṇa, 458
Jīvantaka, 591
Jīvantī, 452, 457, 458
Jīva vardhinī, 457
Jvara nāśinī, 474
Jvarāntaka, 464
Jvara vināśinī, 452
Jyotiṣmatī, 470
Jyoti soma, 508

Kāca, 504, 512, 538
 bhājana, 538
 lavaṇa, 504
 sambhava, 504
Kacaṭa, 482
Kacchapālikā, 544
Kacchurā, 460
Kacha gandha, 599
Kadalī, 559
Kadamba, 543
Kadamba puṣpī, 460
Kākā, 477, 558
Kāka ballabhā, 556
Kāka jaṅghā, 477
Kāka kuṣṭha, 465
Kāka pīlu, 564
Kāka pīlukā, 483
Kāka tiktā, 550

- Kāka vallarī*, 489
Kairaviṇī, 518
Kākamācī, 477
Kākaṇantikā, 483
Kākatiktā, 477
Kākāyu, 489
Kākinī, 477
Kākodumbarikā, 570
Kākolī, 456, 457, 458
Kakubha, 543
Kālā, 462, 533
Kāla mālā, 525
Kāla meṣī, 462
Kāla meṣikā, 474, 475
Kāla parṇī, 462
Kāla śāka, 486, 592, 594
Kāla sāra, 564
Kāla skandha, 545
Kālaseya, 603
Kalaśī, 454
Kālavṛntikā, 453
Kālhāra, 519
Kalidrūma, 451
Kalihārī, 488
Kālikā, 463, 486, 500, 501, 592
Kālanda, 587
Kāliṅga, 465, 587
Kālīyaka, 508
Kalpā, 604
Kāma bīja, 477
Kāma dūtī, 453
Kāmāhva, 580
Kamala, 518
 keśara, 519
Kamaṇḍalu, 542
Kāma taru, 483
Kāma vallabha, 555
Kāma vṛkṣaka, 483
Kāmbhārī, 453
Kāmbojī, 458
Kāmbu, 536
Kāmbu mālīnī, 480
Kāmbu puṣpī, 480, 481
Kāminī, 483
Kāmkola, 510
Kāmkṣī, 535
Kāmkuṣṭha, 465
Kāmkuṣṭhaka, 465
Kāmpila (ka), 461
Kāmpolaka priya, 546
Kāmsya, 530
Kaṇā, 497
 mūla, 497
Kaṇa jīraka, 499
Kanaka, 488, 511, 529
Kanaka kṣīrī, 465
Kāñcana, 511, 522, 529
Kāñcanaka, 466
Kāñcana kṣīrī, 465
Kāñcana puṣpikā 520
Kāñcanāhvaya, 519
Kāñcanāra, 466
Kāñcani, 489
Kanda, 597
Kanda vallī, 473
Kandaka, 598
Kandalā, 480, 597
Kandara, 592
Kandarāla, 570
Kāṇḍaruha, 463
Kāṇḍatikta, 464
Kandauśadha, 496
Kandhu, 561
Kandhuka, 561
Kāṇḍira, 592
Kaṇḍū, 514
Kāṇḍuka, 589
Kaṅguṇī, 470

- Kānīna*, 478
Kaṇṭa, 548
Kānta pāṣāna, 538
Kaṇṭa phala, 454
Kāntāhvā, 513
Kaṇṭakādhyā, 549
Kaṇṭakārī, 455
Kaṇṭakī, 452, 548, 558
Kaṇṭakī latā, 588.
Kaṇṭakī phala, 566
Kaṇṭakinī, 455
Kaṇṭārikā, 455
Kanyā, 510
Kapardikā, 537
Kaphañjikā, 461
Kapī, 509, 579
Kapī drumā, 512
Kapī kacchū, 480
Kapī loha, 530
Kapī pippalī, 460
Kapūla, 509, 530, 551
Kapilā, 513
Kapitana, 543
Kapittha, 579, 580
patri, 579
Kapitthārjaka, 525
Kapota vaṅkā, 482
Kapota varṇa, 510
Kara chada, 545
Karabha priya, 544
Karahārī, 548
Karahāṭa, 465, 484
Karahāṭaka, 520
Karāla, 501, 525
Karamarda, 578
Karam vara, 548
Karañja, 549
Karañji, 550
Karaṭī, 530, 560
Kāravellaka, 590
Karavellī, 590
Kāravī, 498, 499, 500, 502
Karavīra(ka), 488
Karcūra, 515
Karīraka, 595
Karkandhu, 561
Karkandhu bāndhavā, 560
Karkāru, 587
Karkaśa, 595
Karkaśa chada, 521, 589, 593
Karkaṭa, 572
Karkaṭa śṛṅgi (kā), 471
Karkaṭaka, 572
Karkaṭākhyā, 471
Karkaṭī, 558, 560, 588
Karkoṭaka, 590
Karma raṅga, 577
Karmāra, 490
Kārmuka, 545
Karṇī, 463, 523
Karnikā, 521
Kārpāsa, 486
Karpūra, 507, 608
Karṣa phala, 451,
Karṣīnī, 465
Karvudāra, 544
Kaśā, 487, 489
Kāśaghnī, 472
Kāśamarda, 595
Kaśāyā, 473
Kāsekṣu, 489
Kaseru, 599
Kaseruka, 699
Kāsīsa, 533
Kāśmarī, 453
Kāśmorya, 608
Kāśmarī, 453
Kāśmīra, 471, 509

Kāṣṭha sārivā, 459
Kāṣṭhālu, 599
Kāṣṭha pāṭalā, 453
Kastūri(kā), 507
Kṣīriṇī, 481
Kaṭabhī, 548
Kaṭambhaka, 453
Kaṭaṅkaṭerī, 475
Kaṭaṅkaṭi, 475
Kaṭhilla, 590
Kaṭhillaka, 467
Kaṭijara, 525
Kaṭn, 516
Kaṭphala, 472
Kaṭu, 477, 497
Kaṭu bhadrā, 496
Kaṭu granthi, 497
Kaṭu kamkola, 510
Kaṭu parṇī, 465
Kaṭu sarkarā, 504
Kaṭu tumbī, 588
Kaṭubhī, 470
Kaṭuka, 497
Kaṭukaṭa, 496
Kaṭukī, 463
Kaṭurohiṇī, 463
Kaṭutraya, 497
Kauṇḍinya, 482
Kaunti, 513
Kausika, 514
Kausumbha, 594
Kauṭaja, 465
Kauvera, 471
Kavalkolā, 470
Kavari, 484
Kāyasthā, 451, 456
Keśa hṛt phala, 550
Keśa muṣṭika, 464
Keśa rañjana, 476, 511

Keśara, 519, 522
Keśarī, 466, 573
Keśī, 469, 512
Kelā, 569
Ketakī, 521
Keyu, 598
Keyukā, 598
Khadirā, 479, 545
Khalinī, 479
Khaṇḍa, 531
Khaṇḍāmalaka, 607
Khaṇḍāmra, 607
Khara, 537
Khara mañjarī, 460
Khara parṇinī, 482
Khara patra, 524
Khara puṣpā, 500
Khara śāka, 472
Khara vātikā, 537
Khara yaṣṭikā, 469
Kharāhvā, 499
Kharbūja, 567
Kharjara, 514
Kharju, 558
Kharjūra, 608
Kharjūrī, 479
Kharjūrikā, 558
Kharparikā tuttha, 532
Kḥasa kḥasa, 490-91
 tila, 490
Khaṭi, 538
Khaṭikā, 538
Khaṭini, 538
Khaṭvaṅga, 453
Khecara, 533
Kheda, 512
Khura, 517
Khuraka, 530
Khurāsāni yavāni, 490

- Kicaka*, 490
Kila drumā, 470
Kilāla, 602
Kilāsa, 590
Kilīma, 470
Kimk ini, 564
Kim kirāta, 546
Kimkirāṭaka, 485
Kimnubālaka, 465
Kimśuka, 546
Kiṇihī, 460
Kiñjalka, 519
Kirāta, 464
 tikta, 464
Kirītī, 480
Kirmī, 546
Kīṭa mārī, 478
Kiṭa nāmā, 478
Kitava, 488, 514
Kīṭī, 500
Kiṭṭa, 531
Klītanaka, 458
Kokanada, 519
Kokilākṣa, 485
Kola, 561
Kola simbī, 591
Kola vallikā, 497
Komala valkalā, 582
Kośa phala, 560
Kośāmra, 581
Kośātakī, 589
Koṭī vṛkṣaka, 465
Kovidūra, 466
Krakaca, 595
Kramuka, 581
Krandana, 572
Kravyādī, 512
Krmi phala, 542
Kṛmighna, 501, 508
Kṛmijā, 517
Kṛmika, 581
Kroṣṭu ghaṇṭikā, 487
Kroṣṭu pucchā, 454
Kṛṣṇā, 497, 499, 517, 533,
 551, 578
Kṛṣṇa gandha, 596
Kṛṣṇa mallikā, 525
Kṛṣṇa mūlā, 459
Kṛṣṇa phalā, 475, 591
Kṛṣṇa vṛntikā, 453, 458
Kṛṣṇābīja, 587
Kṛṣṇāguru, 508
Kṛṣṇārjaka, 525
Kṛṣṇāyah mala, 531
Kṛta chidrā, 589
Kṛta mālaka, 462
Kṛta trānā, 476
Kṛta vedhanā, 589
Kṛtrimaka, 503
Kṛtrima ratna, 538
Krūra, 484
 karmā, 481
Kruraka, 468
Kṣaṇaka, 514
Kṣāra, 503
Kṣāra patra, 591
Kṣāra śreṣṭha, 546
Ksārika, 593
Kṣatra vṛkṣa, 523
Kṣatriyā, 562
Kṣaudra, 605
Kṣavaka, 484
Kṣetra dūtīkā, 455
Kṣīra, 464, 602
Kṣīra gandhā, 473
Kṣīra kākoli, 456, 457, 458
Kṣīra pāka, 538
Kṣīra śuklā, 473

- Kṣīra vallī*, 473
Kṣīra vṛkṣa, 541, 542
Kṣīra palāṇḍu, 596
Kṣīreya, 606
Kṣīrī, 487, 541, 562, 606
Kṣīrī vṛkṣa, 562
Kṣīriṇī, 456, 465
Kṣoda, 589
Kṣudrā, 455
Kṣudra candana, 508
Kṣudra jambū, 556
Kṣudra panasa, 566
Kṣudra pāṭali, 548
Kṣudra phalā, 462
Kṣudra sahā, 458
Kṣudra taṇḍula, 501
Kṣudra varsābhū, 468
Kṣura, 485, 490
Kṣuraka, 454, 485, 523, 537
Kubja kaṇṭaka, 545
Kubjaka, 521
Kuca, 561
Kucandana, 517
Kuddāla, 466
Kukkura dru, 486
Kukkuṭa mardaka, 486
Kukkuṭi, 549
Kulā, 532
Kulāhala, 460
Kulajā, 579
Kulaka, 593
Kula putraka, 524
Kulī, 466
Kūlilā, 515
Kulira śṛṅgī, 471
Kulmāṣa, 619
Kumaraka, 547
Kumārī, 480, 488
Kumbha, 461
Kumbha vīrya, 550
Kumbha yonikā, 482
Kumbhī, 472
Kumbhikā, 453
Kumkuma, 509
Kumudā, 472
Kumuda, 519
Kumudi, 518
Kumudvati, 518
Kumut, 519
Kunaṭī, 532
Kuñcī, 500
Kundā, 522, 523
Kuṇḍalī, 452, 466
Kuṇḍalikā, 618-19
Kundurū, 514
Kunduruki, 548
Kuñjarī, 473
Kuntalī, 481
Kuṇṭha, 524
Kuraṇḍī, 594
Kuraṅgaka, 484
Kuraṅginī, 458
Kuraṇṭaka, 485
Kuravaka, 485
Kūrca śīrṣaka, 457
Kuru vindaka, 472
Kuśa, 490
Kuśalī, 466
Kuśeśaya, 518
Kuśimbi, 591
Kuśimsipā, 551
Kūṣmāṇḍa, 587
Kūṣmāṇḍakī, 587
Kuṣṭha, 471, 529, 531, 590
Kuṣṭha kṛntana, 475
Kustumburu, 501
Kusumāñjana, 534

- Kusumbhaja*, 594
Kuṭaja, 465
Kuṭarīnaṭa, 453
Kuṭara vāhīnī, 461
Kuṭa śālmali, 484
Kuṭheraka, 524
Kuṭī, 515
Kuṭīñjara, 593
Kuṭira, 593
Kutsāsra, 591
Kuvala, 561
Kuvalaya, 519
- Laghu bilva phalākṛti*, 568
Laghu kaṇṭakārī, 455
Laghu pāñcamūla, 455, 456
Laghu puṣpā, 521
Laghu śamkha, 537
Laghvi, 560
Laguḍa, 488
Lajjālu, 479
Lākṣā, 517
Lākṣā puṣpā, 521
Lakṣmaṇā, 455
Lakṣmī, 456, 550
Lakṣmī phala, 452
Lakuca, 566
Lambu, 460
Lāngalī, 480, 488, 557
Laghu badara, 561
Lapsikā, 616
Laśuna, 596
Latā, 513
Latā kastūrikā mada, 507
Lāṭa parṇya, 510
Latat phala, 490
Latā vṛkṣa, 557
Latāhvā, 459
Lauha, 531
- Lava*, 510
Lavali, 582
Lavaṇa, 504
Lavaṅga, 510
Lāvanyā, 482
Lelī, 531
Lobhanīyā, 460
Lodhra, 478
Loha, 530-31
Loha karṣaka, 538
Lohaja, 531
Lohita, 508
Lomaśā, 501
Lomasī, 588
Lonika, 593
Luṅgī, 574
Lūtā, 522
- Madadhṃā karmaṇī*, 477
Mada kāriṇi, 490
Madana, 465, 488, 524, 605
 phala, 465
Madayantikā, 520
Mādhavī, 522, 698
Mādhavocita, 510
Madhordūtī, 453
Madhu, 458
Madhu cchiṣṭa, 605
Madhu karkaṭikā, 574
Madhu koṣṭha, 565
Madhu parṇī, 481
Madhu phalā, 554
Madhu pūpaka, 614
Madhu rasā, 474
Mādhū śigru, 551, 596
Madhu sīrṣaka, 614
Madhūṣita, 605
Madhu sravā, 474, 478
Madhu ṣṭīla, 565

- Madhu tr̥ṇa*, 604
Madhu yoni, 554
Madhuja, 605
Madhuka, 458, 565, 608
Madhulikā, 458
Madhurā, 456-57
Madhura gaṇa (group of drugs
 having sweet taste), 458
Madhuyaṣṭi, 458
Madhvaga, 565
Madhvālu, 599
Madirā, 604
Madya, 604
Madya gandha, 522
Madya vāsinī, 473
Magadhā, 497
 mūla, 498
Māgadhī, 497-98
Mahā balā, 469
Mahā dīrgha, 470
Mahā druma, 565, 567
Mahā ghorā, 471
Mahā jāli, 589
Mahā jālinī, 476
Mahā jālinikā, 476
Mahā jambū, 556
Mahā kanda, 596
Mahā kośātakī, 589
Mahā kumbhī, 472
Mahā meda, 456-58
Mahā muṇḍī, 460
Mahā nimba, 464
Mahā phala, 462, 557, 587, 589
Mahā puruṣa dantikā, 469
Mahā rasa, 604
Mahā sahā, 458, 521
Mahā śatāvārī, 469
Mahā simbitika phala, 568
Mahā skandha, 556
Mahā śvetā, 473
Mahā śyāmā, 478*
Mahā taru, 463
Mahā tumbī, 588
Mahā vṛṣā, 479
Mahaddalā, 592
Mahārha, 508
Mahati, 455
Mahat pañca mūla, 454-56
Mahat prār̥ṇśu, 582
Mahaujasī, 470
Mahausadha, 496
Mahausadhī, 482
Maherunā, 548
Mahisākṣa, 514
Mahornati, 543
Mahoraga, 516
Mahoṭikā, 455
Mahotpala, 518
Mākanda, 555
Makola, 538
Makoṣṭha, 569
Mākṣīka, 532, 605
Mala, 517
Mālatī, 520
Mālatī jāta, 504
Mālatī patrikā, 509
Mālatī suta, 509
Mālavaka, 571
Mālavikā, 462
Malaya, 516
Malayaja, 508
Malma, 497
Malla, 532
Mallikā, 520
Mallikā puṣpa, 465
Mālukā patra, 466
Mātulanī, 489
Mālūra, 452

- Mālya puṣpī*, 476
Mamo gupta, 532
Māmsa māsā, 458
Māmsa rohiṇī, 487
Māmsī, 512
Mana, 512
Māna kanda, 598
Manahśīlā, 532
Mānaka, 598
Mandā, 604
Mandaka, 603, 610
Maṇḍalā, 488
Maṇḍala chada, 467
Maṇḍala patrikā, 551
Maṇḍana, 532
Maṇḍapa kāmī, 522
Mandāra, 487, 548
Mandūka parṇī, 483
Māṇḍukī, 482
Maṇḍūra, 531
Maṅgalyā, 457, 516, 541
Mani, 456
Maṇi chidrā, 456
Maṇi mantha, 502
Māṇikya, 535
Mañjiṣṭhā, 474
Mañjulā, 474, 570
Manohvikā, 532
Manojñā, 480
Manorama, 523
Mantha, 619
Marakata, 537
Mardaka, 475
Marica, 497-98
Mārica, 510
Marica patra, 545
Mārjāra gandhikā, 458
Mārjārī, 507
Mārjikā, 607
Mārjita, 607
Markaṭī, 480, 499
Mārkava, 476
Marudbhavā, 460, 592
Māruhya, 511
Maruka, 524
Maruvaka, 524
Maruvan, 524
Māṣa bhakṣya, 611
Māṣa parṇī, 458
Masūrā, 462
Mātā, 488
Mathita, 603
Matsyādanī, 482
Matsya gandhā, 489
Matsya gandhi, 482
Matsya gandhikā, 501
Matsya kālī, 593
Matsyāṇḍikā, 604
Matsya pittā, 463
Matsyākṣī, 482, 489
Mātula, 488
Mātuluṅga, 573
Mauktika, 535
Mauktika mandira, 537
Māyika, 473
Mayūra jaṅgha, 453
Mayura śikhā, 487
Mayūrāhva śikhā, 487
Mayūraka, 460
Mecaka, 514
Medā, 456-58
Medhyā, 481, 516
Medinī, 520
Megha nāda, 592
Megha puṣpa, 544
Meghābhā, 556
Meghākhyā, 472
Melā, 463

Meṣa kusuma, 475
Meṣa śṛṅgī, 467
Meṣa vallī, 467
Methi(ka), 499
Mināṇḍī, 604
Miśī, 498
Miśra, 499
Miśreya, 499
Miṣṭa, 588-89
Mlāyini, 522
Mlecha, 533
Mlecha mukha, 530
Moṣā, 548-49, 559
 niryāsaka, 484
 rasa, 484
 srāvī, 484
Mocaka, 484
Modā, 499
Modaka, 617
Modakī, 547
Moha nāśinī, 485
Mohanī, 479
Moraṭā, 474
Motika, 535
Mṛdaṅga phalinī, 589
Mṛdu chada, 486, 558
Mṛdu kaṅṭhaka, 485
Mṛdu phala, 563
Mṛdu puṣpa, 543
Mṛdu tvak, 546
Mṛdula, 558
Mṛdvīka, 554
Mṛga leṇḍaka, 572
Mṛga mada, 507
Mṛga nābhi, 507
Mṛga pīcha dṛśa, 572
Mṛgāṇḍaja, 507
Mṛṇāla, 520
Mṛtyu puṣpaka, 604

Muca kunda, 523
Mucilindaka, 562
Mudga parṇī, 458
Mukha, dūṣaka, 596
Mukha maṇḍana, 523
Mukhī, 452
Muktā, 520, 535
 phala, 535
 sphoṭa, 537
Mukūlaka, 569
Mūla, 471
Mūlaka, 595
Muṇḍī, 460
Muni, 524
Muni drumā, 551
Muni nirmīta, 591
Muni suta, 524
Muni vallabha, 562
Munikā, 482
Muñja, 490
Murā, 515
Mūrvā, 474
Muśalī, 479, 598
Musikāhvā, 461
Muškaka, 548
Mustā, 472
Muṣṭi pramāṇa, 568

Nādeya, 543
Nadīja, 534
Nadī kāntā, 477
Nāḍītun, 594
Nāga, 511, 530
Nāga balā, 470
Nāga bhedana, 472
Nāga bhīd, 472
Nāga damanī, 480, 483
Nāga dantī, 462
Nāga gandhā, 483

- Nāga garbha*, 533
Nāgāhvā, 483
Nāgaja, 533
Nāga kesaraka, 511
Nāga kiñjalka, 511
Nāga mātā, 532
Nāga puṣpa, 511
Nāgara, 496, 498
Nāgaraṅga, 574
Nāgāri, 590
Nāga vallari, 582
Nāginī, 487, 582
Nahūṣa, 516
Naipāla, 464, 530
Naipālī, 532
Nakha, 517
Nakhāṅka, 517
Nakhara, 517
Nakona, 549
Nakta māla, 549
Nakuleṣṭā, 479
Nākulī, 479
Nala, 490
Nata, 516
Nāla, 520
Nalada, 512
Naṭi, 516
Nālika(ā), 467, 516, 594
Nalinī, 518
Nalinī ruha, 520
Namaskari, 479
Nameru, 470, 512
Namra, 543
Nandana, 470, 512
Nandī, 542-43
Nandi, 443
Nandinī, 513
Nandi pādapa, 549
Nandi taru, 547
Nāraṅgaka, 574
Nāraṅgi, 574
Nārāyaṇī, 469
Nārikela, 557
Nārītikta, 464
Nartakī, 516
Narttaka, 490
Nāsā samvedanta, 485
Naṭa, 490
Naṭa bhūṣaṇa, 532
Natāṅgī, 471
Naṭi, 516
Navanīta, 603
Nemī, 546
Nepālī, 522
Netā, 464
Netropama phala, 568
Nibūka, 576
Nidigdhikā, 455
Nidrāri, 464
Nija ghoṣa, 530
Nikocaka, 463, 569
Nikumbha, 461
Nikuñjaka, 544
Nīla, 518, 533
Nīla maṇi, 537
Nīla mañjarī, 467
Nīla puṣpa(ā), 515, 485
Nīla puṣpaka, 467
Nīla puṣpī, 580
Nīla ratna, 537
Nīla sinduka, 467
Nīla syandā, 485
Nīlikā, 463
Nīlinī, 463
Nilotpala, 519
Nīmba, 464
Nīmba patrikā, 579
Nīmbaraka, 464

- Nimba vṛkṣa*, 548
Nimbuka, 576
Nīpa, 543
Nīpa, 602
Nirbalī phalā, 558
Nirbhartsana, 517
Nirgundī, 466-67
Nirjala, 603
Nirloha, 535
Nirmaheśvarī, 530
Nirmālyā, 515
Nirmedhyā, 516
Niśā, 475
Niṣkuṭi, 510
Niyamāna, 464
Nṛloha, 530
Nyagrodha, 541

Oṣa, 503

Pacaṁpacā, 475
Pāda, 517, 564
Pāda rohi, 541
Pādapa, 578
Padī, 477
Padama, 518
 bīja, 519
 karkaṭi, 519
 patra, 471
Padma cāriṇī, 518
Padma rāga, 536
Padmāhvā, 518-19
Padmaka, 516
Padminī, 518
Pādyodana, 469
Paittika, 605
Pākārī, 466
Pākya, 503, 504
Pākyāhva, 504

Palam(ṅ)kaṣā, 514, 517
Palāṇḍu, 596
Palāṇḍuka, 596
Pālaṅkyā, 593
Palāśa, 546
Palāśī, 515
Pālevaka, 571
Pālindī, 482
Palli, 604
Palliśa, 579
Pāmsu bhava, 503
 lavaṇa, 503
Pānaka, 608
Panasa, 566
Pañcakola, 498
Pañca loha, 530
Pañcāṅgula, 459
Pāṇḍu, 582
Pāṇḍu phala, 593
Pāṇḍu putrī, 513
Pāṇḍuka, 593
Pānīya, 602
Paṅka, 538
Paṅkaja, 518
Paṅkeruha, 518
Pāpa celi, 474
Pāpa nāśaka, 473
Pāpa nāśana, 466
Pārada, 531
Paramānna, 606
Paraṅkiṭa, 588
Parā pita, 521
Parāsvādī, 560
Param varna, 532
Pārāvata, 477, 531
Pāribhadra, 548
Pāribhadraḥka, 464, 471
Pāribhāvya, 471
Pārihārya, 471

- Pārijātā*, 470, 548
Pāripela(va), 513
Pari piṣṭaka, 530
Parnikā, 454
Parpaṭa(ka), 476
Parpaṭī, 517
Pārijātaka, 484
Pārthiva, 503
Paruṣa, 563
Paruṣaka, 563, 608
Pārvatīyā, 473
Pāṣāṇa, 472
Pāṣāṇa bheda, 472
Pāsavana, 503
Paṭa, 562
Paṭa rāga, 517
 rañjana, 517
Paṭada, 486
Paṭala, 531
Pāṭalā, 453, 454
Pātāla garuḍa, 491
Pāṭalī puṣpa, 522
Pataṅga, 517
Pāṭhā, 474
Pāṭha, 602
Pāṭhī, 498
Pathyā, 450
Paṭola, 593
Patra, 511
Paṭrāḍhya, 512
Patrairvāru, 588
Pattūro, 482, 517
Paṭu, 484
Patūtama, 502
Paundrāhva, 516
Paura, 471, 535
Pauṣkara, 471
Pauṣkarāhva, 471
Pauṣkarāṅghrikā, 471
Pavitra, 550
Payas, 602
Pāyasa, 606
Payasvinī, 456, 473
Phalā, 578
Phala, 577
Phala pūraka, 573
Phala rāja, 567
Phala varttula, 587
Phale ruhā, 453
Phalinī, 513
Phalottamā, 451, 554
Phaluka, 598
Phañijā, 579
Phañijjaka, 524
Phañjī, 472, 593
Phañjītaka, 593
Phena, 535
Phenā, 466
Phenikā, 616
Phenila, 550, 561
Phogo, 592
Picchā, 484
Picchaka, 484
Picchila, 544
Pichilā, 549
Pichila bījaka, 577
Picu, 486
 marda, 464
Pika bandhu, 555
Pīlu, 544
Pīlu keyukā, 598
Pīlu Parnika, 474
Piṇḍa kharjūrikā, 558
Piṇḍa musta, 472
Piṇḍa phala, 588
Piṇḍālū, 484, 599
Piṇḍāra, 484

Piṇḍī, 465, 475, 485
Piṇḍi tagara, 516
Piṇḍita, 509
Piṇḍitaka phala, 465
Piṅgalā, 516
Piṅgamāna, 512
Piṅgaṇa, 538
Pippala, 541
Pippalī, 497-98
 mūla, 497
Piśācikā, 512
Pistā, 569
Piśuna, 509
Pītā, 475
Pīta, 508, 536
Pīta candana, 508
Pīta dāru, 475
Pīta kalikā, 476
Pīta loha, 530
Pīta phena, 550
Pīta puspā, 520
Pīta puṣpaka, 469, 546
Pīta rakta, 516
Pīta sāra, 463, 508
Pīta varṇa, 549
Pīta varṇaka, 589
Pīta vastrāhva, 509
Pīta vṛkṣaka, 512
Pitadru, 475
Pitaka, 531
Pitaṇī, 454
Pitrahā, 476
Pitta, 597
Pittala, 530
Pīvarī, 469
Plakṣa, 542
Plavaga, 543
Plīhārī(i), 484, 486
Polikā, 610

Potakī, 593
Potikā, 595
Prabhadraka, 464, 548
Prabhu, 531
Prācī nāgara, 452
Prācīnāmalaka, 452
Prācīnāmbaṣṭhakī, 474
Pragraha, 463
Prahasantī, 522
Prahlādinī, 478
Prakāśana, 530
Prakīrṇa, 550
Pramathā, 451
Pramodīnī, 473
Prāṇadā, 451
Pranālaka, 591
Prapathyā, 451
Prapaunḍarika, 516
Prapītaka, 589
Prapunnaḍa, 475
Prapunnaṭa, 475
Prapunnaṭa, 582
Prarohī, 542
Prasādaka, 591
Prasāraṇī, 468
Prasravaṇa, 602
Pratānikā, 459, 468
Pratarṣaṇa, 543
Prati viṣā, 477
Prati viṣṇuka, 523
Pratyak puṣpī, 460
Pratyak śreṇī, 461
Pravāla, 535
Prāvṛṣeṇya, 543
Prītikā, 507
Priyāla, 562
Priyam badā, 520
Priyam jīva, 453
Priyaṅgu, 513

- Pr̥ṣni parṇī*, 454-55
Pr̥thak parṇī, 454, 474
Pr̥thivī bhava, 503
Pr̥thivī kanda, 598
Pr̥thu chada, 570
Pr̥thu śimba, 453
Pr̥thustanvī, 502
Pr̥thuka, 622
Pr̥thvī, 500
Pr̥thvīka(ā), 467, 500, 502
Prya, 542
Pūga, 581
Pūgī phala, 581
Punarbhū, 467
Punarnavā, 467-68
Puṇḍarīka, 516, 518
Punnāga, 522
Pura, 514
Puruhuta, 465
Puṣkara jaṭū, 471
 mūla, 471
Puṣkare ruha, 518
Puspa, 592
Puspa gandhā, 521
Puspa kāśisa, 533
Puspa ketu, 534
Puṣpa mṛtyu, 490
Puspa phalā, 587
Puspa rasa, 605
Puṣpāñjana, 534
Puṣpāsava, 605
Puṣpendra, 522
Pustaka śimbikā, 591
Puṭa, 513
Pūtanā, 451, 512
Pūti, 500
Pūti dāru, 470
Pūti mayūra, 500
Pūti parna, 550
Pūti vardhana, 500
Pūti varvara, 484
Pūti vāsa, 507
Pūti vṛkṣa, 470
Pūtī phalā, 475
Pūtika, 550
Putradā, 487
Putrañjīva, 480

Raivati, 479
Rāja balā, 468
Rāja jambū, 556
Rāja kadamba, 543
Rāja karkaṭi, 558
Rāja kaseruka, 472, 599, 699
Rāja kośatakī, 589
Rāja mān, 593
Rāja nimbūka, 576
Rāja putraka, 580
Rāja putrī, 588
Rāja vṛkṣa, 462
Rājāhvā, 562
Rājālābu, 588
Rājāmra, 580
Rājāmraṣṭaka, 580
Rajanī, 475, 530
Rājārha, 487, 508
Rajas, 531
Rajata, 529
Rājī, 520
 phala, 593
Rājīva, 518
Raksā bīja, 550
Raktā, 487, 592
Rakta, 533, 536
Rakta apāmārga, 460
Rakta bījā, 524
Rakta candana, 508
Rakta cūrṇaka, 461

Rakta daṇḍa, 459
Rakta drumā, 517
Rakta eraṇḍa, 459
Rakta gandhika, 519
Rakta ghna, 484
Rakta kandaka, 599
Rakta kāṣṭha, 517
Rakta kusumā, 560
Rakta nāla, 591
Rakta pādī, 478
Rakta pādikā, 479
Rakta pāśāṇa, 532
Rakta phala, 460, 541
Rakta phalā, 590
Rakta punarnavā, 467
Rakta puspa, 467, 546, 548
Rakta puṣpā, 521, 524
Rakta puṣpaka, 466
Rakta puṣpikā, 549
Rakta raja, 533
Rakta śamana, 461
Rakta sāra, 508, 545
Rakta varṇaka, 535
Rakta yaṣṭi, 474
Raktaka, 454, 517, 523
Raktālu, 599
Raktāṅgī, 474
Raktikā, 483
Raktotpala, 519
Rāla, 514
Rāma, 577
Rāmasenaka, 464
Rāmaṭha, 502
Rambhā, 559
Ramya, 522
Ramyaka, 464
Randhrī, 490
Raṅga, 530
Raṅga nāyaka, 465

Raṅgiṇī, 458
Raṅjana, 508
Raṅjanaka, 461
Raṅjanī, 463, 475, 517
Rasa, 531
Rāsa, 465
Rasā, 468, 474
Ṛsabhaka, 457
Rasāgrya, 534
Rasā'la, 555, 575
Rasālā, 554, 607
Rasanā, 468
Rasāñjana, 534
Rasāyana varā, 477
Rāsnā, 468
Rasodbhūta, 534
Rasonaka, 596
Rasottama, 531
Rāṣṭra nākulī, 455
Rasyā, 468
Rāṭha, 465
Rati priyā, 482
Rāvaṇa, 564
Ravi nāmaka, 530
Ṛddhī, 456-57
Recana, 461, 465
Recī, 461
Reṇu, 476
Reṇukā, 513
Rikta puṣpikā, 477
Ripu, 514
Rītiya, 534
Rocanā, 516
Rogāhvaya, 471
Rohī, 484
Rohina, 484
Rohiṇī, 451, 463
Rohīsaka, 471
Rohiṣa trṇa, 471

- Rohita*, 461, 484
Rohitaka, 484
Roma, 511
Roma(ka) lavaṇa, 503
Romaśa, 511, 599
Roma sākumbhari bhava, 503
Roṣana, 531
Rṣabhaka, 457, 458
Rubū, 459
Rucaka, 503
Ruci, 516
Ruci phala, 568
Ruhā, 489
Ruhita, 484
Rukmaka, 529
Rūpyaka, 529

Sabhaṅgā, 469
Sacī danta, 473
Ṣaḍaṅga, 454
Sadā phala, 452, 542
Sadā puṣpā, 487, 523
Ṣaḍava, 606
Ṣaḍgranthā, 501, 515
Ṣaḍgranthi, 497
Ṣaḍpada priyā, 522
Ṣaḍuṣaṇa, 498
Sahācara, 485
Sahadevā, 469
Sahakāra, 555
Sahasrākṣī, 544
Sahasrāṅgī, 544
Sahasra madhuka chadā, 487
Sahasra patra, 518
Sahasra vīryā, 469
Śaikharika, 460
Śaila, 534, 545
 niryāsa, 534
Śaileya, 513

Śailūka, 544
Śailuka, 544
Śailūṣa, 452
Saindhava, 502
Saireya, 485
Saireyaka, 485
Sāka, 545
Sakala, 510
Śakaṭākhya, 547
Śāka śreṣṭhā, 457
Śāka vīra, 591
Śāka vṛkṣa, 547
Śākaṭa mukha, 473
Sakhī, 510
Śakra bhūruha, 465
Śakra dāru, 470
Śakrāhva, 465
Saktu, 620
Śakulādanī, 489
Śāla, 545, 562
 niryāsa, 514
Śalātu, 452
Śālī, 499
Salīla, 602
Śālīna, 499, 520
Śālī Parṇī, 454, 455
Śālī piṣṭa, 610
Sallaka, 453
Śallakī, 548
Śālmalī, 549
Śālmalī patrikā, 549
Śālmalī veṣṭaka, 484
Śālūka, 453, 509, 520
Śālūka kaṇṭaka, 460
Śalyaka, 465
Śalya parṇī, 456
Samaṇ chada, 582
Samāṁsā, 469
Samāṅgā, 474, 479

- Śirī kramā*, 488
Śirīṣa, 543
Śirīṣikā, 550
Śirṇa vrnta, 589
Sīsa, 530
Śiṣṭā, 489
Śīta, 554
Sītā, 470
Sitā(a), 462, 502, 604
Sitā aparājitā, 485
Śīta bhīru, 467
Sitābhra, 507
Sitāhvaya, 507
Śītaka, 546
Sīta karī, 489
Sīta kṣudrā, 455
Śīta nalina, 508
Śīta pāki, 469
Sīta puṣpa, 571
Śīta raja, 507
Śīta śivā, 499
Sitā śṛṅgī, 477
Sitopalā, 604
Śivā(a), 450-51, 472, 514, 550
Śiva śekhura, 522
Śivāṭikā, 468
Skandapā, 541
Skandha phala, 558
Ślakṣṇa tvak, 466
Śleṣmātaka, 544
Smīra kūla, 593
Smṛti hitā, 481
Sneha vrkṣa, 470
Snigdha chadā, 560
Snigdha parṇī, 474
Snuhī, 463
Śobhana, 465
Somā, 482
Somālikā, 618
Soma kṣīrī, 478
Soma pādapa, 472
Soma rājī, 475
Soma valka, 472
Soma vallari, 482
Soma vallī, 475, 478
Somakā, 587
Śoṇa phalinī, 489
Śoṣaṇa, 563
Sphaṭika(ā), 507, 535, 536
Sphaṭikomala, 536
Sphaurya, 564
Sprkka(ā), 471, 515
Sprṣṭika, 476
Śrenī, 558
Śreṣṭhā, 451
Śreyasī, 451, 468, 474, 498
Śṛgāla viṭ, 454
Śṛgālikā, 473
Śrī geha, 518
Śrī kṛt, 545
Śrī mān, 523, 549
Śrī marī, 466
Śrī mat, 533
Śrī matī, 522
Śrī nivāsa, 512
Śrī parṇī, 453, 472
Śrī patī, 549
Śrī phala(ā), 451, 463
Śrī puṣpa, 510
Śrī vāsa, 512
Sṛk, 515
Śṛṅgāra, 510
Śṛṅgāra bhūṣaṇa, 533
Śṛṅgāṭa(ka), 599
Śṛṅgavera, 496
Śṛṅgī, 457, 471
Śṛṅgī namnī, 471
Srotoja, 533

- Sthala śṛṅgāṭa*, 454
Sthālyā, 453
Sthaṇḍeyaka, 514
Sthavira, 513
Sthirā, 454
Sthūla bhantākī, 455
Sthūla garbha, 490
Sthūla kanda, 598
Sthūla phalā, 549
Sthūla puṣpa, 522
Sthūlailā, 510
Śthūlājājī, 500
Styānam payas, 602
Śubhā, 502
Sūcikā puṣpā, 521
Sūcī mukhī, 473
Sūcyagra, 490
Suddha(ā), 502, 604
Sudhā, 504, 604
 kṣāra, 504
Sudhāvāsa, 588
Sugandha mūlā, 461, 582
Sugandhākṣa, 503
Sugandhika (ā), 471, 485, 499
Sugandhinī, 521
Suhr̥ttrāṇā, 476
Śuka chada, 514
Śuka nāsa, 453
Śuka parṇa, 514
Śuka priyā 560
Śuka puṣpa, 515
Śuka vṛkṣa, 543
Śukāhva, 513
Sukāṇḍa, 489
Sukāṇḍaka, 590
Sukha varca. 504
Sukhodbhavā, 482
Śukla(ā), 452, 473, 499, 523
Śukla kandā, 477
Śukodara, 511
Sukomala, 525
Sukośaka, 581
Śukra mātā, 472
Śukra puṣpa, 490
Śukra puṣpikā, 488
Sūkṣma, 592
Sūkṣma nāla palāṇḍu, 597
Sūkṣma patrā, 486
Sūkṣma patraḥka, 546
Sūkṣma patrikā, 469
Sūkṣmailā, 510
Sūkṣmaṇaka, 504
Śukti, 517, 537, 577
Śuktija, 535
Sulalā, 524
Sulomaśā, 477
Sulva, 530
Śumanā, 520
Sumuṣṭikā, 591
Sundara, 536
Suṇḍīka, 548
Suṅgī, 592
Sunirjāsā, 547
Suniṣaṇa, 594
Suniṣannaka, 594
Śuṅṭhī, 496
Śūnyā, 516
Sūpa dhūpana, 502
Supārī, 581
Suphala, 568
Suprabha, 516
Supuṣpaka, 516
Surā, 604
Sura druma, 470
Surabhi, 522
Surabhi chada, 579
Sūraṇa, 597
Surāhvā, 470

- Surākhyā*, 473
Surāṅgaka, 517
Surasā, 524
Suratna, 529
Suratnaka, 535
Surendra, 597
Sūrya bhaktā, 482
Sūrya kānta, 536
Sūrya maṇi, 536
Sūrya parṇī, 458
Sūrya vallabha(ā), 476, 518
Sūryāhvaya, 417
Sūryākhyā, 536
Sūryāvartā, 482
Suṣeṇā(a), 462, 578
Suṣavī, 500
Susrāvā, 548
Sūta, 531
Suta srenī, 461
Sutikta, 464
Sutuṅgikā, 593
Suvahā, 468, 479
Suśāṅgalā, 482
Suṅarcikā, 504
Suvarṇa, 529
Suvarṇa ketakī, 521
Suvīraja, 533
Suvratā, 515
Svaccha, 531
Svaccha phalā, 501
Śvadamṣtra, 454
Svādu, 574
Svādu kaṅṭaka, 454
Svādu māṁsī, 456
Svādu māṣā, 458
Svādu puspikā, 481
Svāduka, 473
Svādvaguru, 508
Svādvī, 554, 558
Śvalpa, 466
Svalpa ghaṅṭa, 476
Svalpa kanda, 599
Svalpa koṣṭhaka, 599
Śvāmīn, 531
Śvapāśva, 542
Śvara bhedaka, 575
Svarjī kṣārā, 504
Svarjika(ā), 504
Svarṇa bhūmika, 510
Svarṇa gairika, 532
Svarṇa jāṭī, 520
Svarṇa kṣīrī, 465
Svarṇa puṣpikā, 521
Svarṇa varṇā, 475, 532
Svarṇa yūthī, 521
Svarṇa dru, 463
Śvasanaka, 482
Svastika, 594
Svayam guptā, 480
Śvetā, 485
Śveta, 489, 529
Śveta cāmara, 489
Śveta candana, 508
Śveta daṅḍā, 489
Śveta jāṭī, 520
Śveta kamala, 518
Śveta kaṅṭakārī, 455
Śveta kumbhīkā, 453
Śveta kusuma, 466
Svetamaṁbhoja, 518
Śveta marica, 596
Śvetā nāḍī, 538
Śveta niśoṭha, 461
Śveta puṣpā, 485, 488
Śveta sāra, 545
Śveta syandā, 485
Śveta mūla, 467
Śveta punarnavā, 467

Śvitra bheṣaja, 542
Śyāmā, 513
Śyāma, 477
Śyāma bhūṣaṇa, 497
Śyāma niśoṭha, 462
Śyāma varṇa, 543
Śyāmaka, 471
Śyāmala, 541
Syandana, 546, 564
Śyonāka, 453-54

Tagara, 465, 516
Taila kaṇṭha, 485
Takra, 603
Tāla, 532, 567
Tāla mūlikā, 479, 598
Tāla patrī, 598
Tāla patrikā, 479
Tālisa, 511
 patrā, 511
Tamāla, 511, 545
Tāmalakī, 451
Tāma rasa, 518
Tāmbūla, 582
Tāmrā, 483
Tāmra, 530
Tāmra cūḍa, 486
Tāmra mūlī, 460
Tāmra phala, 463
Tāmra puṣpā, 453
Tāmra puṣpī, 473
Tāmra sāra, 508
Tāmra vallī, 474
Tandrī, 502
Taṇḍulā, 501
Tanduliya(ka), 592
Tankana, 504
Tanuka, 510
Tapana, 481

Tapanīya, 529
Tāpasa, 511
Tāpasa drumā, 548
Tāpīja, 532
Tāpīñcha, 545
Tapta lomaśa, 533
Tāpya, 532
Tāra, 529
Tāraka, 536
Tārakī, 478
Tarala, 488
Tarangaka, 538
Tārksya, 534
Tārksya śaīla, 534
Taruṇī, 521
Tejā, 470
Tejanya, 470
Tejapatra, 511
Tejasvinī, 470
Tejavatī, 470
Tīkṣṇa, 490, 497, 524
Tīkṣṇa dru, 544
Tīkṣṇa kīla, 584
Tīkṣṇa sāra, 565
Tīkṣṇa taṇḍulā, 497
Tiktā, 463
Tiktakā, 481
Tiktottamā, 593
Tila bheda, 490
Tilakā, 523
Tila parṇa, 508
Tila puṣpaka, 451
Tilvaka, 478
Tiṇḍisa, 591
Tinduka, 564
Tindukābha phala, 571
Tindukinī, 476-77
Tinisa, 546
Tirīnikṣi, 550

- Tiriṭa*, 478
Tittidī, 577
Tittidīka, 578
Tīvra, 490
Todana, 572
Toya, 602
Toya kāma, 544
Toya pippalī, 482
Trapu, 530
Trapusa, 588
Trapusī, 462, 588
Trāyamānā, 476
Trāyamānaka, 476
Trāyantī, 476
Tridantā, 456
Tridivodbhavā, 510
Trijāta, 511
Trika, 454, 599
Tri kaṇṭa, 454
Tri kaṭa, 454, 599
Tri kūṭa, 504
Tri netra, 531
Tri pādikā, 478
Tri parṇī, 454
Tri phalā, 451
Tri puṭa, 462, 510, 522
Tri sandhyā, 523
Tri sugandhi, 511
Trivṛt, 461-62
Trivṛtā, 462
Tṛṇa, 471
Tṛṇa cara, 536
Tṛṇa rāja, 557, 567, 604
Tṛṇa śauṇḍika, 547
Truṭi, 510
Tṛvṛat, 546
Tryasrā, 461
Tryūṣaṇa, 497
Tūda, 571
Tugā kṣīrī, 502
vanśī, 502
Tūla, 486
Tulaśī, 524
Tulaśī chada, 512
Tūlinī, 549
Tumbī, 588
Tuṇḍī, 590
Tuṅgā, 550
Tuṅga vrkṣa, 557
Tuṅgī, 500
Tūṅginī, 469
Tuṇi, 549
Tunī, 463
Tuṇṭuka, 453
Turaṅgāhvā, 468
Turī, 488
Turuṣka, 509
Turuṣkā, 490
Tūta, 571
Tuttha(ā), 463, 532
Tuvara, 533
Tuvaraka, 572
Tuvarī, 535
Tvaci chatrā, 498
Tvaci sāraka, 490
Tvak, 510-11
Tvak kṣīrī, 502
Tvakoca, 510
Tvaṣṭī, 482
Udaka, 602
Udīcya, 512
Udreka, 464
Udumbara, 542
Udumbara cchadā, 461
Uḍupati priyā; 518
Udyaḷaka, 466
Ugra kāṇḍa, 590

- Ugra gandha*, 596
Ugra gandhā, 501
Ugra gandhi, 500
Ugra kāṇḍa, 590
Uṁvī, 622
Uṁmatta, 488
Upa citrā, 461
Upa kālīkā, 500
Upa kulyā, 497
Upa kuñcikā, 500
Upa viṣāṇīkā, 477
Upodīkā, 593
Uraga, 530
Urdhva tikta, 464
Uru puṣpīkā, 476
Uśīra, 513
Uṣṭra, 593
Utpala, 471
Uttāna patra, 459
Vacā, 501
Vacarcūla, 459
Vādara, 486
Vadhu, 515
Vahlikā, 482
Vāhīnī, 461
Vāhlika, 502
Vahni mukhī, 488
Vahni nāma, 498
Vahni ruci, 470
Vahu kaṇṭha, 543
Vahu mañjarī, 524
Vahu patrā, 451
Vahu pāda, 541
Vaḥu patra, 483
Vahu phenīkā, 466
Vahu puṭa, 546
Vahu putrā, 469
Vahu putrikā, 469
Vahula, 510
Vaidala bhakṣya, 611
Vaidehī, 497
Vaidūrya, 537
Vaijayantikā, 452
Vaikunṭha, 524
Vaiṇavī kṣīrī, 502
Vāji dantaka, 452
Vāṅikari, 468
Vajra, 536
Vajra kanda, 597
Vajra manthāhva, 512
Vajra tuṇḍa(ka), 463
Vajra vallarī, 487
Vajrī, 463, 597
Vakra, 471
Vākucī, 475
Vakula, 522
Vāla patra, 460
Vāla patrikā, 545
Vāla varjana, 537
Nālikā, 470, 473, 485
Vallakī, 548
Vallī, 499, 582
Vallija, 497
Vāhu, 589
Vāhuka(ā), 209, 53,
Vāmī, 486
Vamśa, 490
 kṣīrī, 502
 rocanā, 502
Vamśajā, 502
Vānāhva, 490
Vana karṇīkā, 548
Vana mālikā, 473, 522
Vana methīkā, 499
Vana vilāsīnī, 481
Vanajā, 458
Vanaspati, 541
Vāṇa-unḍāna-vāki, 485

- Vandāka*, 483
Vandha nāmā, 520
Vandhyā, 516, 535
Vandhyā karkoṭakī, 480, 590
Vandhyā karkoṭī, 480
Vandhyā yogeśvarī, 480
Vaṅga, 530
Vaṅga sena, 551
Vānīra, 543
Vaṅjula, 543
Vanotsava, 555
Vāri sambhūta, 503
Vānya, 513
Vāpikā, 500
Vapusa, 501
Vāpya, 471
Varā(a), 451, 509-10, 514, 534,
 549, 564, 594
Vara tiktā(a), 474, 476
Vara varṇinī, 475
Varadā, 468
Varāha, 472
Varāha karṇī, 468
Vārāhī, 473, 598
landa, 473
Varāṅga, 465, 510
Varaṅgī, 510
Vardhamānaka, 459
Varhīna, 516
Vari, 460
Vāri, 486, 512
Vāri cakra, 536
Vāri dhara, 472
Vāri sambhava, 510
Vāri śukti, 537
Vāri vallī, 590
Vārija, 537
Vāri kapha, 535
Variṣṭha, 512
Varṇa vatī, 475
Varṇa vināśinī, 475
Varṇya, 509
Varṣā kāla, 499
Varṣa ketu, 568
Vārṣika, 476, 534
Vārsikī, 522
Varta loha, 530
Varttikā, 589
Vāruda, 567
Varuṇa(ā), 459, 523
Varuṇātmaajā, 604
Vāruṇa, 547
Vāruṇī, 604
Vārvara, 535
Varvari(ī), 500, 524
Vāsā, 452
Vāsa, 472
Vāsanta, 451
Vāsanta maṅdana, 533
Vasantajā, 522
Vāsantī, 522
Vasira, 460
Vaśira, 503
Vāspikā, 502
Vasti modā, 499
Vastikā, 499
Vastika parṇika, 594
Vastra bhūsaṅā, 474
Vastra rāgahr̥t, 533
Vāstūka, 591
Vāstukākārā, 593
Vasu, 503
Vasu chidrā, 456
Vasu ratna, 535
Vasuka, 487, 522
Vasūttama, 529
Vaśyā, 480
Vaṭa, 541

- Vaṭaka*, 617
Vaṭa patra, 525
Vaṭa patrī, 479
Vāta Vairi, 568
Vaṭi, 542
Vaṭikā śira, 497
Vatsādani, 452
Vatsa gandhā, 484
Vatsaka, 465
Vāṭyā, 469
Vāṭyāḷaka, 469
Vāṭyāyanī, 469
Vāyaśolī, 456
Vayasthā, 451-52
Vayasyā, 550
Vedhye mukhyā, 507
Velā, 523
Vellantara, 483
Veni, 478
Venu, 490
 niḥsrta, 604
Veṣṭaka, 512
Vetasa, 543, 575
Vibhāṇḍa, 477
Vibhītaka, 451
Vicitra, 523, 589
Viḍa, 503
Vidalā, 462
Viḍaṅga, 501
Vidārigandhā, 454
Vidārī kanda, 473
Vidārikā, 473
Viddha karṇikā, 474
Vidrūma, 535
Vidura, 536
Vigandhā, 501
Vijayā, 450, 489
Vijaya raktā, 474
Vijaya sāra, 546
Vikasā, 474
Vikīraṇa, 487
Viloḍita, 603
Vimalā, 466
Vindhya jāta 451
Vindu Patrā, 487
Vinīta, 524
Vipra, 543
Virā, 456
Vīrā, 559
Vīra, 471, 513
Vīra puṣpā, 469
Vīra sena, 565
Vīra śuklikā, 456
Vīra vṛksa, 481
Vīradru, 483
Vīraṇa mūlaka, 513
Vīrata chadā, 593
Virecī, 463
Visā, 477
Viśadā, 455
Viśādanī, 462
Viśāṇī, 457
Viṣa dhvaṁsī, 472
Viṣa kaṇṭakā, 590
Viṣa muṣṭi, 591
Viṣa muṣṭika, 464
Viṣa nāśinī, 480
Viśāṅnikā, 467
Viṣaghna, 592
Viṣaghni, 485
Viṣa puṣpaka, 465
Viṣa tindukā, 564
Viśārada, 522
Viśākha, 467
Viśālā, 462
Viśalyā, 461, 488
Viśinī, 518

Viṣṇu krāntā, 480
Viśodhanī, 463, 551
Viśrā, 501
Viśva, 496-97, 520
Viśvausaḍha, 496
Viśva bheṣaja, 496
Viśva devā, 470
Viśva gandhikā, 501
Viśva rūpaka, 508
Viśyandana, 615
Viṭ khadira, 545
Vivarna, 515
Vodhi pādapa, 541
Volā moṭā, 486
Vrana śodhana, 461
Vṛddha, 513
 dāru, 478
Vṛddhi, 457
 sukha, 456
Vṛhat puspī 476
Vṛhat tiktā, 474
Vṛkṣādani, 483
Vṛkṣa gandhinī, 470
Vṛkṣaka, 473
Vṛkṣa ruha, 483
Vṛkṣa sarsaka, 482
Vṛkṣa vallī, 473
Vṛntā, 417
Vṛntākī, 455, 589
Vṛnta kośa, 478
Vṛnta phala, 470
Vṛsa, 452, 457
Vṛśabhākṣī, 462
Vṛṣā, 461, 468
Vṛścikālī, 467
Vṛṣṇa bhadrā, 463
Vṛṣya kandā, 479
Vṛtta latā, 454
Vūkovaka, 522

Vyādhi, 517
 ghāta, 462
Vyāghra, 459
Vyāghra nakha, 517
Vyāghra puccha, 459
Vyāghratara, 459
Vyāghrī, 455, 564
Vyāla, 498, 588
Vyāla damṣṛtaka, 454
Vyāmaka, 471
Vyādhi samī, 550
Vyoṣa, 497

Yajña bhūṣaṇa, 490
Yajñaka, 546
Yajña netā, 478
Yajñānga, 542
Yakṣa dhūpa, 514
Yakṣa vāsa, 541
Yāsa, 460
Yāsaka, 460
Yaśaskarī 457
Yaṣṭi madhu, 458
Yaṣṭi madhuka, 458
Yaṣṭi puṣpa, 480
Yaṣṭyāhva, 458
Yata chadā, 559
Yatukā, 517
Yavāgraja, 504
Yāvaka, 517
Yava kaṅṭaka, 476
Yava kṣāra, 504
Yavaneṣṭa, 598
Yāvanī, 490
Yavānī, 490, 500
Yavānikā, 500
Yavāsā, 460
Yavāsaka, 460
Yāva śuka, 504

Yoga sādhanā, 574
Yugala, 471
Yugma kaṇṭhikā, 560

Yugma patra, 466
Yukta rasā, 468
Yūthikā, 521